

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

JANUARY 2017



Customer Ref :	Account No :
Contact No :	Order No :
Delivery Address :	Order Qty :
	Order Date :

Standard Features:



Invacare® **Modulite™**
An evolution in seating designed around you.

- Maximum user weight 150kg (23.5 stone)
- Gearless, Brushless Motors: 6km/h, 10km/h or 13km/h!
- HITEC X-Plore rear suspension, and front castor suspension
- Modulite highly adjustable seating system: Flex3 set up
- Seat Widths from 380mm to 580mm (15" - 23")
- Seat Depths from 410mm, 510mm (16" - 20")
- Tension Adjustable Backrest
- Height and depth adjustable, removable armrests
- Manually settable seat tilt
- Manually settable backrest recline
- Angle adjustable legrest hangers
- Fixed, flip up footplates
- Choice of 6 colours
- Puncture drive wheels and front castors
- 73.5 Ah (Gel) batteries
- Lapbelt (adjustable both sides)
- Tool kit and 8A (200 - 250V) Charger



Standard Base Price: £7,074

* Configurations may vary from the image shown

	X	Please make your selection with a cross in the box	◆ Standard feature	○ Free of Charge
→		Customer weight =	Kg	
Code		Description		Retail
ATF0017		Storm4 X-plore with True Track Plus Motors	◆	
ATZ0017		Storm4 X-plore with True Track Plus Motors Special Model		POA
SEATING TYPE				
ATF2100	x	Modulite 'Flex3' Adjustable Seating System		£7,074
SEAT FRAME AND SEAT PLATE				
ATF2111		Telescopic Seat Frame with metal seat plate (with stepless adjustment on armrests, legrests and backrest)	◆	

MODULITE SEAT SIZE SETTING CHART

Invacare® Modulite™
An evolution in seating designed around you.



		SEAT WIDTHS					
		330mm* (13")	ATF2121 380mm (15")	ATF2122 430mm (17")	ATF2123 480mm (19")	ATF2124 530mm (21")	
SEAT DEPTHS	Seat Rail 410 - 510mm	ATF2132 (16") 410mm	○	○	○	○	○
		ATF2134 (18") 460mm	○	○	○	○	○
		ATF2136 (20") 510mm	○	○	○	○	○

*330mm (13") seat width achieved on a 380mm seat frame (2121) with inrigged armrests (2183)

1. Seat depth 410mm: cannot combine T-Armrests (2191) with flexible lapbelt mount

2. Seat width 530mm (2124) not possible in combination with following armrests (2192/3)

SEAT CUSHION (sizes according to seat frame settings)

ATF2142	Matrx Flo-tech Lite - pressure relieving seat cushion	£99
ATF2143	Matrx Flo-tech Contour Visco 430 x 430 mm 17" x 17"	Not available with 510mm Seat depth £99
ATF2147	Matrx Libra Cushion, 90mm thick	Not available with Seat Width 530mm with 410mm seat Depth £345
ATF2140	Without seat cushion	◆

BACKREST SUPPORT

ATF2162	Backposts 540mm (tall) must be selected for Flex3 laguna backrest	○
ATF2163	Backposts 480mm (short)	Not available with Flex3 adjustable backrest ○

PUSH HANDLES FOR BACKPOSTS






ATF2107	Backposts WITH push handles	◆
ATF2108	Backposts WITHOUT push handles, Push handles will be cut down on the vertical section. If you require a specific length of push handle please note in the specials box at the end of the form.	Not available attendant controls, dual controls, Matrx backrest or tension adjustable backrest in combination with a headrest. £32


BACKREST UPHOLSTERY / CUSHION


ATF2171	Tension Adjustable Backrest (540mm or 480mm upholstery height) Straps easily accessible and adjustable from the rear (maximum seat depth achievable 530mm (21"))	Not available with laterals, black nylon / fabric upholstery only, Headrest option ASB1496 ◆
AFT2179	Flex3 Tension Adjustable (long = 540mm / short = 480mm), available in Black Dartex only	Not available with Flip up or Following armrests, Chin Remote, Soft Armpads £122
ATF2172	Flex3 adjustable Backrest Plates (without Backrest Cushion)	Not Available with Short Backposts £198
ATF2173	Flex3 adjustable Backrest Plates with Laguna Backrest cushion (maximum seat depth achievable 510mm (20"))	Not Available with Short Backposts £321
ATF2174	Matrx Posture Back, height 400mm (Mesh fabric)	Not available with Laterals or 530mm (21") seat width, non Invacare Headrest but profile mount ATF1496 £438
ATF2175	Matrx Posture Back, height 500mm (Mesh fabric)	Not available with Laterals or 530mm (21") seat width, non Invacare Headrest but profile mount ATF1496 £438
ATF2176	Matrx Elite Fill Back, height 500mm (Mesh fabric)	Not available with Laterals or 530mm (21") seat width, non Invacare Headrest but profile mount ATF1496, seat width of 380mm (15") ATF2121 in combination with flip up or following armrests £438
ATF2177	Matrx Elite TR Back, height 500mm (Mesh fabric)	non Invacare Headrest but profile mount ATF1496, seat width of 380mm (15") ATF2121 in combination with flip up or following armrests £438
ATF2178	Matrx Elite Deep Back, height 500mm (Mesh fabric)	Not available with Laterals or non Invacare Headrest but profile mount ATF1496 £438
ATF2170	Without Backrest Upholstery (Straight 1" diameter back posts only, suitable for mounting specialist backrests)	Not available with laterals or non Invacare Headrest but profile mount ATF1496 £486

UPHOLSTERY COLOUR

ATF2151	Black fabric (nylon 2-way-stretch material with 2142 and 2143)	○
ATF2152	Black Dartex	○
ATF2153	LK Version (black with orange seam)	○
ATF2154	Black Plush	○

ARMREST (NOTE: HIP GUIDES ONLY POSSIBLE WITH FLIP UP AND FOLLOWING ARMREST)			
ATF2191	Single post 'T-Armrest' removable and height adjustable (with stepless positioning relative to the backposts) Range of adjustment from seat plate 245mm to 315mm		◆
ATF2181	Extended height Single post 'T-Armrest': Range of adjustment from seat plate 295mm to 365mm (extended leadtime)		£32
ATF2183	In-rigged Armrests (reduces seat width by 25 mm each side)	Not Available with hip supports	○
ATF2193	Flip-up Armrest (height and depth adjustable) (height adjustable from 230 - 360mm)	Not Available with laterals or in combination with 530mm seat plate and Flex3 adjustable backrest plates.	£51
ATF2192	Following Armrest (height adjustable from 230 - 300 mm)	Not Available with laterals or in combination with 530mm seat plate and Flex3 adjustable backrest plates.	£146
ATF2194	Following Armrest (height adjustable from 300 - 360 mm)	Not Available with laterals or in combination with 530mm seat plate and Flex3 adjustable backrest plates.	£146
ARMPADS			
ATF2195	Short Armpad (325 mm)		◆
ATF2196	Long Armpad (375 mm)	Not Available with Seat depth 410mm (16")	○
ATF2197	Long Ergonomic Armpad (397 mm)	Not Available with Seat depth 410mm (16")	○
ATF2199	Soft Armpad (REA Azalea Wide Pad)		£76
HIP SUPPORTS LH (for flip up and following armrests only)			
ATF2184	Multi adjustable hip support LH, pad size SMALL 140 x 100mm		£200
ATF2186	Multi adjustable hip support LH, pad size MEDIUM 230 x 100mm		£200
ATF2188	Multi adjustable hip support LH, pad size LARGE 330 x 100mm		£200
HIP SUPPORTS RH (for flip up and following armrests only)			
ATF2185	Multi adjustable hip support RH, pad size SMALL 140 x 100mm		£200
ATF2187	Multi adjustable hip support RH, pad size MEDIUM 230 x 100mm		£200
ATF2189	Multi adjustable hip support RH, pad size LARGE 330 x 100mm		£200
SEATING ACCESSORIES			
HEADREST/NECKREST (Dartex) - Adequate headrest option must be selected			
ATF1350	Neckrest: height and depth adjustable (Azalea type)		£64
ATF1432	Headrest: height, depth and sideways adjustable (Azalea type)		£179
ATF1427	Headrest with cheek support: height and depth adjustable (Azalea type)		£179
ATF1496	All bracketry as option 1432 without headrest cushion		○
ATF1495	Push bar dia. 22mm in conjunction with telescopic seat frame/backposts, No Headrest - no mounting hardware.		○
<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>Neckrest 1350</p>  </div> <div style="text-align: center;"> <p>Headrest 1432</p>  </div> <div style="text-align: center;"> <p>Headrest (with cheek support) 1427</p>  </div> <div style="text-align: center;"> <p>Lateral 1446</p>  </div> <div style="text-align: center;"> <p>Lateral multi adjustable 1445</p>  </div> </div>			
LATERAL SUPPORT			
ATF1446	Lateral Support with extended arm, rigid pad (Dartex) (Azalea type) (Pair)		£133
ATF1445	Lateral Support with extended arm, multi-adjustable pad (Dartex)(Azalea type) (Pair)		£133
SEAT ADJUSTMENTS			
SEAT HEIGHT & SEAT RISER			
ATF1023	Fixed Seat Height 450mm		◆
ATF1025	Fixed Seat Height 480mm		○
ATF1040	Electrical Seat Riser (440 - 690mm) including adapter (mandatory for X-plore)		£1,022
SEAT TILT			
ATF1002	Manual Seat Tilt by spindle		○
ATF1014	Electrical Tilt from 0° to 25°		£477
BACKREST RECLINER			
ATF0975	Manually Settable Recliner (In 3.75° Steps) (0° - 30°) removable with handwheels at the base of the backpost for easy folding		◆
ATF0977	Powered Recliner (0° - 30°) with quick release for easy folding of backrest		£375
PREPARED FOR ELECTRICAL ADJUSTMENTS			
ATF1436	Prepared for electrical Legrests & electrical adjustments		○

LEGRESTS			
FOOTREST HANGER TYPE			
ATF0503	VARI F : Angle adjustable legrest hanger (swing away and detachable) (adjustable via tools 0° - 70°) : knee to heel length 290 - 460mm		◆
ATF0533	VARI A : Manually angle adjustable legrest hanger (swing away and detachable) (adjustable via hand wheel / knob 0° - 70°) - complete with calf pad support : knee to heel length 290 - 460mm		£185
ATF0532	ADM Manual : Manually angle adjustable (0° - 80°) legrest hanger (swing away and detachable) (adjustable via quick release lever) - complete with calf pad support : knee to heel length 290 - 460mm		£181
ATF0531	ADE Powered : Electrically angle adjustable (0° - 80°) legrest hanger (swing away and detachable) (powered via joystick) - complete with calf pad support : knee to heel length 290 - 460mm		£530
			
FOOTPLATE TYPE			
ATF0512	Fixed Footplate	Only available with VARI F hangers	◆
ATF0504	Angle Adjustable Footplate		£58
ATF0513	Angle and depth adjustable Footplate (Adapt)		£94
REMOTE DX2 SYSTEM			
REMOTE & BRACKET			
ATF1638	REM Type A, w/o light function (enables operation up to 4 electric adjustments)	Not available Electric Seat Riser or with LED Lights,	○
ATF1639	REM Type B (enables operation up to 4 electric adjustments and lights)	Not available with Electric Seat Riser	◆
ATF1601	ACS REM 24SD		£125
ATF1614	G90A		£165
	Head-Remote, ultrasonic proximity sensor(only available as special Contact UK Specials Dept		POA
ATF1207	Standard Bracket RH		○
ATF1208	Standard Bracket LH		○
ATF1707	Swing Away + height adjust. RH high end		£105
ATF1708	Swing Away + height adjust. LH high end		£105
ATTENDANT REMOTE + BRACKET			
ATF1643	REM Type A (up to 4 electric actuators)	Not available with LED Lights	£15
ATF1602	ACS REM 24SD		£171
ATF1616	G90A		£171
ATF1207	Standard Bracket RH		○
ATF1208	Standard Bracket LH		○
TRAY CONTROL + BRACKET			
ATF1607	Tray Remote REM 41		£289
ATF1289	Swing Away RH		○
ATF1288	Swing Away LH		○
CENTRE CONTROL + BRACKET			
ATF1608	Centre Remote REM 24SD		£181
ATF1289	Swing Away RH		○
ATF1288	Swing Away LH		○
CHIN CONTROL SIMPLE			
ATF1719	Chin Remote with standard Joystick (Always to be mounted on the Master Remote's side) (for Modulite only)	(Only compatible with Option1601)	£1,763
ATF1289	Swing Away Bracket RH, side manual		○
ATF1288	Swing Away Bracket LH, side manual		○
ATF1287	Swing Away Bracket RH, powered		£1,188
ATF1286	Swing Away Bracket LH , powered		£1,188
DUAL CONTROL (can only be selected as an addition to user remote)			
ATF1720	Compact Dual Control		£445
ATF1207	Standard Bracket RH		○
AFT1208	Standard Bracket LH		○
INVACARE IDC DUAL CONTROL + BRACKET			
ATF1645	Invacare IDC Dual control		£585
ATF1221	Detachable Bracket RH		○
ATF1222	Detachable Bracket LH		○



DRIVE UNIT OPTIONS

SHROUD COLOUR

ATF0202	Blue	○
ATF0228	Black	○
ATF0220	Champagne	○
ATF0204	Transparent Cherry Red	○
ATF0222	White	○
ATF0216	Olive green	○
ATZ0299	Special Shroud Colour (RAL code required)	POA

CASTORS

ATF0851	3.00 - 6 Grey Pneumatic	○
ATF0853	3.00 - 6 Grey Puncture Proof sealed	○
ATF0855	3.00 - 6 Grey Puncture Proof (solid inlay)	£85

DRIVE WHEEL

ATF0771	3.00 - 8 Grey Pneumatic	○
ATF0773	3.00 - 8 Grey Puncture Proof(sealed)	○
ATF0750	3.00 - 8 Grey Puncture Proof (solid inlay)	£85

MOTOR TYPE: GEARLESS, BRUSHLESS MOTORS. NOTE: THERE IS NO LOSS OF TORQUE WHEN SELECTING A LOWER SPEED!

ATF1290	6 km/h (4 mph)	○
ATF1275	10 km/h (6 mph) Must include lights please also select option ATF1437	○
ATF1483	13 km/h (8 mph)! Must include lights please also select option ATF1437	○

PLEASE BE AWARE THAT SPEEDS CAN BE ADJUSTED WITH PROGRAMMING AT A LATER DATE

BATTERY

ATF1364	<input checked="" type="checkbox"/> 73.5 Ah GEL	◆
---------	---	---

REAR SUSPENSION STORM 4 X-PLORE

ATF1233	<input checked="" type="checkbox"/> HITEC X-Plore suspension spring	◆
---------	---	---

FRONT SUSPENSION STORM 4 X-PLORE

ATF1238	Front suspension (suggested for up to 100 kg)	○
ATF1239	Front suspension (suggested for above 100 kg)	○

PERFORMANCE ACCESSORIES

CHARGER

ATF1343	<input checked="" type="checkbox"/> Charger 8A (200 - 250V)	◆
---------	---	---

SAFETY ACCESSORIES

LIGHTS

ATF1437	LED Light system with indicators	○
ATF1254	Without Light system	○

ANTI-TIPPER

ATF1205	Anti-tipper (standard version)	◆
---------	--------------------------------	---

KERB RIDER

ATF1244	Kerb climber assembly	£168
---------	-----------------------	------

TRANSPORTATION KIT

ATF1450	Preparation for DAHL-Docking station, (Adequate headrest is compulsory)	£324
	Docking Station for car implementation, please order separately with DAHL Engineering	
ATF1494	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory).	◆

LAP BELT

ATF1329	Lapbelt (adjustable both sides) fitted to base of backrest	○
ATF2113	Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion	◆
ATF1332	H-Belt	£60

REARVIEW MIRROR

ATF1415	RH	○
ATF1339	LH	○

ACCESSORIES			
LUGGAGE RACK			
ATF1394		Luggage Rack	£261
CANEHOLDER			
ATF1312		RH Cane holder	£33
ATF1363		LH Cane holder	£33
FENDER			
ATF1416		Fender for front castors	£96
ATF1417		Fender for rear/drive wheels	£96
TRAY - mounted opposite side to controller			
ATF1404		Swing away RH	£278
ATF1405		Swing away LH	£278
TOOLKIT			
ATF1333	x	Toolkit (including bit holder, bits and fork spanners)	◆
TOTAL PRICE			



Please refer to our Invacare Unique special order form, for more complex custom requirements. Available at www.invacare.co.uk

Special Instructions - Please supply the following information:

Name:

Email:

Phone:

Fax:

Description of special request (please include relevant option code or part number):