



For up to date spare parts online,
please visit www.invacare.co.uk

Customer Name :	Account No :
Dealer :	Order No :
Address :	Order Qty :
Tel No :	Order Date :
Delivery address :	

Küschall® K Series
DEALER
Maximum user weight 120kg (19 Stone)

Standard Features
Active Aluminium Rigid Wheelchair with Rigid Footrest
Self Propel with 24" or 26" Starec Hub Quick Release Rear Wheels
Choice of 8 Seat Widths 340mm to 480mm (13" - 19")
Choice of 7 Seat Depths 375mm to 525mm (15" - 21")
Lockdown Folding Backrest with Black & Grey Tension Adjustable Upholstery
Carbon Clothesguards
Choice of 13 Frame Colours
Standard Brake Lever Bent
Standard Base Price £1,815

Please make your selection with a cross in the box ◆ Standard feature ○ Free of Charge

Code	Description	Dealer
DDA0067	Küschall® K-series G3 2011	£1,815
DDZ0000	Küschall® K-series G3 2011 Special Basic Model - PLEASE COMPLETE DETAILS AT THE END OF THE FORM	P.O.A.
SEATING CHOICE		
ALUMINIUM FRAME 125mm (5") Front castors only available on 90° frame with 26" wheels		
DDA0284	K4, 75° to the ground, Aluminium (NC: 0426,0429,0432)	◆
DDA0285	K4, 75° to the ground, Aluminium Adducted (NC: 0426,0429,0432,0847,0848,0849,1515)	£59
DDA0286	K4, 75° to the ground, Aluminium +5cm (NC:0414,0417,0420,0847,0848,0849,0850,0851)	○
DDA0288	K4, 75° to the ground, Carbon (NC:0248,0426,0429,0432,0847,0848,0849,0850,0251,0310,1515)	£525
DDA0289	Airlite, 90° to the ground, Aluminium (NC: 0426,0429,0432)	£96
DDA0290	Airlite, 90° to the ground, Aluminium Adducted (NC: 0426,0429,0432,0847,0848,0849,1515)	£96
DDA0291	Airlite, 90° to the ground, Aluminium +5cm (NC:0414,0417,0420,0847,0848,0849,0850,0851)	£96
TITANIUM FRAME (Max User Weight 100kg)		
DDA0287	K4, 75° to the ground, Titanium (No frame colour option available) (NC:0248,0426,0429,0432,0847,0848,0849,1515,0630,0631,0632,0251,0310,1515)	£699
DDA0292	Airlite, 90° to the ground, Titanium (No frame colour option available) (NC:0248,0426,0429,0432,0847,0848,0849,1515,0630,0631,0632,0251,0310,1515)	£699
SEAT WIDTH (SB)		
Width between clothes guards = SW + 15mm		
DDA0124	Seat width 340 mm (Air Pump not mountable on 340mm width)	○
DDA0126	Seat width 360 mm	○
DDA0128	Seat width 380 mm	○
DDA0130	Seat width 400 mm	○
DDA0132	Seat width 420 mm	○
DDA0134	Seat width 440 mm	○
DDA0136	Seat width 460 mm (NC: 0605)	○
DDA0138	Seat width 480 mm (NC:0748,1515,0605,0630,0631,0632)	○
SEAT DEPTH (ST)		
DDA0414	Seat depth 375 mm	○
DDA0417	Seat depth 400 mm	◆
DDA0420	Seat depth 425 mm	○
DDA0423	Seat depth 450 mm (NC: 0605)	○
DDA0426	Seat depth 475 mm (NC: 0605)	○
DDA0429	Seat depth 500 mm (NC: 0605)	○
DDA0432	Seat depth 525 mm (NC: 0611,0605)	○
SEAT POSITION (SP) Note: Position 1 is most tippy		
DDA0461	Position 1 = 140mm	○
DDA0462	Position 2 = 125mm	○
DDA0463	Position 3 = 110mm	◆
DDA0464	Position 4 = 95mm	○
DDA0465	Position 5 = 80mm	○

BACK HEIGHT (RH)			
Please note this chair cannot be used as a seat during transportation if the back height is lower than 405mm			
In combination with tubular armrests, back height 270 - 330mm are only possible with fixed or without push handles			
DDA0548	RH 270 mm	(NC: 0703,0704,1770)	○
DDA0580	RH 285 mm	(NC: 1770)	○
DDA0550	RH 300 mm	(NC: 1770)	○
DDA0503	RH 315 mm	(NC: 1770)	○
DDA0506	RH 330 mm	(NC: 1770)	○
DDA0509	RH 345 mm	(NC: 1770)	○
DDA0512	RH 360 mm	(NC: 1770)	○
DDA0514	RH 375 mm	(NC: 1770)	◆
DDA0516	RH 390 mm	(NC: 1770)	○
DDA0518	RH 405 mm		○
DDA0520	RH 420 mm		○
DDA0522	RH 435 mm		○
DDA0524	RH 450 mm		○
DDA0526	RH 465 mm		○
DDA0528	RH 480 mm		○
FRONT SEAT-TO-FLOOR (SHv) (Please refer to Compatibility Table on back page for more details)			
DDA0847	FSF 450 mm		○
DDA0848	FSF 460 mm		○
DDA0849	FSF 470 mm		○
DDA0850	FSF 480 mm		○
DDA0851	FSF 490 mm		○
DDA0852	FSF 500 mm		◆
DDA0853	FSF 510 mm		○
DDA0854	FSF 520 mm		○
REAR SEAT-TO-FLOOR (SHh)			
If suspension is selected, Rear seat to floor is adjusted 30mm higher			
DDA0943	RSF 380 mm	(NC: 1416,1421,0903,0925,0248,0251)	○
DDA0944	RSF 390 mm	(NC: 1416,1421,0903,0248,0251)	○
DDA0945	RSF 400 mm	(NC: 1416,1421,0248,0251)	○
DDA0946	RSF 410 mm	(NC: 1416,1421)	○
DDA0947	RSF 420 mm		○
DDA0948	RSF 430 mm		◆
DDA0949	RSF 440 mm		○
DDA0950	RSF 450 mm		○
DDA0951	RSF 460 mm		○
DDA0952	RSF 470 mm	(NC: 0630,0631,0632)	○
DDA0953	RSF 480 mm	(NC: 0630,0631,0632)	○
DDA0954	RSF 490 mm	(NC: 0630,0631,0632)	○
Please note that for knee to heel less than 390mm and depending on the configuration, the footplate may be upmounted			
KNEE-TO-HEEL LENGTH (UL) K4 Frame: UL < FSF - 30mm AirLite: UL < FSF - 40mm (measure without cushion)			
Please refer to the Compatibility Table on the back page for more details			
DDA1670	UL 290 mm		○
DDA1671	UL 300 mm		○
DDA1672	UL 310 mm		○
DDA1673	UL 320 mm		○
DDA1674	UL 330 mm		○
DDA1675	UL 340 mm		○
DDA1676	UL 350 mm		○
DDA1677	UL 360 mm		○
DDA1678	UL 370 mm		○
DDA1679	UL 380 mm		○
DDA1680	UL 390 mm		○
DDA1681	UL 400 mm		○
DDA1682	UL 410 mm		○
DDA1683	UL 420 mm		○
DDA1684	UL 430 mm		◆
DDA1685	UL 440 mm		○
DDA1686	UL 450 mm		○
DDA1687	UL 460 mm		○
DDA1688	UL 470 mm		○
DDA1689	UL 480 mm		○

BACKREST			
BACKREST MATERIAL			
DDA0730		Aluminium	◆
DDA0731		Titanium (Reduces weight by 80g) (NC: 0772)	£115
BACK UPHOLSTERY			
DDA0721		Light back upholstery (Note: no tension adjustment, reduces weight by 355g) (NC: 0703,0733)	£114
DDA0722		Black & Grey Nylon upholstery with tension adjustable back (NC: 0733)	◆
DDA0735		Aero upholstery with tension adjustable back (NC: 0733)	£163
DDA0748		Alcantara black with tension adjustable back (NC: 0733)	£163
DDA0772		Without upholstery backpost height is 285mm (NC: 0751,0702,0703,0704)	○
PUSH HANDLES If armrests are selected with back heights 270 - 345mm, only fixed push handles or without push handles are possible			
DDA0750		Without push handles	◆
DDA0751		Fixed push handles short	£97
DDA0702		Fixed push handles long	£97
DDA0703		Height adjustable, rear set (NC: 1411)	£185
DDA0704		Foldable push handles	£144
DDA0733		Height adjustable integrated push handles, for without upholstery	£160
BACKREST ANGLE			
DDA0707		74° Angle from the seat	○
DDA0718		78° Angle from the seat	○
DDA0709		82° Angle from the seat	◆
DDA0719		86° Angle from the seat	○
DDA0711		90° Angle from the seat	○
SEATING			
SEAT UPHOLSTERY			
DDA0610		Standard	◆
DDA0615		Light seat upholstery (Reduces weight by 60g) (NC: 0616,0617)	£50
DDA0611		Tension adjustable seat (NC: 0616,0617)	£32
DOCUMENT STYLE SEAT UPHOLSTERY BAGS			
DDA0616		Small Bag	£15
DDA0617		Large Bag	£17
FOOTREST			
FOOTREST MATERIAL			
DDA1508		Aluminium	◆
DDA1509		Titanium (Not possible with an upmounted footplate) (Reduces weight by 145g) (NC: 1570,1515)	£120
FOOTREST			
DDA1510		Foot tube, rigid (NC: 1570,1515)	◆
DDA1513		Footplate cover (NC: 1570,1515)	£25
FOOTPLATE			
DDA1570		Carbon footplate angle adjustable	£150
DDA1515		Footrest flip to side, complete with carbon footplate (Not possible with upmounted footplate)	£219
SIDE GUARDS			
CLOTHESGUARDS/MUDGUARDS			
With suspension, distance between tyre and mudguard is 40mm			
DDA1401		Carbon clothes guards (NC: 1408)	◆
DDA1408		Carbon mud guards (NC: 1416,1421)	£205
ARMRESTS (Includes clothesguards)			
DDA1416		Armrest, height adjustable, short	£120
DDA1421		Armrest height adjustable, long	£120
TUBULAR ARMREST: If arms are required on back heights of 270-330mm, only fixed or without push handles are available			
Armrest not possible with rear wheel extension in combination with rear seat to floor of 410mm or smaller.			
DDA1411		Tubular armrest, height adjustable, removable, swing-away, comfort padded	£175
CUSHION OPTIONS			
DDA0600		Seat cushion 8cm foam with visco layer	£48
DDA0605		Alcantara Cushion Black	£110
DDA0606		Seat Bag/Pouch (Mounted underneath seat, removable)	£53


FRAME			
FRAME COLOUR			
No frame colour available for a Carbon or Titanium frame			
DDA0300		Glossy black	○
DDA0354		Night shimmer	○
DDA0314		Black Matt	○
DDA0302		Royal blue	○
DDA0303		Royal red	○
DDA0350		Purple Fire	○
DDA0315		Silver grey	○
DDA0357		Umber glaze	○
DDA0358		Smokey grey	○
DDA0356		Ivory white	○
DDA0359		Flashy yellow	○
DDA0363		Black-grey rustico	○
DDA0364		Golden beach	○
FRAME COLOUR, POLISHED (Only available on Aluminium frames)			
DDA0310		Mirror natural	£193
COLOUR-POWER-SET			
Small shade differences are possible			
DDA0330		Colour-Power-Set techno-anthracite	£163
DDA0334		Colour-Power-Set b-blue	£163
DDA0329		Colour-Power-Set comet red	£163
DDA0336		Colour-Power-Set artic blue	£163
DDA0337		Colour-Power-Copper glaze	£163
DDA0338		Colour-Power-Chrome	£163
DDA0339		Colour-Power-Champagne	£163
DDA0340		Colour-Power-Olive	£163
SUSPENSION			
Maximum load = 100 kg			
DDA0630		User weight 40-65 kg (6-10 Stone)	£185
DDA0631		User weight 65-85 kg (10-13 Stone)	£185
DDA0632		User weight 85-100 kg (13-15.7 Stone)	£185
FRONT WHEEL			
125mm (5") front wheels only possible on an AirLite 90° frame in combination with 26" rear wheels			
DDA0800		75mm (3") Supersport	○
DDA0801		100mm (4") Everyday wheel with black tyre	○
DDA0803		100mm (4") Starec techno-anthracite	£46
DDA0807		100mm (4") Starec b-blue	£46
DDA0808		100mm (4") Starec comet red	£46
DDA0830		100mm (4") Starec copper glaze	£46
DDA0831		100mm (4") Starec artic blue	£46
DDA0809		100mm (4") Starec black	£46
DDA0861		100mm (4") Starec chrome	£46
DDA0824		100mm (4") Skater wheel	£46
DDA0860		100mm (4") Comfort wheel with black tyre	○
DDA0810		125mm (5") Light wheel with black tyre	○
DDA0863		125mm (5") Comfort wheel with black tyre	◆
DDA0813		125mm (5") Starec techno anthracite	£46
DDA0817		125mm (5") Starec b-blue	£46
DDA0818		125mm (5") Starec comet red	£46
DDA0833		125mm (5") Starec copper glaze	£46
DDA0832		125mm (5") Starec artic blue	£46
DDA0819		125mm (5") Starec black	£46
DDA0862		125mm (5") Starec chrome	£46

REAR WHEEL			
REAR WHEEL FIXATION			
Rear wheel extension not possible with a rear seat to floor height of 400mm or smaller			
DDA0250	Standard rear wheel position	(NC: 0263,0264,0265,0266,0267,0248,0251)	◆
DDA0248	Lightweight rear wheel extension (3 positions)	(NC: 0266,0267,0278,1705)	£74
DDA0251	Rear wheel extension (5 positions)	(NC: 0278,1705)	£95
CAMBER AXLE TYPE 1st AXLE			
10° Camber on Vario-Ax only locks with an Active Brake			
DDA0276	Vario-Ax, adjustable Camber 1/3/7/10°	(NC: 0922,1300,1302)	£205
DDA0277	Standard axle		◆
DDA0278	Carbon axle (reduces weight by 180 g)	(NC: 0916,1705)	£112
POSITION OF 1st AXLE			
Axle position must only be selected when DDA0248 or DDA0251, Rear wheel extensions are chosen.			
2nd axle only applies when choosing DDA0251, the 5 position extension. If choosing a 2nd axle, 1st position must be selected on the 1st axle, and 5th position on the 2nd axle.			
DDA0263	1st position from the front		○
DDA0264	2nd position from the front		○
DDA0265	3rd position from the front		○
DDA0266	4th position from the front		○
DDA0267	5th position from the front		○
CAMBER ANGLE 1st AXLE			
DDA0270	0° camber		○
DDA0271	3° camber	(NC: 0916)	◆
DDA0272	6° camber	(NC: 0916)	○
2nd CAMBER AXLE TYPE (2nd Axle position will be set in 5th position from the front)			
DDA0252	Standard		£185
DDA0280	Vario-Ax	(NC: 0922,1302)	£205
CAMBER ANGLE 2nd AXLE			
Max 3° difference in camber from 1st axle - If only 1 of the axles is a Vario-Axle, 2nd axle only possible in 0° or 3° camber			
DDA0270	0° camber		○
DDA0271	3° camber		○
DDA0272	6° camber		○
QUAD RELEASE AXLE			
DDA0909	Quad quick release axle		£62
REAR WHEEL SIZE			
DDA0902	609mm (24") wheel	(NC: 0918)	◆
DDA0925	635mm (25") wheel	(NC: 0915,0916,0908,0913,0922)	○
DDA0903	660mm (26") wheel	(NC:0908,0918,0913,0916,0917,0922,1303,1705)	○
REAR WHEEL TYPE			
DDA0915	609mm (24"), 660mm (26") Kuschall Starec rim & hub - colourless or in CPS if selected		◆
DDA0908	609mm (24") High performance, (Starec hub - black or in CPS if selected)	(NC:0910,0911,1004,1006,1007)	£182
DDA0918	635mm (25") High Performance, (Starec hub - black or in CPS if selected) (Select only aluminium handrims and Marathon Evolution tyres) No spokeguards		£266
DDA0913	609mm (24") Mountain Bike, fitted with specific 24" x 1.75" tyre Aluminium or Supergripp handrim choice	(NC:0910,0911,1104,1106,1120,1202,1207,1210)	£164
DDA0922	609mm (24") Ultra-light fibre wheel only with Speedrun or Marathon Evolution tyre (Max user weight 100Kg)	(NC: 0910,0911)	£515
DDA0917	609mm (24") Spineray wheel No spokeguards available	(NC: 0910,0911)	£421
DDA0917	635mm (25") Spineray wheel No spokeguards available	(NC:0910,0911,1001,1002,1004,1006,1007,1102,1104,1106)	£421
TYPE OF SPOKES			
Only specify spokes when selecting kuschall Starec wheels			
DDA0910	Crossed spoked		◆
DDA0911	Radial spoked		£97
ALBER ADD-ON KIT Note: When using E Motion wheels in combination with a light rear wheel extension, are only wheel positions 1 and 2 are compatible			
DDA0916	E-Motion adaptor plate (Only with 609mm (24") wheel 0 Degree camber & two Alber anti tippers. (See Alber order form for further details)		£188
REAR WHEEL TYRE			
DDA1001	609mm (24"), 660mm (26") Light wheel 7 bar		◆
DDA1002	609mm (24") Profile tyre 7 bar		○
DDA1004	609mm (24") Solid tyre, profil, grey		£48
DDA1006	609mm (24") Solid tyre black (KIK)		£63
DDA1011	609mm (24"), 635mm (25") Schwalbe speedrun		£62
DDA1010	609mm (24"), 635mm (25"), 660mm (26") Marathon Evo tyre Puncture Protected	(NC: 1020)	£73
DDA1007	609mm (24") Solid tyre Light, grey		£48
ANTI-FLAT			
DDA1020	Anti-flat tyre tube protection		£15

HANDRIM		
DDA1102	609mm (24"), 660mm (26") dist. 30mm Supergripp	£145
DDA1104	609mm (24"), 660mm (26") dist. 30mm Steel polished	£45
DDA1106	609mm (24") dist. 30mm Titanium	£128
DDA1120	609mm (24"), 635mm (25") Surge LT 30mm dist	£237
DDA1113	609mm (24"), 635mm (25"), 660mm (26") Light Alu dist. 30mm	◆
DDA1114	609mm (24"), 635mm (25"), 660mm (26") Light Alu dist. 40mm	○
SPOKE GUARDS		
DDA1200	Transparent	£85
DDA1202	609mm (24") Kuschall	£85
DDA1207	609mm (24") "Original" Carbon	£122
SAFETY		
BRAKES		
DDA1300	Standard brake lever bent	◆
DDA1302	Performance brake (NC: 1310)	£55
DDA1303	Active/Scissor brake (NC: 1310)	£55
SAFETY OPTIONS		
BRAKE EXTENSION LEVER		
DDA1310	Extension lever for standard brake	£32
DDA1730	Seat belt (NC: 1770)	£54
DDA1770	Transportation kit includes seat belt and tie down labels	£54
ANTI TIPPER		
Active Antitipper not compatible with rear wheel extension, carbon axle or 660mm (26") wheels		
DDA1702	Anti-tipper tube right	£46
DDA1703	Anti-tipper tube left	£46
DDA1704	Anti-tipper tube both sides (NC: 1700)	£92
DDA1705	Active Anti-tipper	£92
ACCESSORIES		
DDA1700	Transit Wheels 75mm (3")	£151
DDA1715	Air Pump	£10
DDA1712	Kuschall watch, right side, mounted in castor housing (NC: 1713)	£77
DDA1713	Kuschall watch, left side, mounted in castor housing (NC: 1712)	£77
DDA1717	x Tool Kit	◆
DDA1739	Front frame protectors 1 pair (Not with upmounted footplate)	£24
DDA1745	Bottle holder	£20
DDA1746	Mobile phone holder	£20
PRICE		
		Total Price £

CPS-Set :
 Starec hubs; and 24"
 Starec rear wheel rims;
 Forks; Castor housing caps;
 Front seat module caps; Back
 angle joints; Quick release
 axle caps for Starec hubs.

Customer UL must be measured taking
 away the cushion thickness



$$UL = ULpat - SK$$

**Possible footwidth
 Adducted Frame**
 (Seat Width less 100 mm)

Seat width 340 mm : 240 mm
 Seat width 360 mm : 260 mm
 Seat width 380 mm : 280 mm
 Seat width 400 mm : 300 mm
 Seat width 420 mm : 320 mm
 Seat width 440 mm : 340 mm
 Seat width 460 mm : 360 mm
 Seat width 480 mm : 380 mm

**Possible footwidth
 Standard Frame**
 (Seat Width less 150 mm)

Seat width 340 mm : 190 mm
 Seat width 360 mm : 210 mm
 Seat width 380 mm : 230 mm
 Seat width 400 mm : 250 mm
 Seat width 420 mm : 270 mm
 Seat width 440 mm : 290 mm
 Seat width 460 mm : 310 mm
 Seat width 480 mm : 330 mm

Non Conforming Items Guide	
DDA0248	Light rear wheel extn
DDA0251	Rear wheel extension
DDA0263	1st position from the front
DDA0264	2nd position from the front
DDA0265	3rd position from the front
DDA0266	4th position from the front
DDA0267	5th position from the front
DDA0278	Carbon axle
DDA0280	Vario-Ax
DDA0310	Mirror natural
DDA0414	Seat depth 37,5 cm
DDA0417	Seat depth 40 cm
DDA0420	Seat depth 42,5 cm
DDA0426	Seat depth 47,5 cm
DDA0429	Seat depth 50 cm
DDA0432	Seat depth 52,5 cm
DDA0605	Alcantara cushion, black
DDA0611	Tension adjustable seat
DDA0616	Small seat bag
DDA0617	Large seat bag
DDA0630	User weight 40 - 65 kg (6-10 Stone)
DDA0631	User weight 65 - 85 kg (10-13 Stone)
DDA0632	User weight 85 - 100 kg (13-15.7 Stone)
DDA0702	Push handles fixed long
DDA0703	Height adjustable rear set push handles
DDA0704	Foldable push handles
DDA0733	Height adjustable integrated push handles
DDA0748	Alcantara, black, tension adjustable
DDA0751	Push handles fixed short
DDA0772	Without backrest upholstery
DDA0847	SHv 45 cm
DDA0848	SHv 46 cm
DDA0849	SHv 47 cm
DDA0850	SHv 48 cm
DDA0851	SHv 49 cm
DDA0903	26 " Wheel
DDA0908	24" High Performance wheel
DDA0910	Crossed spoked
DDA0911	Radial spoked
DDA0913	24" Mountain Bike wheel
DDA0915	24", 26" Kuschall Starec
DDA0916	E Motion adapter plate
DDA0917	24", 25" Spinergy wheel
DDA0918	25" High Performance wheel
DDA0922	24" Ultra-light fibre wheel
DDA0925	25" Wheel
DDA1001	Light wheel 7 bar
DDA1002	Profile tyre 7 bar
DDA1004	Solid tyre, profil, grey
DDA1006	Solid tyre (KIK) black
DDA1007	Solid tyre Light, grey
DDA1010	24", 25", 26" "Marathon Evolution" tyre from Schwalbe
DDA1020	Anti-flat tyre tube protection
DDA1102	Supergripp handrim, 24", 26" dist. 3 cm
DDA1104	Steel polished handrim, 24", 26" dist. 3 cm (Only for Kuschall wheel)
DDA1106	Titanium handrim, 24 "dist. 3 cm
DDA1120	Surge LT Handrim
DDA1202	Kuschall Spokeguards
DDA1207	"Original" Carbon Spokeguards
DDA1210	24" Switzerland Spokeguards
DDA1300	Standard brake, lever bent
DDA1302	Performance brake
DDA1303	Active brake
DDA1310	Extension lever for standard brake
DDA1408	Carbon mud guards
DDA1411	Tubular armrest, height adjustable, removable, swing-away, comfort padded
DDA1416	Siderest, height adjustable, short
DDA1421	Siderest height adjustable, long
DDA1515	Footrest flip to side
DDA1570	Carbon footplate angle adjustable
DDA1700	Transit wheels 3"
DDA1705	Active Anti-tipper
DDA1712	Kuschall watch right
DDA1713	Kuschall watch left
DDA1770	Transportation kit includes seat belt & tie down labels (available on back heights of 405mm and above)

K Series Frame Compatibility Table

The dimensions within this table give instances where the footplate will be standard mounted.

Any measurements outside of this table may result in the chair being delivered with an upmounted footplate.

	Frame Type	24" Rear Wheels			25" Rear Wheels			26" Rear Wheels		
		Front seat to floor (mm)	Knee to heel (mm)		Front seat to floor (mm)	Knee to heel (mm)		Front seat to floor (mm)	Knee to heel (mm)	
			Std footplate	Flip-Up footplate		Std footplate	Flip-Up footplate		Std footplate	Flip-Up footplate
Aluminium	75° Short	450	330-420	290-420	460	330-430	290-430	470	330-440	290-440
		460	340-430	300-430	470	340-440	300-440	480	340-450	300-450
		470	350-440	310-440	480	350-450	310-450	490	350-460	310-460
	75° Standard	480	370-450	330-450	490	370-460	330-460	500	370-470	330-470
		490	380-460	340-460	500	380-470	340-470	510	380-480	340-480
		500	390-470	350-470	510	390-480	350-480	520	390-490	350-490
	75° +5	500	390-470	350-470	510	390-480	350-480	520	390-490	350-490
		510	400-480	360-480	520	400-490	360-490	530	400-500	360-500
		520	410-490	370-490	530	410-500	370-500	540	410-510	370-510
	90° Short	450	330-410	290-410	460	330-420	290-420	470	330-430	290-430
		460	340-420	300-420	470	340-430	300-430	480	340-440	300-440
		470	350-430	310-430	480	350-440	310-440	490	350-450	310-450
	90° Standard	480	370-440	330-440	490	370-450	330-450	500	370-460	330-460
		490	380-450	340-450	500	380-460	340-460	510	380-470	340-470
		500	390-460	350-460	510	390-470	350-470	520	390-480	350-480
	90° +5	500	400-460	360-460	510	400-470	360-470	520	400-480	360-480
		510	410-470	370-470	520	410-480	370-480	530	410-490	370-490
		520	420-480	380-480	530	420-490	380-490	540	420-500	380-500
	75° Adduction	480	370-450	330-450	490	370-460	330-460	500	370-470	330-470
		490	380-460	340-460	500	380-470	340-470	510	380-480	340-480
		500	390-470	350-470	510	390-480	350-480	520	390-490	350-490
	90° Adduction	480	370-440	330-440	490	370-450	330-450	500	370-460	330-460
		490	380-450	340-450	500	380-460	340-460	510	380-470	340-470
		500	390-460	350-460	510	390-470	350-470	520	390-480	350-480
Titanium	75° Titanium	480	370-450	330-450	490	370-460	330-460	500	370-470	330-470
		490	380-460	340-460	500	380-470	340-470	510	380-480	340-480
		500	390-470	350-470	510	390-480	350-480	520	390-490	350-490
	90° Titanium	480	370-440	330-440	490	370-450	330-450	500	370-460	330-460
		490	380-450	340-450	500	380-460	340-460	510	380-470	340-470
		500	390-460	350-460	510	390-470	350-470	520	390-480	350-480
Carbon	Carbon	490	380-460	340-460	500	380-470	340-470	510	380-480	340-480
		500	390-470	350-470	510	390-480	350-480	520	390-490	350-490

Special Instructions: Please supply the following information

Name:

Email:

Phone:

Description of special request (please include relevant option code):