




For up to date spare parts online,
please visit www.invacare.ie

Customer Name :	Account No :
Dealer :	Order No :
Address :	Order Qty :
Tel No:	Order Date :
Delivery address :	

Küschall® K Series
DEALER
Maximum user weight 120kg (19 Stone)

Standard Features	
Active Aluminium Rigid Wheelchair with Rigid Footrest	
Self Propel with 24" or 26" Starec Hub Quick Release Rear Wheels	
Choice of 8 Seat Widths 340mm to 480mm (13" - 19")	
Choice of 7 Seat Depths 375mm to 525mm (15" - 21")	
Lockdown Folding Backrest with Black & Grey Tension Adjustable Upholstery	
Carbon Clothesguards	
Choice of 14 Frame Colours	
Standard Brake Lever Bent	
Standard Base Price £1,815	



Please make your selection with a cross in the box ◆ Standard feature ○ Free of Charge

Code	Description	Dealer
DDA0067	Küschall® K-series G3 2011	£1,815
DDZ0000	Küschall® K-series G3 2011 Special Basic Model - PLEASE COMPLETE DETAILS AT THE END OF THE FORM	P.O.A.
SEATING CHOICE		
ALUMINIUM FRAME 125mm (5") Front castors are not available with 90° frame		
DDA0284	K4, 75° to the ground, Aluminium (NC: 0426,0429,0432)	◆
DDA0285	K4, 75° to the ground, Aluminium tapered front (NC: 0426,0429,0432,0847,0848,0849,1515)	£59
DDA0286	K4, 75° to the ground, Aluminium +5cm (NC: 0414,0417,0420,0847,0848,0849,0850,0851)	○
DDA0288	K4, 75° to the ground, Carbon (NC:0248,0426,0429,0432,0847,0848,0849,0850,0251,0310,1515)	£525
DDA0289	Airlite, 90° to the ground, Aluminium (NC: 0426,0429,0432)	£96
DDA0290	Airlite, 90° to the ground, Aluminium tapered front (NC: 0426,0429,0432,0847,0848,0849,1515)	£96
DDA0291	Airlite, 90° to the ground, Aluminium +5cm (NC: 0414,0417,0420,0847,0848,0849,0850,0851)	£96
TITANIUM FRAME (Max User Weight 100kg)		
DDA0287	K4, 75° to the ground, Titanium (No paint finish available) (NC: 0248,0426,0429,0432,0847,0848,0849,1515,0630,0631,0632,0251,0310,1515)	£699
DDA0292	Airlite, 90° to the ground, Titanium (No paint finish available) (NC: 0248,0426,0429,0432,0847,0848,0849,1515,0630,0631,0632,0251,0310,1515)	£699
SEAT WIDTH (SB)		
Width between clothes guards = SW + 15mm		
DDA0124	Seat width 340 mm (Air Pump not mountable on 340mm width)	○
DDA0126	Seat width 360 mm	○
DDA0128	Seat width 380 mm	○
DDA0130	Seat width 400 mm	○
DDA0132	Seat width 420 mm	○
DDA0134	Seat width 440 mm	○
DDA0136	Seat width 460 mm	○
DDA0138	Seat width 480 mm (NC: 0630,0631,0632,1515)	○
SEAT DEPTH (ST)		
DDA0414	Seat depth 375 mm	○
DDA0417	Seat depth 400 mm	◆
DDA0420	Seat depth 425 mm	○
DDA0423	Seat depth 450 mm	○
DDA0426	Seat depth 475 mm	○
DDA0429	Seat depth 500 mm	○
DDA0432	Seat depth 525 mm (NC: 0611)	○
SEAT POSITION (SP) Note: Position 1 is most tippy		
DDA0461	Position 1 = 140mm	○
DDA0462	Position 2 = 125mm	○
DDA0463	Position 3 = 110mm	◆
DDA0464	Position 4 = 95mm	○
DDA0465	Position 5 = 80mm	○

BACK HEIGHT (RH)			
Please note this chair cannot be used as a seat during transportation if the back height is lower than 405mm			
In combination with tubular armrests, back height of between 270mm and 330mm are only possible with fixed or without push handles			
DDA0548	RH 270 mm	(NC: 1770,0772)	○
DDA0580	RH 285 mm	(NC: 1770)	○
DDA0550	RH 300 mm	(NC: 1770,0772)	○
DDA0503	RH 315 mm	(NC: 1770,0772)	○
DDA0506	RH 330 mm	(NC: 1770,0772)	○
DDA0509	RH 345 mm	(NC: 1770,0772)	○
DDA0512	RH 360 mm	(NC: 1770,0772)	○
DDA0514	RH 375 mm	(NC: 1770,0772)	◆
DDA0516	RH 390 mm	(NC: 1770,0772)	○
DDA0518	RH 405 mm	(NC: 0772)	○
DDA0520	RH 420 mm	(NC: 0772)	○
DDA0522	RH 435 mm	(NC: 0772)	○
DDA0524	RH 450 mm	(NC: 0772)	○
DDA0526	RH 465 mm	(NC: 0772)	○
DDA0528	RH 480 mm	(NC: 0772)	○
FRONT SEAT-TO-FLOOR (SHV) 5" castors not available on front heights 450mm - 470mm (Please refer to compatibility table on back page for more details)			
DDA0847	FSF 450 mm		○
DDA0848	FSF 460 mm		○
DDA0849	FSF 470 mm		○
DDA0850	FSF 480 mm		○
DDA0851	FSF 490 mm		○
DDA0852	FSF 500 mm		◆
DDA0853	FSF 510 mm		○
DDA0854	FSF 520 mm		○
REAR SEAT-TO-FLOOR (SHh)			
If suspension is selected, Rear seat to floor is adjusted 30mm higher			
DDA0943	RSF 380 mm	(NC: 1416,1421,0903,0925,0248,0251)	○
DDA0944	RSF 390 mm	(NC: 1416,1421,0903,0248,0251)	○
DDA0945	RSF 400 mm	(NC: 1416,1421,0248,0251)	○
DDA0946	RSF 410 mm	(NC: 1416,1421)	○
DDA0947	RSF 420 mm		○
DDA0948	RSF 430 mm		◆
DDA0949	RSF 440 mm		○
DDA0950	RSF 450 mm		○
DDA0951	RSF 460 mm		○
DDA0952	RSF 470 mm	(NC: 0630,0631,0632)	○
DDA0953	RSF 480 mm	(NC: 0630,0631,0632)	○
DDA0954	RSF 490 mm	(NC: 0630,0631,0632)	○
Please note that for knee to heel less than 390mm and depending on the configuration, the footplate may be upmounted			
KNEE-TO-HEEL LENGTH (UL) On a 75° Frame: UL < FSF - 30mm On 90° Frame: UL < FSF - 40mm (measure without cushion)			
Please refer to the Compatibility Table on the back page for more details			
DDA1670	UL 290 mm		○
DDA1671	UL 300 mm		○
DDA1672	UL 310 mm		○
DDA1673	UL 320 mm		○
DDA1674	UL 330 mm		○
DDA1675	UL 340 mm		○
DDA1676	UL 350 mm		○
DDA1677	UL 360 mm		○
DDA1678	UL 370 mm		○
DDA1679	UL 380 mm		○
DDA1680	UL 390 mm		○
DDA1681	UL 400 mm		○
DDA1682	UL 410 mm		○
DDA1683	UL 420 mm		○
DDA1684	UL 430 mm		◆
DDA1685	UL 440 mm		○
DDA1686	UL 450 mm		○
DDA1687	UL 460 mm		○
DDA1688	UL 470 mm		○
DDA1689	UL 480 mm		○

Order No :

Customer Ref :

Kuschall K-SERIES
2 of 9

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

BACKREST			
BACKREST MATERIAL			
DDA0730	Aluminium		◆
DDA0731	Titanium	(NC: 0703,0772)	£115
BACK UPHOLSTERY			
DDA0722	Black & Grey Nylon upholstery with tension adjustable back	(NC: 0733)	◆
DDA0735	Aero upholstery with tension adjustable back	(NC: 0733)	£163
DDA0772	Without upholstery, for fitting fixed backrests. Backpost height 285mm	(NC: 0751,0702,0703,0704)	○
PUSH HANDLES			
DDA0750	Without push handles		◆
DDA0751	Fixed push handles short		£97
DDA0702	Fixed push handles long		£97
DDA0703	Height adjustable, rear set	(NC: 1411)	£185
DDA0704	Foldable push handles		£144
DDA0733	Height adjustable integrated push handles, for without upholstery		£160
BACKREST ANGLE			
DDA0707	74° Angle from the seat		○
DDA0718	78° Angle from the seat		○
DDA0709	82° Angle from the seat		◆
DDA0719	86° Angle from the seat		○
DDA0711	90° Angle from the seat		○
SEATING			
SEAT UPHOLSTERY			
DDA0610	Standard		◆
DDA0615	Light seat upholstery		£50
DDA0611	Tension adjustable seat with one central velcro band (loop)		£32
DOCUMENT STYLE SEAT UPHOLSTERY BAGS			
DDA0616	Small Bag		£15
DDA0617	Large Bag		£17
FOOTREST			
FOOTREST MATERIAL			
DDA1508	Aluminium		◆
DDA1509	Titanium (Not possible with an upmounted footplate)	(NC: 1570,1515)	£120
FOOTREST			
DDA1510	Foot tube, rigid	(NC: 1570,1515)	◆
DDA1513	Footplate cover	(NC: 1570,1515)	£25
FOOTPLATE			
DDA1570	Carbon footplate angle adjustable		£150
DDA1515	Footrest flip to side, with carbon footplate (Not with upmounted footplate)		£219
SIDE GUARDS			
CLOTHESGUARDS/MUDGUARDS			
With suspension, distance between tyre and mudguard is 40mm			
DDA1401	Carbon clothes guards	(NC: 1408)	◆
DDA1408	Carbon mud guards	(NC: 1416,1421)	£205
ARMRESTS (Includes clothesguards)			
DDA1416	Armrest, height adjustable, short		£120
DDA1421	Armrest height adjustable, long		£120
TUBULAR ARMREST: If tubular arms are required on back heights of 270-330mm, only fixed or without push handles are available			
DDA1411	Tubular armrest, height adjustable, removable, swing-away, comfort padded		£175
CUSHION OPTIONS			
DDA0600	Seat cushion 8cm foam with visco layer		£48
DDA0606	Seat Bag/Pouch (Mounted underneath seat, removable)		£53

Order No :

Customer Ref :

Kuschall K-SERIES
3 of 9

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

FRAME		
FRAME COLOUR (Aluminium frames only)		
DDA0300	Glossy black	○
DDA0354	Night shimmer	○
DDA0314	Black Matt	○
DDA0302	Royal blue	○
DDA0303	Royal red	○
DDA0350	Purple Fire	○
DDA0315	Silver grey	○
DDA0357	Umber glaze	○
DDA0358	Smokey grey	○
DDA0356	Ivory white	○
DDA0359	Flashy yellow	○
DDA0363	Black-grey rustico	○
DDA0364	Golden beach	○
POLISHED FRAME COLOUR (Only available on Aluminium frames)		
DDA0310	Mirror natural	£193
COLOUR-POWER-SET		
Small shade differences are possible		
DDA0330	Colour-Power-Set techno-anthracite	£163
DDA0334	Colour-Power-Set b-blue	£163
DDA0329	Colour-Power-Set comet red	£163
DDA0336	Colour-Power-Set artic blue	£163
DDA0337	Colour-Power-copper glaze	£163
DDA0338	Colour-Power-chrome	Starec wheel rim supplied in black when Chrome CPS is selected £163
DDA0339	Colour-Power-champagne	£163
DDA0340	Colour-Power-olive	£163
SUSPENSION Maximum load 100 kg		
DDA0630	User weight 40-65 kg (6-10 Stone)	£185
DDA0631	User weight 65-85 kg (10-13 Stone)	£185
DDA0632	User weight 85-100 kg (13-15.7 Stone)	£185
FRONT WHEEL		
125mm (5") front wheels are not possible on an AirLite 90° frame		
DDA0800	75mm (3") Supersport	○
DDA0801	100mm (4") Everyday wheel with black tyre	○
DDA0803	100mm (4") Starec techno-anthracite	£46
DDA0807	100mm (4") Starec b-blue	£46
DDA0808	100mm (4") Starec comet red	£46
DDA0830	100mm (4") Starec copper glaze	£46
DDA0831	100mm (4") Starec artic blue	£46
DDA0809	100mm (4") Starec black	£46
DDA0861	100mm (4") Starec chrome	£46
DDA0825	100mm (4") Starec champagne	£46
DDA0826	100mm (4") Starec olive	£46
DDA0824	100mm (4") Skater wheel	£46
DDA0860	100mm (4") Comfort wheel with black tyre	○
DDA0810	125mm (5") Light wheel with black tyre	○
DDA0863	125mm (5") Comfort wheel with black tyre	◆
DDA0813	125mm (5") Starec techno anthracite	£46
DDA0817	125mm (5") Starec b-blue	£46
DDA0818	125mm (5") Starec comet red	£46
DDA0833	125mm (5") Starec copper glaze	£46
DDA0832	125mm (5") Starec artic blue	£46
DDA0819	125mm (5") Starec black	£46
DDA0862	125mm (5") Starec chrome	£46
DDA0827	125mm (5") Starec champagne	£46
DDA0828	125mm (5") Starec olive	£46

Order No :

Customer Ref :

Kuschall K-SERIES
4 of 9

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

REAR WHEEL			
REAR WHEEL FIXATION			
Rear wheel extension not possible with a rear seat to floor height of 400mm or smaller			
DDA0250	Standard rear wheel position	(NC: 0263,0264,0265,0266,0267,0248,0251)	◆
DDA0248	Lightweight rear wheel extension (3 positions)	(NC: 0266,0267,0278,1705)	£74
DDA0251	Rear wheel extension (5 positions)	(NC: 0278,1705)	£95
CAMBER AXLE TYPE 1st AXLE			
10° Camber on Vario-Ax only locks with an Active Brake			
DDA0276	Vario-Ax, adjustable Camber 1/3/7/10°	(NC: 1300,1302)	£205
DDA0277	Standard axle		◆
DDA0278	Carbon axle (reduces weight by 180 g)	(NC: 0916,1705)	£112
POSITION OF 1st AXLE			
Axle position must only be selected when DDA0248 or DDA0251, Rear wheel extensions are chosen.			
2nd axle only applies when choosing DDA0251, position extension. If choosing a 2nd axle, 1st position must be selected on the 1st axle, and 5th on the 2nd axle			
DDA0263	1st position from the front		○
DDA0264	2nd position from the front		○
DDA0265	3rd position from the front		○
DDA0266	4th position from the front		○
DDA0267	5th position from the front		○
CAMBER ANGLE 1st AXLE			
DDA0270	0° camber		○
DDA0271	3° camber		◆
DDA0272	6° camber		○
2nd CAMBER AXLE TYPE (2nd Axle position will be set in 5th position from the front)			
DDA0252	Standard		£185
DDA0280	Vario-Ax	(NC: 1302)	£205
CAMBER ANGLE 2nd AXLE			
Max 3° difference in camber from 1st axle - If only 1 of the axles is a Vario-Axle, 2nd axle only possible in 0° or 3° camber			
DDA0270	0° camber		○
DDA0271	3° camber		○
DDA0272	6° camber		○
QUAD RELEASE AXLE			
DDA0909	Quad quick release axle		£62
REAR WHEEL SIZE			
DDA0902	609mm (24") wheel	(NC: 0918)	◆
DDA0925	635mm (25") wheel	(NC: 0906,0915,0908,0913)	○
DDA0903	660mm (26") wheel	(NC: 0906,0908,0918,0913,1303,1705)	○
REAR WHEEL TYPE			
DDA0915	609mm (24"), 660mm (26") Kuschall Starec black rim & hub colourless or rim and hub in CPS if selected		◆
DDA0908	609mm (24") High performance wheel (Starec hub & rim black, hub only in CPS if selected)	(NC:0910,0911,1004,1006,1007)	£185
DDA0918	635mm (25") High Performance wheels (Starec hub & rim black, hub only in CPS if selected)	(NC:0910,0911,1001,1002,1004,1006,1007,1102,1104,1106,1200,1202)	£266
DDA0913	609mm (24") Mountain Bike, fitted with specific 24" x 1.75" tyre Choice of Aluminium or Supergrripp handrim	(NC:0910,0911,1104,1106,1120,1202)	£164
DDA0906	609mm (24") Spinergy LXX wheel, hub, rim & spokes black	(NC: 0910,0911,1004,1006,1007,1200,1202)	£421
TYPE OF SPOKES			
Only specify spokes when selecting kuschall Starec wheels			
DDA0910	Crossed spoked		◆
DDA0911	Radial spoked		£97
REAR WHEEL TYRE			
DDA1001	609mm (24"), 660mm (26") Light wheel 7 bar		◆
DDA1002	609mm (24") Profile tyre 7 bar		○
DDA1004	609mm (24") Solid tyre, profil, grey		£48
DDA1006	609mm (24") Solid tyre black (KIK)		£63
DDA1011	609mm (24"), 635mm (25") Schwalbe Ultremo ZX		£62
DDA1010	609mm (24"), 635mm (25"), 660mm (26") Marathon Evo tyre	(NC: 1020)	£73
DDA1007	609mm (24") Solid tyre Light, grey		£48

Order No :

Customer Ref :


Kuschall K-SERIES
5 of 9

Subject to Invacare's standard terms conditions.
Invacare reserve the right to alter product specification without prior notice.

ANTI-FLAT		
DDA1020	Anti-flat tyre tube protection	£15
HANDRIM		
DDA1102	559mm (22"), 609mm (24"), 660mm (26") Supergripp, long tab, 2 hole set at 3 cm distance	£145
DDA1104	609mm (24"), 660mm (26") Steel polished, short tab, 1 hole set at 3 cm distance	£45
DDA1106	609mm (24") Titanium, short tab, 1 hole set at 3 cm distance	£128
DDA1120	609mm (24"), 635mm (25") Surge LT 30mm dist	£237
DDA1113	559mm (22"), 609mm (24"), 635mm (26") Light Alu grey, short tab, 1 hole set at 3 cm distance	◆
DDA1114	559mm (22"), 609mm (24"), 635mm (26") Light Alu grey, long tab, 2 hole set at 4 cm distance	○
SPOKE GUARDS		
DDA1200	Transparent	£85
DDA1202	609mm (24") Kuschall	£85
SAFETY		
BRAKES		
DDA1300	Standard brake lever bent	◆
DDA1302	Performance brake (NC: 1310)	£55
DDA1303	Active/Scissor brake (NC: 1310)	£55
SAFETY OPTIONS		
BRAKE EXTENSION LEVER		
DDA1310	Extension lever for standard brake	£32
DDA1730	Seat belt (NC: 1770)	£54
DDA1770	Transportation kit includes seat belt and tie down labels	£54
ANTI TIPPER		
DDA1702	Anti-tipper tube right	£46
DDA1703	Anti-tipper tube left	£46
DDA1704	Anti-tipper tube both sides	£92
DDA1705	Active Anti-tipper	£92
ACCESSORIES		
DDA1700	Transit Wheels 75mm (3")	£151
DDA1715	Air Pump	£10
DDA1712	Kuschall watch, right side, mounted in castor housing (NC: 1713)	£77
DDA1713	Kuschall watch, left side, mounted in castor housing (NC: 1712)	£77
DDA1717	x Tool Kit	◆
DDA1739	Front frame protectors 1 pair (Not with upmounted footplate)	£24
DDA1745	Bottle holder	£20
DDA1746	Mobile phone holder	£20
PRICE		
Total Price		£

Customer UL must be measured taking away the cushion thickness

CPS - Set :
 Starec wheel hubs
 Starec rear wheel rims
 Castor forks, Castor housing caps
 Front seat module caps Back angle joints
 Starec quick release axle caps



$$UL = ULpat - SK$$

Possible footwidth Tapered Frame

(Seat Width less 100 mm)

Seat width 340 mm : 240 mm
 Seat width 360 mm : 260 mm
 Seat width 380 mm : 280 mm
 Seat width 400 mm : 300 mm
 Seat width 420 mm : 320 mm
 Seat width 440 mm : 340 mm
 Seat width 460 mm : 360 mm
 Seat width 480 mm : 380 mm

Possible footwidth Standard Frame

(Seat Width less 150 mm)

Seat width 340 mm : 190 mm
 Seat width 360 mm : 210 mm
 Seat width 380 mm : 230 mm
 Seat width 400 mm : 250 mm
 Seat width 420 mm : 270 mm
 Seat width 440 mm : 290 mm
 Seat width 460 mm : 310 mm
 Seat width 480 mm : 330 mm

Order No :

Customer Ref :

Non Conforming Items Guide	
DDA0248	Light rear wheel extn
DDA0251	Rear wheel extension
DDA0263	1st position from the front
DDA0264	2nd position from the front
DDA0265	3rd position from the front
DDA0266	4th position from the front
DDA0267	5th position from the front
DDA0278	Carbon axle
DDA0310	Mirror natural
DDA0414	Seat depth 37,5 cm
DDA0417	Seat depth 40 cm
DDA0420	Seat depth 42,5 cm
DDA0426	Seat depth 47,5 cm
DDA0429	Seat depth 50 cm
DDA0432	Seat depth 52,5 cm
DDA0611	Tension adjustable seat
DDA0630	User weight 40 - 65 kg (6-10 Stone)
DDA0631	User weight 65 - 85 kg (10-13 Stone)
DDA0632	User weight 85 - 100 kg (13-15.7 Stone)
DDA0702	Push handles fixed long
DDA0703	Height adjustable rear set push handles
DDA0704	Foldable push handles
DDA0733	Height adjustable integrated push handles
DDA0751	Push handles fixed short
DDA0772	Without backrest upholstery
DDA0847	SHv 45 cm
DDA0848	SHv 46 cm
DDA0849	SHv 47 cm
DDA0850	SHv 48 cm
DDA0851	SHv 49 cm
DDA0903	26 " Wheel
DDA0906	24" Spinergy LX wheels
DDA0908	24" High Performance wheel
DDA0910	Crossed spoked
DDA0911	Radial spoked
DDA0913	24" Mountain Bike wheel
DDA0915	24", 26" küschall Starec
DDA0918	25" High Performance wheel
DDA0925	25" Wheel
DDA1001	Light wheel 7 bar
DDA1002	Profile tyre 7 bar
DDA1004	Solid tyre, profil, grey
DDA1006	Solid tyre (KIK) black
DDA1007	Solid tyre Light, grey
DDA1020	Anti-flat tyre tube protection
DDA1102	Supergripp handrim,24",26" dist. 3 cm
DDA1104	Steel polished handrim, 24",26" dist. 3 cm (Only for Kuschall wheel)
DDA1106	Titanium handrim, 24 "dist. 3 cm
DDA1120	Surge LT Handrim
DDA1200	Transparant Spokeguards
DDA1202	Küschall Spokeguards
DDA1300	Standard brake, lever bent
DDA1302	Performance brake
DDA1303	Active brake
DDA1310	Extension lever for standard brake
DDA1408	Carbon mud guards
DDA1411	Tubular armrest, height adjustable, removable, swing-away, comfort padded
DDA1416	Siderest, height adjustable, short
DDA1421	Siderest height adjustable, long
DDA1515	Footrest flip to side
DDA1570	Carbon footplate angle adjustable
DDA1700	Transit wheels 3"
DDA1705	Active Anti-tipper
DDA1712	Kuschall watch right
DDA1713	Kuschall watch left
DDA1770	Transportation kit includes seat belt & tie down labels (available on back heights of 405mm and above)

K Series Frame Compatibility Table

The dimensions within this table give instances where the footplate will be standard mounted.
Any measurements outside of this table may result in the chair being delivered with an upmounted footplate.

	Frame Type	24" Rear Wheels			25" Rear Wheels			26" Rear Wheels		
		Front seat to floor (mm)	Knee to heel (mm)		Front seat to floor (mm)	Knee to heel (mm)		Front seat to floor (mm)	Knee to heel (mm)	
			Std footplate	Flip-Up footplate		Std footplate	Flip-Up footplate		Std footplate	Flip-Up footplate
Aluminium	75° Short	450	330-420	290-420	460	330-430	290-430	470	330-440	290-440
		460	340-430	300-430	470	340-440	300-440	480	340-450	300-450
		470	350-440	310-440	480	350-450	310-450	490	350-460	310-460
	75° Standard	480	370-450	330-450	490	370-460	330-460	500	370-470	330-470
		490	380-460	340-460	500	380-470	340-470	510	380-480	340-480
		500	390-470	350-470	510	390-480	350-480	520	390-490	350-490
	75° +5	500	390-470	350-470	510	390-480	350-480	520	390-490	350-490
		510	400-480	360-480	520	400-490	360-490	530	400-500	360-500
		520	410-490	370-490	530	410-500	370-500	540	410-510	370-510
	90° Short	450	330-410	290-410	460	330-420	290-420	470	330-430	290-430
		460	340-420	300-420	470	340-430	300-430	480	340-440	300-440
		470	350-430	310-430	480	350-440	310-440	490	350-450	310-450
	90° Standard	480	370-440	330-440	490	370-450	330-450	500	370-460	330-460
		490	380-450	340-450	500	380-460	340-460	510	380-470	340-470
		500	390-460	350-460	510	390-470	350-470	520	390-480	350-480
	90° +5	500	400-460	360-460	510	400-470	360-470	520	400-480	360-480
		510	410-470	370-470	520	410-480	370-480	530	410-490	370-490
		520	420-480	380-480	530	420-490	380-490	540	420-500	380-500
	75° Tapered Frame	480	370-450	N/A	490	370-460	N/A	500	370-470	N/A
		490	380-460	N/A	500	380-470	N/A	510	380-480	N/A
		500	390-470	N/A	510	390-480	N/A	520	390-490	N/A
	90° Tapered Frame	480	370-440	N/A	490	370-450	N/A	500	370-460	N/A
		490	380-450	N/A	500	380-460	N/A	510	380-470	N/A
		500	390-460	N/A	510	390-470	N/A	520	390-480	N/A
Titanium	75° Titanium	480	370-450	N/A	490	370-460	N/A	500	370-470	N/A
		490	380-460	N/A	500	380-470	N/A	510	380-480	N/A
		500	390-470	N/A	510	390-480	N/A	520	390-490	N/A
	90° Titanium	480	370-440	N/A	490	370-450	N/A	500	370-460	N/A
		490	380-450	N/A	500	380-460	N/A	510	380-470	N/A
		500	390-460	N/A	510	390-470	N/A	520	390-480	N/A
Carbon	Carbon	490	380-460	340-460	500	380-470	340-470	510	380-480	340-480
		500	390-470	350-470	510	390-480	350-480	520	390-490	350-490

CUSTOMIZED MEASUREMENTS	
SB	
ST	
RH	
SHv	
SHh	
UL	
RW	
GL / GB	
USER WEIGHT	
USER SIZE	

MYküschall
Description of the request