



movingpeople.net UK Ltd.
 68 High Street
 Weybridge Surrey KT13 8BL
 Tel: +44(0)1932 82 72 22
Fax: +44(0)1932 85 55 99
 uk@movingpeople.net

RETAIL PRICE LIST IBIS 12"
Standard configuration £1550.00

Valid from 01-01-2007, version 1.

Dealer:	
Delivery address:	
Reference:	Date:
Contact name:	Amount:

STANDARD CONFIGURATION

- 55cm(21.7") seat height
- 46cm(18.1") seat width
- 48cm(18.9") seat depth
- Red baseframe
- 7" solid front wheels
- 12" air rear wheels
- Standard seat cushion with grey bar
- Standard backrest with grey bar
- Central legrest with gas spring adjustment
- Trapezium calfrest
- 40cm(15.8") long padded armrests
- Padded side cushions
- Seat belt

**AVAILABLE WITH
POWER SUPPORT**



The Ibis 12" is approved by recognized test institutes in accordance with EN 12183.

The Power Support attendant control is approved by recognized test institutes in accordance with EN 12183 and EN 12184.

Ask your sales representative for other available colours and prices

If standard configuration only is required please tick all boxes marked as basic. If upgrades are required please tick the box relating to the particular upgrade required.

BASEFRAME	
Seat height, incl. standard cushion: <input type="checkbox"/> 50(19.7") <input type="checkbox"/> 55(21.7") <input type="checkbox"/> 50(23.6"), not with Power Support	basic
<input type="checkbox"/> Power Support 12 attendant control <i>incl. batteries and charger</i>	
<input type="checkbox"/> Red frame <input type="checkbox"/> Horizon blue metallic <input type="checkbox"/> Silver grey metallic <input type="checkbox"/> Arthrodesis frame (<i>pick elevating legrests</i>)	basic
<input type="checkbox"/> 7" solid front wheels <input type="checkbox"/> 7" air front wheels	basic
<input type="checkbox"/> 12" air rear wheels, incl. drum brakes <input type="checkbox"/> 12" solid rear wheels, incl. drum brakes <i>(not with PowerSupport)</i>	basic
ELECTRICAL ADJUSTMENTS & LIGHTING	
<input type="checkbox"/> 125 kg	basic
<input type="checkbox"/> 160 kg, not with Power Support	£10
<input type="checkbox"/> Tilt adjustment with gas spring <input type="checkbox"/> Backrest recline with gas spring <input type="checkbox"/> Electrical backrest* with Power Support <input type="checkbox"/> Tilt adjustment with hydraulic control <input type="checkbox"/> Electrical tilt adjustment* <input type="checkbox"/> Electrical tilt adjustment* with Power Support	basic
SEAT CUSHIONS	
Seat cushion width: <input type="checkbox"/> 42(16.5") for seat width 38-42(15"-16.5") <input type="checkbox"/> 46(18.1") for seat width 42-47(16.5"-18.5") <input type="checkbox"/> 50(19.7") for seat width 46-51(18.1"-20.1") <input type="checkbox"/> 54(21.3") for seat width 50-55(19.7"-21.7")* <input type="checkbox"/> 54(21.3"), when no seat is ordered*	basic

SEAT CUSHIONS	
Seat cushion depth: <input type="checkbox"/> 50(19.7") for seat depth 44-52(17.3"-20.5") <input type="checkbox"/> 54(21.3") for seat depth 48-56(18.9"-22") <input type="checkbox"/> 58(22.8") for seat depth 52-60(20.5"-23.6")	basic
<input type="checkbox"/> Standard with grey bar <input type="checkbox"/> Memory foam <input type="checkbox"/> Support, 2cm(0.8") thicker <input type="checkbox"/> Balance, 2cm(0.8") thicker <input type="checkbox"/> Fluid (3 cm(1.2") thicker), not with SW54, SD54, SD58 <input type="checkbox"/> Air (3 cm(1.2") thicker), not with SW54, SD54, SD58 <input type="checkbox"/> Flow Basic ¹ not with SW54, SD54, SD58 <input type="checkbox"/> Flow Support (2cm(0.8") thicker) ¹ , not with SW54, SD54, SD58 <input type="checkbox"/> Pan <input type="checkbox"/> Arthrodesis (<i>pick also arthrodesis frame</i>) <input type="checkbox"/> Omit seat	basic
<input type="checkbox"/> Abduction Support	
BACKRESTS	
Backrest cushion width: <input type="checkbox"/> 42(16.5") <input type="checkbox"/> 46(18.1") <input type="checkbox"/> 50(19.7") <input type="checkbox"/> 54(21.3"), only when a backrest is ordered	basic
<input type="checkbox"/> Standard with grey bar <input type="checkbox"/> Lumbar support <input type="checkbox"/> Extra soft <input type="checkbox"/> Webbed <input type="checkbox"/> Support <input type="checkbox"/> Adjustable straps <input type="checkbox"/> Active, adjustable straps <input type="checkbox"/> Omit backrest	basic

All prices in Pounds. This price list replaces all previous price lists.



movingpeople.net UK Ltd.
68 High Street
Weybridge Surrey KT13 8BL
Tel: +44(0)1932 82 72 22

RETAIL PRICE LIST IBIS 12"
Standard configuration £1550.00

Valid from 01-01-2007, version 1.

Dealer:	
Delivery address:	
Reference:	Date:
Contact name:	Amount:


















BACKRESTS		
Thoracic support, per piece	<input type="checkbox"/> right <input type="checkbox"/> left	
Shoulder rest, adjustable, per piece	<input type="checkbox"/> right <input type="checkbox"/> left	
Shoulder rest, not adjustable, per piece	<input type="checkbox"/> right <input type="checkbox"/> left	
LEGRESTS		
<input type="checkbox"/> Central legrest with gas spring adjustment		basic
<input type="checkbox"/> Central legrest with gas spring adj, 5cm(2") shorter		
<input type="checkbox"/> Central legrest with gas spring and ankle angle adjust.		
<input type="checkbox"/> Omit legrest		
<input type="checkbox"/> Trapezium calfrest		basic
<input type="checkbox"/> Rectangular calfrest		
<input type="checkbox"/> Rectangular calfrest with side supports		
<input type="checkbox"/> Rectangular calfrest, 5cm(2") shorter		
<input type="checkbox"/> Rectangular calfrest with side supports, 5cm shorter		
<input type="checkbox"/> Omit calfrest		
<i>Complete set:</i>		
<input type="checkbox"/> Standard swingaway legrests, with calfstrap		
<input type="checkbox"/> Standard swingaway legrests, with calfplates		
<input type="checkbox"/> Elevating swingaway legrests, with calfplates		
<input type="checkbox"/> Electrical. elev. and swing. legrests, with calfplates (only with Power Support)		
<input type="checkbox"/> Omit calfplate, per piece	<input type="checkbox"/> right <input type="checkbox"/> left	
<i>Legrest accessories, per piece:</i>		
<input type="checkbox"/> Depth adj. calf plate bracket	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Kneepad	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Metal heel support	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Canvas heel support	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Instep support	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Amputation support	<input type="checkbox"/> right <input type="checkbox"/> left	
ARMRESTS		
<i>Padded armrests, incl. tubes, per piece:</i>		
<input type="checkbox"/> 40cm(15.7") long	<input type="checkbox"/> right <input type="checkbox"/> left	basic
<input type="checkbox"/> 30cm(11.8") long	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> 35cm(13.8") long, p-shape	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Hemiplegia armrest (not usable in conjunction with worktop)	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Omit armrest	<input type="checkbox"/> right <input type="checkbox"/> left	
<i>Armrest tubes, excl. pads, not with hemiplegia, set:</i>		
<input type="checkbox"/> Flip up armrests		
<input type="checkbox"/> Angle adjustable		

SIDE CUSHIONS		
<i>Side cushion padded, per piece:</i>		
<input type="checkbox"/> Padded	<input type="checkbox"/> right <input type="checkbox"/> left	basic
<input type="checkbox"/> Wedge-shaped, extra long	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Omit side cushion	<input type="checkbox"/> right <input type="checkbox"/> left	
HEADRESTS		
<i>Metal parts:</i>		
<input type="checkbox"/> Adjustable metal bracket		
<input type="checkbox"/> Width adjustable metal bracket		
<input type="checkbox"/> Metal bracket with quick release levers		
<i>Cushions:</i>		
<input type="checkbox"/> Headrest cushion small		
<input type="checkbox"/> Headrest cushion large		
<input type="checkbox"/> Headrest cushion flexible		
WORKTOPS		
<input type="checkbox"/> Fixed wood, with two insert tubes		
<input type="checkbox"/> Fixed acrylic, with two insert tubes		
<input type="checkbox"/> Folding wood	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Folding acrylic	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Folding half acrylic	<input type="checkbox"/> right <input type="checkbox"/> left	
<i>Worktop together with:</i>		
<input type="checkbox"/> Partial padding		
<input type="checkbox"/> Completely padded (also pick wooden worktop)		
<input type="checkbox"/> Raised edges, acrylic		
<input type="checkbox"/> Elbow pads, set		
ACCESSORIES		
<input type="checkbox"/> Lapstrap (1.90 m, 74.8")		basic
<input type="checkbox"/> Lapstrap longer (2.90 m, 114.2")		
<input type="checkbox"/> Cane / Crutch holder (for two walking canes)		
<input type="checkbox"/> Anti-tip brackets, set		
<input type="checkbox"/> Anti-tip bracket, swing away, per piece not with Power Support	<input type="checkbox"/> right <input type="checkbox"/> left	
<input type="checkbox"/> Handgrip brake (foot brake bracket withdrawn) not with Power Support		
REMARKS		

* delivery time on request

movingpeople.net can offer a wide variety of adjustments, from tailor-made upholstery and individual frame adjustments to special controllers and integrated wheelchair and environment control.


























IBIS OPTIONS

				
Seat height	Seat height	Seat width	Frame	Frame
seat height 55 seat height 50	seat height 60 by frameheightning		red frame	horizon blue metallic frame
				
Frame	Arthrodesisframe Ibis 12"	Max user weight 12"	PowerSupport 12"	Backrest recline
silver grey metallic frame	pick elevating legrests	gasspring till 125 kg gasspring till 160 kg	12" air attendant control, incl. batteries and charger	with gas spring, electrical only icw PowerSupport
				
Electrical tilt adjustment	Cane/crutch holder	Anti-tip brackets	Anti-tip brackets	Brakes 24"
hydraulic	for two walking canes	standard	swing away	handgrip brake (footbrake bracket withdrawn)
				
Brakes 24"	Spoke protectors 24"			
brake lengtheners				

SEDEO OPTIONS

				
Seat cushions standard, Sellaskin upholstery	Seat cushions standard with grey bar, Sellaskin upholstery	Seat cushions memory foam, stretch rubber upholstery	Seat cushions support (2 cm thicker), stretch rubber upholstery	Seat cushions balance (2 cm thicker), stretch rubber upholstery
				
Seat cushions Fluid (3 cm thicker), stretch rubber upholstery	Seat cushions Air (3 cm thicker), stretch rubber upholstery	Seat cushions Flow Basic stretch rubber upholstery	Seat cushions Flow Support (2cm thicker) stretch rubber upholstery	Seat cushions pan, Sellaskin upholstery
				
Seat cushions arthodese also choose for arthodesframe (only icw lbis2)	Abduction support only icw depth adjustable mounting bracket (12x12x7cm)	Backrest standard, Sellaskin upholstery	Backrest standard with grey bar, Sellaskin upholstery	Backrest lumbar support, Sellaskin upholstery
				
Backrest extra soft, stretch fabric upholstery	Backrest webbed, stretch fabric upholstery	Backrest support, Sellaskin upholstery	Backrest adjustable straps, stretch fabric upholstery	Backrest active adjustable stretch, stretch fabric upholstery
				
Thoracic support adjustable (17x15x4cm)	Shoulder rest adjustable (24x17x3,5cm)	Shoulder rest not adjustable (24x17x3,5cm)		

SEDEO OPTIONS

				
Central legrest with gas spring adjustment, SH \geq 49,5 or shorter SH \geq 42 (icw Ibis 2,XA,XC)	Central legrest with gas spring adjustment and ankle angle adjustment (icw Ibis 2,XC)	Calfrest trapezium (36x26x5cm) (icw Ibis 2,XC)	Calfrest rectangular (36x26x5cm) with side supports (15x18x1cm) or 5 cm shorter	Central legrest PWC (icw Beagle,Puma)
				
Legrests standard swingaway legrests, with calfstrap	Legrests standard swingaway legrests, with calfplates (23x18x4cm), SH \geq 42	Legrests elevating swingaway legrests, with calfplates (23x18x4cm)	Legrests electrical elevating and, swingaway legrest, with calfplates, (23x18x4cm) (not icw XA,XP)	Mounting bracket depth adjustable
				
Mounting bracket not depth adjustable (icw XA,XC,XP)	Calf plate bracket depth adjustable	Kneepad (10x10x3cm)	Metal heel support	Canvas heel support
				
Toe strap	Amputation support (22x22x7cm)	Armrest 40 cm padded (40x8x3cm) (not icw XA)	Armrest 30 cm padded (40x8x3cm) (not icw XA)	Armrest P-shape padded (35x9x3cm) (not icw XA)
				
Armrest P-shape soft PU (35x7x3cm) (icw XA,XP)	Armrest PU (35x10x2,5cm) (icw Beagle,Puma)	Armrest hemiplegia, not on insert side of worktop, not on insert side of joystick	Armrest tubes flip up (icw Ibis 2,XC)	Armrest tubes angle adjustable (not icw XA)

SEDEO OPTIONS

				
Side cushion padded (36x13x4cm)	Side cushion Wedge-shaped, extra long	Side shield (35x13x0,5cm) (icw XA,XP)	Side shield PU (31x12x2,5cm) (icw Puma)	Metal bracket headrest
				
Metal bracket headrest width adjustable	Metal bracket headrest adjustable by means of quick release levers	Headrest small (25x16x8cm)	Headrest large	Headrest flexible (50x12x5cm)
				
Worktop fixed wood with two insert tubes (63x50cm,abdominal recess11cm) (icw Ibis 2,XA,XC)	Worktop fixed acrylic with two insert tubes (63x50cm,abdominal recess11cm) (icw Ibis 2,XA,XC)	Worktop folding wood (63x50cm,abdominal recess11cm) (icw Ibis 2,XA,XC)	Worktop folding acrylic (63x50cm,abdominal recess11cm) (icw Ibis 2,XA,XC)	Worktop folding half acrylic
				
Worktop folding worktop, acrylic, with joystick recess on the side (icw Beagle,Puma,XP)	Worktop folding worktop, acrylic, with joystick recess in the centre (icw Beagle,Puma)	Partial padding	Completely padded only icw wooden worktop (icw Ibis 2,XA,XC)	Raised edges acrylic
				
Elbow pads (36x15x2,5)	Seat belt standard 1.90m lengthened 2.90m			