

Zippie Salsa M2 & Salsa R2

Deliver to:	
Name:	
Street:	
Town:	Postal code:
E-Mail:	
Tel:	Fax:
Order date:	
Purchase order:	



Invoice to:	
Name:	
Street:	
Town:	Postal code:
E-Mail:	
Tel:	Fax:
Marked for:	



Base Price	
M2	£5,275
R2	£4,395

Max. user weight: 75kg

User Weight kg

Fax: +44 (0)845 605 66 89

Email: orders@sunmed.co.uk

DRIVE BASE SELECTION																																					
<input type="radio"/> SALSA R2 SAR010000 	<input type="radio"/> SALSA M2 SLM010000 																																				
SEAT DIMENSION (width & depth)																																					
Width Setting <table border="1"> <tr><td>SW30</td><td><input type="checkbox"/></td><td>30 cm (12")</td></tr> <tr><td>SW32</td><td><input type="checkbox"/></td><td>32 cm (13")</td></tr> <tr><td>SW34</td><td><input type="checkbox"/></td><td>34 cm (13,5")</td></tr> <tr><td>SW36</td><td><input type="checkbox"/></td><td>36 cm (14")</td></tr> <tr><td>SW38</td><td><input type="checkbox"/></td><td>38 cm (15")</td></tr> <tr><td>SW40</td><td><input type="checkbox"/></td><td>40 cm (16")</td></tr> </table>	SW30	<input type="checkbox"/>	30 cm (12")	SW32	<input type="checkbox"/>	32 cm (13")	SW34	<input type="checkbox"/>	34 cm (13,5")	SW36	<input type="checkbox"/>	36 cm (14")	SW38	<input type="checkbox"/>	38 cm (15")	SW40	<input type="checkbox"/>	40 cm (16")	Depth setting <table border="1"> <tr><td>SD30</td><td><input type="checkbox"/></td><td>30 cm (12")</td></tr> <tr><td>SD32</td><td><input type="checkbox"/></td><td>32 cm (13")</td></tr> <tr><td>SD34</td><td><input type="checkbox"/></td><td>34 cm (13,5")</td></tr> <tr><td>SD36</td><td><input type="checkbox"/></td><td>36 cm (14")</td></tr> <tr><td>SD38</td><td><input type="checkbox"/></td><td>38 cm (15")</td></tr> <tr><td>SD40</td><td><input type="checkbox"/></td><td>40 cm (16")</td></tr> </table>	SD30	<input type="checkbox"/>	30 cm (12")	SD32	<input type="checkbox"/>	32 cm (13")	SD34	<input type="checkbox"/>	34 cm (13,5")	SD36	<input type="checkbox"/>	36 cm (14")	SD38	<input type="checkbox"/>	38 cm (15")	SD40	<input type="checkbox"/>	40 cm (16")
SW30	<input type="checkbox"/>	30 cm (12")																																			
SW32	<input type="checkbox"/>	32 cm (13")																																			
SW34	<input type="checkbox"/>	34 cm (13,5")																																			
SW36	<input type="checkbox"/>	36 cm (14")																																			
SW38	<input type="checkbox"/>	38 cm (15")																																			
SW40	<input type="checkbox"/>	40 cm (16")																																			
SD30	<input type="checkbox"/>	30 cm (12")																																			
SD32	<input type="checkbox"/>	32 cm (13")																																			
SD34	<input type="checkbox"/>	34 cm (13,5")																																			
SD36	<input type="checkbox"/>	36 cm (14")																																			
SD38	<input type="checkbox"/>	38 cm (15")																																			
SD40	<input type="checkbox"/>	40 cm (16")																																			
<div style="border: 1px solid black; padding: 5px;"> Adjustable Seating System Seat frame is fully adjustable from 30cm to 40 cm (12" - 16") in width and depth. Independently adjustable in 2 cm (7/8") increments </div>																																					
SEAT HEIGHT FACTORY SETTINGS																																					
Seat Height: No Module <table border="1"> <tr><td>41.5 cm</td><td>Salsa R2</td></tr> <tr><td>40 cm</td><td>Salsa M2</td></tr> </table>	41.5 cm	Salsa R2	40 cm	Salsa M2	Seat Height: Tilt Module <table border="1"> <tr><td>45.5 cm</td><td>Salsa R2</td></tr> <tr><td>44 cm</td><td>Salsa M2</td></tr> </table>	45.5 cm	Salsa R2	44 cm	Salsa M2																												
41.5 cm	Salsa R2																																				
40 cm	Salsa M2																																				
45.5 cm	Salsa R2																																				
44 cm	Salsa M2																																				
Seat Height: Lift & Tilt Module <table border="1"> <tr><td>47 cm</td><td>Salsa R2</td></tr> <tr><td>45.5 cm</td><td>Salsa M2</td></tr> </table>		47 cm	Salsa R2	45.5 cm	Salsa M2																																
47 cm	Salsa R2																																				
45.5 cm	Salsa M2																																				
SEAT & STANDARD CUSHIONS																																					
ZIP020109	<input checked="" type="radio"/> Firm Seat Board																																				
ZIP020110	<input type="radio"/> Omit Seat Cushion																																				
ZIP020120	<input type="radio"/> 5 cm Standard Foam Cushion	(used for seat width 30 - 40 cm)																																			
	<input type="checkbox"/> Pro Seating Comfort Seat and Back	(seat frame adjusted to cushion size selection)																																			
ZIP020013	<input type="radio"/> 30 and 32cm	ZIP020015 <input type="radio"/> 34 and 36 cm																																			
		ZIP020016 <input type="radio"/> 38 and 40cm																																			
		311																																			
SEAT OPTIONS																																					
SAL130008	<input type="radio"/> Manual tilt (6° preset tilt)	(0°, 3°, 6° and 9° adjustable)																																			
SAL130004	<input type="checkbox"/> Powered tilt 0° to 30°	(0° - 30° cog tilt)																																			
SAL130005	<input type="checkbox"/> Powered tilt -5° to 25° (Not available with R2)	(STF height increases by 30mm, not available with powered lift)																																			
SAL130006	<input type="checkbox"/> Powered lift/tilt combi Module	(0° - 30° tilt and 30 cm lift)																																			
		1748																																			
BACKREST RECLINE																																					
ZIP030018	<input type="radio"/> Mechanical fixed recline Back	(-4° - 16°; in 4° steps)																																			
ZIP030020	<input type="checkbox"/> Powered recline Back	(0° - 30°, 30 to 40 cm depth adjustment range)																																			
		421																																			
BACKREST UPOLSTERY																																					
ZIP030301	<input checked="" type="radio"/> Tension adjustable Sling Backrest (41 cm (16") height)	(2.5 cm up and down adjustment, c/w Std. foam cushion only)																																			
ZIP030000	<input type="radio"/> Omit Sling back																																				
JAY SHAPE BACKREST - MAX USER WGT 135KG		Premium tension adjustable backrest upholstery - Available on M2 Only																																			
JAY080001	<input type="checkbox"/> JAY SHAPE Backrest	(Not available in 51cm Seat Width)																																			
JAY080002	<input type="checkbox"/> JAY SHAPE Backrest - Oversized (Supplied 1" larger than seat width to allow greater immersion)	(N/A in 48 or 51cm Seat Width)																																			
Back Height Setting																																					
	BH38 <input type="radio"/> 38cm (15")	BH41 <input type="radio"/> 41cm (16")																																			
	BH46 <input type="radio"/> 46cm (18")	BH48.5 <input type="radio"/> 48.5cm (19")																																			
JAY080011	<input type="checkbox"/> JAY SHAPE Lateral Thoracic supports (Pair) - Support 10 x 12 cm (Pair)																																				
		193																																			
HEADREST																																					
ZIP030416	<input type="checkbox"/> Headrest	8" x 4.5" Pad (mounted on rail)																																			
		174																																			
ARMREST TYPE																																					
ZIP040122	<input checked="" type="radio"/> Flip up, height and angle adjustable with 285 x 60mm pad																																				
ZIP040142	<input type="checkbox"/> Lift-off skirt guards	(26 cm skirt guard)																																			
		70																																			
USER POSITIONING ITEMS																																					
ZIP030004	<input type="checkbox"/> Straight Lateral Supports (Pair) Swing Away	(only available with JAY Comfort seat system)																																			
ZIP030006	<input type="checkbox"/> Inset (2") Lateral Supports (Pair) Swing Away	(inset 1" either side - only available with JAY Comfort seat system)																																			
ZIP030005	<input type="checkbox"/> Seat shell back attachment brackets (Jay 3 standard assembly brackets)																																				
		121																																			

● = Standard

○ = No cost option

□ = Cost option

£

LEGRESTS			
ZIP050035	○ 90° Kids swing-away legrest & flip up footplates	(lower leg length 16 - 26cm)	
ZIP050000	○ Omit Hangers and receivers		
ZIP050038	○ Centre mount legrest (with calf pads & flip-up footplate)	(lower leg length 14 - 36 cm - not available with negative tilt)	
ZIP050016	□ Elevating legrest & flip up footplates)	(c/w aluminium footplates and calf pads, lower leg length 16 - 26 cm)	271
Legrest extension for Kids swing-away legrests			
ZIP050036	□ Extension tubes for 90° s/a legrests	(Extends lower leg length to 30, 32.5 and 35cm)	57
ZIP050037	□ Extension tubes for Manual Elevating Legrest	(Extends lower leg length to 30, 32.5 and 35cm)	57
VR2 CONTROLS (Can control up to two powered options- for more than 2 powered options choose R-Net)			
ZIP110001	○ VR2 70A motor controller	(2 actuator control output channels) (Not available with 4 pole motors)	
ZIP110002	□ VR2 90A Heavy duty motor controller	(Recommended with 10kph 2 pole motors) (Not available with 4 pole motors)	191
STR110012	○ VR2 remote	(c/w actuator control keys)	
	Swing away controller	ZIP110052 ○ RH ZIP110053 ○ LH (RH supplied if no option selected)	
ZIP110021	□ VR2 dual control (mounted RH)	(For dual control, VR2 remote must be selected also)	452
R-Net CONTROLS			
ZIP110003	○ R-Net 90A Controller		
ZIP110004	□ R-Net 120A Controller	(Must be selected with 10kph 4 pole motors)	94
ZIP110009	□ R-Net Gyro		275
STR110018	□ R-Net LED remote		466
ZIP110017	□ R-Net LCD remote L&I	(c/w light & actuator control keys)	606
ZIP110101	□ R-Net OMNI (1)	(input device and switches to be ordered via B4Me)	1122
ZIP110021	□ R-Net remote Dual (mounted RH)	(Dual Module always RH mount)	452
	Swing away controller	ZIP110052 ○ RH ZIP110053 ○ LH	
LIGHTS & INDICATORS			
SAL110209	● Omit Lights & Indicators		
SAL110201	□ LED Lights & Indicators (STVZO APPROVED)		395
KERB CLIMBER			
SAL090037	● Omit Kerb Climber		
SAL090038	□ Kerb climber (SALSA R2 only)	(not available with CML (SAZ050005))	163
SALSA R2 WHEEL SIZES			
SAL070013	○ 9" solid castor, 12,5" pneumatic Drive wheels		
SAL070017	○ 9" solid castor, 12,5" solid Drive wheels		
SAL070018	○ 9" solid castor, 14" pneumatic V-Typ Drive wheels		
SAL070019	○ 9" solid castor, 14" solid V-Typ Drive wheels		
SAL070021	□ 9" solid castor, 14" solid Knobbly Drive wheels		85
SAL070023	□ 9" solid castor, 14" pneumatic Knobbly Drive wheels		85
SALSA M2 WHEEL SIZES			
SAL070035	○ 7" solid front and rear castor wheels, 13" pneumatic Drive wheels		
SAL070036	○ 7" solid front and rear castor wheels, 13" solid Drive wheels		
MOTOR SPEED			
SAL180004	○ 6 kph Performance Motor		
SAL180006	□ 10kph (6mph) 2 Pole Motors	(Lights and rear review mirror required by law)	271
SAL180007	□ 10kph (6mph) 4-pole High Torque Motors	(Must select R-Net 120amp control) (Lights and rear review mirror required by law)	334
SHROUD COLOUR			
	SALSA R2 (black legrest and chassis)	SALSA M2 (black legrest and chassis)	
SAL140002	○ Red	SAL140002 ○ Red	
SAL140003	○ Blue	SAL140003 ○ Blue	
SAL140001	○ White	SAL140001 ○ White	
		SAL140004 ○ Matt Black	
BATTERIES			
SAL160001	○ 60 Ah Gel Batteries		
SAL160002	□ 70 Ah Gel Batteries (Salsa R2 only)		113
SAL160009	○ Omit Batteries		
CHARGER			
SAL160100	● 220 V / 8 A UK Charger		
SAL160109	□ Omit Charger		
ACCESSORIES			
SAL090100	● Transportation tie down points		
SAL090047	● Adjustable lap strap		
SAL090040	□ Swing- away tray table		174
SAL090067	□ Rear view mirror	(mirror mounts always opposite to remote module)	39
SAL160012	□ 24V Auxillary battery supply		40
ZIP090068	□ R-Net Bluetooth control module	(Android and Windows system control)	633
ZIP090141	□ R-Net 2nd Bluetooth control module	(Android and Windows system control)	385
ZIP090142	□ R-Net IOS Bluetooth control module	(IOS tablet an phone mouse control)	385
SAL090069	□ Bluetooth USB mouse receiver	(if there is no Bluetooth function on the computer)	67
Base Price			£
Option Price			£
VAT.			£
Total Price			£

(1) OMNI mounts always RH with flex arm or opposite to JSM mount selection

SEAT HEIGHT INFORMATION

Available Seat Heights	Wheel Size	No module	No module	No module	No module	No module	Tilt module	Lift/Tilt module
	Salsa R2	41.5 cm	44,5 cm	n/a	n/a	n/a	45.5 cm	47 cm
Salsa M2	40 cm	42.5 cm	44.5 cm	46.5 cm	48.5 cm	44 cm	45.5 cm	

Tilt and Lift/Tilt module settings
show lowest possible seat height