

**ORDER FORM****4th February 2008****Quickie® RXS Kids**

Failure to use an order form for a Quickie chair order may result in delay or wrong shipment

Please send all orders to:  
**Fax:** +44 (0)1384 44 66 44  
**Tel:** +44 (0)1384 44 66 66


Please ask for details on how to order on line @  
**tcom.sunrisemedical.co.uk**

**Sunrise Medical Ltd**


High Street, Wollaston, West Midlands, DY8 4PS, England  
[www.sunrisemedical.com](http://www.sunrisemedical.com) [orders@sunmed.co.uk](mailto:orders@sunmed.co.uk)

**Standard Features:**


- ◆ Foldable modular aluminium frame
- ◆ Swing-away footrests
- ◆ Standard front seat height 46cm (18")
- ◆ Standard rear seat height 44cm (17")
- ◆ Tension adjustable nylon seat upholstery and 5cm (2") seat cushion
- ◆ Swing-away armrests
- ◆ 90° swing-away hangers with 90°/90° angle adjustable footplates
- ◆ Backrest with padded nylon upholstery
- ◆ 22" quick-release rear wheels, pneumatic tyres, cross-spoked
- ◆ Infinite centre point of gravity adjustment achieved with slotted vertical axle plate
- ◆ 5" front castors with solid tyres
- ◆ Wide choice of frame colours
- ◆ Weight 11kg
- ◆ Black anodised frame parts
- ◆ This Quickie model is ideal in combination with a Jay seating system
- ◆ Maximum user weight limit 75kg

**How to measure:****Seat Depth**


From front of seat sling to back of seat sling

**Seat Width**

From outside seat rail tube to outside seat rail tube

**Frame Length**

From outside rear frame to outside front frame

**Back Height**

From seat sling to top of backrest sling

All Sunrise Medical wheelchairs and powerchairs are compatible with **JAY** cushions and backrests, including our new range of **J3** backrests launching in summer 2008

Visit [www.jay3seating.eu](http://www.jay3seating.eu) or contact your local ASM for more information

**Guarantee:**

Lifetime on frame, and axles. 1 year on other components. For further details, please refer to guarantee policy.

**Prices:**

All prices are in Pounds Sterling and Euros and exclude VAT. For latest issue, please refer to [www.sunrisemedical.com](http://www.sunrisemedical.com). Please consult Sunrise Medical with any queries you may have.



# Quickie® RXS Kids

Purchase Order (Repeat on all pages):

Please ask for details on how to order on line @  
**tcom.sunrisemedical.co.uk**

	£		£		TOTAL
<b>ARMRESTS (Mark one box)</b>					
<input type="radio"/> Padded swing away armrest (pair) (5)	Std	Std	<input type="checkbox"/> Kids tool height adjustable armrests 10" (pair)	36	58
<input type="checkbox"/> Kids height adjustable w/10" std pad armrest (pair)	87	142	<input type="checkbox"/> Omit armrest (pair)	-38	-62
<input type="checkbox"/> Kids height adjustable w/14" full length pad armrest (pair)	87	142			
<b>SIDE GUARDS (Option)</b>					
<input type="checkbox"/> Plastic side guards (pair) (5)	101	164	<input type="checkbox"/> Fabric side guards (pair) (5)	36	58
<b>HANGERS/FOOTPLATES/EXTENSION TUBES (Mark two or three boxes)</b>					
<input type="checkbox"/> Articulating legrest (pair)	219	357	<input type="checkbox"/> Elevating legrest (pair)	120	195
<b>Footplates:</b>			<b>Footplates:</b>		
<input type="checkbox"/> Angle adjustable footplates w/heel loops (pair) (1)	54	87	<input type="checkbox"/> Angle adjustable footplates w/heel loops (pair) (1)	54	87
<input type="radio"/> 90° Adjustable flip-up footplates (pair) (3)	Std	Std	<input type="radio"/> 90° Adjustable flip-up footplates (pair) (3)	Std	Std
<input type="checkbox"/> Omit Footplate (pair)	-21	-34	<input type="checkbox"/> Omit Footplate (pair)	-21	-34
<input type="checkbox"/> 70° Hangers (pair)	N/C	N/C	<input type="checkbox"/> 90° Hangers (pair)	Std	Std
<b>Footplates:</b>			<b>Footplates:</b>		
<input type="checkbox"/> One piece flip-up angle adj. footplate w/legstrap (pr) (1)	87	142	<input type="checkbox"/> Angle adjustable footplates w/heel loops (pair) (1)	54	87
<input type="checkbox"/> Composite Footplates w/heel loops (pair) (1)	N/C	N/C	<input type="radio"/> 90° Adj. flip-up footplates with legstrap (pair) (3)	Std	Std
<input type="checkbox"/> Angle adjustable Footplates w/heel loops (pair) (1)	54	87	<input type="checkbox"/> Omit Footplate (pair)	-21	-34
<input type="checkbox"/> Foam Footplates with legstrap (pair)	N/C	N/C	<input type="checkbox"/> Additional Legstrap	18	29
<input type="checkbox"/> Omit Footplate (pair)	-21	-34			
<input type="checkbox"/> Additional Legstrap	18	29			
<b>Extension Tubes:</b>					
<input type="radio"/> Ext. Tubes short/med (pair)	Std	Std			
<b>CASTORS (Mark one box)</b>					
<input type="radio"/> 5" Solid (pair)	Std	Std	<input type="checkbox"/> 6" Pneumatic castors (pair)	N/C	N/C
<input type="checkbox"/> 5" Low-profile polyurethane castors (pair)	N/C	N/C	<input type="checkbox"/> 6" Solid castors (pair)	N/C	N/C
<b>CASTOR FORK (Mark one box)</b>					
<input type="radio"/> 5 1/4" Castor fork (pair)	Std	Std	<input type="checkbox"/> 7" Castor fork (pair)	N/C	N/C
<input type="checkbox"/> 6" Castor fork (pair)	N/C	N/C			
<b>CASTOR STEM (Option)</b>					
<input type="checkbox"/> 3/4" Longer fork stem bolt (pair)	N/C	N/C	<input type="checkbox"/> 1 1/2" Longer fork stem bolt (pair)	N/C	N/C
<b>AXLE PLATES (Mark one box)</b>					
<input type="radio"/> Slotted indexed vertical axle plate (pair)	Std	Std	<input type="checkbox"/> Amputee axle bracket - forward mounted (pair)	-32	-52
			<input type="checkbox"/> Amputee axle bracket - rearward mounted (pair)	-32	-52
<b>AXLES (Standard)</b>					
<input checked="" type="radio"/> Quick Release axles (pair)	Std	Std			
<b>REAR WHEEL SIZE/TYRE/TYRE/HANDRIM (Mark a minimum of three boxes)</b>					
<input type="checkbox"/> Rear wheel size 20"	N/C	N/C	<input type="radio"/> Rear wheel size 22"	Std	Std
<b>Rear Wheel Type:</b>			<b>Rear Wheel Type:</b>		
<input type="checkbox"/> Mag (pair)	N/C	N/C	<input type="checkbox"/> Mag (pair)	N/C	N/C
<input type="radio"/> X-spoke (pair)	Std	Std	<input type="radio"/> X-spoke (pair)	Std	Std
<b>Tyre Type:</b>			<b>Tyre Type:</b>		
<input type="radio"/> Pneumatic tyre (pair)	Std	Std	<input type="radio"/> Pneumatic tyre (pair)	Std	Std
<input type="checkbox"/> Solid tyre (pair)	24	39	<input type="checkbox"/> Solid tyre" (pair)	24	39
<b>Handrims:</b>			<b>Handrims:</b>		
<input type="radio"/> Aluminium handrim (pair)	Std	Std	<input type="radio"/> Aluminium handrim (pair)	Std	Std
<input type="checkbox"/> Plastic coated handrim (pair)	54	87	<input type="checkbox"/> Plastic coated handrim (pair)	54	87
<input type="checkbox"/> Omit handrims (pair)	-24	-39	<input type="checkbox"/> Stainless steel handrim (pair) (4)	62	101
<input type="checkbox"/> Long tabs screw mounted (pair)	35	56	<input type="checkbox"/> Foam grip handrim (pair) (4)	108	176
			<input type="checkbox"/> Omit handrims (pair)	-24	-39
			<input type="checkbox"/> Long tabs screw mounted (pair)	35	56
<b>WHEEL LOCKS (Mark one box)</b>					
<input type="radio"/> High push knee lever wheel locks (pair)	Std	Std	<input type="checkbox"/> Drumbrakes (pair) (4)	228	371
<input type="checkbox"/> Active wheel lock	N/C	N/C			
<b>WHEEL LOCK OPTION (Option)</b>					
<input type="checkbox"/> 6" Wheel lock extension (pair)	25	41			

ACCESSORIES (Optional)									
<input type="checkbox"/>	Caddy (pair) (8)	36	58	<input type="checkbox"/>	Tool kit	15	24		
<input type="checkbox"/>	Crutch holder	40	65	<input type="checkbox"/>	Step tube left	6	10		
<input type="checkbox"/>	Spokeguards Space Alien 20", 22" (pair) (4)	74	120	<input type="checkbox"/>	Step tube right	6	10		
<input type="checkbox"/>	Spokeguards Purple Turtle 20", 22" (pair) (4)	74	120	<input type="checkbox"/>	Backpack	36	58		
<input type="checkbox"/>	Spokeguards Get Out There 22" (pair) (4)	74	120	<input type="checkbox"/>	Seat pouch	29	48		
<input type="checkbox"/>	Spokeguards Leopard 22" (pair) (4)	74	120	<input type="checkbox"/>	Positioning belt buckle 64"	25	41		
<input type="checkbox"/>	Spoke guards clear 22" (pair)	68	111	<input type="checkbox"/>	Positioning belt buckle 54"	25	41		
<input type="checkbox"/>	Spoke guards black 22" (pair)	68	111	<input type="checkbox"/>	Swing away tray table (9)	113	185		
<input type="checkbox"/>	Neoprene impact guards (pair) (10)	22	36	<input type="checkbox"/>	Anti tip tubes (pair)	45	73		
<b>Base Price:</b>						<b>£ 920</b>	<b>€ 1,497</b>		
<b>Options:</b>						<b>£</b>	<b>€</b>		
<b>Total Price:</b>						<b>£</b>	<b>€</b>		

FRONT SEAT HEIGHT						
Fork Size	5 1/4"	5 1/4"	6"	6"	7"	7"
Fork Position	Bottom	Top	Bottom	Top	Bottom	Top
<b>Castor Type</b>						
5" Polys/Solid Tyre	18 1/16"	17 1/16"	18 7/8"	17 7/8"	19 7/8"	18 7/8"
6" Solid Tyre	18 5/8"	17 5/8"	19 7/16"	18 7/16"	20 7/16"	19 7/16"
6" Pneumatic Tyre	18 5/8"	17 5/8"	19 7/16"	19 7/16"	20 7/16"	19 7/16"
8" Solid Tyre	19 7/16"	N/A	20 1/4"	19 1/4"	21 1/4"	20 1/4"
8" Pneumatic	19 5/8"	N/A	20 7/16"	19 7/16"	21 7/16"	20 7/16"

*Actual measurements may vary up to 3/8"  
 Based upon standard stem.  
 Add 3/4" for 3/4" stem.  
 Add 1 1/2" for 1 1/2" stem.  
 Maximum seat squeeze or seat rake between  
 the front & rear is 2".*

REAR SEAT HEIGHT		
Axle Plate Position	Highest Position	Lowest Position
20" Pneumatic	18 7/8"	14 3/8"
20" Full poly tyre	18 7/8"	14 3/8"
22" Pneumatic	19 3/4"	15 1/4"
22" Solid Tyre	19 3/4"	15 1/4"
24" Pneumatic	20 1/2"	16"
24" Solid Tyre	20 1/2"	16"

STANDARD SPECIFICATION OVERALL CHAIR WIDTH
12" width 20"/50cm
13" width 21"/52.5cm
14" width 22"/55cm

<b>FOLDED WIDTH</b>	14.5"/37cm
---------------------	------------

FOOTNOTES:
(1) Only available in 14" / 35cm seat width
(2) F.S = Factory Setting. If you would like to have the chair supplied with another back height please order in conjunction with the Specials Department Order Form
(3) Not available with heel loops
(4) Not available with Mag Wheels
(5) Not available with height adj armrests or tool height adj armrests
(6) Not available with ext.handles. Only available on 22" pneumatic tyres
(7) Not available with ext. handles
(8) Only available with 70° hangers
(9) Only available with height adj. armrests
(10) Not available on ELR/ALR/90° hangers