

ORDER FORM

4th February 2008

Zippie TS FOLDING / RIGID FRAME



Failure to use an order form for a Zippie chair order may result in delay or wrong shipment

Please send all orders to:
Fax: +44 (0)1384 44 66 44
Tel: +44 (0)1384 44 66 66

Please ask for details on how to order on line @
tcom.sunrisemedical.co.uk


Sunrise Medical Ltd
High Street, Wollaston, West Midlands, DY8 4PS, England
www.sunrisemedical.com orders@sunmed.co.uk



Standard Features:


- ◆ Modular tilting aluminium frame
- ◆ Folding or rigid frame configuration
- ◆ Frame growth in width and depth
- ◆ Angle adjustable folding backrest
- ◆ Flip-up armrests
- ◆ Quick release spoked wheels
- ◆ Wide choice of frame colours
- ◆ Weight 13.2kg (14" width with footrests)
- ◆ This model is ideal in combination with the Jay Fit seating system
- ◆ Maximum user weight limit 68kg

How to measure:




Seat Depth

From front of seat sling to back of seat sling




Seat Width

From outside seat rail tube to outside seat rail tube



Frame Length

From outside rear frame to outside front frame



Back Height

From seat sling to top of backrest sling

All Sunrise Medical wheelchairs and powerchairs are compatible with **JAY** cushions and backrests, including our new range of J3 backrests launching in summer 2008

Visit www.jay3seating.eu or contact your local ASM for more information


JAY[®]

Guarantee:

Lifetime on frame and axles. 1 year on other components. For further details, please refer to guarantee policy.

Prices:

All prices are in Pounds Sterling and Euros and exclude VAT. For latest issue, please refer to www.sunrisemedical.com. Please consult Sunrise Medical with any queries you may have.

ORDER FORM	4th February 2008
Zippie TS FOLDING / RIGID FRAME	
	Failure to use an order form for a Zippie chair order may result in delay or wrong shipment

Please send all orders to:
Fax: +44 (0)1384 44 66 44
Tel: +44 (0)1384 44 66 66
 email:orders@sunmed.co.uk
 Please ask for details on how to order on line @
tcom.sunrisemedical.co.uk

Invoice to:
 Name:
 Street:
 Town:
 Postal Code:
 Country:
 Telephone: _____ Fax: _____

Ship to:
 Name:
 Street:
 Town:
 Postal Code:
 Country:
 Telephone: _____ Fax: _____

Order Date:
 Purchase Order (Repeat on all pages):
 Number Required:

Marked for:
 Sunrise Order No:

Please fill boxes, do not tick = Standard = Option N/C = No Cost Option Std = Standard

	£	€		£	€	TOTAL
FRAME STYLE (Mark one box)						
<input type="checkbox"/> Folding Growing Zippie TS (1)	1,575	2,563	<input type="checkbox"/> Rigid Growing Zippie TS (1)	1,575	2,563	
TRANSIT SYSTEM (Mark one box)						
<input type="checkbox"/> Transit Tie-Down Locations <u>with</u> Seating (Requires Selection of Seat and Back in Jay Fit order form)	138	224	<input type="checkbox"/> Transit Tie-Down Locations <u>without</u> Seating <input type="checkbox"/> Without Transit Tie Down Locations	138	224	
TILT OPTION						
<input checked="" type="radio"/> Tilt in Space with Dual Mech Locks	Std	Std				
FRAME COLOUR (Mark one box)						
<input type="radio"/> Black	Std	Std	<input type="radio"/> Midnight Purple	Std	Std	
<input type="checkbox"/> Black Opal	110	179	<input type="radio"/> Orange	Std	Std	
<input type="radio"/> Blue	Std	Std	<input type="radio"/> Pearl Pink	Std	Std	
<input type="checkbox"/> Blue Opal	110	179	<input type="checkbox"/> Razzleberry	110	179	
<input type="radio"/> Blue Velvet	Std	Std	<input type="checkbox"/> Toxic Green	110	179	
<input type="radio"/> Candy Blue	Std	Std	<input type="checkbox"/> Yellow	110	179	
<input type="radio"/> Candy Red	Std	Std	Custom Colours:			
<input type="radio"/> Candy Turquoise	Std	Std	<input type="checkbox"/> Berry Vibrations	166	270	
<input type="radio"/> Forest Green	Std	Std	<input type="checkbox"/> Graphite	166	270	
FRAME WIDTH (Mark one box)						
Small:			Large:			
<input type="radio"/> 10"	Std	Std	<input type="radio"/> 14"	Std	Std	
<input type="radio"/> 11"	Std	Std	<input type="radio"/> 15"	Std	Std	
<input type="radio"/> 12"	Std	Std	<input type="radio"/> 16"	Std	Std	
Medium:			Extra Large:			
<input type="radio"/> 12"	Std	Std	<input type="radio"/> 16"	Std	Std	
<input type="radio"/> 13"	Std	Std	<input type="radio"/> 17"	Std	Std	
<input type="radio"/> 14"	Std	Std	<input type="radio"/> 18"	Std	Std	
SEAT DEPTH & BACK POST LOCATION (See diagram on back page) (Mark one box)						
Regular:			Long:			
<input type="radio"/> 13"	Std	Std	<input type="radio"/> 16"	Std	Std	
<input type="radio"/> 14"	Std	Std	<input type="radio"/> 17"	Std	Std	
<input type="radio"/> 15"	Std	Std	<input type="radio"/> 18"	Std	Std	
			Extra Long:			
			<input type="checkbox"/> 19" (2)	N/C	N/C	
			<input type="checkbox"/> 20" (2)	N/C	N/C	
SEAT TYPE (Mark one box)						
<input type="checkbox"/> Solid Seat (requires Solid Back)	110	179	<input type="checkbox"/> Jay Fit Seat (Attach Jay Fit Order Form for price)			
<input type="checkbox"/> Growing Seat Pan (3)	110	179				
BACKREST						
<input type="checkbox"/> Short Solid Back(12") loose 2" seat depth	110	179	<input type="checkbox"/> Jay Fit Back (Attach Jay Fit Order Form for price)			
<input type="checkbox"/> Medium Solid Back (14") loose 2" seat depth	110	179				
<input type="checkbox"/> Tall Solid Back (16") loose 2" seat depth	110	179				

PLEASE NOTE:

Transit Tie-Down Locations with Seating requires a Growing Seat Pan and Jay Fit Back OR Jay Fit Seat & Back

Zippie TS FOLDING / RIGID FRAME

Please ask for details on how to order on line @

tcom.sunrisemedical.co.uk

Purchase Order (Repeat on all pages):

	£	€		£	€	TOTAL
STROLLER HANDLE BACK POST (Mark one box and relevant options)						
<input type="checkbox"/> Low (21" Ht)	N/C	N/C	Stroller Handle Options: <input type="checkbox"/> Medium Stroller with Extension (Removable) <input type="checkbox"/> Folding Adjustable Rigidiser	61	99	
<input type="radio"/> Medium (24" Ht)	Std	Std		127	207	
<input type="checkbox"/> Tall (27" Ht)	N/C	N/C				
ARMRESTS (Mark one box and one length where relevant)						
<input type="radio"/> Flip-Up			<input type="checkbox"/> Height Adjustable Adult Arm (10 3/4" - 15 3/4" Ht Adj) <input type="checkbox"/> Desk Length (10") <input type="checkbox"/> Full Length (14") <input type="checkbox"/> Adjustable locking flip-up	127	207	
<input type="checkbox"/> Length (13"-16") <input type="checkbox"/> Length (17"-20")	Std	Std		N/C	N/C	
<input type="checkbox"/> Height Adjustable Paed Arm (7 1/4" - 9 1/4" Ht Adj)	127	207		127	207	
<input type="checkbox"/> Desk Length (10") <input type="checkbox"/> Full Length (14")	N/C	N/C				
<input type="checkbox"/> Height Adjustable Kids Arm (9 1/4" - 14 1/4" Ht Adj)	127	207				
<input type="checkbox"/> Desk Length (10") <input type="checkbox"/> Full Length (14")	N/C	N/C				
FOOTRESTS (Mark boxes as required)						
<input type="radio"/> Hanger Mounted Footrest (Pair) (Footplates Mounted to Hanger Tubing)	Std	Std	Footplate: <input type="checkbox"/> Kids Angle Adjustable With Leg Strap <input type="checkbox"/> Adult Angle Adjustable With Heel Loops <input type="radio"/> 90° Footboard With Leg Strap Footrest & Hanger Options: <input type="checkbox"/> Toe Loops (4) <input type="checkbox"/> Extra Leg Strap <input type="checkbox"/> Omit Hanger <input type="checkbox"/> Omit Footplate & Extension Tube <input type="checkbox"/> Omit Heel Loop	N/C	N/C	
Hanger Type:				56	91	
<input type="checkbox"/> 70° Swing Away Front Mount	N/C	N/C		Std	Std	
<input type="checkbox"/> 80° Swing Away Front Mount	N/C	N/C				
<input type="radio"/> 90° Swing Away Front Mount	Std	Std		12	19	
<input type="checkbox"/> 70° Heavy Duty Front Mount Lift Off	N/C	N/C		22	36	
<input type="checkbox"/> 80° Heavy Duty Front Mount Lift Off	N/C	N/C		-11	-18	
<input type="checkbox"/> 90° Heavy Duty Front Mount Lift Off	N/C	N/C		-11	-18	
<input type="checkbox"/> 90° Elevating	132	215		N/C	N/C	
Extensions:						
<input type="checkbox"/> 2"	22	36				
<input type="checkbox"/> 4"	22	36				
<input type="checkbox"/> High Mount	39	63				
CASTORS (Mark one box plus appropriate castor options)						
<input type="checkbox"/> 3" Micro Light Up	39	63	Castor / Castor Fork Options: <input type="checkbox"/> 5.25" Fork <input type="checkbox"/> 6" Fork <input type="checkbox"/> 7" Fork <input type="checkbox"/> 8" Fork <input type="checkbox"/> 3/4" Longer Fork Stem Bolt	N/C	N/C	
<input type="checkbox"/> 4" Micro Light Up	39	63		N/C	N/C	
<input type="checkbox"/> 5" Low Profile Polyurethane (Solid)	27	44		N/C	N/C	
<input type="checkbox"/> 5" x 1.5" Semi Pneumatic (Solid) (5)	27	44		N/C	N/C	
<input type="radio"/> 6" Pneumatic	Std	Std		N/C	N/C	
<input type="checkbox"/> 6" Semi Pneumatic (Solid)	N/C	N/C		N/C	N/C	
<input type="checkbox"/> 6" x 1.5" Semi Pneumatic (Solid) (5)	27	44				
<input type="checkbox"/> 8" Pneumatic (6)	N/C	N/C				
<input type="checkbox"/> 8" x 1.5" Semi Pneumatic (6)	27	44				
<input type="checkbox"/> 8" x 2" Pneumatic (6)	N/C	N/C				
<input type="checkbox"/> 8" x 2" Airless insert (6)	N/C	N/C				
AXLE PLATES (Mark one box)						
<input type="radio"/> Standard Adjustable	Std	Std	<input type="checkbox"/> Extended Adjustable (7)	56	91	
			<input type="checkbox"/> 12" Mag Wheel Axle	N/C	N/C	
AXLE						
<input checked="" type="radio"/> Quick Release axles (Pair)	Std	Std				
REAR WHEEL (Mark one box)						
<input type="checkbox"/> 12" Mag Wheel (10)	27	44	<input type="checkbox"/> 20" Spoke Wheel	N/C	N/C	
<input type="checkbox"/> 22" Mag Wheel	N/C	N/C	<input type="radio"/> 22" Spoke Wheel	Std	Std	
<input type="checkbox"/> 24" Mag Wheel	N/C	N/C	<input type="checkbox"/> 24" Spoke Wheel	N/C	N/C	
REAR TYRE (Mark one box)						
<input type="radio"/> Pneumatic Tyre	Std	Std	<input type="checkbox"/> Full Polyurethane Tyre (Solid) (7)	34	55	
<input type="checkbox"/> Pneumatic Airless Insert Tyre	56	91				
HANDRIMS (Mark one box)						
<input type="radio"/> Aluminium Anodised (7)	Std	Std	<input type="checkbox"/> Omit Handrims	-11	-18	
<input type="checkbox"/> Plastic Coated	44	72				
WHEEL LOCKS						
<input type="radio"/> High Mount Push	Std	Std	<input type="checkbox"/> Foot Lock (8)	83	135	
<input type="checkbox"/> High Mount Pull	N/C	N/C	<input type="checkbox"/> Omit Wheel Locks	N/C	N/C	
WHEEL LOCK EXTENSIONS (Mark one box)						
<input type="checkbox"/> 6" Pair	25	41	<input type="checkbox"/> 6" Right	14	22	
<input type="checkbox"/> 6" Left	14	22				
ANTI-TIPS (Mark one or two boxes)						
<input type="checkbox"/> Front Anti-Tip (12)	N/C	N/C	<input type="radio"/> Rear Anti-Tip	Std	Std	

Zippie TS FOLDING / RIGID FRAME

Purchase Order (Repeat on all pages):

Please ask for details on how to order on line @

tcom.sunrisemedical.co.uk

	£	€		£	€	TOTAL
ACCESSORIES						
Misc:			Upper Extremity Support Tray Table:			
<input type="checkbox"/> Tool Kit	15	24	<input type="checkbox"/> Extra-Small (10"-12") (11)	138	224	
Positioning Belt:			<input type="checkbox"/> Small (13"-14") (11)	138	224	
<input type="checkbox"/> 1" Dual Pull Side Squeeze Padded	44	72	<input type="checkbox"/> Medium (15"-17") (11)	138	224	
<input type="checkbox"/> 2" Aircraft Buckle	61	99	Side Guards:			
<input type="checkbox"/> 2" Aircraft Buckle Padded	83	135	<input type="checkbox"/> Plastic Regular (9)	101	164	
Spoke Guard:			<input type="checkbox"/> Plastic Kids (9)	101	164	
<input type="checkbox"/> Spoke Guard - Clear (7)	68	111	Back Pack:			
<input type="checkbox"/> Spoke Guard - Black (7)	68	111	<input checked="" type="radio"/> Black	Std	Std	
			Base Price:	£ 1,575	€ 2,563	
			Options:	£	€	
			Total Price:	£	€	

FOOTNOTES:

- (1) All Zippie TS models grow in width and depth
- (2) Frame depths use rear frame extension plug
- (3) Not available in regular frame depth (13"-15")
- (4) Only available with adult angle adjustable footplates
- (5) Castor may interfere with fork in upper hole position
- (6) Not available with 90° hangers
- (7) Not available with 12" wheels
- (8) Not available on folding frame, and available on 12" rear wheels only.
- (9) Not available with height adjustable armrests
- (10) Not available with handrims
- (11) Ensure tray width matches chair width selected
- (12) Front anti-tips are only available without tie down brackets

Zippie TS FOLDING / RIGID FRAME

Please ask for details on how to order on line @

tcom.sunrisemedical.co.uk

Purchase Order (Repeat on all pages):

A. Front Seat Height:		CASTOR						
Castor Fork	Mounting Hole	5" Poly	5" x 1.5" Semi Pneu	6" Pneu	6" Semi Pneu	6" x 1.5" Semi Pneu	8" Pneu	8" x 1.5" Semi Pneu
5.25"	Top	16.75"/42.5cm	N/A	16.5"/42cm	16.5"/42cm	N/A	N/A	N/A
	Bottom	17"/43cm	17"/43cm	17.5"/44.5cm	17.5"/44.5cm	17.5"/44.5cm	18.5"/47cm	N/A
6"	Top	16.75"/42.5cm	N/A	17.25"/44cm	17.25"/44cm	N/A	18.25"/46.5cm	N/A
	Bottom	17.75"/45cm	17.75"/45cm	18.25"/46.5cm	18.25"/46.5cm	18.25"/46.5cm	19.25"/49cm	N/A
7"	Top	17.75"/45cm	N/A	18.25"/46.5cm	18.25"/46.5cm	N/A	19.25"/49cm	N/A
	Bottom	18.75"/48cm	18.75"/48cm	19.25"/49cm	19.25"/49cm	19.25"/49cm	20.25"/51.5"	N/A
8" x 2"	Top	N/A	N/A	N/A	N/A	N/A	18.5"/47cm	18.25"/46.5cm
	Bottom	N/A	N/A	N/A	N/A	N/A	19.5"/49.5cm	19.25"/49cm

B. Rear Seat Height:		REAR WHEEL						
Axle bracket position & frame hole location		12" Pneu & w/Airless	20" Pneu & w/Airless	20" FP Poly	22" Pneu & w/Airless	22" FP Poly	24" Pneu & w/Airless	24" FP Poly
Bracket up 1 & 2		N/A	15.75"/40cm	15.75"/40cm	16.75"/42.5cm	16.5"/42cm	17.5"/44.5cm	17.25"/44cm
Bracket up 2 & 3		N/A	14.75"/37.5cm	14.75"/37.5cm	15.75"/40cm	15.5"/39.5cm	16.5"/42cm	16.25"/41.5cm
Bracket down 1 & 2		N/A	16.75"/42.5cm	16.75"/42.5cm	17.75"/45cm	17.5"/44.5cm	18.5"/47cm	18.25"/46.5cm
Bracket down 2 & 3		N/A	15.75"/40cm	15.75"/40cm	16.75"/42.5cm	16.5"/42cm	17.5"/44.5cm	17.25"/44cm
12" Axle Plate		16.75"/42.5cm	N/A	N/A	N/A	N/A	N/A	N/A
Extended Axle, Down		N/A	16.25"/41.5cm	16.25"/41.5cm	17.5"/44.5cm	17.25"/44cm	18.25"/46.5cm	18"/46cm



C. Armrest Height:		ARMREST			
		Flip-up		*Length Adjustable Locking	
		Foam Pad	Desk Pad	Foam Pad	Desk Pad
Short	Min	6.5"/16.5cm	N/A	8"/20cm	8.875"/22cm
	Max	13.5"/34cm	N/A	14"/35.5cm	14.875"/37.5cm
Medium	Min	6.5"/16.5cm	N/A	8"/20cm	8.875"/22cm
	Max	15.5"/39.5cm	N/A	16"/41cm	16.875"/42.5cm
Long	Min	6.5"/16.5cm	N/A	8"/20cm	8.875"/22cm
	Max	17.5"/44.5cm	N/A	18"/46cm	18.875"/48cm

***NOTE**

Short Armrest Pad Length 10" to 14"
Long Armrest Pad Length 12" to 16"

D. Footrest Hanger Adjustment Range:

Type	Extension	Footrest Plate to Seat Tube		Rail Footrest Plate Hanger Top	
Front Drilled Swing-Away		Min	Max	Min	Max
70°		2.25"/6cm	8.25"/21cm	2.25"/6cm	8.25"/21cm
	2"/5cm 4"/10cm		11"/28cm 13"/33cm		11"/28cm 13"/33cm
			8.25"/21cm	11"/28cm	8.25"/21cm
80°		2.25"/6cm	8.25"/21cm	2.25"/6cm	8.25"/21cm
	2"/5cm 4"/10cm		11"/28cm 13"/33cm		11"/28cm 13"/33cm
			8.25"/21cm	11"/28cm	8.25"/21cm
90°		2.25"/6cm	8.25"/21cm	2.25"/6cm	8.25"/21cm
	2"/5cm 4"/10cm		11"/28cm 13"/33cm		11"/28cm 13"/33cm
			8.25"/21cm	11"/28cm	8.25"/21cm
Front Drilled Heavy Duty		Min	Max	Min	Max
70°		6.5"/16.5cm	10.5"/27cm	6.5"/16.5cm	10.5"/27cm
	2"/5cm 4"/10cm		13.25"/33.5cm 15.25"/39cm		13.25"/33.5cm 15.25"/39cm
			11.5"/29cm	14.25"/36cm	11.5"/29cm
80°		7.5"/19cm	11.5"/29cm	7.5"/19cm	11.5"/29cm
	2"/5cm 4"/10cm		14.25"/36cm 15.25"/39cm		14.25"/36cm 15.25"/39cm
			11.5"/29cm	14.25"/36cm	11.5"/29cm
90°		2.25"/6cm	3.25"/8cm	2.25"/6cm	3.25"/8cm
	2"/5cm 4"/10cm		11"/28cm 13"/33cm		11"/28cm 13"/33cm
			3.25"/8cm	11"/28cm	3.25"/8cm
Front Drilled Heavy Duty		Min	Max	Min	Max
60°	Short	12.5"/32cm	15.75"/40cm	11.5"/29cm	15.25"/39cm
	Medium	14.5"/37cm	17.75"/45cm	13.5"/34cm	17.25"/44cm
	Long	16.5"/42cm	19.75"/50cm	15.5"/39cm	19.25"/49cm
70°	Short	12.25"/31cm	15.5"/39cm	11.75"/30cm	15"/38cm
	Medium	14.25"/36cm	17.5"/44.5cm	13.75"/35cm	17"/43cm
	Long	16.25"/41.5cm	19.5"/50cm	15.75"/40cm	19"/48.5cm



Actual measurements may vary according to the chair configuration and accessories. Please consult order form for combinations and restrictions. Specifications subject to change without prior notice.

E. Overall Width (With Flip-up Armrests):

Frame Width	10"/25.5cm	11"/28cm	12"/30.5cm	13"/33cm	14"/35.5cm	15"/38cm	16"/40.5cm
Mag/Spoke Wheel, Quick-Release Axles & Aluminium Handrims	18.25"/46.5cm	19.25"/49cm	20.25"/51.5cm	21.25"/54cm	22.25"/56.5cm	23.25"/59cm	24.25"/61.5cm

