








										GROOVE RECARO SEAT	
● = Standard ○ = No cost option □ = Cost option											
ARMREST TYPE		(pair)				£		€			
GRV010001	○ Single post armrest										
GRV010005	□ Omit armrests					-33.50		-54.50			
SKIRT GUARDS		(pair)									
GRV010006	○ Short 28 cm (11")	<i>(not with Recaro Ergomed ES) (plexi glass)</i>									
GRV010007	○ Long 36 cm (14")	<i>(not with Recaro Ergomed ES) (plexi glass)</i>									
ARMPADS - LEFT AND RIGHT HAND SIDE											
Full length 36 cm (14")		GRV010100	○	○	GRV010101						
Desk length 25 cm (10")		GRV010102	○	○	GRV010103						
Comfort armpads 41 cm (16")		GRV010104	○	○	GRV010105						
Hemi forearmpad small 23 cm (9") (1)		GRV010106	□	□	GRV010107	70 ea	114 ea				
Hemi forearmpad medium 28 cm (11") (1)		GRV010108	□	□	GRV010109	70 ea	114 ea				
Hemi forearmpad large 33 cm (13") (1)		GRV010110	□	□	GRV010111	70 ea	114 ea				
Comfort seating armpads		Left		Right							
Skai (vinyl) upholstery full length 35 cm (13.5")		PRO040000	□	□	PRO040001	56 ea	91 ea				
Skai (vinyl) upholstery desk length 25 cm (10")		PRO040002	□	□	PRO040003	56 ea	91 ea				
P-Shaped skai upholstery full length 35 cm (13.5")		PRO040004	□	□	PRO040005	67 ea	109 ea				
P-Shaped skai upholstery desk length 25 cm (10")		PRO040006	□	□	PRO040007	67 ea	109 ea				
Hemi hand pads											
Flat hand pads small 11 x 18 cm (4.5"x7")		GRV010200	□	□	GRV010201	34 ea	56 ea				
Flat hand pads large 14 x 23 cm (5.5"x9")		GRV010202	□	□	GRV010203	34 ea	56 ea				
LEGRESTS											
Fixed centre mount legrest, including flip up footboard & calf pads											
GRV019999	□ Fixed centre mount legrest Short 20.4 cm -31.6 cm (8" - 12.5")	<i>(fixed at 90°)</i>				99		161			
GRV020000	□ Fixed centre mount legrest Medium 37 cm - 47 cm (13.5" - 18.5")	<i>(fixed at 90°)</i>				99		161			
GRV020001	□ Fixed centre mount legrest Long 42 cm - 55 cm (16.5" - 18.5")	<i>(fixed at 90°)</i>				99		161			
GRV020002	□ Powered centre mount legrest Short 25 cm - 37.5 cm (10" - 15")					497		809			
GRV020003	□ Powered centre mount legrest Long 36 cm - 49.5 cm (14" - 19")	<i>(not on RWD)</i>				497		809			
Swing - away legrests											
GRV020100	○ Std. s/a fixed legrest receiver			<i>(pair)</i>							
GRV020200	○ 70° s/a legrest										
GRV020201	○ 80° s/a legrest										
GRV020202	○ 90° s/a legrest										
GRV020207	□ 75° s/a legrest tapered (2)					110		179			
GRV020203	□ Manual elevating - Adult					205		334			
GRV020208	□ Manual elevating - Kids	<i>(only for 30 cm (12") 36 cm (14") and 41cm (16") frame width)</i>				205		334			
GRV020204	□ Powered elevating	<i>(counts 2 actuators)</i>				378		615			
GRV020205	□ Powered articulating	<i>(counts 2 actuators)</i>		<i>(auto length adjustable)</i>		538		875			
GRV020206	□ Omit both legrests and receivers					-57		-93			
Extension tubes for s/a legrests:											
GRV020300	○ Short 33 cm - 41 cm (13" - 16")			<i>(pair)</i>							
GRV020301	○ Medium 39 cm - 46 cm (15" - 18")										
GRV020302	○ Long 43 cm - 53 cm (17" - 21")										
GRV020303	○ Extra long 51 cm - 58 cm (20" - 23")										
Footplates, including heel loops											
GRV030000	○ Composite	<i>(not available on 80° and 90° legrest)</i>									
GRV030001	□ Aluminium angle adjustable					66		107			
GRV030002	○ Aluminium flip - up	<i>(90° legrest only)</i>									
GRV030003	□ Foot board	<i>(angle adjustable) (not available on 90° legrest)</i>				105		171			
Legrest accessories											
GRV030100	□ Extra legrest strap					9.50		15.50			
(1) Must also select flat hand pad						For more information visit our website www.quickiepower.com © Sunrise Medical 2009 Page 2 / 8					
(2) With footboard only, footboard width 5 cm (2") smaller than cushion width chosen											

● = Standard ○ = No cost option □ = Cost option



**GROOVE
RECARO SEAT**


		£	€	
QUICKIE CONSUMER (QC) Controls		<i>(10kph max. speed)</i>		
DEL010000	○ QC-4 button hand control			
DEL010001	○ QC-9 button hand control			
Dual control options				
DEL010002	□ Q-AD Dual control (incl. QC-4 hand control and attendant compact hand control)	336	547	
DEL010003	□ Q-AD Dual control (incl. QC-9 hand control and attendant compact hand control)	336	547	


QC CONTROL MOUNTINGS				
Front control mountings		<i>(for single Joystick selection mount)</i>		
DEL010100	○ Fixed front mount			
DEL010101	□ Swing Away front mount	24	39	
DEL010102	□ Centre bar s/a control mount	202	329	
DEL010103	□ Swing away tray mounted centre control	330	537	
	Left	Right		
DEL010201	○	○	DEL010200	



Rear control mountings		<i>(for single Joystick selection mount)</i>		
DEL010300	○ Fixed rear mount			
DEL010301	□ FORUS attendant control	1,111	1808	
	Left	Right		
DEL010402	○	○	DEL010401	

If you have already chosen a QC control, please proceed to page 6

QUICKIE REHAB (QR) CONTROLS / ELECTRONICS		<i>(if more than 2 actuators required Q-MAC needs to be selected)</i>		
DEL020009	○ QR-motor control only			
DEL020000	□ QR-3 3 button hand control	300	488	
DEL020001	□ QR-7LT 7 button hand control (1)	300	488	
DEL020003	□ QR-2 2 button compact hand control	300	488	<i>(Enhanced display recommended)</i>
Dual control options				
DEL020004	□ Q-AD Dual control (inc QR-3 hand control and attendant compact hand control)	567	923	
DEL020005	□ Q-AD Dual control (inc QR-7LT hand control and attendant compact hand control)	567	923	
DEL020007	□ Q-AD Dual control (inc QR-2 hand control and attendant compact hand control)	567	923	
DEL020008	□ QR-AD Dual control (attendant for use with a special control)	567	923	

QR CONTROL MOUNTINGS				
Front control mountings		<i>(for single Joystick selection mount)</i>		
DEL020100	○ Fixed front mount			
DEL020101	□ Swing away front mount	24	39	
DEL020102	□ Centre bar s/a control mount	202	329	
DEL020103	□ Swing away tray mounted centre control	330	537	
	Left	Right		
DEL020201	○	○	DEL020200	

Rear control mountings		<i>(for single Joystick selection mount)</i>		
DEL020300	○ Fixed rear mount			
DEL020301	□ FORUS attendant control	1,111	1808	
	Left	Right		
DEL020401	○	○	DEL020400	

ENHANCED DISPLAY MODULE				
DEL030000	□ QR - ED Enhanced user display module	583	949	
Front control mountings		<i>(always mounted opposite to remote pod)</i>		
DEL030100	○ Fixed front mount			
DEL030101	□ Swing away front mount	70	114	
DEL030102	□ Flexi mount	114	185	
	Left	Right		
DEL030201	○	○	DEL030200	

(1) lights & indicators capability and 6 assignable 2nd functions

For more information visit our website www.quickiepower.com

© Sunrise Medical 2009 Page 3 / 8

● = Standard ○ = No cost option □ = Cost option

£ €

**GROOVE
RECARO SEAT**

LIGHTS & INDICATORS

GRV060000	<input type="checkbox"/>	Approved for road use (StVZO)	300	488
GRV060001	<input type="checkbox"/>	LED	300	488
GRV060002	<input type="checkbox"/>	OMIT		

QR OPTIONAL CONTROLS / ELECTRONICS

DEL050000	<input type="checkbox"/>	QR-MAC actuator control module <i>(required if 3 or more actuators selected)</i>	236	384
DEL050002	<input type="checkbox"/>	QR-ECM environmental control module <i>(9 Switched controllable outputs)</i>	434	706



QR REMOTE POWER SEATING CONTROLS

<input type="checkbox"/>		Dual toggle switch <i>(activation through power module)</i>	70	114				
DEL060000	<input type="checkbox"/>	<table border="1"> <tr> <td>Left</td> <td>Right</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table> DEL060001	Left	Right	<input type="checkbox"/>	<input type="checkbox"/>		
Left	Right							
<input type="checkbox"/>	<input type="checkbox"/>							
<input type="checkbox"/>		Hex Switch <i>(activation through QMAC)</i>	156	254				
DEL060002	<input type="checkbox"/>	<table border="1"> <tr> <td>Left</td> <td>Right</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table> DEL060003	Left	Right	<input type="checkbox"/>	<input type="checkbox"/>		
Left	Right							
<input type="checkbox"/>	<input type="checkbox"/>							




QR ENHANCED HAND CONTROL OPTIONS

DEL060100	<input type="checkbox"/>	Two 3.5 mm jack sockets for remote switches	58	94
DEL060101	<input type="checkbox"/>	Speed pot and toggle switch <i>(mode and On/Off)</i>	58	94



QR SPECIAL CONTROL KITS *(QR-SCM required; 2 buddy buttons recom.)*

DEL050001	<input type="checkbox"/>	QR-SCM special control input module <i>(Enhanced display recommended)</i>	395	643				
DEL050004	<input type="checkbox"/>	Scim in scanning mode <i>(Enhanced display required)</i>	395	643				
DEL060201	<input type="checkbox"/>	HMC mini joystick as hand control	1,308	2128				
DEL060308	<input type="checkbox"/>	Fixed front mount	24	39				
DEL060309	<input type="checkbox"/>	Swing away front mount	70	114				
DEL060351	<input type="checkbox"/>	<table border="1"> <tr> <td>Left</td> <td>Right</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </table> DEL060350	Left	Right	<input type="checkbox"/>	<input type="checkbox"/>		
Left	Right							
<input type="checkbox"/>	<input type="checkbox"/>							
DEL060200	<input type="checkbox"/>	5 Switch wafer board	195	317				



QR Head related special input devices

DEL060300	<input type="checkbox"/>	QR-2 chin control <i>(QR-2 compact joystick; NO QR-SCM required; 2 BB recommended)</i>	309	503
DEL060301	<input type="checkbox"/>	Proportional chin control <i>(proportional joystick; QR-SCM required; 2 BB recommended)</i>	516	840
DEL060302	<input type="checkbox"/>	Sip & Puff control <i>(tube and mouthpiece; QR - SCM required; 2 BB recommended)</i>	114	185
DEL060303	<input type="checkbox"/>	HMC mini joystick as chin control <i>(QR-SCM required, 2 BB recommended)</i>	1,388	2258
DEL060204	<input type="checkbox"/>	Switch-It proportional head control	1,679	2732




Head control s/a options

DEL060310	<input type="checkbox"/>	Manual s/a option	216	351						
		Powered s/a option (1) <i>(choose your setting below)</i>								
DEL060311	<input type="checkbox"/>	Operated with buddy button <i>(operated via one buddy button - select colour below)</i>	1,678	2730						
DEL060312	<input type="checkbox"/>	Operated with ribbon switch	1,817	2956						
DEL060351	<input type="checkbox"/>	<table border="1"> <tr> <td>Left</td> <td>Right</td> <td>Swing away direction</td> </tr> <tr> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td>DEL060350</td> </tr> </table>	Left	Right	Swing away direction	<input type="checkbox"/>	<input type="checkbox"/>	DEL060350		
Left	Right	Swing away direction								
<input type="checkbox"/>	<input type="checkbox"/>	DEL060350								



Buddy button switches

DEL060400	<input type="checkbox"/>	Red x 1	DEL060401	<input type="checkbox"/>	Red x 2	48 ea	79 ea
DEL060402	<input type="checkbox"/>	Green x 1	DEL060403	<input type="checkbox"/>	Green x 2	48 ea	79 ea
DEL060404	<input type="checkbox"/>	Yellow x 1	DEL060405	<input type="checkbox"/>	Yellow x 2	48 ea	79 ea
DEL060406	<input type="checkbox"/>	Blue x 1	DEL060407	<input type="checkbox"/>	Blue x 2	48 ea	79 ea



(1) not available with forus attendant control; s/a operation through separate switch

● = Standard ○ = No cost option □ = Cost option

**GROOVE
RECARO SEAT**

REAR or FRONT WHEEL DRIVE POSITION

CASTOR WHEELS

(delivered always as a pair) (GROOVE R/F only)

			£	€
GRV080100	<input type="radio"/>	8 x 2" Solid		
GRV080101	<input type="checkbox"/>	8 x 2" Pneumatic	13.50	22
GRV080102	<input type="checkbox"/>	9 x 2.5" Solid	25	41
GRV080103	<input type="checkbox"/>	9 x 2.5" Pneumatic	39	63
GRV080104	<input type="checkbox"/>	10 x 3" Solid (1)	25	41
GRV080105	<input type="checkbox"/>	10 x 3" Pneumatic	39	63



GROOVE R

MID WHEEL DRIVE POSITION

GRV080106 **GROOVE M (MWD Version) comes only with 6" solid castor wheels on front and rear**



GROOVE M

CASTOR FORKS

(GROOVE R/F only)

			£	€
GRV080200	<input type="radio"/>	Standard castor fork		
GRV080201	<input type="checkbox"/>	Castor fork suspension 75 kg load	114	185
GRV080202	<input type="checkbox"/>	Castor fork suspension 120 kg load	114	185
GRV080203	<input type="checkbox"/>	Castor fork suspension 182 kg load	114	185



GROOVE F

KERB CLIMBER

(GROOVE R only)

GRV090000	<input type="checkbox"/>	Kerb climber	133	216
-----------	--------------------------	--------------	-----	-----


UNIVERSAL DRIVE BASE OPTIONS

SPEED

GRV070100	<input type="radio"/>	6 kph (2 - pole)		
GRV070105	<input type="checkbox"/>	6 kph High Torque Motors	172	280
GRV070101	<input type="checkbox"/>	10 kph (4 - pole)	172	280
GRV070102	<input type="checkbox"/>	13 kph (4 - pole)	229	373
GRV070103	<input type="checkbox"/>	DELPHI IntelliDrive	628	1022

DRIVE WHEELS

GRV080000	<input type="radio"/>	13" Pneumatic		
GRV080001	<input type="checkbox"/>	13" Solid	54	88
GRV080002	<input type="checkbox"/>	14" Pneumatic	60	98
GRV080005	<input type="checkbox"/>	14" Pneumatic with OKO fluid	89	145
GRV080003	<input type="radio"/>	14" Pneumatic		
GRV080004	<input type="checkbox"/>	14" Solid	54	88



V-type



Knobby

BATTERIES

GRV090100	<input type="radio"/>	60 Ah maintenance free		
GRV090101	<input type="radio"/>	72 Ah maintenance free		
GRV090102	<input type="checkbox"/>	Omit Batteries	-87	-142

CHARGER

GRV090200	<input type="radio"/>	220V/ 8A automatic charger (UK)		
GRV090201	<input type="radio"/>	220V/ 8A automatic charger (Continental)		
GRV090203	<input type="checkbox"/>	220V/ 10A automatic charger (UK)	58	94
GRV090204	<input type="checkbox"/>	220V/ 10A automatic charger (Continental)	58	94
GRV090202	<input type="checkbox"/>	Omit charger	-65	-106

(1) not available with 13 kph motors and 6 kph FWD/ RWD






For more information
visit our website

www.quickiepower.com

● = Standard ○ = No Cost Option □ = Cost Option

**GROOVE
RECARO SEAT**

FRAME COLOUR <small>(refer to colour chart)</small>		BODY COLOUR	
(GROOVE F/RWD only, panels are always black)		(GROOVE MWD only, frame is always black)	
01 ○ White RAL 9010	18 ○ Illusion Lapis	○ Silk Black	
02 ○ Brilliant Silver	19 ○ Brilliant Purple	○ Burgundy Red	
03 ○ Silver Matt	20 ○ Matt Purple	○ Candy Blue	
04 ○ Silver	21 ○ Red Ruby		
05 ○ Moon Silver	22 ○ Brilliant Red		
06 ○ Sun Yellow	23 ○ Matt Red		
07 ○ Brilliant Lime	24 ○ Tutti Frutti Orange		
08 ○ Matt Lime	25 ○ Amethyst Fantasy		
09 ○ Candy Teal	26 ○ Silver Texture		
10 ○ Matt Candy Teal	27 ○ Graphite Metallic		
12 ○ Forest Green	28 ○ Platinum Metallic		
13 ○ Flip Flop Blue / Green	29 ○ Black		
14 ○ Blue	30 ○ Mystery		
15 ○ Brilliant Marine			
16 ○ Matt Marine			

ACCESSORIES	£	€	Pic of different knobs  Pic of different knobs  DEL090505  DEL090505
	GRV090500 □ Crutch holder	41	
GRV090501 □ Rear view mirror	29	47	
GRV090502 □ Hand held programmer (HHP)	290	472	
GRV090503 □ PC programming software kit (PCSS)	290	472	
GRV090504 □ 24/12V DC/ DC converter	144	234	
GRV090505 □ Serial PS/2 infra red computer mouse port receiver <small>(requires enhanced display for operation)</small>	233	379	
DEL090001 □ Golf ball joystick knob	23	37	
DEL090002 □ T bar B38 joystick knob	23	37	
DEL090003 □ Soft ball joystick knob	18	29	
DEL090004 □ Ball joystick knob	18	29	
DEL090005 □ Chin cup joystick knob	18	29	
DEL090006 □ Stick joystick knob	18	29	
DEL090007 □ Mushroom joystick knob	18	29	
GRV090600 □ Swing- away tray table	133	216	
GRV090800 □ Vent tray 25 x 37 x 34 cm (10" x 14.5" x 13") <small>(Height x Width x Length)</small>	POA	POA	 GRV090800
GRV090801 □ Vent tray 30 x 25 x 8 cm (12" x 10" x 3") <small>(both vent trays must be ordered via Built 4 Me)</small>	POA	POA	 GRV090801

Comments for special build:



Groove RECARO Seat - Base Price	£4704 / € 7628
Option Price	£ / €
Packaging and transport	N/ A
Exclusive VAT	£ / €
VAT.	£ / €
Total Price	£ / €

CLIENT MEASUREMENTS






We aim to provide you with a chair specifically built and tailored to your needs and requirements.
In order for us to do this effectively we require the Client measurements. Please fill in below;

User weight: _____

Client measurements

cm

1	Top of head to seat	
2	Top of shoulder to seat	
3	Underarm to seat	
4	Trunk depth	
5	Actual sitting depth	
6	Foot length	
7	Arm length	
8	Shoulder width	
9	Chest width	
10	Hip width	
11	Left lower leg length	
12	Right lower leg length	



Seat width:

From inside skirt guards to inside skirt guards.

Seat depth:

From the front of the seat cushion to middle of the back cushion
Seat depth always measured with cushion attached.

Back height:

From seat cushion to top of the back cushion

SEAT HEIGHT WITH POWER SEATING OPTIONS

	Power module	No module	No module	No module	Lift module	Tilt module	Lift/Tilt module
Available Seat Heights	FWD	43 cm	46 cm	48 cm	44,5 cm	44,5 cm	44,5 cm
	RWD				43 cm	43 cm	43 cm
	MWD	42 cm	45 cm	47 cm	47 cm	47 cm	47 cm

● = Standard ○ = No cost option □ = Cost option

**GROOVE
RECARO SEAT**

QUICKIE CONSUMER (QC) CONTROLS OVERVIEW

Minimum configuration:



Maximum configuration:



QUICKIE REHAB (QR) CONTROLS / ELECTRONICS OVERVIEW

Minimum configuration:



Expandability



Maximum configuration:



For more information
visit our website
www.quickiepower.com
© Sunrise Medical 2009