

QUICKIE SALSA R²

Invoice to:	
Name:	
Street:	
Town:	Postal code:
Country:	
Tel:	Fax:
Order date:	
Purchase order:	

Deliver to:
Name:
Street:
Town: Postal code:
Country:
Tel: Fax:
Marked for:

Base Price £4,395



Email: orders@sunmed.co.uk

Fax number: +44 (0)845 605 66 89

Maximum user weight limit 140kg (22 Stone)

Standard Features (Salsa R2)

- Rear wheel drive base
- 12.5" drive wheels
- Drive wheel suspension
- 60Ah batteries
- 60cm overall width (with 12" wheels)
- Red, Blue or White Shroud
- Motor/wheel disengagement
- Transportation approved
- Width, height & depth adjustable seat
- Flip back, angle, height & depth adj. arms

Seating Standard Options

- Tension adj. backrest sling
- 70° swing-away legrests
- Angle & depth adjustable footplates
- Adjustable lap strap
- Height and angle adjustable backrest

STANDARD SEAT: FRAME / SEAT SIZE

		Width Setting			Depth setting
SW41	0	41cm (16")	SD41	0	41cm (16")
SW43	0	43cm (17")	SD43	0	43cm (17")
SW46	0	46cm (18")	SD46	0	46cm (18")
SW48	0	48cm (19")	SD48	0	48cm (19")
SW51	0	51cm (20")	SD51	0	51cm (20")
		-			

STR020114 : Adjustable Seating System

Seat frame is fully adjustable from 41cm to 51cm (16" - 20") in width and depth. Independently adjustable in 2.5cm (1") increments

			L
	ST	ANDARD SEAT: CUSHION	
STR020109	•	Firm seat board (standard with standard seat)	·
STR020111	0	5cm (2") standard foam cushion 41cm (16") wide (used for seat width 41 - 46cm)	·
STR020112	0	5cm (2") standard foam cushion 48cm (19") wide (used for seat width 48 - 51cm)	
STR020110	0	Omit seat cushion	

JAY SEAT DIMENSION

				Width		
		41	43	46	48	51
	41					
ے	43					
Depth	46					
۵	48					
	51					

JAY020006	JAY Easy Visco, Flat Base		132
JAY020005	JAY Easy Fluid, Flat Base		308
JAY020010/12	JAY Balance Air	(single valve, microclimatic cover)	503
JAY020011/13	JAY Balance Fluid	(microclimatic cover)	468
JAY020014/16	JAY Balance Air, Positioning	(single valve, microclimatic cover)	568
JAY020015/17	JAY Balance Fluid, Positioning	(microclimatic cover)	533
JAY020019	JAY J2		492
JAY020020	JAY J2 Deep Contour		525
		•	

JAY COMFORT SEAT











	JCL020011	JCL020012	JCL020003	JCL020007		
JCL020011	Comfort seat pan, without threshold				(thickness 2cm)	51
JCL020012	Comfort seat pan, with 5cm (2") threshold	d			(thickness 2cm)	84
JCL020003	Standard cushion - stretched rubber uph	olstery			(thickness 8cm)	155
JCL020007	Optimum comfort - stretched rubber upher	olstery	_	•	(anatomically formed - thickness 9cm)	199

	SEATIN	NG O	PTION -	SELECT SE	AT P	OSITION	ING OP	TION WITI	H ASS	SOCIATEI	SEAT I	HEIGHT	
						12	.5" Drive	Wheels			14" Drive	Wheels	01
SEA	AT POS	ITIO	NING OP	TION		Low Seat I	Height	Tall Seat H		Low Sea	t Height	Tall Seat Height	Option Price
						(No Extension	n Kit)	(Inc Extension SAL09002)		(No Exten	sion Kit)	(Inc Extension Kit - SAL090022)	
			<u> </u>	ot tilt (3° preset)	0	42cm (16.5	")	N/A		O 43cm (17")	N/A	
				ilt (3° preset)	_	44cm (17.3		O 47cm (1	8.5")	O 45cm (O 48cm (19")	
			ot tilt 3° to		_	42cm (16.5	j")	N/A		□ 43cm (N/A	425
			lt: 0° to 30°		_	46cm (18")		□ 49cm (1		□ 47cm (□ 50cm (20")	651
			C.O.G tilt:		_	46cm (18")		□ 49cm (1		□ 47cm (□ 50cm (20")	785
SAL130006 Pov	vered lift a	& tilt: 3	30cm lift, 3	0° tilt		47cm (18.5	n")	□ 50cm (2	0")	□ 48cm (19")	□ 51cm (20.5")	1748
	BACKE	CCT	DECLIN	ıE									
STR030018	O		RECLIN	d recline back								(-4° to 16°)	
STR030025				ole recline back		(Attendant	oneration or	nlv - das strut -	5° to 30°	41 to 46 cm o	48 to 51 cm	depth adjustment range)	211
STR030026			red recline			(7 titoridarit	орогалот от	-				depth adjustment range)	421
077.000020		1 000	rea realine	buok				(0 00,	17 10 10 011 01	10 10 01 011	aopar adjustinoni rango,	721
	STAND	ARD	BACKR	EST									
STR030300	0		Backrest L							(Chair su	pplied with NC) back upholstery option)	
STR030301	0	Tens	ion adj. slir	ng backrest (480	m /19	" height)			(2.5cm t	up and down a	djustment, wit	h std foam cushion only)	
Backrest Heigh	nt Setting		BH46*	O 46cm (18	5")	BH485	0 48.5	cm (19")		BH51	O 51cm (2	0")	
* Not available	with mar	nual o	r power red	clining back									
SB43886		Solid	covered ba	ackrest							(Availab	le via B4me department)	POA
Backrest Heigh	nt Setting			O 50cm (19	.5")	0	57cm (22	.5")				-	
	JAY SH	IAPE	BACKR	REST - MAX U	JSEF	R WGT 13	35KG	(Pre	emium te	nsion adjustab	le backrest u	oholstery - Not available o	n SW 51cm)
JAY080001			SHAPE Back									able in 51cm Seat Width)	193
JAY080002				rest - Oversized	Supplie				r immersi		•	48 or 51cm Seat Width)	193
Back Height Se			H46 O 46					48.5cm (19")				cm (20")	
	0 53.50	<u> </u>	<u> </u>	BH56 O		` '			5cm (23	l") B⊦	<i>161</i> O 61 c	cm (24")	
JAY080010				ral Thoracic supp									193
JAY080011		JAY S	SHAPE Later	ral Thoracic supp	orts (P	air) - Suppoi	rt 10 x 12 c	m (Pair)					193
	IAVC)ME	ODT DAC	CKRESTS									
JCL030004				(standard velo	ır\ - 50	ncm back k	neight	(hard bad	·k)				153
JCL030004 JCL030008				(standard velo				(vertical e		rane)			222
JCL030006				(standard velo						n adjustable str	ans)		222
JCL030012				passive - 57cm				ontal tension ad				ntegrated lateral support)	257
JCL030010				active - 57cm ba				ontal tension ad			· ·	d lumbar lateral support)	257
											,		
	LATER	AL S	SUPPOR	TS									
STR030601				s short (pair)							(Recomm	nended for TA backrests)	273
STR030602				s long (pair)						(Reco	mmended for	JAY Comfort backrests)	273
	JAY3 B	BACK	RESTS										
J3 Back - Sha	llow Con	tour				_							
Upper Thoracio) :		JAY030012	Short - 42 cm		JAY030019	Medium			JAY030025	Tall -	50 cm	572
Shoulder Heigh	nt:		JAY030015	Short - 53 cm		JAY030022	Medium	- 57 cm		JAY030028	Tall -	61 cm	572
J3 Back - Mid	Contour					•				•			
Upper Thoracio) :		JAY030013	Short - 42 cm		JAY030020	Medium			JAY030026		50 cm	572
Shoulder Heigh		l	JAY030016	Short - 53 cm		JAY030023	Medium	- 57 cm		JAY030029	Tall -	61 cm	572
J3 Back - Dee					-	1				1			
Upper Thoracio			JAY030014	Short - 42 cm	-	JAY030021	Medium			JAY030027		50 cm	627
Shoulder Heigh		l	JAY030017	Short - 53 cm		JAY030024	Medium	- 5/ cm		JAY030030	Tall -	61 cm	627
J3 Back - Pos		ep Co	ntour			IAVOOCOO:	Modition	16				1	607
Upper Thoracio			IAVOQQQQQ	Chart Fo		JAY030031	Medium	- 40 CM					627
Shoulder Heigh	nt:		JAY030032	Short - 53 cm									627
	IAV2 L	IE V D	RESTS										
JAY030006	JAISE			est (J3EUHDXH	& I3E	TIHDI SPI						(only with J3 backs)	129
JAY030004				eadrest (J3EUH			LSP)					(only with J3 backs)	239
		- wy 1	p _uok 11	- 30.001 (0010)		UULUIID	,					() 50 50010)	

	rd	O = No cost option	£
	STA	ANDARD HEADRESTS	
TR030416		Comfort headrest (Winged style with adj. side pads) (Mounted via push handles)	174
TR030417		Curved headrest (23 x 11cm / 9" x 4.5" pad) (Mounted via push handles)	174
L040001		Jay Comfort: standard comfort seating headrest (Mounted via Comfort backrest)	196
CL040002		Jay Comfort: flexible comfort seating headrest (winged style) (Mounted via Comfort backrest)	221
	ΔRI	MRESTS	
R040122	0	Flip-up armrest (height, angle adjustable) (Height Angle and depth adjustable via outside of armrest)	
R040127		Reclining flip-back armrest (Armrest stays level when backrest Reclines)	171
TR040126		Single post armrest (2" inward width adjustment via sideguard and armpad / 4" depth adjustment via sideguard)	216
		MPADS	
R040112	0		
R040113		Contoured Armpads 41cm (16")	57
R040114		Jay Comfort Padded Armpad 41cm (16")	113
TR040118		Jay Comfort P-Shaped Padded Armpad 45 cm (18") (Only available with Single Post Armrest)	158
TR040119		Hemi Armpad (Medium forearm pad & Small hand Pad) 28cm (11") Pad 11 x 18cm (4.5" x 7")	408
	PO	SITIONING ITEMS	
TR030604		Lateral Thigh Guide/Support (4" Depth adjustment / 2" inward width adjustment) (Not available with Single post Armrest)	158
TR030605		Pommel (Height / depth adj. / Quick release removable) (Not available with centre mount legrests)	193
		Tomas (1-1-3-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
	LEC	GRESTS & FOOTPLATES	
TR050040	0	Standard hanger receivers (Comes standard, with 70 degree s/a hangers, not with Uni style)	
TR050041	0	Offset hanger receivers (20mm outwards offset each side, comes std with all ELR and ALR hangers, not with Uni style)	
TR050015	0	70° swing-away legrests	
_0025	0	Uni style hangers and footplates (Available via B4M - (LLL 32-47cm (12.5"-18.5"). Not available with 0° tilt options)	
TR050016		Manual elevating legrest	271
TR050017		Powered elevating legrest	498
TR050018		Powered articulating legrest	710
TR050036	•	Extension Tube - (Lower leg length: 34cm - 48cm / 13" - 19") (measured from seat pan to footplate)	
	OP.	TIONS FOR MANUAL AND POWER ELEVATING LEGRESTS	
TR050038		Comfort calf pads (Not available with centre mount or 70° legrests)	102
TR050039		Auto connector hanger receivers	121
	FO	OTPLATES (FOR SWING AWAY LEGRESTS)	
TR050022		DTPLATES (FOR SWING AWAY LEGRESTS) Aluminium angle and depth adjustable	
			121
	0	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests)	
TR050023	○ □ VR2	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) CONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option	
TR050023 AL030050/1	○ □ VR2	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) Parameter (Parameter Specific Sp	ns choose R
AL030050/1 TR110020	VR2	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) PCONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also)	ns choose R 96
TR050023 AL030050/1 TR110020	○ □ VR2	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) Parameter (Parameter Specific Sp	ns choose R
TR050023 AL030050/1 TR110020	○ □ VR2 ○ □ □	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) 2 CONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also)	ns choose F
TR050023 AL030050/1 TR110020 TR110021	○	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) PCONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also)	ns choose F
TR050023 AL030050/1 TR110020 TR110021	○	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) 2 CONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also)	96 452
TR050023 AL030050/1 TR110020 TR110021 TR110015/6 TR110017	○	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) 2 CONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also) ET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5) R-net LED remote (Remote type selected according to options chosen) R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy buttons)	96 452 466 606
TR050023 AL030050/1 TR110020 TR110015/6 TR110017 TR110020	○	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) 2 CONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also) ET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5) R-net LED remote (Remote type selected according to options chosen) R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy buttons) R-net attendant only (mounted RH) (For attendant only R-net LED/LCD remote must be selected also)	96 452 466 606 96
TR050023 AL030050/1 TR110020 TR110015/6 TR110017 TR110020 TR110021	VR2 O	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) PCONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also) ET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5) R-net LED remote (Remote type selected according to options chosen) R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy buttons) R-net attendant only (mounted RH) (For attendant only R-net LED/LCD remote must be selected also) R-net dual control (mounted RH) (For dual control R-net LED/LCD remote must be selected also)	96 452 466 606 96 452
R050023 AL030050/1 FR110020 FR110015/6 FR110017 FR110020 FR110021 AL090062	VR2 O O O O O O O O O	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) PCONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also) ET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5) R-net LED remote (Remote type selected according to options chosen) R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy buttons) R-net attendant only (mounted RH) (For attendant only R-net LED/LCD remote must be selected also) R-net dual control (mounted RH) (For dual control R-net LED/LCD remote must be selected also) Swing-away tray mounted centre control (R-Net LED as standard , VR2 via B4M)	96 452 466 606 96 452 436
TR050023 AL030050/1 TR110020 TR110021 TR110015/6 TR110017 TR110020 TR110021 AL090062 TR110009	VR2 O O O O O O O O O	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) PCONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option (Remote type selected according to options chosen) VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also) ET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5) R-net LED remote (Remote type selected according to options chosen) R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy buttons) R-net attendant only (mounted RH) (For attendant only R-net LED/LCD remote must be selected also) R-net dual control (mounted RH) (For dual control R-net LED/LCD remote must be selected also) Swing-away tray mounted centre control (R-Net LED as standard, VR2 via B4M) Gyro Control	96 452 466 606 96 452 436 220
TR050023 AL030050/1 TR110020 TR110021 TR110015/6 TR110017 TR110020 TR110021 AL090062 TR110009	VR2 O O O O O O O O O	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) PCONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also) ET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5) R-net LED remote (Remote type selected according to options chosen) R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy buttons) R-net attendant only (mounted RH) (For attendant only R-net LED/LCD remote must be selected also) R-net dual control (mounted RH) (For dual control R-net LED/LCD remote must be selected also) Swing-away tray mounted centre control (R-Net LED as standard , VR2 via B4M)	96 452 466 606 96 452 436
TR050023 AL030050/1 TR110020 TR110021 TR110015/6 TR110017 TR110020 TR110021 AL090062 TR110009	VR2	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) CONTROLS (70A ON 6KPH, 90A ON 10KPH) (Remote type selected according to options chosen) VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also) ET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5) R-net LED remote (Remote type selected according to options chosen) R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy buttons) R-net attendant only (mounted RH) (For attendant only R-net LED/LCD remote must be selected also) R-net dual control (mounted RH) (For dual control R-net LED/LCD remote must be selected also) Swing-away tray mounted centre control (R-Net LED as standard, VR2 via B4M) Gyro Control R-net Bluetooth control module (Compatible with Windows PC and Android systems only)	96 452 466 606 96 452 436 220
TR050023 AL030050/1 TR110020 TR110021 TR110015/6 TR110017 TR110020 TR110021 AL090062 TR110009	VR2	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) PCONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option (Remote type selected according to options chosen) VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also) ET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5) R-net LED remote (Remote type selected according to options chosen) R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy buttons) R-net attendant only (mounted RH) (For attendant only R-net LED/LCD remote must be selected also) R-net dual control (mounted RH) (For dual control R-net LED/LCD remote must be selected also) Swing-away tray mounted centre control (R-Net LED as standard, VR2 via B4M) Gyro Control	96 452 466 606 96 452 436 220
TR050023 AL030050/1 TR110020 TR110021 TR110015/6 TR110017 TR110020 TR110020 TR110020 TR110020 TR110020	VR2	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) Procedure (Remote type selected according to options chosen) VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also) ET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5) R-net LED remote (Remote type selected according to options chosen) R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy buttons) R-net attendant only (mounted RH) (For attendant only R-net LED/LCD remote must be selected also) R-net dual control (mounted RH) (For dual control R-net LED/LCD remote must be selected also) Swing-away tray mounted centre control (R-Net LED as standard, VR2 via B4M) Gyro Control R-net Bluetooth control module (Compatible with Windows PC and Android systems only)	96 452 466 606 96 452 436 220
ETR050022 ETR050023 ETR050023 ETR050023 ETR100000 ETR110020 ETR110021 ETR110017 ETR110020 ETR11003	VR2	Aluminium angle and depth adjustable Footboard (flip-up) (Only available with 70° swing-away legrests) PCONTROLS (70A ON 6KPH, 90A ON 10KPH) (Max 2 powered seat options - for more than 2 powered option VR2 remote (Remote type selected according to options chosen) VR2 attendant only (For attendant only VR2 controls option above must be selected also) VR2 dual control (mounted RH) (For dual control VR2 remote must be selected also) ET CONTROLS (FOR SPECIAL CONTROLS OPTIONS SEE PAGE 5) R-net LED remote (Remote type selected according to options chosen) R-net colour LCD remote (Integrated colour display with 2 stereo jack inputs for buddy buttons) R-net attendant only (mounted RH) (For attendant only R-net LED/LCD remote must be selected also) R-net dual control (mounted RH) (For dual control R-net LED/LCD remote must be selected also) Swing-away tray mounted centre control (R-Net LED as standard, VR2 via B4M) Gyro Control R-net Bluetooth control module (Compatible with Windows PC and Android systems only) NTROL MOUNTING OPTIONS Parallel swing-away controller mount STR110052 RH O O LH STR110053	96 452 466 606 96 452 436 220 633

= Standa	ard	O = No cost option	□ = Cost option	£
	LIGH1	S & INDICATORS		
SAL110201		LED lights & indicators (STVZO APPROVED)		395
SAL020001		LED lights & indicators - Standard		395
	KERB	CLIMBER		
SAL090038		Kerb climber		163
	WHEE	LS & CASTORS		
	STAND	ARD CASTORS		
SAL080307	0	9" solid castors		
SAL080308	0	10" solid castors		
SAL080309	0	10" pneumatic castors		
	STAND	ARD REAR WHEELS		
SAL070029	0	12.5" solid drive wheels	(60cm / 24" overall chair width - Use only with 9"	castors)
SAL070030	0	12.5" pneumatic drive wheels	(60cm / 24" overall chair width - Use only with 9"	castors)
SAL070031	0	14" solid V-type drive wheels	(61cm / 24.5" overall cha	air width)
SAL070032	0	14" pneumatic V-type drive wheels	(61cm / 24.5" overall cha	air width)
SAL070033		14" solid knobby drive wheels	(62cm / 25" overall cha	air width) 85
SAL070034		14" pneumatic knobby drive wheels	(62cm / 25" overall cha	air width) 85
				.
	МОТС	R SPEED		
SAL100602	0	3.2kph (2mph indoor setting)	(6kph motor with reduced speed via progr	amming)
SAL100601	0	6kph (4mph) 2 Pole Motors		
SAL100603		10kph (6mph) 2 Pole Motors	(Lights and rear review mirror required	d by law) 271
SAL100604		10kph (6mph) 4-pole High Torque Motors	(Lights and rear review mirror required	d by law) 334
				1
	COLO	UR		
SAL140001	0	White		
SAL140003	0	Blue		
SAL140002	0	Red		
				l .
	BATT	ERIES		
SAL160001	0	60Ah gel batteries	SAL160002	113
				<u>.</u>
	CHAR	GER		
SAL160100	•	8A Charger		
	ACCE	SSORIES		
SAL090000	•	Transportation tie down points		
SAL090005	•	Adjustable lap strap		
SAL090040		Swing-away tray table 41- 48cm		174
SAL090041		Swing-away tray table 46 - 51cm		174
SAL090069		Bluetooth USB mouse receiver	(if there is no Bluetooth function on the computer)	67
SAL090067		Rear view mirror		39
SAL090003		Crutch holder		61
	TRAN	SPORTATION OPTIONS		
SAL090039	•	Prepared for Dahl docking station option		
				•
QUICKI	IE SAL	SA R ² BASE PRICE	£4,39	5
Option Pr	rice		£	
VAT			£	
Total P	rice		£	





					£		
	R-NI	ET SPECIAL CONTROLS	S	(R-NET OMNI required; 2 buddy buttons recom.)			
STR110101		R-Net OMNI colour display 8	special control input module		876		
STR110102		OMNI in scanning mode	OMNI in scanning mode (c/w 10 assignable functions through DB9 interface)				
		Front	control mountings				
STR110110	•	R-NET OMNI Flexi mount or	nly				
		Left	Right				
		STR110121 O	O STR110122				
	SPE	CIAL JOYSTICKS AS H	AND CONTROL	(R-NET OMNI required; 2 buddy buttons	recommended.)		
STR110130		Switch-It Versaguide propor	tional joystick as hand control		1693		
STR110131		Switch-It Micro Guide as har	nd control		2276		
STR110132		Switch-It Micro Pilot (0 way)	joystick as hand control		2509		
	Mour	nting					
STR110150	0	Fixed front mount					
STR110151		Swing-away front mount			59		
		Left	Right				
		STR110161 O	O STR110162				
	WELLE IN						



STR110101

STR110131 STR110130



STR110132

SPECIAL HEAD RELATED INPUT DEVICES (if you have already chosen a standard headrest then switch-It head array is not possible) STR110133 Switch-It 3 switch head array / adult (5 switch and other versions available via B4M) (OMNI required, 2 BB recommended) 3443 STR110134 Switch-It Micro Pilot (0 way) joystick as chin control (OMNI required, 2 BB recommended) 2509 STR110135 Proportional chin control 876 (proportional joystick; OMNI required; 2 BB recommended) STR110136 Sip & Puff control (tube and mouthpiece; OMNI required; 2 BB recommended) 293 STR110137 Switch-It Micro Guide as chin control (OMNI required, 2 BB recommended) 2276 STR110138 Switch-It proportional head control (OMNI required, 2 BB recommended) 3210 1810 STR110139 Switch-It Versaguide proportional joystick as chin control (OMNI required, C/W Switch-It flex switch kit)



STR110139



	CHIN CONTROL / SIP AND PUFF SWING-AWAY MOUNTING OPTIONS											
STR110152		Manual s/a option			228							
	0	Powered s/a option (select type	below)	(not available with forus attendant control; s/a operation through	separate switch)							
		Left	Right									
		STR110161 O	O STR110162									
STR110153		Operated with Piko button		(operated via one Piko button - select colour below)	1693							
STR110154		Operated with ribbon switch			1810							



Powered swing-away chin option



Piko buttons

	PIKO BUTTONS (Ø 3 cm)								
STR110191		Red	x 1	STR110192 □ Red x 2	85				
STR110193		Green	x 1	STR110194 □ Green x 2	85				
STR110195		Yellow	x 1	STR110196 □ Yellow x 2	85				
STR110197		Blue	x 1	STR110198 □ Blue x 2	85				

JAY COMFORT SEAT OPTIONS & ACCESSORIES

JAY*C**®**MF**Q**RT

Seat pan, with 5cm (2") threshold



Upholstered wooden seat board complete with 5cm (2") front and rear threshold. Ideal for supporting air filled cushions.

Standard comfort cushion



This cushion has a 12mm (1/2") beech wood base with a slightly contoured foam cushion, featuring a 2cm (3/4") seat angle designed to aid client in front transfers.

Optimum comfort cushion



The Optimum comfort cushion provides additional contouring and support for increased user positioning. A built-in pommel, thigh guides and a seat well for optimum comfort and positioning.

Shallow contour backrest Hard back, vertical strap or tension adj. straps



Anatomically shaped with a shallow contour and padded for extra comfort. Available as a solid wooden backrest, vertical strap option or with tension adjustable straps for posture management. Solid back height 50cm, vertical strap back and tension adjustable height 57cm

Deep contour backrest - active



This back features tension adjustable straps for posture management and a 4" deep contour providing integrated lateral support around the lower back, tapering away at the shoulders so as not to restrict active users. - 57cm back height

Deep contour backrest - passive



Similar to the Deep Contour active backrest, this features tension adjustable straps and a 4" deep contour continuing up the whole of the backrest, ideal for clients with restricted movement. - 57cm back height