



Invoice to:  
 Name:  
 Street:  
 Town: Postal code:  
 E-Mail:  
 Tel: Fax:

Deliver to:  
 Name:  
 Street:  
 Town: Postal code:  
 E-Mail:  
 Tel: Fax:

Order date:  
 Purchase order:  
 Number required:



Marked for:  
 Sunrise order no:

All Sunrise Medical wheelchairs and powerchairs are compatible with **JAY** cushions and backrests, including our new range of J3 backrests launching in summer 2008

**JAY**

Visit [www.jay3seating.eu](http://www.jay3seating.eu) or contact your local ASM for more information

- = Standard      □ = Cost option
  - L = Extended delivery time      ○ = No cost option
- Customer Service Fax Number: 01384 44 66 44**  
**Max. user weight: 120 kg**
- USER WEIGHT**  kg  
 Mandatory information to ensure correct configuration

**Part. no.: SOP-058000**

**Please consult our colour catalogue, to review your colour choice at the end of the order form**

Detail of options are now available in the NEW accessory brochure

**Base Price £1,950**

**€ 3,171**

**CLIENT MEASUREMENT**

**Seat width in cm**

	28	30	32	34	36	38	40	42	44	46	48
30	○	○	○	○	○	○	○	○	○	○	○
32	○	○	○	○	○	○	○	○	○	○	○
34	○	○	○	○	○	○	○	○	○	○	○
36	○	○	○	○	○	○	○	○	○	○	○
38	○	○	○	○	○	○	○	○	○	○	○
40	○	○	○	○	○	○	○	○	○	○	○
42	○	○	○	○	○	○	○	○	○	○	○
44	○	○	○	○	○	○	○	○	○	○	○
46	○	○	○	○	○	○	○	○	○	○	○
48	○	○	○	○	○	○	○	○	○	○	○
50	○	○	○	○	○	○	○	○	○	○	○

- Please note the procedure of the measurement is from the back tube to end of the seat sling  
 - All measurements are in cm and without a cushion

**High frame** is 3 cm higher than **low frame** and you can choose shorter and lighter forks to minimize the weight of your wheelchair. See next page

**Front seat height in cm**

		Fork (length x width)	Frame:	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56
3"		98 mm x 32 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		111 mm x 32 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		98 mm x 32 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		111 mm x 32 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
*		118 mm x 45 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		118 mm x 45 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
4"		111 mm x 45 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		123 mm x 45 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		98 mm x 32 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		111 mm x 32 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		111 mm x 45 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		123 mm x 45 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		98 mm x 32 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		111 mm x 32 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
*		118 mm x 45 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		118 mm x 45 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
5"		111 mm x 45 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		123 mm x 45 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		98 mm x 32 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		111 mm x 32 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		111 mm x 45 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		123 mm x 45 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
*		98 mm x 32 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		111 mm x 32 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
6"		118 mm x 45 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		118 mm x 45 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		123 mm x 45 mm	Low	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
		123 mm x 45 mm	High	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○

Your rear seat height can only be between 0 cm and 13 cm below your front seat height:


i.e. rear seat height CANNOT be above front seat height

i.e. rear seat height CANNOT be more than 13 cm below front seat height

- More info, see first back page

\* 118 mm x 45 mm only available with quick release and castor pin lock, in combination with castor pin lock 118 mm x 45 mm seat height reduction of 1 cm

# 4" & 5" mm soft roll and 5" & 6" mm soft solid Castors are only available with a 45 mm fork




# QUICKIE ARGON TI

● = Standard    ○ = No cost option    □ = Cost option



## Rear seat height in cm

Rear wheel	Wheels	Axle plate:	Rear seat height in cm																		
			34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52
22"	Short																				
22"	Long																				
24"	Short																				
24"	Long																				
25"	Short																				
25"	Long																				
26"	Short																				
26"	Long																				



**25" & 26" Lightweight Wheels are £125 upcharge**

£	€
---	---

## SEAT UPHOLSTERY

### Seat sling

		Std	Std	Accessory Brochure page
3002	<input type="radio"/> 1 Utility bag			4
3006	<input type="checkbox"/> With two utility bags <i>(only from SW 38 cm)</i>	£29	€ 48	4
3005	<input type="checkbox"/> One utility bag plus one Catheter bag <i>(only from SW 34 cm)</i>	£53	€ 85	4

### LIGHTWEIGHT SEAT UPHOLSTERY

3014	<input type="checkbox"/> 1 Utility bag	£26	€ 42	4
3017	<input type="checkbox"/> With two utility bags	£42	€ 68	4
3018	<input type="checkbox"/> One utility bag plus one Catheter bag	£63	€ 103	4
3001	<input type="radio"/> Without seat sling	-£23	-€ 37	

**For JAY Seating, see Jay order form**

### Seat cushion with cover, black

3026	a) Foam composite	Thickness:	<input type="checkbox"/> 3 cm	<input type="checkbox"/> 5 cm	<i>(medium)</i>	£36	€ 58	5
3027	b) Latex	Thickness:	<input type="checkbox"/> 5 cm	<input type="checkbox"/> 8 cm	<i>(very soft)</i>	£36	€ 58	5

### Seat cushion with water resistant / breathable cover

3028	a) Foam composite	Thickness:	<input type="checkbox"/> 3 cm	<input type="checkbox"/> 5 cm	<i>(medium)</i>	£71	€ 117	5
3029	b) Latex	Thickness:	<input type="checkbox"/> 5 cm	<input type="checkbox"/> 8 cm	<i>(very soft)</i>	£71	€ 117	5

### Seat accessories

4049	<input type="checkbox"/> Positioning belt with lock	£25	€ 41	11
3003	<input type="checkbox"/> Spare cushion cover with zipper	£27	€ 44	

## BACKREST

### Backrest (range)      25 - 30 cm      30 - 40 cm      40 - 45 cm      *(height adjustable)*

<b>EITHER</b>	<input type="radio"/> 25	<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40
<b>Back height factory setting at (cm)</b>	<input type="radio"/> 27.5 cm	<input type="radio"/> 32.5 cm	<input type="radio"/> 37.5 cm	<input type="radio"/> 42.5 cm
<b>OR</b>	<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40	<input type="radio"/> 45
<b>Backrest (1)</b>	<input type="radio"/> 25	<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40
<b>lightweight, non height adjustable</b>	<input type="radio"/> 27.5 cm	<input type="radio"/> 32.5 cm	<input type="radio"/> 37.5 cm	<input type="radio"/> 42.5 cm <input type="radio"/> 45 cm

### Backrest frame

4018	<input type="radio"/> Angle adjustable	<i>(74° to 102° adjustable)</i>	<i>(+12° to -16°)</i>	Std	Std	6
4029	<input type="radio"/> Foldable, angle adjustable standard	<i>(74° to 102° adjustable)</i>	<i>(+12° to -16°)</i>	Std	Std	7
4016	<input type="checkbox"/> Double locking back	<i>(for folding angle adjustable backrest)</i>		£21	€ 34	7
4020	<input type="checkbox"/> Seat depth growth			£66	€ 108	11

### Pushhandles

4054	<input type="radio"/> Without pushhandles			Std	Std	
4051	<input type="radio"/> Short			Std	Std	9
4022	<input type="radio"/> Long			Std	Std	9
4024	<input type="checkbox"/> Fold-down pushhandles	(2)	<i>(only available from 32.5 cm standard back)</i>	£79	€ 128	9
4034	<input type="checkbox"/> Height adjustable pushhandles			£105	€ 171	9
4043	<input type="checkbox"/> JAY Hardware height adjustable pushhandles			£105	€ 171	11

### Backrest upholstery

4032	<input type="radio"/> Adjustable backrest upholstery			Std	Std	8
4038	<input type="radio"/> Adjustable backrest with vented material			£61	€ 99	8
4045	<input type="checkbox"/> Adjustable backrest with leather material			£231	€ 375	8
4031	<input type="checkbox"/> Without back upholstery			-£23	-€ 37	

(1) *not available with Jay cushions*  
 (2) *fold-down pushhandle only available from 32.5 cm backrest height*

For more information  
 visit our webpage  
[www.sunrisemedical.com](http://www.sunrisemedical.com)

# QUICKIE ARGON TI

● = Standard    ○ = No cost option    □ = Cost option

£    €



## ARMREST AND SIDEGUARDS

Armrest		<i>(choose only one option)</i>		Accessory Brochure page
4265	<input type="checkbox"/> Padded armrest Quickie style (1)	£63	€ 103	13
4264	<input type="checkbox"/> Single post armrest height adjustable Quickie style	£105	€ 171	13
<b>Sideguards</b>				
4247	<input type="checkbox"/> Small straight sideguard light weight <i>(slim style, carbon fibre)</i>	£179	€ 290	15
4229	<input type="checkbox"/> Straight sideguard aluminium	£138	€ 224	14
4238	<input type="checkbox"/> Straight sideguard aluminium with fender <i>(not in combination with rear height 35 - 38 cm with 24")</i>	£149	€ 243	14
4232	<input type="checkbox"/> Straight sideguard carbon fibre with fender <i>(not in combination with rear height 35 - 38 cm with 24")</i>	£194	€ 316	14
4263	<input type="checkbox"/> Plastic sideguards detachable (2) <i>(Quickie style)</i>	£101	€ 164	15
<b>Sideguards options and accessories</b>				
4233	<input type="checkbox"/> Slide back option, straight aluminium sideguards only <i>(only with 4229 &amp; 4238)</i>	£40	€ 65	15

## LEGREST & FOOTPLATES

Footplates				
2106	● Lightweight tubular footrest (3) <i>(lower leg length between 35 cm - 54 cm)</i>	Std	Std	19
2105	<input type="checkbox"/> Lightweight tubular footrest with flat cover (3) <i>(lower leg length between 35 cm - 54 cm)</i>	£42	€ 68	19
2101	<input type="checkbox"/> Platform footrest angle and depth adjustable (4) <i>(in SW 30 &amp; 32 cm only 3" &amp; 4" castors avail.)</i>	£64	€ 104	19
2102	<input type="checkbox"/> Platform footplates, aluminium <i>(high mounted for lower leg length between 22 - 38 cm)</i>	£71	€ 117	
2133	<input type="checkbox"/> Foot positioning plate <i>(only in combination with 2101 &amp; 2102)</i>	£39	€ 63	20
<b>Lower leg length (LLL)</b> <i>(Attention: LLL has to be 2.5 cm less than seat height front) (please refer to back page 1)</i>				
<input type="radio"/> 22 <input type="radio"/> 23 <input type="radio"/> 24 <input type="radio"/> 25 <input type="radio"/> 26 <input type="radio"/> 27 <input type="radio"/> 28 <input type="radio"/> 29 <input type="radio"/> 30 <input type="radio"/> 31 <input type="radio"/> 32 <input type="radio"/> 33 <input type="radio"/> 34 <input type="radio"/> 35 <input type="radio"/> 36 <input type="radio"/> 37 <input type="radio"/> 38 <input type="radio"/> 39 <input type="radio"/> 40 <input type="radio"/> 41 <input type="radio"/> 42 <input type="radio"/> 43 <input type="radio"/> 44 <input type="radio"/> 45 <input type="radio"/> 46 <input type="radio"/> 47 <input type="radio"/> 48 <input type="radio"/> 50 <input type="radio"/> 51 <input type="radio"/> 52				
<b>All measurements are in cm</b>				

## FRAME

5803	<input type="radio"/> Fixed castor housing standard frame			
1270	<input type="radio"/> Frame angle 85 (EU 95)			17
1241	<input type="radio"/> Frame angle 75 (EU 105)			17
1280	Frame inset <i>(each side of the frame) (please refer to the frame inset table)</i>			
	<input type="radio"/> 0 cm			17
	<input type="radio"/> 2 cm			17
	<input type="radio"/> 4 cm			17

## CENTRE OF GRAVITY (COG) & AXLE PLUG

*(all measurements are in cm) (choose only one option)*

Choose only one of the 8 choices		<b>(measured from front of back post in cm)</b>		
<input type="radio"/>	2 cm			
<input type="radio"/>	3.2 cm			
<input type="radio"/>	4.4 cm			
<input type="radio"/>	5.6 cm			
<input type="radio"/>	6.8 cm			
<input type="radio"/>	8 cm <i>(if you choose this COG, you must order a second anti tip tube)</i>			
<input type="radio"/>	9.2 cm <i>(if you choose this COG, you must order a second anti tip tube)</i>			
<input type="radio"/>	10.4 cm <i>(if you choose this COG, you must order a second anti tip tube)</i>			
5234	<input type="checkbox"/> Handbike axle (5) (6)	£171	€ 278	21
5184	<input type="checkbox"/> Suspension	£276	€ 449	21
Weight range <input type="radio"/> less 45 kg <input type="radio"/> 45 - 86 kg <input type="radio"/> 86 -115 kg				
<i>Please pick customer's weight, if suspension is chosen</i>		<i>(all measurements are in cm)</i>		

- (1): not possible with back height 25 - 30 cm  
 (2): seat width will be 1 cm smaller between the sideguards  
 (3): in SW 30 & 32 cm only 3" & 4" castors available  
 (4): lower leg length between 34 cm & 50 cm depending on the front seat height  
 (5): please choose camber for both axles  
 (6): not in combination with anti tip, tip assist, travel wheels

For more information  
 visit our webpage  
[www.sunrisemedical.com](http://www.sunrisemedical.com)

# QUICKIE ARGON Ti



● = Standard    ○ = No cost option    □ = Cost option

£      €

Frame accessories				£	€	
<i>(choose either tip assist or anti-tip tubes, not both)</i>						
Tip assist (step tube)						Accessory Brochure page
1230	<input type="checkbox"/>	Left	1230 <input type="checkbox"/> Right	£18	€ 29	<b>35</b>
1205	<input type="checkbox"/>	Crutch holder with Velcro <i>(only in combination with 1230)</i>		£40	€ 65	<b>34</b>
Anti-tip tubes, swing-away						<b>34</b>
1244	<input type="checkbox"/>	Left	1244 <input type="checkbox"/> Right	£53	€ 85	
1244	<input type="checkbox"/>	Pair		£106	€ 170	
1245	<input type="checkbox"/>	Quickie style anti-tip tubes pluggable <i>(pair)</i>		£46	€ 76	<b>34</b>
1247	<input type="checkbox"/>	Transit wheel		£119	€ 193	<b>35</b>
1281	<input type="checkbox"/>	Frame protection		£39	€ 63	<b>35</b>

FORK				£	€	
<i>(compare with your choice on the first page)</i>						
●	Fork			Std	Std	
5854	<input type="checkbox"/>	Castor pin lock <i>(only with fork 118 mm)</i>		£50	€ 80	
5826	<input type="checkbox"/>	Quick release axle for castors <i>(seat height reduction of 1 cm) (only with fork 118 mm)</i>		£130	€ 212	

STANDARD CASTOR				£	€	
<i>(compare with your choice on the first page)</i>						
5812	<input type="checkbox"/>	Solid		Std	Std	<b>24</b>
5823	<input type="checkbox"/>	Soft solid (4): <i>(only for 5" &amp; 6")</i>		Std	Std	<b>25</b>

Light ups				£	€	
5850	<input type="checkbox"/>	Solid <i>(not available for 6")</i>		£39	€ 63	<b>25</b>
Castor with aluminium rim						
5852	<input type="checkbox"/>	Solid <i>(only for 4" and 5")</i>		£48	€ 79	<b>25</b>
5855	<input type="checkbox"/>	Soft roll castor with aluminium rim wide version (4): <i>(only for 4" and 5")</i>		£48	€ 79	

REAR WHEELS				£	€	
<i>(compare with your choice on the first page; choose only one wheel type)</i>						
<i>NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels</i>						
5171	<input type="checkbox"/>	Straight spoked <i>(pair) (not with 25" &amp; 26")</i>		Std	Std	<b>26</b>
5172	<input type="checkbox"/>	Cross spoked <i>(pair) (not with 25")</i>		Std	Std	<b>26</b>
5137	<input type="checkbox"/>	Design wheel <i>(pair) (not with 22" and 25")</i>		Std	Std	<b>27</b>
5140	<input type="checkbox"/>	22" or 24" Light weight wheel <i>(pair)</i>		Std	Std	<b>27</b>
5140	<input type="checkbox"/>	25" or 26" Light weight wheel <i>(pair)</i>		£125	€ 179	<b>27</b>
5159	<input type="checkbox"/>	Spinergy wheels (1) <i>(pair) (not with 22")</i>		£295	€ 423	<b>27</b>
5162	<input type="checkbox"/>	Mountain Bike wheel <i>(only with 24", mountainbike tyres &amp; aluminium rim, black coated)</i>		£198	€ 323	
5162	<input type="checkbox"/>	Additional mountain bike wheel pair <i>(only with 24" &amp; mountainbike tyres)</i>		£298	€ 485	

TYRES				£	€	
<i>(choose only one tyre type)</i>						
5125	<input type="checkbox"/>	Standard slick		Std	Std	<b>28</b>
5124	<input type="checkbox"/>	Standard profile <i>(only 22" &amp; 24")</i>		Std	Std	<b>28</b>
5118	<input type="checkbox"/>	Light weight <i>(only light weight wheel; 22" and 24")</i>		Std	Std	<b>28</b>
5168	<input type="checkbox"/>	Solid tyres <i>(only 24")</i>		Std	Std	<b>28</b>
5233	<input type="checkbox"/>	22" x 13 / 8" puncture-proof		Std	Std	<b>28</b>
5167	<input type="checkbox"/>	24" Two grip "down town"		£56	€ 90	<b>29</b>
5164	<input type="checkbox"/>	Marathon plus evolution <i>(puncture proof) (only available for 24" and 25")</i>		£49	€ 80	<b>29</b>
5180	<input type="checkbox"/>	25" Speedrun <i>(only available for spinergy and light weight wheel)</i>		£47	€ 77	<b>29</b>

HANDRIM				£	€	
5142	<input type="checkbox"/>	Aluminium silver anodized <i>(only with light weight wheel)</i>		Std	Std	<b>30</b>
5144	<input type="checkbox"/>	Aluminium silver powdercoated <i>(only with light weight wheel)</i>		Std	Std	<b>30</b>
5173	<input type="checkbox"/>	Aluminium black powdercoated (2) <i>(only available with 24" &amp; 26")</i>		Std	Std	<b>30</b>
5183	<input type="checkbox"/>	Coloured aluminium pushrim. colour code: ..... (2) <i>(only available with 24" &amp; 26")</i>		£38	€ 62	<b>30</b>
5174	<input type="checkbox"/>	Stainless steel <i>(not with 25" &amp; 26" lightweight wheel)</i>		Std	Std	<b>30</b>
5122	<input type="checkbox"/>	Titanium <i>(not with 22" &amp; 25" wheels)</i>		£111	€ 181	<b>30</b>
5121	<input type="checkbox"/>	Titanium clear powdercoated <i>(not with 22" &amp; 25" wheels)</i>		£111	€ 181	<b>30</b>
5120	<input type="checkbox"/>	Supergrip <i>(only 24" wheels)</i>		£139	€ 226	
5163	<input type="checkbox"/>	Vertical projection pushrim <i>(only 24" wheels)</i>		£132	€ 215	
Hand rim mounting ● Standard = 17mm    ○ Wide = 27mm				Std	Std	
○ Close = 7mm (2) <i>(only with stainless steel)</i>				Std	Std	
5178	<input type="checkbox"/>	Handrim cover <i>(only 22" and 24")</i>		£55	€ 89	

WHEEL CAMBER				£	€	
<i>(choose only one option)</i>						
5161	<input type="checkbox"/>	0°	Handbike axle camber setting ○ 0° (3)	Std	Std	
5161	<input type="checkbox"/>	3°	○ 3° (3)	Std	Std	
5161	<input type="checkbox"/>	6°	○ 6° (3)	Std	Std	
5161	<input type="checkbox"/>	9°	○ 9°	Std	Std	

(1): not available with spokeguards  
 (2): not with light weight wheel (5140) and Spinergy (5159)  
 (3): if you choose a setting here, it must be one more than the camber setting you have chosen before  
 (4): 4"&5"soft roll & 5"&6"soft solid only with 45mm wide fork

For more information visit our webpage [www.sunrisemedical.com](http://www.sunrisemedical.com)  
 Price List Page: 98

**Please follow measuring method:**

The following method is recommended on the basis of extensive practical experience.

Deviations are possible in individual instances



**Seat width:**

**a) For the user:**

Allow space between sideguard and between hip on each side of the chair (approx. 1 - 2 cm altogether).

**b) On the wheelchair:**

From outside frame tube to outside frame tube

**Seat depth:**

**a) For the user:**

When sitting upright: leave space for 2-3 fingers between front edge of seat upholstery and back of knee (approx. 3-6 cm). Care must be taken with adjustable upholstery.

**b) On the wheelchair:**

From back tube to front of seat upholstery.

**Back height:**

**a) For the user:**

Measured from the seat, including cushion, to be **no more** than one finger (1 - 2 cm) below the lower shoulderblade.

**Important!** The back height depends on the degree of disability.

**b) On the wheelchair:**

From seat tube to upper edge of backrest upholstery.

**Note:** The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably.

**Lower leg length (LLL):**






**a) For the user:**

With legs angled at right angles, from back of knee to bottom of shoe sole.

**b) On the wheelchair:**

From front of seat to top of footrest.

**Remember:** to include the cushion height




	<b>Overall width with:</b>	24"	26"
Max overall height 97 cm	For 0° camber:	SW+20cm	SW+20cm
Max overall length 107 cm	For 3° camber:	SW+22cm	SW+26cm
	For 6° camber:	SW+28cm	SW+32cm
	For 9° camber:	SW+34cm	SW+38cm
	each with handrim distance std		

**Weights:**  
Minimum weight:  
from 7.6 kg

Please note that the matrix is based on a std configuration  
**Std chair 40 x 40 cm, 3° camber, 5.6 cm CoG**  
**Seat angle of 8°**  
 All changes in the configuration might change the seat heights.  
 Manufacturing tolerances of +/- 1 cm  
**NOTES:**  
 Max seat height difference rear to front is 13 cm.  
 No negative seat angle is possible  
**Please note that the matrix is based on a standard configuration**

**Low seat frame vs. High seat frame**




## Frame inset table

Seat width	30	32	34	36	38	40	42	44	46	48	50
Inset											
0 cm	22	24	26	28	30	32	34	36	38	40	42
2cm	n.a	n.a	22	24	26	28	30	32	34	36	38
4cm	n.a	n.a	n.a	n.a	22	24	26	28	30	32	34



Distance between frame tubes with 0 cm frame inset



Distance between frame tubes with 4 cm frame inset



Distance between frame tubes with 8 cm frame inset

# QUICKIE ARGON Ti

● = Standard    ○ = No cost option    □ = Cost option

		£	€						
<b>Spoke guard</b>				Accessory Brochure page					
5131	□ Transparent	(only available in 22", 24" & 26")		£74 € 120					
5127	□ Rotation	5128	□ Graphic	5129	□ Bibbo	(only available in 22" & 24")		£74 € 120	31
5130	□ Fantasy	5134	□ Galactica	5135	□ Cheese	(only available in 22" & 24")		£74 € 120	31

<b>WHEEL LOCKS</b>					(choose only one option)	
6009	○ Standard wheel lock					32
6008	□ Knee lever wheel lock			£34	€ 55	32
6004	□ Scissor wheel lock			(available from SD 40 cm) Std Std		33
6003	□ Compact wheel lock			£26	€ 41	33
6005	□ Grade aid for high mount wheelback			£49	€ 76	33
<b>Wheel lock accessories</b>						
6016	□ Extension for knee lever wheel lock, slip-on, swing-away			(only on 6008) £25 € 41		32

<b>ACCESSORIES</b>						
● Tool kit						
1402	□ High pressure pump			£47	€ 77	36
1403	□ Air pump			£6	€ 11	36
4006	□ Back pack			£36	€ 58	36
1405	□ Net bag			£14	€ 22	37
2118	□ Bag caddy			(not with platform footplates 2102) £36 € 58		37
2113	□ Mobile phone holder			£11	€ 16	37

<b>COLOURS</b>											
		Frame	Fork	Handrim	Hub/rim			Frame	Fork	Handrim	Hub/rim
			£29 € 46	£38 € 59	£105 € 163				£29 € 46	£38 € 59	£105 € 163
01	White RAL 9010	○	□	□	□	16	<b>Matt Marine</b>	□	£58 € 81	□	□
02	Brilliant Silver	○	□	□	□	18	<b>Illusion Lapis</b>	□	£58 € 81	□	□
03	<b>Matt Silver</b>	□	£58 € 81	□	□	19	Brilliant Purple	○	□	□	□
04	Silver	○	□	□	□	20	<b>Matt Purple</b>	□	£58 € 81	□	□
06	Sun Yellow	○	□	□	□	21	Red Ruby	○	□	□	□
07	Brilliant Lime	○	□	□	□	22	Brilliant Red	○	□	□	□
08	<b>Matt Lime</b>	□	£58 € 81	□	□	23	<b>Matt Red</b>	□	£58 € 81	□	□
09	Candy Teal	○	□	□	□	24	Tutti Frutti Orange	○	□	□	□
10	<b>Matt Candy Teal</b>	□	£58 € 81	□	□	25	Amethyst Fantasy	○	□	□	□
12	Forest Green	○	□	□	□	26	Silver Texture	○	□	□	□
13	<b>Flip Flop</b>	□	£84 € 117	□	□	27	Graphite Metallic	○	□	□	□
14	Blue	○	□	□	□	28	Platinum Metallic	○	□	□	□
15	Brilliant Marine	○	□	□	□	29	Black	○	□	□	□
						30	<b>Mystery</b>	□	£84 € 117	□	□
							Brushed Titanium	○			

<b>Upholstery colour</b>		(vented and leather only available in black)	
Black	○	<b>Guarantee</b> : Lifetime on frame and axles, one year on all other components For further details refer to guarantee policy .	
Red	○		
Dark blue	○		
Purple	○		
Blue	○		
Signal pink	○		

**Comments for special build:**

<b>Argon Ti - Base Price</b>	£1,950	€ 3,171
Option price	£	€
Packaging and transport	NA	NA
Exclusive VAT	NA	NA
VAT.	£	€
<b>Total Price</b>	£	€

**Sunrise Medical Customer Service**

Address: High Street, Wollaston, Stourbridge DY8 4PS    E-mail: [orders@sunmed.co.uk](mailto:orders@sunmed.co.uk)

Tel. 01384 44 66 66    E-commerce: [www.tcom.sunrisemedical.co.uk](http://www.tcom.sunrisemedical.co.uk)

Fax. 01384 44 66 44    Website: [www.sunrisemedical.com](http://www.sunrisemedical.com)

