



**Yes, you can:**

Tel: 01656 776222  
Email: [ordersuk@invacare.com](mailto:ordersuk@invacare.com)  
Online Spares available at: [www.invacare.co.uk](http://www.invacare.co.uk)

# Power Retail Prescription Form

July 2026  
Customer Ref:

|                          |                    |
|--------------------------|--------------------|
| <b>Customer Ref*</b>     | <b>Account No*</b> |
| <b>Contact No*</b>       | <b>Order No*</b>   |
| <b>Delivery Address*</b> | <b>Order Qty*</b>  |
|                          | <b>Order date*</b> |

## AVIVA RX20 Standard

### Standard Features

- Max User Weight 136kg (21 Stone)
- Crash tested ISO7176 - 19
- Modulite Standard Seat
- One piece seat plate (380mm/15" or 430mm/17" SW), additional 50mm/2" arm rest width adjustment
- Seat depths from 410mm - 510mm (16" - 20")
- Tension adjustable backrest
- Standard foam cushion (50mm thick)
- Standard T-Armrests, height and depth adjustable, detachable, with short armpads
- Manual settable Seat Tilt (0° - 15°)
- Manual settable Backrest Recline (0° - 30° in 3.75° steps)
- 80° hangers with fixed footplates
- LiNX DLX-REM211 with standard bracket
- Choice of 5 shroud colours and 5 rim insert colours
- 8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre
- 14" (355 mm) x 3" (75 mm), Solid inlay black drive wheels
- CTC Suspension (Control - Traction - Comfort)
- 6 km/h (4mph) 4 pole motors and 60Ah batteries
- 8A (200 - 250V) charger
- Anti tippers
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)

**Standard Base price: £4,350**



|                                                    |                                      |                                                   |                           |                                       |
|----------------------------------------------------|--------------------------------------|---------------------------------------------------|---------------------------|---------------------------------------|
| Please make your selection with a cross in the box | <input type="radio"/> Free of charge | <input checked="" type="radio"/> standard feature | <input type="radio"/> POA | <input type="radio"/> special request |
|----------------------------------------------------|--------------------------------------|---------------------------------------------------|---------------------------|---------------------------------------|

Customer weight =  KG

| Code                  | Description                                                                                   |        |
|-----------------------|-----------------------------------------------------------------------------------------------|--------|
| <b>BASE MODEL*</b>    |                                                                                               |        |
| JBB0000               | AVIVA RX20 Standard                                                                           | £4,350 |
| JBZ1300               | Special AVIVA RX20 Standard (Extended Lead Time). Please provide details in comments section. | POA    |
| <b>CHASSIS WIDTH*</b> |                                                                                               |        |
| JBB2810               | Chassis Narrow (560 mm/22")                                                                   | ◆      |
| <b>SEATING TYPE*</b>  |                                                                                               |        |
| JBB2105               | Modulite Standard Seat (Standard seat plate and backrest frame in fixed width)                | ◆      |

|                                                                         |                          |                                                                                                                                                       |      |
|-------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| <b>SEAT FRAME*</b>                                                      |                          |                                                                                                                                                       |      |
| JBB2110                                                                 | <input type="checkbox"/> | One Piece Seat Plate                                                                                                                                  | ◆    |
| <b>SEAT WIDTH*</b>                                                      |                          |                                                                                                                                                       |      |
| JBB2121                                                                 | <input type="checkbox"/> | 380 mm Seat Plate. Additional 50mm arm rest width adjustment.                                                                                         | ○    |
| JBB2122                                                                 | <input type="checkbox"/> | 430 mm Seat Plate. Additional 50mm arm rest width adjustment.                                                                                         | ◆    |
| <b>SEAT DEPTH*</b>                                                      |                          |                                                                                                                                                       |      |
| JBB2132                                                                 | <input type="checkbox"/> | 410 mm (NC 2197)                                                                                                                                      | ○    |
| JBB2134                                                                 | <input type="checkbox"/> | 460 mm                                                                                                                                                | ○    |
| JBB2136                                                                 | <input type="checkbox"/> | 510 mm                                                                                                                                                | ○    |
| <b>SEAT CUSHION*</b>                                                    |                          |                                                                                                                                                       |      |
| JBB2141                                                                 | <input type="checkbox"/> | Standard Foam Cushion, 50 mm height                                                                                                                   | ◆    |
| JBB2142                                                                 | <input type="checkbox"/> | Matrx Flo-tech Cushion Flo-tech Lite                                                                                                                  | £120 |
| JBB2143                                                                 | <input type="checkbox"/> | Matrx Flo-tech Contour Visco; (2-way stretch material)                                                                                                | £169 |
| JBB2140                                                                 | <input type="checkbox"/> | Without seat cushion                                                                                                                                  | ○    |
| <b>BACKREST SUPPORT*</b>                                                |                          |                                                                                                                                                       |      |
| JBB2161                                                                 | <input type="checkbox"/> | Backrest frame, detachable, height 480 mm For Tension Adjustable Upholstery/Matrx Backs                                                               | ◆    |
| <b>BACKREST UPHOLSTERY / CUSHION*</b>                                   |                          |                                                                                                                                                       |      |
| JBB2171                                                                 | <input type="checkbox"/> | Tension Adjustable Upholstery with Nylon overlay. Short = 480 mm / 7 straps. Long = 540 mm / 8 straps. Measured from seat plate to top of upholstery. | ◆    |
| JBB2170                                                                 | <input type="checkbox"/> | Without Backrest Upholstery (Back Posts/Back Frame only) (NC 2151)                                                                                    | ○    |
| <b>UPHOLSTERY COLOUR*</b>                                               |                          |                                                                                                                                                       |      |
| JBB2151                                                                 | <input type="checkbox"/> | Black Nylon Fabric TR18                                                                                                                               | ◆    |
| JBX1002                                                                 | <input type="checkbox"/> | No Upholstery Colour required - No backrest upholstery required                                                                                       | ○    |
| <b>ARMRESTS*</b>                                                        |                          |                                                                                                                                                       |      |
| JBB2191                                                                 | <input type="checkbox"/> | T-Arm detachable, Standard. Adjustment range from seat plate: 245 - 315 mm                                                                            | ◆    |
| JBB2181                                                                 | <input type="checkbox"/> | T-Arm detachable, Extended height. Adjustment range from seat plate: 295 - 365 mm                                                                     | £40  |
| JBB2183                                                                 | <input type="checkbox"/> | Inrigged Armrests. Reduces SW by 25 mm each side                                                                                                      | ○    |
| <b>ARMPADS*</b>                                                         |                          |                                                                                                                                                       |      |
| JBB2195                                                                 | <input type="checkbox"/> | Short Armpad (325 mm)                                                                                                                                 | ◆    |
| JBB2196                                                                 | <input type="checkbox"/> | Long Armpad (375 mm)                                                                                                                                  | ○    |
| JBB2197                                                                 | <input type="checkbox"/> | Long Ergonomic Armpad (397 mm)                                                                                                                        | ○    |
| JBB2199                                                                 | <input type="checkbox"/> | Soft Armpad (REA Azalea Wide Pad)                                                                                                                     | £95  |
| <b>HEADREST / NECKREST (Adequate headrest option must be selected)*</b> |                          |                                                                                                                                                       |      |
| JBB1350                                                                 | <input type="checkbox"/> | Neckrest depth adjustable                                                                                                                             | £80  |
| JBB1495                                                                 | <input type="checkbox"/> | Non Invacare Headrest - no mounting hardware. With Backbrace/Pushbar dia. 22mm in conjunction with telescopic seat frame/backposts                    | ○    |
| <b>MANUAL / POWERED SEATING OPTIONS*</b>                                |                          |                                                                                                                                                       |      |
| JBB1092                                                                 | <input type="checkbox"/> | Powered "fixed pivot" Tilt 20°                                                                                                                        | ◆    |
| <b>SEAT TO GROUND HEIGHT*</b>                                           |                          |                                                                                                                                                       |      |
| JBB2857                                                                 | <input type="checkbox"/> | 435 mm                                                                                                                                                | ○    |
| JBB2858                                                                 | <input type="checkbox"/> | 460 mm                                                                                                                                                | ○    |
| JBB2859                                                                 | <input type="checkbox"/> | 485 mm                                                                                                                                                | ○    |

| BACKREST RECLINER*                                                          |                          |                                                                                                  |      |
|-----------------------------------------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------------|------|
| JBB0975                                                                     | <input type="checkbox"/> | Manual Settable Recliner (in 3.75° steps) 90° - 120°                                             | ◆    |
| SIDE MOUNTED LEG RESTS                                                      |                          |                                                                                                  |      |
| JBB0526                                                                     | <input type="checkbox"/> | Side Mounted: Standard hanger 80° pair. Lower leg length: 350 - 450 mm                           | ◆    |
| SIDE MOUNTED FOOTPLATE TYPE                                                 |                          |                                                                                                  |      |
| JBB0512                                                                     | <input type="checkbox"/> | Fixed Footplate pair                                                                             | ◆    |
| JBB0513                                                                     | <input type="checkbox"/> | Angle and depth adjustable Footplate pair                                                        | £120 |
| LiNX CONTROLS*                                                              |                          |                                                                                                  |      |
| JBB2203                                                                     | <input type="checkbox"/> | DLX-REM211 (Drive & Actuators) (NC 1437, 1908)                                                   | ◆    |
| JBB2204                                                                     | <input type="checkbox"/> | DLX-REM216 (Drive, Actuators & Lights)                                                           | £200 |
| CONTROL BRACKETRY*                                                          |                          |                                                                                                  |      |
| JBB1207                                                                     | <input type="checkbox"/> | Standard Bracket RH (NC 1404)                                                                    | ○    |
| JBB1208                                                                     | <input type="checkbox"/> | Standard Bracket LH (NC 1405)                                                                    | ○    |
| JBB1707                                                                     | <input type="checkbox"/> | Swing Away RH Bracket (NC 1404)                                                                  | £135 |
| JBB1708                                                                     | <input type="checkbox"/> | Swing Away LH Bracket (NC 1405)                                                                  | £135 |
| JBB2227                                                                     | <input type="checkbox"/> | Bracket RH mounted for Attendant (NC 2220, 2219, 1312)                                           | £65  |
| JBB2228                                                                     | <input type="checkbox"/> | Bracket LH mounted for Attendant (NC 2220, 2219, 1363)                                           | £65  |
| JBZ2239                                                                     | <input type="checkbox"/> | Individual mounting option per request (Special). Requires additional information/specification. | POA  |
| DUAL CONTROLS                                                               |                          |                                                                                                  |      |
| JBB2220                                                                     | <input type="checkbox"/> | LiNX DLX-REM050 (Dual Control used as secondary remote) (NC 2273, 2227, 2228)                    | £395 |
| JBB2219                                                                     | <input type="checkbox"/> | LiNX DLX-ACU200 (Compact Dual Control) (NC 2227, 2228)                                           | £395 |
| DUAL CONTROL BRACKETRY (Only applicable if Dual Control is selected)        |                          |                                                                                                  |      |
| JBB2259                                                                     | <input type="checkbox"/> | Dual Control Standard Bracket RH (NC 2291, 1312)                                                 | ○    |
| JBB2260                                                                     | <input type="checkbox"/> | Dual Control Standard Bracket LH (NC 2292, 1363)                                                 | ○    |
| LiNX 10-WAY SWITCH                                                          |                          |                                                                                                  |      |
| JBB2251                                                                     | <input type="checkbox"/> | 10-Way Switch DLX-SW10-A for direct Powered Seating Access                                       | £500 |
| LiNX 10-WAY SWITCH BRACKETRY (Only applicable if 10-Way Switch is selected) |                          |                                                                                                  |      |
| JBB2217                                                                     | <input type="checkbox"/> | Bracket RH, mounted for user (NC 1404)                                                           | ○    |
| JBB2218                                                                     | <input type="checkbox"/> | Bracket LH, mounted for user (NC 1405)                                                           | ○    |
| JBB2291                                                                     | <input type="checkbox"/> | Bracket RH, mounted for attendant (NC 2259)                                                      | £65  |
| JBB2292                                                                     | <input type="checkbox"/> | Bracket LH, mounted for attendant (NC 2260)                                                      | £65  |
| LiNX IN200 MODULE                                                           |                          |                                                                                                  |      |
| JBB2273                                                                     | <input type="checkbox"/> | DLX-IN200 Module (Jack port for external power button)                                           | £270 |
| FURTHER LiNX COMPONENTS / ACCESSORIES                                       |                          |                                                                                                  |      |
| JBB2302                                                                     | <input type="checkbox"/> | Not Necessary (NC 1686, 1687, 1690, 2254, 1711, 1712, 1713, 1714, 1715, 1716)                    | ◆    |
| JBB2300                                                                     | <input type="checkbox"/> | To be enclosed only                                                                              | ○    |
| JBZ2301                                                                     | <input type="checkbox"/> | To be connected and programmed (Special)                                                         | POA  |
| BUDDY BUTTONS                                                               |                          |                                                                                                  |      |
| JBB1685                                                                     | <input type="checkbox"/> | Red Buddy Button                                                                                 | £90  |
| JBB1686                                                                     | <input type="checkbox"/> | Yellow Buddy Button                                                                              | £90  |
| JBB1687                                                                     | <input type="checkbox"/> | Green Buddy Button                                                                               | £90  |
| JBB1690                                                                     | <input type="checkbox"/> | Blue Buddy Button                                                                                | £90  |
| EGG SWITCH                                                                  |                          |                                                                                                  |      |
| JBB2254                                                                     | <input type="checkbox"/> | Egg Switch, black                                                                                | £90  |

| PIKO BUTTONS             |  |                                                                                                                                      |      |
|--------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------|------|
| JBB1711                  |  | Red Piko Button                                                                                                                      | £160 |
| JBB1712                  |  | Yellow Piko Button                                                                                                                   | £160 |
| JBB1713                  |  | Green Piko Button                                                                                                                    | £160 |
| JBB1714                  |  | Orange Piko Button                                                                                                                   | £160 |
| JBB1715                  |  | Blue Piko Button                                                                                                                     | £160 |
| JBB1716                  |  | Black Piko Button                                                                                                                    | £160 |
| BODYPOINT JOYSTICK KNOBS |  |                                                                                                                                      |      |
| JBB2721                  |  | 3 inch U-Shaped, Joystick Handle, Bodypoint PC101A                                                                                   | £75  |
| JBB2722                  |  | 4 inch U-Shaped, Joystick Handle, Bodypoint PC102A                                                                                   | £75  |
| JBB2723                  |  | Domed Rubber, Joystick Handle, Bodypoint PC107A                                                                                      | £75  |
| JBB2724                  |  | Mushroom Grooved, Joystick Handle, Bodypoint PC110A                                                                                  | £75  |
| SHROUD COLOUR*           |  |                                                                                                                                      |      |
| JBB2871                  |  | Mid range - Black/Anthracite Shroud                                                                                                  | ○    |
| JBB2872                  |  | Mid range - Silver Shroud                                                                                                            | ○    |
| JBB2873                  |  | Mid range - Bengal Red Shroud                                                                                                        | ○    |
| JBB2874                  |  | Mid range - Mercury Blue Shroud                                                                                                      | ○    |
| JBB2875                  |  | Mid range - Midnight Purple Shroud                                                                                                   | ○    |
| JBZ0299                  |  | Premium - Individual Shroud Colour. RAL number required<br>Extended lead lime: + 15 days.                                            | £300 |
| RIM COLOUR*              |  |                                                                                                                                      |      |
| JBB2882                  |  | Mid range - Black Rim Inserts                                                                                                        | ○    |
| JBB2883                  |  | Mid range - Silver Rim Inserts                                                                                                       | ○    |
| JBB2884                  |  | Mid range - Bengal Red Rim Inserts                                                                                                   | ○    |
| JBB2885                  |  | Mid range - Mercury Blue Rim Inserts                                                                                                 | ○    |
| JBB2886                  |  | Mid range - Midnight Purple Rim Inserts                                                                                              | ○    |
| JBZ2887                  |  | Premium - Individual Rim Insert Colour. RAL number required<br>Extended lead lime: + 15 days. Price Included with Premium Shroud Kit | ○    |
| FORKS*                   |  |                                                                                                                                      |      |
| JBB2632                  |  | Double sided fork Without castor rim insert                                                                                          | ○    |
| CASTORS*                 |  |                                                                                                                                      |      |
| JBB0828                  |  | 8" (200 mm) x 2.50-4 (65 mm) Castor, puncture proof solid tyre                                                                       | ◆    |
| CASTOR LOCKS             |  |                                                                                                                                      |      |
| JBB1490                  |  | Castor Lock                                                                                                                          | £195 |
| DRIVE WHEELS*            |  |                                                                                                                                      |      |
| JBB0704                  |  | DW 14" (355 mm) x 3" (75 mm), Pneumatic                                                                                              | ◆    |
| JBB0705                  |  | DW 14" (355 mm) x 3" (75 mm), Solid inlay Dual density foam insert                                                                   | ○    |
| C.T.C SUSPENSION*        |  |                                                                                                                                      |      |
| JBB2870                  |  | CTC Suspension Control - Traction - Comfort                                                                                          | ◆    |
| SUSPENSION SETTING*      |  |                                                                                                                                      |      |
| JBB1910                  |  | Soft                                                                                                                                 | ◆    |
| JBB1912                  |  | Medium                                                                                                                               | ○    |
| JBB1911                  |  | Firm                                                                                                                                 | ○    |
| JBB1915                  |  | Very firm                                                                                                                            | ○    |

| MOTOR TYPE*                 |  |                                                                                                                                                                                                                    |                               |
|-----------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| JBB1294                     |  | Indoor setting, reduced speed approx. 3 km/h                                                                                                                                                                       | ○                             |
| JBB1282                     |  | 6 km/h                                                                                                                                                                                                             | ◆                             |
| JBB1908                     |  | 10 km/h Package<br>Always combined with LED Light system with Indicators, 30 Lux headlights                                                                                                                        | (NC 2203, 1437, 1254)<br>£515 |
| BATTERY TYPE*               |  |                                                                                                                                                                                                                    |                               |
| JBB1259                     |  | 60 Ah Gel                                                                                                                                                                                                          | ◆                             |
| CHARGER*                    |  |                                                                                                                                                                                                                    |                               |
| JBB1343                     |  | Opti Charge Charger 8A (IP44)                                                                                                                                                                                      | ◆                             |
| JBB1313                     |  | Opti Charge Charger 10A (IP44)                                                                                                                                                                                     | £155                          |
| ANTI-TIPPERS*               |  |                                                                                                                                                                                                                    |                               |
| JBB1205                     |  | Anti-tipper                                                                                                                                                                                                        | ◆                             |
| LIGHTS                      |  |                                                                                                                                                                                                                    |                               |
| JBB1437                     |  | LED Light system with indicators 30 Lux headlights, included with 10km/h motors                                                                                                                                    | (NC 2203, 1908)<br>£450       |
| JBB1254                     |  | Without Light system                                                                                                                                                                                               | ○                             |
| KERB RIDER                  |  |                                                                                                                                                                                                                    |                               |
| JBB1244                     |  | Kerb Rider with park position feature                                                                                                                                                                              | (NC 1294)<br>£215             |
| TRANSPORTATION KIT*         |  |                                                                                                                                                                                                                    |                               |
| JBB1450                     |  | Preparation for DAHL-Docking station (Adequate headrest is compulsory). Includes a mounting bracket in the battery box. Docking Station for car implementation has to be ordered separately with DAHL Engineering. | £580                          |
| JBB1494                     |  | 4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19). Adequate headrest is compulsory. Not compatible with Seat lifter.                                               | ◆                             |
| EASY ACCESS FRONT TIE DOWNS |  |                                                                                                                                                                                                                    |                               |
| JBB2894                     |  | Easily accessible front tie-down points, additionally mounted for 4- or 6- point-tie-down. For transport worthy versions (1494/1401) only                                                                          | £55                           |
| FIXATION BELT*              |  |                                                                                                                                                                                                                    |                               |
| JBB1329                     |  | Lap belt with Auto Lock Standard mount on backrest                                                                                                                                                                 | ◆                             |
| REAR VIEW MIRROR            |  |                                                                                                                                                                                                                    |                               |
| JBB1415                     |  | Rear view mirror RH                                                                                                                                                                                                | (NC 2217)<br>£45              |
| JBB1339                     |  | Rear view mirror LH                                                                                                                                                                                                | (NC 2218)<br>£45              |
| CANE HOLDER                 |  |                                                                                                                                                                                                                    |                               |
| JBB1312                     |  | Cane holder RH                                                                                                                                                                                                     | (NC 2227, 2259)<br>£45        |
| JBB1363                     |  | Cane holder LH                                                                                                                                                                                                     | (NC 2228, 2260)<br>£45        |
| WHEEL FENDERS               |  |                                                                                                                                                                                                                    |                               |
| JBB1416                     |  | Fender for Castors                                                                                                                                                                                                 | £80                           |
| JBB1417                     |  | Fender for Drive wheels                                                                                                                                                                                            | £160                          |
| TRAY                        |  |                                                                                                                                                                                                                    |                               |
| JBB1404                     |  | Tray, Swing Away RH                                                                                                                                                                                                | (NC 1707, 2217)<br>£200       |
| JBB1405                     |  | Tray, Swing Away LH                                                                                                                                                                                                | (NC 1708, 2218)<br>£200       |

|             |  |  |  |
|-------------|--|--|--|
| TOTAL PRICE |  |  |  |
|-------------|--|--|--|

| Non Conforming Options: |                                                                                             |
|-------------------------|---------------------------------------------------------------------------------------------|
| JBB2151                 | Black Nylon Fabric TR18                                                                     |
| JBB2197                 | Long Ergonomic Armpad (397 mm)                                                              |
| JBB2203                 | DLX-REM211 (Drive & Actuators)                                                              |
| JBB1707                 | Swing Away RH Bracket                                                                       |
| JBB1708                 | Swing Away LH Bracket                                                                       |
| JBB2227                 | Bracket RH mounted for Attendant                                                            |
| JBB2228                 | Bracket LH mounted for Attendant                                                            |
| JBB2220                 | LiNX DLX-REM050 (Dual Control used as secondary remote)                                     |
| JBB2219                 | LiNX DLX-ACU200 (Compact Dual Control)                                                      |
| JBB2259                 | Dual Control Standard Bracket RH                                                            |
| JBB2260                 | Dual Control Standard Bracket LH                                                            |
| JBB2217                 | Bracket RH, mounted for user                                                                |
| JBB2218                 | Bracket LH, mounted for user                                                                |
| JBB2291                 | Bracket RH, mounted for attendant                                                           |
| JBB2292                 | Bracket LH, mounted for attendant                                                           |
| JBB2273                 | DLX-IN200 Module (Jack port for external power button)                                      |
| JBB1686                 | Yellow Buddy Button                                                                         |
| JBB1687                 | Green Buddy Button                                                                          |
| JBB1690                 | Blue Buddy Button                                                                           |
| JBB2254                 | Egg Switch, black                                                                           |
| JBB1711                 | Red Piko Button                                                                             |
| JBB1712                 | Yellow Piko Button                                                                          |
| JBB1713                 | Green Piko Button                                                                           |
| JBB1714                 | Orange Piko Button                                                                          |
| JBB1715                 | Blue Piko Button                                                                            |
| JBB1716                 | Black Piko Button                                                                           |
| JBB1294                 | Indoor setting, reduced speed approx. 3 km/h                                                |
| JBB1908                 | 10 km/h Package<br>Always combined with LED Light system with Indicators, 30 Lux headlights |
| JBB1437                 | LED Light system with indicators 30 Lux headlights, included with 10km/h motors             |
| JBB1254                 | Without Light system                                                                        |
| JBB1312                 | Cane holder RH                                                                              |
| JBB1363                 | Cane holder LH                                                                              |
| JBB1404                 | Tray, Swing Away RH                                                                         |
| JBB1405                 | Tray, Swing Away LH                                                                         |



For a more complex customer requirement,  
please email: [orders@invacare.com.au](mailto:orders@invacare.com.au)

Special Instructions

Please supply the following information:

Name:

Email:

Phone:

Description of special request (please include relevant option code or part number):