Delivery address

Sales person

Base price: £1444	0.00	
		Order no.:
☐ Provide estimate only	□Order	
☐ Attachment for custom fabr	ication enclose	ed
Billing address/customer number		

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.

Name

C2000

(E 101)

Max. load capacity: 160 kg/353 lbs (standard equipment)

- Front-wheel drive ET07
 Rear-wheel drive ET08

Article number: 490E62=00000_K



Sample equipment

Standard equipment

- 6 km/h
- 94 Ah gel batteries (C5)
- · enAble50 impulse control
- Battery charger
- 14" caster wheels
- · Electric lighting
- Suspension on all wheels
- Standard seat
- Seat cushion
- · Arm supports
- Individual centre leg support
- Splash guard on all wheels
- Luggage carrier
- Lap belt with buckle

The number codes contained in this order form are not intended to be used as article numbers for spare parts orders.

Please use the spare parts catalogue for spare parts orders.

Basic data (v	olunt	ary information) Mandatory information*	
Gender		Indication User height in cm	
Age		Paying party User weight in kg	
	†	1 Seat depth	
		2 Trunk depth	
	1	3 Arm support height	
		1 4 Armpit height	
		5 Shoulder height	
	6 5	4 3 6 Head height	
	1	7 Forearm length to the middle of the palm	
		8 Trunk width	
		9 Lower leg length	
		10 Seat width	
* This informati	on will	I help to support user-oriented settings and product development. Ottobock guarantees the confidential and purely internal	
use of these d			
Chassis option	ons		
EA 13		Chassis up to 160 kg/352 lbs (standard equipment) Inclu	sive
EA 16		Chassis up to 200 kg/440 lbs	1.00
Chassis acces	ssorie	s .	
ES 03		Rear marker plate £10:	5.00
Seat height a	adjust	ment	
EC 55		Electric seat height adjustment (up to 40 cm, seat inclination 0°) £171	9.00
		max. load capacity 130 kg/287 lbs! (standard equipment on C2000-H)	
		(also possible in combination with option code EC 54) (not possible in combination with option code EC 50)	
EC 60		Electric seat height adjustment "Heavy Duty" (up to 30 cm, seat inclination 0°) £229.	2.00
		max. load capacity 200 kg/440 lbs! (also possible in combination with option code EC 54)	
Back adjustn	nents		
ED 50		Electric back support angle adjustment 30° (not available with Recaro n-Joy and Recaro	7.00
		n-Joy-Plus) (not available in combination with contour seat, small, SD 36 and 38 cm or con-	
		tour seat, large, SD 40 and 42 cm)	
Standard sea	T .	to a load capacity of 200 kg/440 lbs)	
EC 01		Standard seat, small (SD 38 46 cm, SW 38 42 cm) Inclu	sive
EC 02		Standard seat, large (SD 42 50 cm, SW 43 48 cm) Inclu	sive
EC 19			2.00
•		capacities between 200 kg and 260 kg (441 lbs – 573 lbs) available through custom fabrication upon request.	
Settings for t			
Back suppor		e	
Seat inclinati			
		tion not available with electric seat tilt and seat height adjustment!	
Seat depth S			
Seat width S		cm	
Lower leg ler	ngth L	L cm (25 54 cm) without seat cushion	
Seat high SH	in cm	47 (front-wheel drive) 53 (rear-wheel drive)	
		nation, without seat cushion, dependent on lower leg length, not for electric seat height adjustment; seat height less lower bund clearance, a minimum of 8 cm is recommended, ground clearance with centre leg support =/> 8 cm	

Ecological Seat cushion with incontinence cover (seat cushion thickness 50 mm)	Seat cushion (only for standard seat)					
EC 07 Without seat cushion Inclusive EC 11 Terra seat cushion (up to 150 kg/331 lbs; seat cushion thickness 70 mm) £154,00 EC 12 Terra Aquos seat cushion (up to 150 kg/331 lbs; seat cushion thickness 70 mm) £174,00 EC 17 Terra Falar seat cushion (up to 150 kg/331 lbs; seat cushion thickness 70 mm) £174,00 EC 17 Terra Falar seat cushion (up to 150 kg/331 lbs; seat cushion thickness 70 mm) £174,00 EC 17 Terra Falar seat cushion to put to 150 kg/331 lbs; seat cushion thickness 70 mm) £20,00 EC 17 Terra Falar seat cushion to roth the seat cushion thickness 50 mm) £555,00 Up to 160 kg/352 lbs; seat cushion thickness 50 mm) £555,00 Up to 160 kg/352 lbs; seat cushion thickness 50 mm) £555,00 Up to 200 kg/440 lbs; seat cushion thickness 50 mm) £555,00 Up to 200 kg/440 lbs; seat cushion thickness 50 mm) £650,00 EC 21 Contour seat, 1674 kg,	EC 06		Seat cushion, black cover (standard equipment) (seat cushion thickness 50 mm)	Inclusive		
EC 11	EC 10		Seat cushion with incontinence cover (seat cushion thickness 50 mm)	£37.00		
EC 12	EC 07		Without seat cushion	Inclusive		
EC 17	EC 11		Terra seat cushion (up to 150 kg/331 lbs; seat cushion thickness 70 mm)	£154.00		
Please refer to our seat cushion brochure for information on additional seat cushions. Contour seat (up to a load capacity of 200 kg/440 lbs) EC 03	EC 12		Terra Aquos seat cushion (up to 150 kg/331 lbs; seat cushion thickness 70 mm)	£174.00		
Contour seat Up to a load capacity of 200 kg/440 lbs) EC 03	EC 17		Terra Flair seat cushion (up to 150 kg/331 lbs; seat cushion thickness 70 mm)	£320.00		
Contour seat, small (SD 3644 cm, SW 3842 cm) (up to 160 kg/382 lbs; seat cushion thickness 50 mm)	Please refer to	our se	at cushion brochure for information on additional seat cushions.			
Contour seat, large (SD 42 48 cm, SW 43 48 cm) 555.00 655.00	Contour seat	(up to	o a load capacity of 200 kg/440 lbs)			
EC 21	EC 03			£555.00		
Contour type	EC 04			£555.00		
Contour type EC 23 With flat contours	EC 21			£650.00		
EC 24	Contour type					
Cover type EC 25	EC 23		With flat contours	Inclusive		
EC 25	EC 24		With deep contours	Inclusive		
EC 26 Synthetic leather cover (can be ordered in addition to option code EC 25) £26.00 Settings for the contour seat Seat depth SD in continence cover (can be ordered in addition to option code EC 25) £26.00 Settings for the contour seat Seat width SW	Cover type					
EC 27 Incontinence cover (can be ordered in addition to option code EC 25) £26.00 Settings for the contour seat Seat depth SD in cm 36 38 40 42 44 46 48 Seat width SW	EC 25		Fabric cover	Inclusive		
Settings for the contour seat Seat depth SD in cm	EC 26		Synthetic leather cover	£38.00		
Seat depth SD in cm	EC 27		Incontinence cover (can be ordered in addition to option code EC 25)	£26.00		
Seat width SW	Settings for t	he co	ntour seat			
For 0° seat inclination, with seat cushion, dependent on lower leg length, not for electric seat height adjustment, ground clearance = SH - LL; 8 cm are recommended, ground clearance with centre leg support =/> 8 cm) Recaro seat (up to a load capacity of 200 kg/440 lbs) EC 40	Seat depth SI) in cı	m □36 □38 □40 □42 □44 □46 □48			
Recaro seat (up to a load capacity of 200 kg/440 lbs) EC 40	Seat width SV	٧	cm			
EC 40						
EC 40	Recaro seat (ı	ıp to	a load capacity of 200 kg/440 lbs)			
Modular Recaro seating system (up to a load capacity of 200 kg/440 lbs) EC 42				£572.00		
Modular Recaro seating system (up to a load capacity of 200 kg/440 lbs) EC 42	EC 41		Recaro n-Joy-Plus	£1355.00		
EC 42 Back support LX (manually adjustable) £574.00 EC 43 Back support LT (lateral supports with different setting options, manually adjustable) £641.00 EC 44 Seat bottom F (flat padded, seat bottom sewn to lateral guides) £816.00 EC 45 Seat bottom X (contoured lateral guides with seat extension) £949.00 EC 46 Seat bottom W (flat padded, with seat extension) £1005.00 Settings for Recaro seat/modular Recaro seating system Seat depth SD in cm 38 40 42 44 46 (only for Recaro n-Joy Plus) 48 50 52 54 56 Lower leg length LL			(adaptable on site, manually adjustable back support, seat depth SD 38 56 cm)			
Back support LT (lateral supports with different setting options, manually adjustable) EC 44 Seat bottom F (flat padded, seat bottom sewn to lateral guides) EC 45 Seat bottom X (contoured lateral guides with seat extension) EC 46 Seat bottom W (flat padded, with seat extension) Settings for Recaro seat/modular Recaro seating system Seat depth SD in cm 38 40 42 44 46 (only for Recaro n-Joy Plus) 48 50 52 54 56 Lower leg length LL	Modular Reca	aro se	ating system (up to a load capacity of 200 kg/440 lbs)			
EC 44 Seat bottom F (flat padded, seat bottom sewn to lateral guides) £816.00 EC 45 Seat bottom X (contoured lateral guides with seat extension) £949.00 EC 46 Seat bottom W (flat padded, with seat extension) £1005.00 Settings for Recaro seat/modular Recaro seating system Seat depth SD in cm 38 40 42 44 46 (only for Recaro n-Joy Plus) 48 50 52 54 56 Lower leg length LL	EC 42		Back support LX (manually adjustable)	£574.00		
Seat bottom X (contoured lateral guides with seat extension) EC 46 Seat bottom W (flat padded, with seat extension) Settings for Recaro seat/modular Recaro seating system Seat depth SD in cm 38 40 42 44 46 (only for Recaro n-Joy Plus) 48 50 52 54 56 Lower leg length LL	EC 43		Back support LT (lateral supports with different setting options, manually adjustable)	£641.00		
Seat bottom W (flat padded, with seat extension) Settings for Recaro seat/modular Recaro seating system Seat depth SD in cm 38 40 42 44 46 (only for Recaro n-Joy Plus) 48 50 52 54 56 Lower leg length LL	EC 44		Seat bottom F (flat padded, seat bottom sewn to lateral guides)	£816.00		
Settings for Recaro seat/modular Recaro seating system Seat depth SD in cm 38 40 42 44 46 (only for Recaro n-Joy Plus) 48 50 52 54 56 Lower leg length LL	EC 45		Seat bottom X (contoured lateral guides with seat extension)	£949.00		
Seat depth SD in cm 38 40 42 44 46 (only for Recaro n-Joy Plus) 48 50 52 54 56 Lower leg length LL	EC 46		Seat bottom W (flat padded, with seat extension)	£1005.00		
(only for Recaro n-Joy Plus) 48 50 52 54 56 Lower leg length LL	Settings for R	Settings for Recaro seat/modular Recaro seating system				
Note: for 0° seat inclination, with seat cushion, dependent on lower leg length, not for electric seat height adjustment; seat height less lower leg length equals ground clearance, 8 cm are recommended, ground clearance with centre leg support =/> 8 cm						
lower leg length equals ground clearance, 8 cm are recommended, ground clearance with centre leg support =/> 8 cm	Lower leg len	gth L	L cm (28 54 cm, in 1 cm increments)			
	Note: for 0° se	at inc				
		th eq	uals ground clearance, 8 cm are recommended, ground clearance with centre leg support =/> 8 cm			

Information



EU 40 Calibratable joystick



EU 23 – 28 Joystick options



EP 51 Four-way chest strap



EU 87 Mid-tray control, electrically swivelling



EC 23 Contour seat with flat contours EC 25 Fabric cover



EC 24 Contour seat with deep contours EC 26 Synthetic leather cover

		Standard	Contour seat		Recaro seat	
		seat (without cushion)		Seat bottom W	Seat bottom F	Seat bottom X (n-Joy)
	Seat frame (*)	47	57	58	57	60
Front-wheel	Electric seat tilt	51	61	63	62	65
drive	Seat height adjustment with seat tilt	58	68	70	69	72
Rear-wheel drive	Seat frame (*)	53	63	66	65	68
	Electric seat tilt	53	63	65	64	67
	Seat height adjustment with seat tilt	58	68	70	69	72

(*) 3° seat inclination not available Manufacturing tolerance +/- 1 cm

Seat tilt			
EC 50		Electric seat tilt 30° with centre of gravity shifting (seat inclination 0°) max. load capacity 200 kg/441 lbs!	£517.00
EC 54		Electric seat tilt 45° with centre of gravity shifting (seat inclination 0°)	£966.00
Back support	t versi	on (only for standard seat)	
ED 01		Back support upholstery (standard equipment)	Inclusive
ED 02		Without back support upholstery	Inclusive
Please use our	access	ories catalogue for the selection of individual back support systems!	
Belts			
EP 51		Static four-way chest strap kit (only for Recaro seat/seating system) (Not available in combination with seat tilt and seat height adjustment)	£277.00
EP 60		Chest belt with hook-and-loop closure, installed at chest height (only for Recaro seat/seating system)	£193.00
EP 65		Lap belt with buckle (standard equipment)	Inclusive
Seating syste	m acc	cessories	
EE 30		Adapter for head support mounting kit (only for standard and contour seat)	£33.00
Please refer to	our ac	cessories catalogue for information about head supports .	
Leg supports	5		
EB 02		Individual leg support, with aluminium foot plates, max. load capacity 140 kg/309 lbs! (continuously angle-adjustable) Only available with front-wheel drive and standard/contour seat, small, Recaro seat	£92.00
EB 03		Single-panel leg support with aluminium foot plate (continuously angle-adjustable) only available with front-wheel drive and standard/contour seat, small, Recaro seat	£83.00
EB 62		Centre leg support, individual foot plates(each approx. 18 cm), angle-adjustable foot plate (standard equipment) max. load capacity 200 kg/440 lbs; only available with front-wheel drive	Inclusive
EB 61		Centre leg support, continuous foot plate, angle-adjustable footplate, max. load capacity 200 kg/440 lbs!	Inclusive
Leg support	acces	sories	
EB 70		Fixation straps for foot plates (included with mounting accessories)	£25.00
Arm support	c		
EE 10		Arm support with clothing guard (standard equipment) (telescoping, only for standard and contour seat)	Inclusive
EE 33		Extended arm support with cut-out (telescoping, only included with Recaro n-joy/njoy+)	Inclusive
EE 40		Extended arm support with clothing guard (telescoping, with cut-out for back support tube, only for standard and contour seat)	£29.00
Arm support	acces	sories	
EE 34		Channel forearm support adapter, fixed, mounting side left	£18.00
EE 24		Channel forearm support adapter, fixed, mounting side right	£18.00
EE 35		Channel forearm support adapter, swivelling, mounting side left	£128.00
EE 25		Channel forearm support adapter, swivelling, mounting side right	£128.00
EE 36		Arm strap, mounting side left	£27.00
EE 26		Arm strap, mounting side right	£27.00
EL021		Padded covers for arm supports	£57.00
EL022		Padded covers for clothing guard	£56.00
For informatio	n on cl	hannel forearm supports and hand supports, please refer to our accessories catalogue!	

Colour of steering links					
003		Jet black RAL 9005 (standard equipment)	Inclusive		
005		Sparkle light orange (standard equipment)	Inclusive		
012		Sky blue (standard equipment)	Inclusive		
001		Brilliant silver	£128.00		
002		Anthracite metallic	£128.00		
004		Ice blue	£128.00		
009		Vinho sparkle	£128.00		
013		Jet black RAL 9005 matte	£128.00		
016		Silver metallic	£128.00		
017		Yellow RAL 1023	£128.00		
018		Signal red RAL 3001	£128.00		
020		Saturn blue metallic	£128.00		
021		Sparkle granny-smith	£128.00		
022		Cream RAL 9001	£128.00		
023		White RAL 9016	£128.00		
027		Shimano matte	£128.00		
Tyre colour					
EG 03		Grey	Inclusive		
EG 04		Black (only with lugs)	Inclusive		
Tread patterr	1				
EG 02		Lugs	Inclusive		
Tyres					
EG 55		Pneumatic tyres (standard equipment)	Inclusive		
EG 60		Puncture-proof tyres on all wheels (PU caster wheels, drive wheels with puncture repair kit)	£141.00		
Drive unit					
ET 01		6 km/h drive unit (standard equipment)	Inclusive		
ET 10		10 km/h drive unit	£341.00		
Batteries					
EU 03		Without	Inclusive		
EU 01		Two 94 Ah (C5) gel batteries	Inclusive		
Battery charg	Battery charger				
EU 91		Battery charger (standard equipment)	Inclusive		
Control device	e/cor	ntrol panel			
EU 85		Standard control panel (standard equipment)	Inclusive		
EU 86		Control panel with two external buttons Please indicate: Piko button (diameter 50 mm, red/black) Piko button (diameter 30 mm, red/black)	£198.00		
EU 87		Mid-tray control (MTC) electrically swivelling (charging/programming box recommended)	£1843.00		

Control pan	el holo	der	
EU 19		Standard control panel holder (standard equipment)	Inclusive
EU 20		Control panel holder, swing-away in parallel	£174.00
EU 29		Control panel holder, downwards adjustable	£52.00
EU 18		Control panel holder, swing-away, height-adjustable	£214.00
Control pan	el holo	der mounting side (not for mid-tray control)	
		Right	
		Left	
Tray-side mo	ountin	g materials for mid-tray control (MTC)	
		Without	Inclusive
EU 871		Tray with holder	£387.00
EU 873		Holder only	£204.00
Swivel mech	nanism	mounting side (tray with holder/holder only)	
		Right	
		Left	
External but	tons f	or mid-tray control (MTC)	
		Without	
EU 874		Piko button, diameter 30 mm, red	£102.00
EU 875		Piko button, diameter 30 mm, yellow	£102.00
EU 876		Piko button, diameter 30 mm, black	£102.00
EU 877		Piko button, diameter 50 mm, red	£102.00
EU 878		Piko button, diameter 50 mm, yellow	£102.00
EU 879		Piko button, diameter 50 mm, black	£102.00
One button, "	swivel"	required; connection of max. 3 buttons, "swivel", "ON/OFF" and "mode" possible.	
Charging/pr	ogram	nming box for mid-tray control (MTC) (includes 1.5 m BUS cable)	
EU 56		Yes	£269.00
		No	Inclusive
Special cont	rols		
EU 07		Push-button module (control of max. 10 electric options without LCD)	£799.00
EU 98		Programmable LCD, IR environment control and LED control included	£2506.00
EU 97		Programmable LCD, IR environment control, Bluetooth and LED control included	£2757.00
The following	ig spe	cial controls require an LCD:	
EU 09		Chin control with mini joystick, electrically swing-away (standard control panel included) Please indicate: Soft ball with elastomer Soft ball with spring, hard Soft ball with spring, soft Please indicate chin swivel arm installation version: Chin swivel arm, left Chin swivel arm, vight Chin swivel arm overhead, mounting side left (multifunction switch MFS right) Chin swivel arm overhead, mounting side right (multifunction switch MFS left) Please indicate multifunction switch installation version:	£2712.00
EU 81 EU 82		Satellite switch chin control for on/off, mode and swivel function 2 × Piko button chin control for on/off, mode and swivel function	£294.00 £399.00

EU 80		Chin control with midi joystick, electrically swing-away (standard control panel included)	£2550.00
		Please indicate chin swivel arm installation version:	
		Chin swivel arm, right	
		Chin swivel arm overhead, mounting side left (multifunction switch MFS right)	
		Chin swivel arm overhead, mounting side right (multifunction switch MFS left)	
EU 81		Please indicate multifunction switch installation version: Satellite switch chin control for on/off, mode and swivel function	£294.00
EU 82		\square 2 × Piko button chin control for on/off, mode and swivel function	£399.00
EU 11		Sip and puff control (only available in combination with 6 km/h drive unit and Recaro seat/seating system, standard control panel included)	£1282.00
EU 83		Calibratable midi joystick, incl. multifunction button for mounting on the arm support (standard control panel included) An installation kit for mounting on the left or right standard arm support is included.	£892.00
EU 84		Calibratable midi joystick incl. multifunction button for mounting in tray (standard control panel included) An installation kit for mounting in the tray is included.	£776.00
EU 40		Calibratable mini joystick, incl. multifunction button (standard control panel included) An installation kit for mounting on the left or right standard arm support or on the tray is included. Please indicate: Control knob with elastomer Soft ball with spring, hard	£1913.00
		Soft ball with spring, soft	
EU 61		IR remote control hands-free telephone including mains adapter	£2180.00
EU 68	Ш	Adapter for 1 – 6 buttons (required for 1 – 6 button control; select buttons under U 691 to 704)	£93.00
EU 59		Adapter cable for left/right mouse click Please indicate: Piko button (diameter 50 mm, red/black) Piko button (diameter 30 mm, red/black)	£420.00
Special contro	nl acc	essories	
EU 67		ON/OFF or EMERGENCY STOP with gooseneck for LCD	£277.00
		(select buttons under EU 691 to EU 704)	
EU 75		ON/OFF button for LCD module including MFS adapter cable (select buttons under EU 691 to EU 704)	£185.00
ON/OFF or EN	/IERG	ENCY STOP with gooseneck or ON/OFF button for LED control required.	
Piko button (diame	eter 50 mm)	
EU 69 1		Red	£99.00
EU 69 2		Yellow	£99.00
EU 69 3		Black	£99.00
EU 69 7		Silver	£99.00
Piko button (diame	eter 30 mm)	
EU 70 1		Red	£99.00
EU 70 2		Yellow	£99.00
EU 70 3		Black	£99.00
EU 70 4		Silver	£99.00
Activation of	the d	rive-away lock	
		Yes	
		No	

Activation of	the e	lectronic steering lock	
		Yes	
		No	
LCD holder			
EU 31		Holder for LCD standard (standard equipment for LCD)	Inclusive
EU 30		Holder for LCD, swing-away, height- and angle-adjustable	£190.00
EU 32		Holder for LCD with gooseneck	£250.00
EU 34		Holder for LCD with gooseneck for tray (included but not mounted)	£217.00
Control device	e acc	essories	
EU 69		Easywave wireless module	£307.00
EU 96		Bluetooth module with up to 2 parallel BT interfaces	£481.00
EU 60		Adapter cable for left/right mouse click (Bluetooth module) ☐ Piko button (☑ 50 mm) (red/black) ☐ Piko button (☑ 30 mm) (red/black)	£398.00
EU 94		Hand warmer with one-hand hood (is included for individual mounting to the power wheelchair)	£1132.00
EU 95		Hand warmer with two-hand hood (is included for individual mounting to the power wheelchair)	£1013.00
EU 15		Attendant control	£799.00
EU 22		Protective bow for standard control panel	£46.00
EU 23		Fork for tetraplegics, horizontal (adjustable for hand width 70 90 mm)	£113.00
EU 24		Stick S80 (special joystick handle 80 mm)	£57.00
EU 25		Soft ball (black cover)	£59.00
EU 26		Ball top, small (diameter 43 mm)	£77.00
EU 27		Ball top, large (diameter 48 mm)	£104.00
EU 28		Joystick top, flexible, including ball top, large	£202.00
(Extension by	/ 60 m	nm; control panel holder, downwards adjustable or swing-away, is recommended)	
EU 35		Soft ball, coloured (diameter 30 mm, 4 pieces)	£43.00
EU 681		2-fold adapter cable with Piko button (diameter 50 mm) (black) (free assignment of 2 electrical functions) Please indicate function: Leg support, left Leg support, right Seat tilt Back support angle adjustment Seat height adjustment Light Warning flasher Direction indicator, left Direction indicator, right Horn	£278.00

EU 682		2-fold adapter cable with Piko button (diameter 30 mm) (black) (free assignment of 2 electrical functions) Please indicate function: Leg support, left Leg support, right Seat tilt Back support angle adjustment Seat height adjustment Light Warning flasher Direction indicator, left Direction indicator, right Horn	£278.00
General acces	ssorie	s	
ES 22		Accessory pouch (e.g. for battery charger, tool kit)	£42.00
ES 24		Pocket for mobile phone	£60.00
ES 32		Cover cap for standard seating units	£264.00
ES 35		Tray, swing-away to the side (incl. mounting accessories; cut-out for control panel and push-button module must be adapted)	£394.00
EZ 80		Airman pump	£92.00
EA 60		Crutch holder	£54.00
ES 38		Folding rearview mirror, mounting side left	£83.00
ES 28		Folding rearview mirror, mounting side right (cannot be installed on control panel side in combination with holder, swing-away in parallel, and tray)	£83.00
EZ 52		Tool kit	£38.00
Special optio	ns		
20465.011		Contour back support with standard seat bottom or contour seat bottom with standard back support	POA
22298.007		Removable en Able control panel for attendant, angle-adjustable	POA
49058.001		Stand-alone joystick, replaces control panel	POA
19893.001		e-series wireless stop	POA
23279.000		Mid-tray control according to drawing	POA
9215.006		Flip-up arm support on standard back support	POA