This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



| Company:                                     |       |       | Ship To:   |        |        |                     |
|--|-------|-------|------------|--------|--------|---------------------|
| Account Number:                              | Date: |       | Address:   |        |        |                     |
| Quote: PO Number:                            |       |       | City:      |        | State: |                     |
| ATP:   |       |       | Zip:       | Phone: |        |                     |
| Marked For:                                  |       |       | Email/Fax: |        |        |                     |
| Associated Quote/Order#:                     |       |       |            |        |        | Effective: 5/5/2025 |
| Catalyst 5Vx - Transit not Included [5VOPTTR | RN]   | £1650 |            |        |        |                     |

## Frame

(

300lb weight capacity

| Seat Width     |     |
|----------------|-----|
| 14" [5VSWT014] | N/C |
| 15" [5VSWT015] | N/C |
| 16" [5VSWT016] | N/C |
| 17" [5VSWT017] | N/C |
| 18" [5VSWT018] | N/C |
| 19" [5VSWT019] | N/C |
| 20" [5VSWT020] | N/C |
| 21" [5VSWT021] | N/C |
| 22" [5VSWT022] | N/C |

## **Transit Option**

| Transit System (Weight Limit 300lbs) [5VTRNOPT]<br>Not available with 350 lb Weight Capacity<br>Omit [5VTRNOP2] | N/C |
|---|-----|
| Cross Brace   |     |
| Standard Cross Braces [5VXBR001]  | N/C |

# Seat Option

available with Seat Sling.

| Removable Aluminum Seat Pan [5VACC004] |  |
|--|--|
| Pan depth 1/2" shorter than Seat Depth |  |

Allows for easy attachment of seating system mounting hardware. Not

Seating System Cross Braces [5VXBR003]

## Seat Depth 14" [5VSDE014]

| 14" [5VSDE014] | N/C |
|----------------|-----|
| 15" [5VSDE015] | N/C |
| 16" [5VSDE016] | N/C |
| 17" [5VSDE017] | N/C |
| 18" [5VSDE018] | N/C |
| 19" [5VSDE019] | N/C |
| 20" [5VSDE020] | N/C |

### Weight Capacity

| 300 lbs [5VSTD001]                | £300 |
|-----------------------------------|------|
| 350 lbs (Heavy Duty) [5VHVD001]   | £483 |
| Requires minimum 6" caster height |      |

## Backrest

| Back Post / Height Range / Back Height       |       |                      |                               |                  |                  |                  |
|--|-------|----------------------|-------------------------------|------------------|------------------|------------------|
| Back Post                                    | Price | Height Range         | Back Height                   |                  |                  |                  |
|  |       | Short <sup>1,2</sup> | 8.5" [5VBRH085]               | 9.5" [5VBRH095]  | 10.5" [5VBRH105] | 11.5" [5VBRH115] |
| Standard [5VBOP002]                          | N/C   | Medium <sup>2</sup>  | 12,5" [5VBRH125] <sup>3</sup> | 13.5" [5VBRH135] | 14.5" [5VBRH145] | 15.5" [5VBRH155] |
|  |       | Tall                 | 16.5" [5VBRH165]              | 17.5" [5VBRH175] | 18.5" [5VBRH185] | 19.5" [5VBRH195] |
| Half Folding [5VBOP029]                      | £86   | Short                | 12.5" [5VBRH125 ]             | 13.5" [5VBRH135] | 14.5" [5VBRH145] | 15.5" [5VBRH155] |
| Hall Folding [5VBOP029]                      | £80   | Tall                 | 16.5" [5VBRH165]              | 17.5" [5VBRH175] | 18.5" [5VBRH185] | 19.5" [5VBRH195] |
|  |       | Short <sup>2</sup>   | 14" [5VBRH140]                | 15" [5VBRH150]   | 16" [5VBRH160]   |                  |
| Angle Adjustable w/Push Handle<br>[5VBOP004] | N/C   | Medium <sup>2</sup>  | 16" [5VBRH160]                | 17" [5VBRH170]   | 18" [5VBRH180]   |                  |
|  |       | Tall                 | 18" [5VBRH180]                | 19" [5VBRH190]   | 20" [5VBRH200]   |                  |

1 Not available with Tension Adjustable Back Upholstery

2 Not available with Standard Back Upholstery in combination with 21" and 22" Seat Widths 3 Not available with Tension Adjustable Back Upholstery in combination with 22" Seat Width

£182

£236





## **Standard Back Post**

| Select option below only if a Standard Back Post option is selected on chart to the left |      |
|--|------|
| Straight with Push Handle [5VBCK004]   | N/C  |
| Straight without Push Handle [5VBCK008]  | N/C  |
| 8 Degree Bend with Push Handle [5VBOP003]  | £37  |
| Not available with Short Back Height Range   |      |
| Straight with Fold Down Push Handle [5VBCK006]   | £158 |
| Not available with 350 lb Weight Capacity  |      |
|  |      |
| Stroller Handle  |      |

| Stro | ler | Har | ndl | е |  |
|------|-----|-----|-----|---|--|
| 0    |     |     |     |   |  |

| Caregiver Adjustable Height [5VBOP034]                                       | £200 |
|--|------|
| Not available with Swing Away armrests. Available only with straight without |      |
| push handle backrest.  |      |

## **Push Handle Options**

| Not available with Straight Back Post with Fold Down Push Handle or 350 lb We | ight Capacity |
|---|---------------|
| Low Profile Push Handle [5VBCK007]  | £67           |
| 2" shorter than standard push handles   |               |
|   |               |

## **Back Upholstery**

| If selecting both upholstery and Axiom Back, the upholstery will be installed.   |                    |
|--|--------------------|
| Standard [5VBUP001]  | N/C                |
| Not available with Short or Medium Back Height Ranges on 21" - 22" Seat Widths   |                    |
| Tension Adjustable with Standard Cover [5VBUP002]<br>Tension Adjustable with Air Mesh Breathable Cover [5VBUP007]<br>Omit [5VBUP003] | N/C<br>£182<br>N/C |

# Footrest / Frame Type

## Frame Type

| Swing Away [5VFRM001]             | N/C |
|-----------------------------------|-----|
| Super Low - Swing Away [5VFRM002] | N/C |
| 70° Fixed Front [5VFRM003]        | N/C |
| 80° Fixed Front [5VFRM004]        | N/C |

## Footrest Hanger Type

| Frame      | Hanger                                 | 60°        | 70°        | 80°                     | 90°                     |            | Retail |
|------------|--|------------|------------|-------------------------|-------------------------|------------|--------|
|            | Extension Tube Mount                   | [5VHAN001] | [5VHAN002] | [5VHAN003] <sup>1</sup> |                         |            | N/C    |
|            | Front Mount                            |            | [5VHAN016] | [5VHAN017] <sup>1</sup> | [5VHAN004] <sup>1</sup> |            | N/C    |
| Swing Away | Elevating Leg Rests <sup>2,3</sup>     |            |            |                         |                         | [5VHAN048] | N/C    |
|            | Pro Elevating Leg Rests <sup>2,3</sup> |            |            |                         |                         | [5VHAN044] | £483   |
|            | Omit Hangers                           |            |            |                         |                         | [5VHAN046] | N/C    |
| Fixed      | Extension Tube Mount                   |            | [5VFRM003] | [5VFRM004] <sup>1</sup> |                         |            | N/C    |

1 Not available with 7" or 8" casters

2 Available only with Classic Hanger Release

3 Not available in combination with 24" wheels and Push to Lock Flush Mount Wheel Locks





### Seat to Footrest Length

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hangers and Fixed Front Frame measurements are based on 70° Hanger / Front Frame Bend.

| Footrest                                | Extension  | Seat to Fo          | eat to Footrest Length |       |       |       |       |       |       |       |                       |       |       |
|---|--|---------------------|------------------------|-------|-------|-------|-------|-------|-------|-------|-----------------------|-------|-------|
|   | Short (11" - 15") [5VEXT002]                                   | 11"                 | 11.5"                  | 12"   | 12.5" | 13"   | 13.5" | 14"   | 14.5" | 15"   |                       |       |       |
| Extension Tube<br>Hangers (60°,70°,80°) | Medium (13" - 17") [5VEXT003]                                  | 13"                 | 13.5"                  | 14"   | 14.5" | 15"   | 15.5" | 16"   | 16.5" | 17"   |                       |       |       |
|   | Long (15.5" - 19.5") [5VEXT004]                                | 15.5"               | 16"                    | 16.5" | 17"   | 17.5" | 18"   | 18.5" | 19"   | 19.5" |                       |       |       |
|   |  | Standard Selections |                        |       |       |       |       |       |       |       | Requires 3" Extension |       |       |
|   | Short Front Mount Hanger                                       | 4" <sup>2</sup>     | 4.5" <sup>2</sup>      | 5"    | 5.5"  | 6"    | 6.5"  |       |       |       | 10"                   | 10.5" | 11"   |
| Front Mount 1                           | (70°, 80°, 90°)  | 7"                  | 7.5"                   | 8"    | 8.5"  | 9"    | 9.5"  |       |       |       | 11.5"                 | 12"   | 12.5" |
| Hangers                                 | Medium Front Mount Hanger                                      | 4" <sup>2</sup>     | 4.5" <sup>2</sup>      | 5"    | 5.5"  | 6"    | 6.5"  | 7"    | 7.5"  |       | 12"                   | 12.5" | 13"   |
|   | (70°, 80°, 90°)  | 8"                  | 8.5"                   | 9"    | 9.5"  | 10"   | 10.5" | 11"   | 11.5" |       | 13.5"                 | 14"   | 14.5" |
|   | Long Front Mount Hanger<br>(70°, 80°)                          | 5"                  | 5.5"                   | 6"    | 6.5"  | 7"    | 7.5"  | 8"    | 8.5"  | 9"    | 14"                   | 14.5" | 15"   |
|   |  | 9.5"                | 10"                    | 10.5" | 11"   | 11.5" | 12"   | 12.5" | 13"   | 13.5" | 15.5"                 | 16"   | 16.5" |
|   | Standard ELR Extension Tube Short<br>(12" -17") [5VEXT025]     |                     |                        |       |       |       |       |       |       |       |                       |       |       |
| ELR                                     | Standard ELR Extension Tube Medium<br>(14" -19") [5VEXT030]    |                     |                        |       |       |       |       |       |       |       |                       |       |       |
|   | Standard ELR Extension Tube Long<br>(16.5" -21.5") [5VEXT031]  |                     |                        |       |       |       |       |       |       |       |                       |       |       |
| PRO ELR Low Pivot                       | Pro ELR Low Pivot Setting Short (12"<br>-17.5") [5VEXT021]     |                     |                        |       |       |       |       |       |       |       |                       |       |       |
| Setting                                 | Pro ELR Low Pivot Setting Long (15" -<br>21") [5VEXT022]       |                     |                        |       |       |       |       |       |       |       |                       |       |       |
| PRO ELR High Pivot                      | Pro ELR High Pivot Setting Short<br>(10.5" - 15.5") [5VEXT023] |                     |                        |       |       |       |       |       |       |       |                       |       |       |
| Setting                                 | Pro ELR High Pivot Setting Long (13"<br>-19") [5VEXT024]       |                     |                        |       |       |       |       |       |       |       |                       |       |       |
|   | Short (11" - 15") [5VEXT002]                                   | 11.5"               | 12"                    | 12.5" | 13"   | 13.5" | 14"   | 14.5" | 15"   |       |                       |       |       |
| Fixed Front Frame<br>(70°,80°)          | Medium (13" - 17") [5VEXT003]                                  | 13"                 | 13.5"                  | 14"   | 14.5" | 15"   | 15.5" | 16"   | 16.5" | 17"   |                       |       |       |
|   | Long (15.5" - 19.5") [5VEXT004]                                | 15.5"               | 16"                    | 16.5" | 17"   | 17.5" | 18"   | 18.5" | 19"   | 19.5" |                       |       |       |

1 See Minimum Front Seat Height chart above 2 Available with 90° front mount hangers

## 3" Extension

| o Extension                                 |     |
|---|-----|
| Available only with Front Mount Hangers     |     |
| 3" Extension [5VEXT008]                     | £49 |
| 3" Extension (Provided as Parts) [5VEXT018] | £49 |
|   |     |

## Footplates

| Composite [5VFPL001]                                    | N/C  |
|---|------|
| Not available with Front Mount Hanger                   |      |
| Composite Angle Adjustable [5VFPL014]                   | N/C  |
| Not available with Front Mount Hanger or 14" Seat Width |      |
| Aluminum Angle Adjustable [5VFPL002]                    | £170 |
| One Piece Flip Up Angle Adjustable [5VFPL009]           | £272 |
| Not available with Front Mount Hanger, ELR, or PRO ELR  |      |

### **Hanger Release**

ŀ

| If no selection is made Classic Hanger Release will be used |     |
|---|-----|
| Classic [5VREL001]  | N/C |
| 4-Way - In-Line [5VREL002]                                  | N/C |
| 4-Way - Out [5VREL003]                                      | N/C |

| Minimum Front Seat Height with Front Mount Hangers |       |        |            |     |         |     |  |  |  |  |
|--|-------|--------|------------|-----|---------|-----|--|--|--|--|
| Hanger Length                                      | Short |        | Medium     | ı   | Long    |     |  |  |  |  |
| Hanger Bend  | 70°   | 80/90° | 70° 80/90° |     | 70° 80° |     |  |  |  |  |
| Minimum Front Seat Height with Standard Selection  | 13.5" | 13.5"  | 14"        | 15" | 16"     | 17" |  |  |  |  |
| Minimum Front Seat Height<br>with 3" Extension     | 14.5" | 16"    | 16.5"      | 18" | 18.5"   | 20" |  |  |  |  |

#### Heel Loops

#### Not available with One Piece Flip Up Angle Adjustable Footplate

| Heel Loops [5VACC008]            | N/C |
|----------------------------------|-----|
| Adjustable Heel Loops [5VACC029] | £49 |
| Omit Heel Loops [5VACC011]       | N/C |

### **Calf Straps**

| Velcro Adjustable [5VACC002]         | N/C  |
|--------------------------------------|------|
| Padded Velcro Adjustable [5VACC003]  | £67  |
| Padded Airmesh Calf Strap [5VACC010] | £103 |
|                                      |      |

## **ELR and PRO ELR Cover**

| Pro ELR Gel Pad Cover (Pair) [5VELRPAD] | f | £304 |
|---|---|------|
| Available only on Pro ELR               |   |      |





### **Residual Limb Support**

|       | Limb Support       | Price | Omit                              | Co                   | ver                    | Pad Size            |                      |                      |                      |                       |  |  |
|-------|--------------------|-------|-----------------------------------|----------------------|------------------------|---------------------|----------------------|----------------------|----------------------|-----------------------|--|--|
| Left  | Left Limb Support  | £170  | Omit Left<br>Hanger<br>[50RLS004] | Smooth<br>[5VRLS006] |                        |                     | 7 x 10<br>[5VRLS009] | 9 x 10<br>[5VRLS010] | 9 x 14<br>[5VRLS011] | 11 x 10<br>[5VRLS012] |  |  |
| Right | Right Limb Support | £170  | Omit Right Han<br>[5VRLS005]      | Smooth<br>[5VRLS020] | Air Mesh<br>[5VRLS021] | 5 x 8<br>[5VRLS014] | 7 x 10<br>[5VRLS015] | 9 x 10<br>[5VRLS016] | 9 x 14<br>[5VRLS017] | 11 x 10<br>[5VRLS018] |  |  |

# **Front Seat Height and Casters**

### **Front Seat Height**

Select Front Seat Height in row corresponding to desired caster size.

Note: Selections in first three Front Seat Height columns use Super Low Front Frame. Super Low Front Frame not available with Fixed Front Frame.

| Caster |         |              |         |     | Front Seat Height |     |       |     |       |     |       |     |       |     |
|--------|---------|--------------|---------|-----|-------------------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| Size   | Uses Su | per Low Fron | t Frame |     |                   |     |       |     |       |     |       |     |       |     |
| 4"     | 13.5"   | 14"          | 14.5"   | 15" | 15.5"             | 16" | 16.5" | 17" | 17.5" | 18" | 18.5" | 19" | 19.5" | 20" |
| 5"     | 14.5"   | 15"          | 15.5"   | 16" | 16.5"             | 17" | 17.5" | 18" | 18.5" | 19" | 19.5" | 20" | 20.5" |     |
| 6"     | 15.5"   | 16"          | 16.5"   | 17" | 17.5"             | 18" | 18.5" | 19" | 19.5" | 20" | 20.5" | 21" |       |     |
| 7"     | 17"     | 17.5"        |         | 18" | 18.5"             | 19" | 19.5" | 20" | 20.5" | 21" |       |     |       |     |
| 8"     | 17.5"   | 18"          | 18.5"   | 19" | 19.5"             | 20" | 20.5" | 21" |       |     |       |     |       |     |

#### Casters

|            |                            |       | Caster Size |            |            |            |            |
|------------|----------------------------|-------|-------------|------------|------------|------------|------------|
|            |                            | Price | 4"          | 5"         | 6"         | 7"         | 8"         |
|            | .75" Rollerblade           | N/C   | [5VCAS004]  |            |            |            |            |
|            | .75" Lighted Rollerblade   | £81   | [5VCAS005]  |            |            |            |            |
| <i>a</i> ) | 1.25" Soft Roll            | N/C   | [5VCAS006]  | [5VCAS010] | [5VCAS014] | [5VCAS019] | [5VCAS020] |
| ype        | 1" Poly Aluminum           | £96   | [5VCAS007]  | [5VCAS011] |            |            |            |
| ster 1     | 1" Pneumatic               | £103  |             |            | [5VCAS017] |            | [5VCAS021] |
| Cast       | 1.5" Soft Roll             | N/C   | [5VCAS032]  | [5VCAS025] | [5VCAS026] |            |            |
| 0          | 1.5" Soft Roll Aluminum    | £96   | [5VCAS009]  | [5VCAS013] | [5VCAS016] |            |            |
|            | 2" Poly                    | £79   |             |            | [5VCAS024] |            |            |
|            | 2" Pneumatic w/Foam Insert | £242  |             |            |            |            | [5VCAS023] |

### Forks / Stems

| Best Fit [5VCST006]   | N/C  |
|---|------|
| Ki Mobility will pick Fork and Stem combination to optimize performance<br>based on Caster Size and Front Seat Height   |      |
| Standard Fork Stem [5VCST001]   | N/C  |
| 3/4" Longer Fork Stem [5VCST002]  | N/C  |
| 1 1/2" Longer Fork Stem [5VCST003]  | N/C  |
| Frog Legs Suspension Fork [5VCST013]  | £344 |
| Available only with 4", 5" or 6" Caster Sizes. Not available with Caster Pin<br>Locks, 350 lb Weight Capacity, 2" Poly caster or 2" Pneumatic w/ Foam Insert<br>caster. |      |
| Frog Legs II Suspension System [5VCST014]   | £424 |
| Available only with 4", 5" or 6" Caster Sizes. Not available with Caster Pin<br>Locks, 350 lb Weight Capacity, 2" Poly caster or 2" Pneumatic w/ Foam Insert<br>caster. |      |
|   |      |

### **Caster Housing**

| 0   |     |
|---|-----|
| Standard Housing [5VCSH001]               | N/C |
| Performance Housing [5VCSH002]            | £37 |
| Not available with 350 lb Weight Capacity |     |

## Fork / Stem Options

### **Frog Legs Options**

| User Weight Under 80 lbs [5VCST004] | N/C |
|-------------------------------------|-----|
| User Weight 80-120 lbs [5VCST008]   | N/C |
| User Weight 120-160 lbs [5VCST009]  | N/C |
| User Weight 160-220 lbs [5VCST010]  | N/C |
| User Weight 220-260 lbs [5VCST011]  | N/C |
| User Weight 260-300 lbs [5VCST012]  | N/C |
|                                     |     |

## **Caster Pin Locks**

Caster Pin Locks [5VCST005] Not available with Performance Caster Housing, 1 1/2" Longer Fork Stem or Frog Legs Fork

| Maximum Seat Dump Reference<br>(Front Seat Height minus Rear Seat Height) |      |     |     |      |      |      |      |
|---|------|-----|-----|------|------|------|------|
| Seat Depth  | 14"  | 15" | 16" | 17"  | 18"  | 19"  | 20"  |
| Maximum Dump<br>Standard Caster Housing                                   | 1.5" | 2"  | 2"  | 2"   | 2.5" | 2.5" | 2.5" |
| Maximum Dump<br>Performance Caster Housing                                | 3"   | 3"  | 3"  | 3.5" | 3.5" | 4"   | 4"   |

Depending on configuration, chairs with Fixed Front Frame Type may achieve up to an additional .75"

£194





# Wheel Locks

| Wheel locks   |       |
|---|-------|
| Push to Lock [5VWLK002]   | N/C   |
| Push to Lock Flush Mount [5VWLK001]   | £67   |
| Pull to Lock [5VWLK003]   | N/C   |
| Low Profile Scissor Lock [5VWLK012]   | £67   |
| Not available with low poly or full poly tires  |       |
| Drum Brake [5VWLK015]   | £532  |
| Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with<br>Reclining Backrest, Straight without Push Handle or Straight with Fold Down<br>Push Handle Back Posts, or Low Profile Push Handle. Axle is Quick Release.<br>Dual - Drum Brake with Push to Lock [5VWLK016] | £653  |
| Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with<br>Reclining Backrest, Straight without Push Handle or Straight with Fold Down<br>Push Handle Back Posts, or Low Profile Push Handle. Axle is Quick Release.   |       |
| Dual - Drum Brake with Pull to Lock [5VWLK017]<br>Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with<br>Reclining Backrest, Straight without Push Handle or Straight with Fold Down<br>Push Handle Back Posts, or Low Profile Push Handle. Axle is Quick Release. | _£653 |

| Hemi Wheel Lock - Left (K0108) [5VWLK023]  | £67 |
|--|-----|
| Hemi Wheel Lock - Right (K0108) [5VWLK024] | £67 |
| Omit [5VWLK007]                            | N/C |
| Wheel Lock Options                         |     |

| Extension Handles [5VWLK004]  | £49  |
|---|------|
| Available only with Push to Lock or Pull to Lock Wheel Locks                                      |      |
| Grade Aids [5VWLK009]   | £145 |
| Available only with Push to Lock Wheel Locks and Pneumatic or Pneumatic with Airless Insert tires |      |

# **Rear Seat Height and Wheels**

### **Rear Seat Height**

Select Rear Seat Height in row corresponding to desired Wheel Size and Tire Profile. 14" Seat Depth not available with 24", 25" or 26" wheel sizes. Wheel Size **Tire Profile Rear Seat Height** Low 11.5" 12.5" 13.5" 14.5" 15.5" 16.5" 20" Full 12" 13" 14" 15" 16" 17" 12.5" 13.5" 14.5" 15.5" 16.5" 17.5" Low 22" Full 13" 14" 15" 16" 17" 18" 13.5" 14.5" 15.5" 16.5" 17.5" 18.5" Low 24" 14" Full 15" 17" 16" 18" 19" 25" Low 14" 15" 16" 17" 18" 19" 16.5" Low 14.5" 15.5" 17.5 18.5" 19.5" 26" Full 15" 16" 17" 18" 19" 20"

## Wheels

|        |                               |       | Rear Wheel Size |            |            |                         |            |
|--------|-------------------------------|-------|-----------------|------------|------------|-------------------------|------------|
|        |                               | Price | 20"             | 22"        | 24"        | 25"                     | 26"        |
|        | Spoke                         | N/C   |                 | [5VWHE022] | [5VWHE024] |                         |            |
| Type   | Mag                           | £182  | [5VWH1220]      | [5VWH1222] | [5VWH1224] |                         |            |
| heel 7 | Maxx Spoke                    | N/C   |                 |            | [5VWH1124] |                         |            |
| 3      | Maxx Spoke                    | N/C   | [5VWH1120]      | [5VWH1122] |            | [5VWH1125]              | [5VWH1126] |
| Rear   | Superlight Spoke <sup>1</sup> | N/C   |                 |            | [5VWHE224] | [5VWHE225] <sup>2</sup> |            |
| -      | Spinergy Spox                 | £768  |                 | [5VWHE422] | [5VWHE424] | [5VWHE425]              | [5VWHE426] |

1 Not available with 350 lb Weight Capacity 2 Available only with Superlight and Plastic Coated

2 Available only with Superlight and Plastic Coated Handrims

| Spinergy Options                                 |                        |     |  |  |  |
|--|------------------------|-----|--|--|--|
| Select spoke color                               |                        |     |  |  |  |
| Black Spokes [5VSSC001]                          |                        | N/C |  |  |  |
| Red Spokes [5VSSC002]<br>White Spokes [5VSSC003] | Blue Spokes [5VSSC005] | £91 |  |  |  |



**Rear Tire Type** 

**Full Profile** 

Low Profile

Сар

Low Poly 1" [5VTIR003]

Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

Street Pneumatic 1 3/8" [5VTIR001]

Schwalbe HS-127 1 3/8" [5VTIR017]

Sentinel Solid Tire 1" [5VTIR005]

Not available on Superlight wheel High Pressure 1" [5VTIR006]

Not available on Mag wheel

Shox Solid Tire 1" [5VTIR019]

Not available on Superlight wheel or 25" or 26" wheel sizes Pneumatic with Airless Insert 1 3/8" [5VTIR004]

Not available on Superlight wheel or 25" or 26" wheel sizes

Available only on 24" wheel size. Not available on Mag wheel.

Schwalbe Marathon Plus Evolution 1" [5VTIR010]

Not available on Mag wheel, 20" or 22" wheel sizes

Not available on Superlight wheel, 25" or 26" wheel sizes or 350 lb Weight

Not available on 25" wheel size Full Poly 1 3/8" [5VTIR002]



## Handrims

N/C

N/C

£110

£110

£110

£110

N/C

£110

£110

## **Standard Handrims**

| Aluminum Anodized [5VHRM001]   | N/C  |
|--|------|
|  |      |
| Superlight Aluminum Anodized [5VHRM010]                                      | N/C  |
| Available only on 24" and 25" wheel sizes. Available only on MAXX Spoke or   |      |
| Superlight wheels.   |      |
| Plastic Coated [5VHRM002]  | £110 |
| Projection (8 Vertical Projections) [5VHRM003]                               | £285 |
| Available only with full profile tires in combination with 22", 24", and 26" |      |
| MAXX Spoke wheels, or 22" and 24" Mag wheels                                 |      |
| Omit Handrim [5VHRM012]  | N/C  |
|  |      |

## **Ergonomic Handrims**

| iol available with 20 or 20 wheels |      |
|------------------------------------|------|
| Lite Regular Grip [5VHRM005]       | £272 |
| Standard Regular Grip [5VHRM008]   | £272 |
| Lite Extra Grip [5VHRM006]         | £272 |
| Standard Extra Grip [5VHRM009]     | £272 |
| Lite Omit Grip [5VHRM004]          | £272 |
| Standard Omit Grip [5VHRM007]      | £272 |
|                                    |      |

### **Handrim Options**

#### Handrim Mount

| Close Mount [5VTAB001]  | N/C |
|---|-----|
| Chair will come with Standard Mount unless Close Mount is selected. Reduces<br>overall width by .75". |     |

Position 2 [5VCOG005] Position 4 [5VCOG007]

### Micro-Grip

| 3M Micro |
|----------|
|----------|

### Axles

| Axles  |      | Center of Gravity Preset             |             |
|--|------|--------------------------------------|-------------|
| No selection needed with Drum Brake  |      | If no selection is made position 3 w | ill be used |
| Quick Release [5VAXO003]   | N/C  | Position 1 [5VCOG004]                | Position    |
| Quad Quick Release [5VAX0001]<br>Not available with Mag or Spinergy wheels | £127 | Position 3 [5VCOG006]                | Position    |

## **Rear Wheel Camber**

| Combination of Standard and Adjustable Camber cannot exceed 4°. Selection will default to a |
|---|
| max of 4° combined if exceeded.   |

## **Standard Camber**

## Chair will be set up with this camber selection

| 0° - Standard Camber [5VWC00] | 1° - Standard Camber [5VWC10] |  |
|-------------------------------|-------------------------------|--|
| 2° - Standard Camber [5VWC02] | 3°- Standard Camber [5VWC11]  |  |
|                               |                               |  |


| 4° - Standard Camber [5V) | NC0 |
|---------------------------|-----|
|---------------------------|-----|

## Adjustable Camber

| Extra camber | spacers mounte | a to the inside d | of the rear fro | ame for later use |  |
|--------------|----------------|-------------------|-----------------|-------------------|--|
|              |                |                   |                 |                   |  |

. .. ...

| 0° - Adjustable Camber [5VWC16] | 1° - Adjustable Camber [5VWC12] |
|---------------------------------|---------------------------------|
| 2° - Adjustable Camber [5VWC13] | 3° - Adjustable Camber [5VWC14] |
| 4° - Adjustable Camber [5VWC15] | N/C                             |



)4] N/C £91

N/C





£25

## Armrests

| Armrest Type  |      | Length     | Price |
|---|------|------------|-------|
| Height Adiustable T-Arm Tall (11.5"-15")              | Desk | [5VARM039] | £212  |
| Height Adjustable 1-Arm Tall (11.5 -15 )              | Full | [5VARM040] | £212  |
|   | Desk | [5VARM003] | £212  |
| Height Adjustable T-Arm (8.5"-13.5")                  | Full | [5VARM004] | £212  |
| Height Adiustable T-Arm Low (6.5"-10.5") <sup>1</sup> | Desk | [5VARM022] | £212  |
| Height Adjustable 1-Arm Low (6.5 - 10.5 )             | Full | [5VARM023] | £ZIZ  |
|   | Desk | [5VARM041] | £224  |
| Height Adjustable Flip Back T-Arm Tall (11.5"-15")    |      | [5VARM042] | £ZZ4  |
| Height Adjustable Flip Back T-Arm (9.5"-13.5")        |      | [5VARM029] | £224  |
|   |      | [5VARM030] |       |

1 Available only with Spinergy, Mag and MAXX Spoke Wheels. If requested configuration is unavailable, Standard Height T-Arm will be used.

2 Not available with Seat Depths less than 16" or Angle Adjustable Back Posts 3 Not available with Angle Adjustable Back Posts, Arm Pads, or Half-Folding Back 4 Not available with 24" wheels and 15" or less Rear Seat Height. Not available with 22" Wheels and 14" or less Rear Seat Height.

## Accessories

### **Removable Side Guard**

| Not available with T-Arms, Flip Back or Swing Away with Side Guard Armrests   |       |
|---|-------|
| Composite Side Guards [5VSDG002]  | N/C   |
| Aluminum Straight - Black Matte [5VSDG024]  | £212  |
| Aluminum Straight - Match Frame Color [5VSDG025]  | £272  |
| Not available with Hydrographics  |       |
| Fixed Mount Fender Side Guards - Aluminum [5VSDG012]  | £303  |
| Not available with 24" wheel size in combination with 14" Rear Seat Height.<br>Not available with standard back post in 8.5", 12.5", or 16.5" back heights.   |       |
| Fixed Mount Fender Side Guards - Carbon Fiber [5VSDG011]<br>Not available with 24" wheel size in combination with 14" Rear Seat Height.<br>Not available with standard back post in 8.5", 12.5", or 16.5" back heights. | _£393 |
| Aluminum Adjustable Fender w/Foam Pad - Black Matte [5VSDG014]<br>Aluminum Adjustable Fender w/Foam Pad - Match Frame Color   | _£303 |
| [5VSDG015]  | _£303 |
| Carbon Fiber Adjustable Fender [5VSDG013]   | _£393 |
|   |       |

### **Pelvic Positioning Belt**

| 1 1/2" Auto Buckle Pelvic Positioning Belt [5VPOB001]        | £68  |
|--|------|
| 1 1/2" Padded Auto Buckle Pelvic Positioning Belt [5VPOB002] | £151 |
| 2" Airline Buckle Pelvic Positioning Belt [5VPOB003]         | £110 |
| Small Flex-Mount Positioning Belt (16-24") [5VPOB007]        | £188 |
| Medium Flex-Mount Positioning Belt (19-29") [5VPOB008]       | £188 |
| Large Flex-Mount Positioning Belt (25-37") [5VPOB009]        | £188 |
| Belt Mounting Band Clamp [5VACC054]                          | £103 |
| Clamp includes hardware to mount Belt                        |      |

| Armrest Type                                    | Length |            | Price |
|---|--------|------------|-------|
| Flip back (10.5") <sup>2,4</sup>                | Desk   | [5VARM009] | N/C   |
|   | Full   | [5VARM008] | N/C   |
| Swing Away (10.5"-12.5") <sup>3</sup>           |        | [5VARM002] | £248  |
| Swing Away with Side Guard (10.5" - 12.5") $^3$ |        | [5VARM018] | £248  |
| Omit Armrests                                   |        | [5VARM007] | N/C   |

#### **Arm Pads**

#### Not available with Swing Away Armrests

Waterfall Arm Pad [5VARM020]

Available only with Height Adjustable T-Arm Tall, Height Adjustable T-Arm, and Height Adjustable T-Arm Low

### Anti-Tip

| Rear Anti-Tips [5VATP001]  | £91  |
|--|------|
| Swing-In Anti-Tip Single - Left [5VATP007]   | £105 |
| Not available with 350 lb Weight Capacity. Not available with left side O2<br>Holder   |      |
| Swing-In Anti-Tip Single - Right [5VATP008]  | £105 |
| Not available with 350 lb Weight Capacity. Not available with right side O2<br>Holder. |      |
| Swing-In Anti-Tip Pair [5VATP009]  | £213 |
| Not available with 350 lb Weight Capacity. Not available with O2 Holder.               |      |
| Omit [5VATP000]  | N/C  |
|  |      |

#### **Other Accessories**

| Tool Kit [5VACC005]  | N/C  |
|--|------|
| Removable Underseat Pouch [5VACC015]                                   | N/C  |
| Pediatric Ki Mobility Backpack [5VACC026]                              | £73  |
| Ki Mobility Backpack [5VACC009]  | £73  |
| Luggage Carrier [5VACC025]   | £73  |
| Not available with PRO ELR or Residual Limb Support                    |      |
| Black Neoprene Impact Guards [5VIMG001]                                | £86  |
| Cane and Crutch Holder [5VACC007]                                      | £91  |
| IV Pole [5VACC022]   | £260 |
| Available only with Standard Straight Back Posts                       |      |
| Tipping Lever - Left Side [5VACC034]                                   | £34  |
| Not available with Transit Wheels or 350 lb Weight Capacity            |      |
| Tipping Lever - Right Side [5VACC036]                                  | £34  |
| Not available with Transit Wheels or 350 lb Weight Capacity            |      |
| O2 Holder - Left Side [5VACC032]                                       | £303 |
| O2 Holder - Right Side [5VACC033]                                      | £303 |
| Transit Wheels [5VACC035]  | £236 |
| Not available with Step Tube, Rear Seat Heights less than 14.5" or 350 | lb   |
| Weight Capacity  |      |





## Color

Touch-up paint available for purchase in the parts manual

|                                   | Price |       | Colors      |                |        |                |           |              |            |                    |             |                   |           |            |           |              |                 |            |                |               |          |       |  |
|-----------------------------------|-------|-------|-------------|----------------|--------|----------------|-----------|--------------|------------|--------------------|-------------|-------------------|-----------|------------|-----------|--------------|-----------------|------------|----------------|---------------|----------|-------|--|
|                                   |       |       | Gloss       |                |        |                |           |              |            |                    |             |                   |           |            |           |              |                 | Matte      |                |               |          |       |  |
| Options                           |       | Black | Ruby Red    | Radiant Orange | Yellow | Electric Green | Rich Teal | Glacier Blue | Blue Steel | Deep Sapphire Blue | Purple Plum | Opalescent Violet | Dark Pink | Light Pink | Champagne | Shadow Black | Iridescent Navy | Bright Red | Tactical Green | Dry Earth Tan | Platinum | White |  |
| Frame                             | N/C   |       |             |                |        |                |           |              |            |                    |             |                   |           |            |           |              |                 |            |                |               |          |       |  |
| Color Accent Package <sup>1</sup> | N/C   |       |             |                |        |                |           |              |            |                    |             |                   |           |            |           |              |                 |            |                |               |          |       |  |
| 2<br>Color Anodizing Package      | Black | Blue  | BrightGreen | Orange         | Pewter | Pink           | Purple    | Red          | Gold       |                    |             |                   |           |            |           |              | •               |            |                |               |          |       |  |
|                                   | N/C   | £185  | £185        | £185           | £185   | £185           | £185      | £185         | £185       |                    |             |                   |           |            |           |              |                 |            |                |               |          |       |  |
|                                   |       |       |             |                |        |                |           |              |            |                    |             |                   |           |            |           |              |                 |            |                |               |          |       |  |

1 Includes axle plates and forks

2 Select desired color. If no selection is made, black will be used. Includes standard caster housing, caster fork, and axle plates. Not available with 2" wide casters, Frog Legs Suspension Fork or Frog Legs II Suspension System. Not available with amputee axle plate. Extended lead-time may apply.

### **Hydrographics**

Not available with Frame Color. Hydrographics Base Color required with Hydrographics. Zebra not available with Black.

| Hydrographics Hydrographics Base Color |       |                            |           |           |              |            |                          |       |      |              |      |        |     |  |
|--|-------|----------------------------|-----------|-----------|--------------|------------|--------------------------|-------|------|--------------|------|--------|-----|--|
|  |       |                            | H         | ydrog     | raphi        | cs         | Hydrographics Base Color |       |      |              |      |        |     |  |
| Options                                | Price | AOR1 (Desert Digital Camo) | NEXT Camo | Pink Camo | Carbon Fiber | Muddy Girl | Zebra                    | Black | Blue | Granny Smith | Pink | Purple | Red |  |
| Frame                                  | £725  |                            |           |           |              |            |                          |       |      |              |      |        |     |  |
| Base Color                             | N/C   |                            |           |           |              |            |                          |       |      |              |      |        |     |  |



٢



٦

Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

|                   |                 |       |      |                    |              |            | Cata | lyst Fr   | ront S       | eat He   | ight N   | latrix |              |       |          |           |              |       |      |  |
|-------------------|-----------------|-------|------|--------------------|--------------|------------|------|-----------|--------------|----------|----------|--------|--------------|-------|----------|-----------|--------------|-------|------|--|
| 4" Caster 5"      |                 |       |      |                    | 5" C         | aster      |      | 6" Caster |              |          |          |        | 7" C         | aster |          | 8" Caster |              |       |      |  |
| FSH               | Super<br>Low    | Stem  | Fork | FSH                | Super<br>Low | Stem       | Fork | FSH       | Super<br>Low | Stem     | Fork     | FSH    | Super<br>Low | Stem  | Fork     | FSH       | Super<br>Low | Stem  | Fork |  |
| 15                | 13.5            | Std   |      | 16                 | 14.5         | Std 3/4 4* |      | 17        | 15.5         | Std      |          | 18     | 16.5         | Std   |          | 19        | 17.5         | Std   |      |  |
| 15.5              | 14              | 010   |      | 16.5               | 15.5         |            | 4*   | 17.5      | 16.5         | 3/4      | 5"       | 18.5   | 17           | 3/4   |          | 19.5      | 18.5         | 3/4   | 6"   |  |
| 15.5 <sup>1</sup> | 141             | 3/4   | 47   | 17.5               | 16           | 1 1/2      | 1    | 18.5      | 17           | 1 1/2    |          | 18.5   | 17.5         |       | 6-       | 20.5      | n/a          | 1 1/2 |      |  |
| 16                | 14.5            | 314   |      | 16                 | 14.5         | Std        |      | 17        | 15.5         |          |          | 19     | 18           |       | 0        | 19        | 17.5         | 3/4   | 7*   |  |
| 16.5 <sup>1</sup> | 15 <sup>1</sup> | 1 1/2 |      | 16.5               | 15           | 969        | -    | 17.5      | 16           | Std      |          | 19.5   | 18           |       |          | 19.5      | 18           |       |      |  |
| 17                | 15.5            | 1 1/2 |      | 16.5               | 15.5         | 3/4        |      | 18        | 16.5         |          |          | 20     | 18.5         |       |          | 20        | 18.5         |       |      |  |
| 15.5              | 14              | Std   |      | 17                 | 16           | 3/4        | 5"   | 17.5      | 16.5         |          |          | 18.5   | 17           |       | <i>r</i> | 20.5      | 19           |       |      |  |
| 16                | 14.5            | 010   |      | 17.5               | 16           |            | 1    | 18        | 17           | 3/4      | 6*       | 19     | 17.5         | Std   |          | 19.5      | 18.5         |       |      |  |
| 16                | 15              | 3/4   | 5"   | 18                 | 16.5         | 1 1/2      |      | 18.5      | 17.5         |          |          | 19.5   | 18           |       |          | 20        | 19           |       |      |  |
| 16.5              | 15.5            | 3/4   | 9.   | 16.5               | 16.5 15      |            |      | 18.5      | 17           | 1 1/2    |          | 20     | 18.5         |       |          | 20.5      | n/a          |       |      |  |
| 17                | 15.5            |       |      | 17                 | 15.5         | Std        |      | 19        | 17.5         |          |          | 19     | 18           |       |          | 21        | n/a          |       |      |  |
| 17.5              | 16              | 1 1/2 |      | 17.5               | 16           |            |      | 19.5      | 18           |          |          | 19.5   | 18.5         |       |          | 20.5      | 19           |       |      |  |
| 16.5              | 15              |       |      | 17.5               | 16           | 3/4        | 6*   | 18        | 16.5         | Std      | <i>.</i> | 20     | 19           | 1 1/2 |          | 21        | n/a          | 11/2  |      |  |
| 17                | 15.5            | Std   |      | 18                 | 16.5         |            |      | 18.5      | 17           |          |          | 20.5   | n/a          |       |          |           |              |       |      |  |
| 17                | 16              | ~ ~   | 6-   | 18.5               | 17           |            |      | 19        | 17.5         |          |          | 20     | 18.5         |       |          |           |              |       |      |  |
| 17.5              | 16.5            | 3/4   | 6    | 18                 | 16.5         |            |      | 19.5      | 18           |          |          | 20.5   | 19           |       |          |           |              |       |      |  |
| 18                | 16.5            | 1 1/2 |      | 18.5               | 17           |            |      | 18.5      | 17.5         |          |          | 21     | n/a          |       |          |           |              |       |      |  |
| 18.5              | 17              | 1 1/2 |      | 19                 | 17.5         |            |      | 19        | 18           |          |          |        |              |       |          |           |              |       |      |  |
| 18                | 16.5            |       |      | 18                 | 16.5         |            |      | 19.5      | 18.5         | ]        | <i>`</i> |        |              |       |          |           |              |       |      |  |
| 18.5              | 17              | Std   |      | 18.5               | 17           | Std        |      | 20        | 19           |          | -        |        |              |       |          |           |              |       |      |  |
| 18.5              | 17.5            |       |      | 19                 | 17.5         |            |      | 19.5      | 18           |          |          |        |              |       |          |           |              |       |      |  |
| 19                | 18              | 3/4   | 7*   | 18.5               | 17.5         |            |      | 20        | 18.5         |          |          |        |              |       |          |           |              |       |      |  |
| 19.5              | 18.5            |       |      | 19 18<br>19.5 18.5 | 3/4          | r          | 20.5 | 19        | 1 1/2        |          |          |        |              |       |          |           |              |       |      |  |
| 20                | 19              | 1 1/2 |      |                    | 18.5         |            |      | 21        | n/a          |          |          |        |              |       |          |           |              |       |      |  |
|                   |                 |       |      | 19.5               | 18           |            |      |           |              | caster r |          |        |              |       |          |           |              |       |      |  |
|                   |                 |       |      | 20                 | 18.5         | 1 1/2      |      | av        | ailable      | with 5"  | fork     |        |              |       |          |           |              |       |      |  |
|                   |                 |       |      | 20.5               | 19           |            |      |           |              |          |          |        |              |       |          |           |              |       |      |  |

<sup>1</sup> Not available with 4 x 1.5" Soft Roll Aluminum

Seat heights with "FSH" heading available with Standard Front Frame. Seat heights with "Super Low" heading available with Super Low Front Frame. Actual seat height may vary depending upon configuration.