This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



Company:			Ship To:			
Account Number:	Date:		Address:			
Quote: PO Number:			City:		State:	
ATP:			Zip:	Phone:		
Marked For:			Email/Fax:			
Associated Quote/Order#:						Effective: 5/5/2025
Focus CR - Transit Not Included		£3800				

# Frame

# Frame Width

Select Frame Width within desired Frame Width Range.

X-Large Width Range requires 400lb Weight Capacity selection.

Frame Width Range	Frame Width								
Small 14" - 18" [FTFRW001]	14 [FTSWT014] N/C	15 [FTSWT015] N/C	16 [FTSWT016]	17 [FTSWT017]	18 [FTSWT018] N/C				
Medium	16	17	18	19	20				
16" - 20"	[FTSWT016]	[FTSWT017]	[FTSWT018]	[FTSWT019]	[FTSWT020]				
[FTFRW002]	N/C	N/C	N/C	N/C	N/C				
Large	18	19	20	21	22				
18" - 22"	[FTSWT018]	[FTSWT019]	[FTSWT020]	[FTSWT021]	[FTSWT022]				
[FTFRW003]	N/C	N/C	N/C	N/C	N/C				
X-Large	20	21	22	23	24				
20" - 24"	[FTSWT020]	[FTSWT021]	[FTSWT022]	[FTSWT023]	[FTSWT024]				
[FTFRW008]	N/C	N/C	N/C	N/C	N/C				

# **Seating Setup**

Make one selection from either Option 1 at right or Option 2 below based on desired seating setup

Setup By Ki Mobility (Option 1) [FTSTP001]

Setup by Frame Depth (Option 2) [FTSTP002]

Select Frame Depth within desired Frame Depth Range

#### N/C Select Seat Depth corresponding to desired Frame Depth Range row and

Backrest Offset column. Note: All Seat Depths in a column and within the same frame depth range are achievable with future adjustment.

N/C

# **Frame Depth**

Select Frame Depth within desired Frame Depth Range


Frame Depth Range	Frame Depth							
Short	14	15	16	17	18			
14" - 18"	[FTFDE014]	[FTFDE015]	[FTFDE016]	[FTFDE017]	[FTFDE018]			
[FTFDR004]	N/C	N/C	N/C	N/C	N/C			
Medium	16	17	18	19	20			
16" - 20"	[FTFDE016]	[FTFDE017]	[FTFDE018]	[FTFDE019]	[FTFDE020]			
[FTFDR005]	N/C	N/C	N/C	N/C	N/C			
Long	18	19	20	21	22			
18" - 22"	[FTFDE018]	[FTFDE019]	[FTFDE020]	[FTFDE021]	[FTFDE022]			
[FTFDR006]	N/C	N/C	N/C	N/C	N/C			

# **Backrest Position**

Select Seat Depth corresponding to desired Frame Depth Range row and Backrest Offset

Note: All Seat Depths in a column and within the same frame depth range are achievable with

Frame		Backrest Offset A									
Depth	-2"	-1"	Flush	+1"	+2"	+3"	+4"				
Range	'		'	Seat Depth							
	16"	15"	14"								
	17"	16"	15"	14"							
Short [FTFDR001]	18"	17"	16"	15"	14"						
[	19"	18"	17"	16"	15"	14"					
	20" 1	19"	18"	17"	16"	15"	14"				
	18"	17"	16"	15"	14"						
	19"	18"	17"	16"	15"	14"					
Medium [FTFDR002]	20" <sup>1</sup>	19"	18"	17"	16"	15"	14"				
	21" 1	20" <sup>1</sup>	19"	18"	17"	16"	15"				
	22" <sup>2</sup>	21" <sup>1</sup>	20" <sup>1</sup>	19"	18"	17"	16"				
	20" <sup>1</sup>	19"	18"	17"	16"	15"	14"				
	21" 1	20" <sup>1</sup>	19"	18"	17"	16"	15"				
Long [FTFDR003]	22" <sup>2</sup>	21" <sup>1</sup>	20" <sup>1</sup>	19"	18"	17"	16"				
		22" <sup>2</sup>	21" <sup>1</sup>	20" <sup>1</sup>	19"	18"	17"				
			22" <sup>2</sup>	21" 1	20" 1	19"	18"				







# **Frame Options**

Seat Options		Offset Option				
Growing Adjustable Aluminum Seat Pan [FTACC004] Omit Seat Pan [FTACC021]	N/C N/C	Offset Hanger with Tilt Stops [FTHAN015] Tilt Stop included. No anterior tilt.	N/C			
Weight Capacity		Vent and Battery Tray				
300 lbs [FTSTD001] 400 lbs (Heavy Duty) [FTHVD001]		Requires minimum 16" Seat Height. Not available on 14" or 15" Frame Widths, Attendant Foot Lock, 12" wheels, One Arm Drive, 5" casters.				
Available only with Long Frame Depth Range and 8" x 2" or 6" x 2" Casters	£300	Vent Tray [FTACC016]  Not available with Self Propel Axle Plate or Foot Tilt. Requires Anti-Tip.	_£300			
Transit		Battery Box Holder [FTACC017]  Available only with Dual Hand Tilt	_£300			
Transit System [FTTRNOPT] Omit Transit [FTTRNOP2]	N/C N/C	Vent Tray and Battery Box Holder [FTACC037]  Requires Anti-Tip. Available only with Dual Hand Tilt. Not available with Self Propel Axle Plate.	_£400			

# i iit iviecnanism

Hand Tilt - Right [FTTLT002]	N/C
Hand Tilt - Left [FTTLT003]	N/C
Hand Tilt - Dual [FTTLT008]	N/C
Foot Tilt - Right [FTTLT004]	N/C
Foot Tilt - Left [FTTLT005]	N/C

# **Backrest**

	Stroller Handle Back Post Option	
£127 £127	Available only with Stroller Handle Back Post  Removable Stroller Handle Extension [FTBOP012]	£127
_N/C	Other Backrest Options	
N/C	Non Folding Back [FTBCK005] Standard with Reclining Back and Dynamic Back	N/C
	Dynamic Back (E2398) [FTBOP014]  Available only with Non Folding Back. Not available with Angle Adjustable	£1600
_N/C	Adjustable Height Rigidizer Bar [FTBCK001]	£84
.) _N/C		
£800	Recline Angle	N/C.
£800	10-75° Recline Angle (E1225) [FTREC002] 20-85° Recline Angle (E1226) [FTREC003]	N/C N/C
	Gas Spring	
	Standard Spring [FTGSP001] Heavy Duty Spring [FTGSP002]	N/C N/C
	£127 N/C N/C N/C N/C N/C	Available only with Stroller Handle Back Post  Removable Stroller Handle Extension [FTBOP012]  N/C  Other Backrest Options  Non Folding Back [FTBCK005]  Standard with Reclining Back and Dynamic Back  Dynamic Back (E2398) [FTBOP014]  Available only with Non Folding Back. Not available with Angle Adjustable Locking Extendable Flip Up Armrest or 400 lb Weight Capacity.  Adjustable Height Rigidizer Bar [FTBCK001]  Not available with 23" or 24" frame widths  Reclining Back Options  Required when Reclining Back is selected  Recline Angle  0-65° Recline Angle (E1225) [FTREC001]  10-75° Recline Angle (E1225) [FTREC002]  20-85° Recline Angle (E1226) [FTREC003]  Gas Spring  Standard Spring [FTGSP001]

Required when Adjustable Height Back with Adjustable Handle Back Post is selected

	-		
18" [FTBRH180] <sup>1</sup>	19" [FTBRH190] <sup>1</sup>	20" [FTBRH200]	
21" [FTBRH210]	22" [FTBRH220]	23" [FTBRH230]	
24" [FTBRH240]	25" [FTBRH250]	26" [FTBRH260] <sup>2</sup>	
27" [FTBRH270] <sup>2</sup> _			N/C

1 Available only with Short

2 Available only with Tall






# **Footrest**

Footrest Hanger Type						
Hanger	60°	70°	80°	90°		Retail
Extension Tube Mount	[FTHAN001]	[FTHAN002]	[FTHAN003] <sup>1</sup>			N/C
Front Mount		[FTHAN016]	[FTHAN017] <sup>1</sup>	[FTHAN004] <sup>2</sup>		N/C
Elevating Leg Rests <sup>4</sup>					[FTHAN048]	N/C
Pro Elevating Leg Rests <sup>4</sup>					[FTHAN044]	£334
Contracture Footrest Bilateral Mount <sup>3</sup>					[FTHAN041]	£400
Contracture Footrest Center Mount <sup>3</sup>					[FTHAN040]	£400
Omit Hangers					[FTHAN046]	N/C

- 17" and 8" Casters may interfere with less than 5° tilt
- 2 Not available with 7" or 8" Casters
- 3 Aluminum Angle Adjustable footplates included. See image below.
- 4 Available only with classic hanger release



# **ELR and Pro ELR Cover**

Pro ELR Gel Pad Covers (PAIR) [FTELRPAD] £300

Available only on Pro ELR

#### 3" Extension

#### Available only with Front Mount Hangers.

3" Extension [FTEXT008] £50
3" Extension (Provided as Parts) [FTEXT018] £50

C +			L L	I ength
SOST	TO	$-\alpha$	FFACT	I Angth

Footrest	Extension	Seat to F	ootrest Le	ength									
Extension Tube	Short (10" - 13.5") [FTEXT002]		10.5"	11"	11.5"	12"	12.5"	13"	13.5"				
Hangers	Medium (11.5" - 15.5") [FTEXT003]	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"			
(60°,70°,80°)	Long (14" - 18") [FTEXT004]	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"			
					Stan	dard Select	ions				Requi	res 3" Exte	nsion
	Short Front Mount Hanger	4" <sup>2</sup>	4.5" <sup>2</sup>	5"	5.5"	6"					8.5"	9"	9.5"
	(70°,80°,90°)	6.5"	7"	7.5"	8"						10"	10.5"	11"
Front Mount <sup>1</sup> Hangers	Medium Front Mount Hanger	4" <sup>2</sup>	4.5" <sup>2</sup>	5"	5.5"	6"	6.5"	7"			10.5"	11"	11.5"
	(70°,80°,90°)	7.5"	8"	8.5"	9"	9.5"	10"				12"	12.5"	13"
	Long Front Mount Hanger (70°,80°)	5"	5.5"	6"	6.5"	7"	7.5"	8"	8.5"		12.5"	13"	13.5"
		9"	9.5"	10"	10.5"	11"	11.5"	12"			14"	14.5"	15"
	Short (10.5" - 14.5") [FTEXT027]	10.5"	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"			
Contracture Footrest	Medium (13.5" - 17.5") [FTEXT028]	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"			
	Long (16.5" - 20.5") [FTEXT029]	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"			
	Standard ELR Extension Tube Short (10.5"-15.5")												
ELR	Standard ELR Extension Tube Medium (12.5"-17.5")												
	Standard ELR Extension Tube Long (15"-20")												
Pro ELR Low Pivot	Pro ELR Low Pivot Setting Short (10.5" - 15.5")												
Setting	Pro ELR Low Pivot Setting Long (13" - 19")												
Pro ELR High Pivot	Pro ELR High Pivot Setting Short (8.5" - 17")												
Setting	Pro ELR High Pivot Setting Long (11.5" - 17.5")												

<sup>1</sup> See Minimum Front Seat Height chart below

2 Available with 90° only



with 3" Extension

Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

0°	
5.5"	

**Hanger Release** 

**Heel Loops** 

# FOCUS CR

Minimum Front Seat Height with Front Mount Hangers						
Hanger Length	Short		Medium	1	Long	
Hanger Bend	70°	80/90°	70°	80/90°	70°	80°
Minimum Front Seat Height with Standard Selection	13"	13"	13"	13.5"	14.5"	15.5"
Minimum Front Seat Height	13.5"	14"	15.5"	16"	17"	18"

No selection needed with Contracture Footrest. If no selection is made 4 Release will be used.	-Way - In line Hanger
Classic [FTREL001]	N/C
4-Way - In-Line [FTREL002]	N/C
1-W2v - Out [ETRELO03]	NI/C

#### **Footplates** No selection needed with Contracture Footrest Composite [FTFPL001] N/C Not available with Front Mount Hanger £127 Composite Angle Adjustable [FTFPL014] Not available with Front Mount Hanger or 14" Seat Width without Offset Aluminum Angle Adjustable [FTFPL002] £127 Aluminum Locking Multi-Angle Adjustable [FTFPL020] £348 Available only with Front Mount Hanger One Piece Flip Up Angle Adjustable [FTFPL009] £196 Not available with Front Mount Hanger, ELR, or Pro ELR

Not available with One Piece Flip Up Angle Adjustable Footplate  Heel Loops [FTACC008]  Adjustable Heel Loops [FTACC029]  Omit Heel Loops [FTACC011]	£43 £56 N/C
Calf Straps	
Velcro Adjustable [FTACC002] Padded Velcro Adjustable [FTACC003] Padded AirMesh Calf Strap [FTACC010]	£56 £77 £118

# **Residual Limb Support**

Not available with Offset Hanger

110001010000	tot a fallasis with Offset hange.									
	Limb Support	Price	Omit	Co	Cover Pad Size					
Left	Left Limb Support	£196	Omit Left Hanger [FTRLS004]	Smooth [FTRLS006]	Air Mesh [FTRLS007]	5 x 8 [FTRLS008]	7 x 10 [FTRLS009]	9 x 10 [FTRLS010]	9 x 14 [FTRLS011]	11 x 10 [FTRLS012]
Right	Right Limb Support	£196	Omit Right Hanger [FTRLS005]	Smooth [FTRLS020]	Air Mesh [FTRLS021]	5 x 8 [FTRLS014]	7 x 10 [FTRLS015]	9 x 10 [FTRLS016]	9 x 14 [FTRLS017]	11 x 10 [FTRLS018]





# Seat Height, Casters and Rear Wheels

Select Seat Height corresponding to desired Rear Wheel and Caster Size **Caster Size** Wheel 8" x 2" Size Seat Height 13.5" 14" 14.5" 14.5" 14.5" 17" 12" with Pneumatic or 17.5" 17.5" 17.5" 17.5" 17.5" 17.5" Pneumatic with Airless 18" 18" 18" 18" 18" 18" Insert Tire 18.5" 18.5" 18.5" 18.5" 18.5" 18.5" 19" 19" 19" 19" 19" 19" 19.5" 19.5" 19.5" 19.5" 19.5" 16.5" 16.5 16.5" 17" 17" 17" 17" 17" 17" 17.5" 17.5" 17.5" 17.5" 17.5" 17.5" 12" with Full Poly Tire 18" 18" 18" 18' 18" 18.5" 18.5" 18.5" 18.5" 18.5" 18.5" 19" 19" 19" 19" 13" 13.5" 14" 14" 14" 14.5" 14.5" 14.5" 17.5" 17.5" 17.5" 17.5" 17.5" 17.5" 12" with Drum Brake 3 18" 18" 18" 18" 18" 18" 18 5" 18.5" 18 5' 18.5" 18.5" 18.5" 19.5" 19.5" 19.5" 19.5" 19.5" 19.5" 20" 20" 20" 20" 13" 13.5" 14" 14.5" 14.5 14.5" 15" 15" 15" 15" 16" with Pneumatic, 15.5" 15.5" 15.5" 15.5" Pneumatic with Airless Insert or Full Poly Tire 16" 16" 16"

Deen			Caste	r Size		
Rear Wheel	5"	6"	6" x 2"	7"	8"	8" x 2"
Size			Seat H	leight		
	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	15"	15"	15"	15"		
16" with Drum <sup>4</sup> Brake	15.5"	15.5"	15.5"	15.5"		
	16"	16"	16"			16"
DIAKE		18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20"
	20.5"	20.5"	20.5"	20.5"	20.5"	20.5"
	15"	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"		
	16"	16"	16"	16"	16"	16"
	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"
20"	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5" <sup>2</sup>	18.5" 2	18.5" 2	18.5" 2		
	16"	16"	16"	16"	16"	
	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
22"	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	
	16.5" <sup>5</sup>	16.5" <sup>1,5</sup>	16.5" <sup>1,5</sup>			
	17" <sup>5</sup>	17" <sup>5</sup>	17" <sup>5</sup>	17" <sup>5</sup>	17" <sup>5</sup>	17" <sup>5</sup>
	17.5" <sup>6</sup>	17.5" <sup>6</sup>	17.5" <sup>6</sup>	17.5"	17.5"	17.5" <sup>6</sup>
0.4"	18"	18"	18"	18"	18"	18"
24"	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20" <sup>2</sup>
Available only wit	th Full Polv ti	re				

- 2 Not available with Full Poly tire
- 3 Not available with Vent and Battery Tray combination
- 4 Seat heights higher than 16.5" with 16" wheel size are not available with
- Vent and Battery Tray combination
- 5 Not available with Drum Brake
- 6 Not available with Drum Brake in combination with Pneumatic tires

16.5"

19"

20"

20.5"

13" 13.5" 14"

14.5"

18"

18.5"

19.5"

19"

16" with Low Poly Tire

19.5"

16.5

19"

20"

14"

14.5'

18"

19"

20"

18.5"

19.5"

20.5"

19.5"

16.5"

19.5"

20.5"

19"

20"

14"

14.5"

18"

19"

20"

18.5"

19.5"

16.5"

19"

20"

19.5"

20.5"

15"

18"

19"

20"

18.5"

19.5"

20.5"

19"

19.5"

20.5"

18"

18.5"

19.5"

20.5"

20"

19"

16.5"

19"

19.5"

20.5"

18"

19"

18.5"

19.5"

20"





# **Casters and Rear Wheels**

# One Arm Drive One Arm Drive - Quick Release [FTDRV007] £1417 Left Side Drive [FTDRV002] N/C Available only with 24" Spoke wheels. Spoke wheel style is exclusive to OAD. Not available with Vent Tray, Battery Box Holder, Self Propel Axle Plate or Angle Adjustable Locking Extendable Flip Up. Standard Handrim will be Aluminum Anodized. Axle is Quick Release. Left Side Drive [FTDRV002] N/C Right Side Drive [FTDRV003] N/C Aluminum Drive Handrim [FTDRV004] N/C Poly Coated Drive Handrim [FTDRV005] £244

#### **Casters**

			Caster Size				
		Price	5"	6"	7"	8"	
	1.25" Soft Roll	N/C	[FTCAS010]	[FTCAS014]	[FTCAS019]	[FTCAS020]	
	1" Poly Aluminum	£127	[FTCAS011]				
Туре	1" Pneumatic	£229		[FTCAS017]		[FTCAS021]	
· -	1.5" Soft Roll	N/C	[FTCAS025]	[FTCAS026]			
Caste	1.5" Soft Roll Aluminum	£127	[FTCAS013]	[FTCAS016]			
	2" Poly	N/C		[FTCAS024]			
	2" Pneumatic w/Foam Insert	£229				[FTCAS023]	

AXIC	
No selection needed with One Arm Drive or Drum Brake	
Fixed [FTAXO002]	N/C
Quick Release [FTAXO003]	N/C

## Self Propel Axle Plate

Self Propel Axle Plate [FTAXP008] £105

Not available with Vent Tray or 12" or 16" wheel sizes

#### Wheels

			Rear Wheel Size					
		Price	12"	16"	20"	22"	24"	
ee e	Mag	N/C	[FTWHE112]	[FTWHE116]	[FTWHE120]	[FTWHE122]	[FTWHE124]	
Rear Whe Type	Spoke	N/C					[FTWHE024]	

#### **Rear Tire Type**

# **Full Profile**

Full Poly [FTTIR002]	N/C
Pneumatic [FTTIR001]	£63
Pneumatic with Airless Insert [FTTIR004]	£132

# **Low Profile**

Low Poly [FTTIR003]	N/C
Available only with 16" wheel size	

#### Handrims

Handrims not available on 12" or 16" wheel sizes

# **Standard Handrims**

Aluminum Anodized [FTHRMOOT]	N/C
Plastic Coated [FTHRM002]	£100
Projection (8 Vertical Projections) [FTHRM003]	N/C
Available only with full profile tires in combination with 22", 24", and 26" MAXX Spoke wheels, or 22" and 24" Mag wheels. Not available with One Arm Drive.	
Omit Handrim [FTHRM012]	N/C

### **Handrim Options**

Not available on Plastic Coated or Projection Handrims	
3M Micro Grip [FTACC006]	£105





# **Wheel Locks**

Wheel locks	
Push to Lock [FTWLK002]	N/C
Pull to Lock [FTWLK003]  Not available with 12" or 16" Full Poly tires	£80
Attendant Foot Lock [FTWLK011]	£80
Combination Attendant Foot Lock [FTWLK018]	_£160
Available only with 12" or 16" wheel sizes. Includes Extension Handles. Push to Lock only.	
Drum Brake [FTWLK015]  Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with 16" Low Poly tire, One Arm Drive or Self Propel Axle Plate. Axle is Quick Release.	_£450
Dual - Drum Brake with Push to Lock [FTWLK016]  Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with 16" Low Poly tire, One Arm Drive or Self Propel Axle Plate. Axle is Quick Release.	_£530
Dual - Drum Brake with Pull to Lock [FTWLK017]  Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with 16" Low Poly tire, One Arm Drive or Self Propel Axle Plate. Axle is Quick Release.	_£530
Omit Wheel Locks [FTWLK008]	N/C

Wheel Lock Options	
Extension Handles [FTWLK004]	£63
Available only with Push to Lock or Pull to Lock Wheel Locks	

# **Armrests**

Armrest Type		Length	Price
Height Adjustable T-Arm Tall (11.5"-15")	Desk	[FTARM039]	£196
Height Adjustable 1-Arm Fall (11.5 -15 )	Full	[FTARM040]	£190
Height Adjustable T-Arm (8.5"-13.5")	Desk	[FTARM003]	£196
Height Adjustable 1-Ariff(6.5 - 13.5 )	Full	[FTARM004]	£170
Height Adjustable T-Arm Low (6.5"-10.5") 1	Desk	[FTARM022]	£196
Height Adjustable 1-Arm Low (6.3 - 10.3 )	Full	[FTARM023]	E190

<sup>1</sup> If requested configuration is unavailable, Standard Height T-Arm will be used. Not available with 14" seat depth and Offset Hangers"

Arm Pads	
Standard Arm Pad [FTARM026]	N/C
Waterfall Arm Pad [FTARM020]	£29
Not available with Angle Adjustable Locking Extendable Flip Up Armrests	
Foam Grip [FTARM025]	N/C
Available only with Angle Adjustable Locking Extendable Flip Up Armrest	

<sup>2</sup> Not available with IV Pole

<sup>3</sup> Not available with Dynamic Back

<sup>4</sup> Minimum armrest height with Reclining Backrest is 12"





# **Accessories**

Removable Side Guard	
Composite Side Guards [FTSDG002]  Not available with T-Arm or Dual Post Flip Back Armrests	£229

Other Accessories	
Tool Kit [FTACC005]	£23
Removable Underseat Pouch [FTACC015]	£35
Ki Mobility Backpack [FTACC009]	£115
Black Neoprene Impact Guards [FTIMG001]	£56
Tilt Stop (Pair) [FTTLT001]  Included with Offset Hanger	£35
IV Pole [FTACC022]	£196
Canopy with Hardware [FTACC042]	£313

Anti-Tip	
Rear Anti-Tips [FTATP001]	£127
Required with Reclining Backrest or Vent Tray	
Omit [FTATP000]	N/C

Pelvic Positioning Belt	
1 1/2" Auto Buckle Pelvic Positioning Belt [FTPOB001] 1 1/2" Padded Auto Buckle Pelvic Positioning Belt [FTPOB002] 2" Airline Buckle Pelvic Positioning Belt [FTPOB003]	£112 £174 £154
Small Flex-Mount Positioning Belt (16-24") [FTPOB007]  Medium Flex-Mount Positioning Belt (19-29") [FTPOB008]  Large Flex-Mount Positioning Belt (25-37") [FTPOB009]	£216 £216 £216

Belt Mounting Kit	
Ki Mobility Belt Mounting Brackets [FTACC013]	£43
Belt Mounting Band Clamp [FTACC054]	£118
Clamp includes hardware to mount Belt	

O2 Holder	
O2 Holder (E2208) [FTACC018]	£223
Not available with Reclining Backrest or Dynamic Back	

# **Frame Color**

Gloss Finish	
Touch-up paint is available for purchase through the parts manual	
Black [FTFCS001]	N/C
Ruby Red [FTFCS063]	N/C
Radiant Orange [FTFCS056]	N/C
Yellow [FTFCS029]	N/C
Electric Green [FTFCS055]	N/C
Rich Teal [FTFCS061]	N/C
Glacier Blue [FTFCS054]	N/C
Blue Steel [FTFCS051]	N/C
Deep Sapphire Blue [FTFCS065]	N/C
Purple Plum [FTFCS066]	N/C
Opalescent Violet [FTFCS057]	N/C
Dark Pink [FTFCS053]	N/C
Light Pink [FTFCS052]	N/C
Champagne [FTFCS064]	N/C

Matte Finish	
Touch-up paint is available for purchase through the parts manual	
Shadow Black [FTFCS015]	N/C
Platinum [FTFCS050]	N/C
Iridescent Navy [FTFCS016]	N/C
Bright Red [FTFCS062]	N/C
Tactical Green [FTFCS058]	N/C
White [FTFCS060]	N/C
Dry Earth Tan [FTFCS059]	N/C