

iCHAIR MC2

1.611

 **Allowed user weight**

140 kg with seat lift CODE 27 (incl. additional load)

160 kg (incl. additional load)





Electrically adjustable legrest available as an option



Comfortable operation



Active LED lighting



Castor wheels with aluminium rim

The intelligent and variable Allrounder

EFFICIENCY

- Effectiveness through simple maintenance and a high level of service friendliness
- Little need for repairs by implementing high value and durable parts
- Modular structure of the iChair-family enables compatibility of parts and parts groups
- Numerous adjustment options allow individual adaptation
- Simplified reinstallation through perfect user size limitations, as for example a standard user weight of 160 kg

THERAPEUTIC BENEFIT

- Ideal for retaining mobility at home, at the desk or in the office
- Effective pressure relief and relaxing positioning for long term sitting, through large electric adjustment sectors
- Different seat systems according to the individual demands

FIELD OF USE

- For indoor and outdoor use
- For permanent and all-day use for independent mobility, also with extreme functional limitations
- For working and active people, who need one wheelchair for different everyday situations
- Suitable for outdoor use through large serial tyres and optionally available 10 km/h-version
- Indoor spaces can easily be mastered due to the compact dimensions and high level of agility

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please send the order form by e-mail to:

info@meyragroup.com

Customer service: +49 571 93292 555

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

Order quantity:

MEYRA



Price basic model

£5250



Allowed user weight

140 kg with seat lift CODE 27 (incl. additional load)
160 kg (incl. additional load)



Hints

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply
You can find information on the measurement process at www.meyra.de/messverfahren

Valid from 01.01.2025 – 31.12.2025.
Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de
You avoid queries and incorrect orders thanks to the buildability check

USER DATA

First name

Name

Street

ZIP CODE

City

Country

Birthday

Diagnosis 1

Diagnosis 2

Tel.

Mobil

E-mail

Order number

Health insurance fund / cost unit

Specialist trade Contact person/phone.

Supply specialist MEYRA

Approval info from week

ANATOMICAL DATA (IN MM)

1) Seat depth

2) Seat width

3) Chest width

4) Chest depth

5) Elbow height

6) Armpit height

7) Back height


8) Head height

9) Forearm length

10) LLL

Body height

Weight (kg)



Remarks

I accept the Terms and Conditions of Meyra Distribution GmbH (valid as of January 2023)

<https://www.meyra.com/gtc/>

Date

City

Signature



Technical specifications

Dimension tolerances +/- 15 mm, +/- 2°

¹⁾ see category seat width

²⁾ seat angle 4°

³⁾ without legrests and without armrests

⁴⁾ 60 mm with wheel size 9"/12" and 70 mm with 10"/14", 120 mm incl. step climber

⁵⁾ The adjustment range may deviate by max. +/-3° depending on SH and castor wheel size

⁶⁾ with armrest CODE 106

⁷⁾ up to height of seat pan

⁸⁾ seating systems belt / ErgoSeat / ERGOSTAR / RECARO

⁹⁾ 9"/10" castor wheel



| | |
|------------------------------------|---|
| Seat widths in mm | 380 - 650 ¹⁾²⁾ |
| Seat depth in mm | 400 - 560 / 400 - 560 / 500 / 480 - 530 ²⁾⁸⁾ |
| Back support height in mm | 450 - 500 / 530 - 570 / 640 / 640 ²⁾⁸⁾ |
| Lower shank length in mm | 280 - 430 ²⁾⁷⁾ |
| Arm support height in mm | 240 - 350 ⁷⁾⁹⁾ |
| Front seat height in mm | 440 - 530 |
| Seat height with Code 27 seat lift | 460 - 760 / 490 - 790 |
| Length with footrest in mm | 1130 |
| Length without footrests in mm | 830 |
| Width ready to drive in mm from | 590 - 630 |
| Height without head support in mm | 930 - 1130 |
| Transport length in mm | 830 |
| Transport height in mm | 570 |
| Front wheel size in mm | 230 x 70 (9") / 260 x 70 (10") |
| Rear wheel size in mm | 320 x 60 (12,5") / 356 x 75 (14") |
| Max. obstacle height in mm | 70 ⁴⁾ |
| Turning radius in mm | 840 |

Please select by ticking the relevant boxes

 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

00 Chassis/Motorisation

| CODE | SPEED | RANGE | MOTOR POWER | GBP £ |
|---------|---|------------|------------------------|--------|
| 115 | 6 km/h | max. 40 km | 2 x 220 W | 0,00 |
| 115/903 | 6 km/h  Only in combination with R-Net | max. 40 km | 2 x 300 W (reinforced) | 150,00 |
| 117 | 10 km/h | max. 35 km | 2 x 300 W | 403,00 |
| 117/903 | 10 km/h  Only in combination with R-Net | max. 35 km | 2 x 350 W (reinforced) | 403,00 |

ESP drive stabilisation module

| CODE | DESCRIPTION | GBP £ |
|------|--|--------|
| 918 | ESP drive stabilisation module  Only in combination with R-Net LCD | 400,00 |

Chassis options

| CODE | DESCRIPTION | GBP £ |
|------|--|-------|
| 892 | Standard suspension for user weight up to 120 kg | 0,00 |
| 891 | Reinforced suspension for user weight 120 - 160 kg | 0,00 |

01 Seat width (SW)

| CODE | DESCRIPTION | SEAT SURFACE WIDTH | GBP £ |
|------|--|--------------------|-------|
| 38 | SW continuously adjustable from 380 to 500 mm through the arm supports | 380 mm | 0,00 |
| 43 | SW continuously adjustable from 430 to 550 mm through the arm supports | 430 mm | 0,00 |
| 48 | SW continuously adjustable from 480 to 600 mm through the arm supports | 480 mm | 0,00 |
| 53 | SW continuously adjustable from 530 to 650 mm through the arm supports | 530 mm | 0,00 |

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

02 Front seat height (FSH) in combination with castor wheel (without seat cushion)

VSH measured at 4° seat inclination, upper edge of seat plate

| | | Front seat height in mm (FSH) | | | | | |
|---------|--|-------------------------------|--------|--------|--------|--------|--------|
| Code | Ø Rim | 440 | 460 | 480 | 500 | 510 | 530 |
| 163/146 | 9" aluminium puncture-proof pneumatic tyres | | | | | | |
| 163/900 | 9" aluminium puncture-proof tyres | 100,00 | | 100,00 | | 100,00 | |
| 142/146 | 10" aluminium puncture-proof pneumatic tyres | | | | | | |
| 142/900 | 10" aluminium puncture-proof tyres | | 100,00 | | 100,00 | | 100,00 |

! in conjunction with C. 27 and c. 4118, only VSH 510 mm for 9" (C. 163) or VSH 530 mm for 10" (C. 142) are possible.

Steering wheel options

| CODE | DESCRIPTION | GBP £ |
|------|----------------------------------|--------|
| 816 | Splash guard for steering wheels | 138,00 |

03 Drive wheels

| | | Puncture- resistant pneumatic tyres CODE 846 | | Puncture proof tyre CODE 904 | |
|------|------------------|--|---------|------------------------------|---------|
| | | (C-909) | (C-908) | (C-909) | (C-908) |
| Code | Ø Rim | grey | black | grey | black |
| 815 | 12" aluminum rim | | | 100,00 | 100,00 |
| 460 | 14" alloy rim | | | 100,00 | 100,00 |

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

Rear wheel options

| CODE | DESCRIPTION | GBP £ |
|------|---------------------------|--------|
| 824 | Mudguard for drive wheels | 100,00 |

05 Seat camber

| CODE | DESCRIPTION | Seat angle | GBP £ |
|------|--|-------------|----------|
| 119 | Mechanic seat tilt, in steps | 0° to +10° | 0,00 |
| 118 | Electric seat tilting continuously by 28 degrees ⚠ Not possible with VR2 without adjustments | -2° to +26° | 1.050,00 |
| 4118 | Electric seat tilt stepless by 50 degrees ⚠ Seat depth 56 cm CODE 356 is not possible in combination with ErgoSeat backrest CODE 949 Only in conjunction with R-NET Seat height 460-760 mm with 9" castor wheels or 490-790 mm with 10" castor wheels (measured at 0° seat tilt) | 0° - 50° | 1.150,00 |
| 27 | Cross-lift 300 mm lift incl. seat tilting ⚠ Only in conjunction with R-NET Seat height 460-760mm with 9" castor wheels or 490-790mm with 10" castor wheels (measured at 0° seat angle) | 0° to +30° | 1.800,00 |

06 Seat depth (SD)


| | (C-615) | (C-788) | (C-619) | (C-792) | (C-793) | (C-356) |
|--|---------|---------|---------|---------|---------|---------|
| | 400 mm | 430 mm | 460 mm | 490 mm | 530 mm | 560 mm |

Seat depth (SD)

Please select by ticking the relevant boxes Special construction/individual solution o.r. - on request Standard version: If no other selection is made, the standard version will be delivered.**07 Seat system**

| CODE | DESCRIPTION | GBP £ |
|---------|----------------------------|--------|
| 287/738 | Seat belt without cushion | 0,00 |
| 287/561 | Seat belt without cushion | 60,00 |
| 4276 | Seat plate without cushion | 70,00 |
| 948 | ErgoSeat-seat | 250,00 |
| 7206 | Netti Uno Seat | 147,00 |
| 7203 | Netti Sit | 208,60 |
| 7400 | Ride Forward | N/A |
| 7401 | Ride Java | N/A |

Please select by ticking the relevant boxes Special construction/individual solution o.r. - on request Standard version: If no other selection is made, the standard version will be delivered.**08 Back systems**

| CODE | DESCRIPTION | BACK HEIGHT | GBP £ |
|----------|---|-------------------------------|--------|
| 737 | Standard back belt | | 0,00 |
| 608 | Round tubes, 22 mm, incl. continuous push bar  prepared for external back systems | | 0,00 |
| 287/735 | Adjustable back strap without padding | 500 mm, convertible to 450 mm | 77,00 |
| 287/736 | Adjustable back strap with padding | 500 mm, convertible to 450 mm | 100,00 |
| 949 | ErgoSeat back, | 590 mm, convertible to 630 mm | 250,00 |
| 2019 | ErgoSeat Pro comfort back including overlay cushion | 590 mm, convertible to 630 mm | 350,00 |
| 7201 | Netti Uno Back | 620 mm, convertible to 670 mm | 453,00 |
| 7209 | Netti Smart | 620 mm, convertible to 670 mm | 211,20 |
| 221/7207 | Netti Stabil | 620 mm | 224,00 |
| 638/7207 | Netti Stabil | 670 mm | 224,00 |
| 221/7210 | Netti Super Stabil | 620 mm | 233,00 |
| 638/7210 | Netti Super Stabil | 670 mm | 233,00 |
| 7205 | Back cushion Netti Kyphotic | 620 mm, convertible to 670 mm | 176,00 |
| 7454 | Ride Grande | | n/a |

Please select by ticking the relevant boxes

 Special construction/individual solution o.r. - on request


 Standard version: If no other selection is made, the standard version will be delivered.

Optional seat units

RECARO seats are currently not available

Please note the front height of the seat cushion: ERGOSTAR +120 mm and RECARO +150 mm

| CODE | Seat unit | Back support | |
|---------|---|--------------|----------|
| | | mechanical | electric |
| 961 | ERGOSTAR anatomically formed seat system | 350,00 | |
| 579/567 | RECARO S/F short seat with little side surface | N/A | N/A |
| 580/578 | RECARO M/W long seat with very long side bolsters | N/A | N/A |
| 581/584 | RECARO L/X long seat with pronounced lateral guidance | N/A | N/A |

 ERGOSTAR seat CODE 961 is only possible with seat width 48 cm

08 ErgoSeat-covers

| CODE | DESCRIPTION | GBP £ |
|------|---|-------|
| 237 | ErgoSeat cover, textile, black, with grey seams | 0,00 |
| 4980 | ErgoSeat-cover, incontinec, black | 0,00 |

ErgoSeatPRO accessory back

| CODE | DESCRIPTION | Mass in mm (H X W Inside/Outside x D) | GBP £ |
|------|------------------------------|---------------------------------------|--------|
| 2021 | Thorax cushions, pair, large | 310 x 125/70 x 140 | 250,00 |
| 2032 | Thorax cushions, pair, small | 230 x 120/60 x 125 | 250,00 |

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

09 Recaro remuneration

| CODE | DESCRIPTION | GBP £ |
|------|------------------------------|-------|
| 235 | Recaro cover, textile, black | 0,00 |

10 Back support options (Adjustments)

| CODE | DESCRIPTION | GBP £ |
|------|--|--------|
| 814 | Continuous push bar ⚠ not in combination with RECARO or ERGOSTAR seating system | 0,00 |
| 410 | Single push handles incl. stabiliser rod | 80,00 |
| 2814 | Through push bar for RECARO / ERGOSTAR seating system ⚠ only in combination with RECARO or ERGOSTAR | 125,00 |
| 913 | Head support, synthetic leather black | 135,00 |
| 589 | Suspender seatbelt | 150,00 |
| 401 | Mechanical back adjustment -10° bis 30°/10° steps | 0,00 |
| 25 | Electric back adjustment -10° to 50° stepless ⚠ It is recommended to use the headrest, imitation leather black (CODE 913). | 450,00 |

11 Arm supports and arm pads

1 = detachable 2 = height-adjustable 3 = width-adjustable 4 = depth-adjustable 5 = swivel-up 6 = angle-adjustable

| CODE | DESCRIPTION | FUNCTIONS | GBP £ |
|------|--|-----------|--------|
| 106 | Standard arm support with upholstered arm pad and black clothes guard | 1,2,3,4 | 0,00 |
| 4960 | Arm support with upholstered arm support, satined clothes guard and slight depression in the padded arm support | 1,2,3,4 | 75,00 |
| 21 | Arm support with upholstered arm support, satined clothes guard and long angled padded arm support | 1,2,3,4 | 220,00 |
| 24 | Arm support with padded arm support, swivelling and angle adjustable Differing arm support height 190 - 230 mm ⚠ Only i.c. with operating module bracket CODE 4859 | 2,5,6 | 150,00 |
| 14 | High-quality armrests on the backrest, adjustable in width, height and angle ⚠ not in v.v.m. Code 954 and 957 Pads (pair) | 2,3,4,5,6 | 600,00 |

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.



130,00

 only i.c. with arm support CODE 24




60,00

 only i.c.w. armrest CODE 14



Armrest hemiplegia

| CODE | DESCRIPTION | GBP £ |
|------|--|-------|
| 4982 | Hemiplegia forearm rest, swing-away a. height adjustable  Not i.c.w. CODE 24 Side panel with padded armrest, swivel-up always opposite to the control module side For forearm length to the middle of the hand 36cm +/- 2cm | 96,00 |
| 4983 | Extension for hemiplegia forearm shell  only i.c.w. CODE 4982 Hemi forearm support For forearm length to the middle of the hand 43cm +/- 2cm | 13,00 |

Hand Rest Hemiplegia

| CODE | DESCRIPTION | GBP £ |
|------|--|-------|
| 4985 | Hemi hand rest flat  only in combination with CODE 4983 Hemi forearm tray | 30,00 |
| 4987 | Hemi hand rest with ergonomic handle on the left  only in combination with CODE 4983 hemi forearm tray Control module side right CODE 60 | 30,00 |
| 4986 | Hemi hand rest with ergonomic handle on the right  only in combination with CODE 4983 hemi forearm tray Media module page left CODE 74 | 30,00 |

12 Leg supports

| CODE | DESCRIPTION | GBP £ |
|------|--|--------|
| 93 | Legrests, detachable and swing-away | 0,00 |
| 92 | Leg supports, swivelling upward, removable and swing-away  not i.c.w. footrest CODE 54 | 120,00 |
| 86 | Legrests, electrically swivelling upward, removable and swing-away  only i.c.w. operating module R-NET CODE 702 not i.c.w. footrest CODE 54 | 300,00 |

Please select by ticking the relevant boxes

 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

13 Footrests

| CODE | DESCRIPTION | depth | LSL | GBP £ |
|------|--|--------|-----------|--------|
| 54 | Continuous footrest, 60 mm depth adjustable (in 4 steps), flip-up, height and angle adjustable ⚠ Only i.c.w. legrest Code 93 | 150 mm | 280-430mm | 150,00 |
| 798 | Two-piece footrest flip up, height and angle adjustable | 150 mm | 280-430mm | 0,00 |
| 105 | Footboard adapter: abduction +/- 45 mm per side | | | 105,00 |
| 822 | Shoe fastening strap (pair) | | | 30,00 |
| 823 | Heel cup (pair) | | | 60,00 |

14 Batteries and Chargers

| CODE | DESCRIPTION | RANGE | GBP £ |
|------|--|-------|--------|
| 5159 | Maintenance free batteries approx. 43 Ah (5h), 50 Ah (20h) | 25 km | 0,00 |
| 5158 | Maintenance-free batteries approx.66 Ah (5h), 80 Ah (20h) | 40 km | 150,00 |
| 732 | Charger 6 A for 50 Ah(20h) | | 0,00 |
| 733 | Charger 12A recommended for 80 Ah (20 h) | | 200,00 |

15 Lighting

| CODE | DESCRIPTION | GBP £ |
|------|--|-------|
| 932 | Active LED-lighting front and rear acc. to StVZO | 0,00 |

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

16 Joystick modules and accessories

CONTROL

| Code | Control modules | none | 2 / 682 | 6 / 678 | 8 / 780 |
|---------|-----------------|------|---------|----------|---------|
| 408 | VR2 | | 100,00 | | |
| 702/415 | R-NET LED | | | 350,00 | |
| 702/416 | R-NET LCD | | | 800,00 | |
| 702/398 | R-NET LCD IR/BT | | | 1.150,00 | |
| 702/839 | R-NET OMNI II | | | 1.350,00 | |

 Code 839 OMNI II Flashing function and horn function only selectable via menu

Assembly of the operating module

| CODE | DESCRIPTION | CONTROLS | GBP £ |
|------|----------------|----------|-------|
| 74 | Assembly right | | 0,00 |
| 60 | Assembly left | | 0,00 |

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

External adjustment module

External 5-way adjustment module (C. 4615/4597) - mounting on the operating module side only on REQUEST

| CODE | DESCRIPTION | GBP £ |
|-----------|--|----------|
| 4599/4615 | External adjustment keypad for directly selecting and activating five seat functions, also while driving, assembly on the opposite side to the control module ⚠ Only in conjunction with R-NET Not in conjunction with swivel-mounted table tops CODE 4660 and 4661 Not in conjunction with sideways swivel-mounted therapy table CODE 4646 | 1.000,00 |

| Key | without assignment | Back support | Seat | CM left | CM right | CM synchron | Seatlift |
|-----|--------------------|--------------|------|---------|----------|-------------|----------|
| (1) | | | | | | | |
| (2) | | | | | | | |
| (3) | | | | | | | |
| (4) | | | | | | | |
| (5) | | | | | | | |

17 Operating module bracket

| CODE | DESCRIPTION | GBP £ |
|------|--|--------|
| 4859 | Operating module bracket, length adjustable | 0,00 |
| 4566 | Operating module bracket, length and height adjustable | 99,00 |
| 4860 | Operating module bracket, length and height adjustable, swivelling to the side (e.g. on a table) | 150,00 |
| 4874 | Protection bar for operating module VR2 and R-NET | 44,00 |
| 851 | Operating module bracket for accompanying person (operating module can be moved from the front to the rear) ⚠ Only i.c.w. continuous pushing bar CODE 814 | 150,00 |

Please select by ticking the relevant boxes

 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

18 Special operating modules

| CODE | DESCRIPTION | GBP £ |
|------|---|--------|
| 4660 | Table plate with recess (centred) for operating module, swivelling to the right | 400,00 |
| 4661 | Table plate with recess (centred) for operating module, swivelling to the left | 400,00 |
| 4789 | Additional operating module with priority switch for accompanying person, incl. assembly on the frame tube | 300,00 |
| 543 | External on/off switch, diameter 63 mm, green ⚠ Only i.c.w. joystick module R-NET with LED-Display CODE 702/416 or OMNI II Surround control CODE 839 | 202,00 |
| 596 | External on/off switch, diameter 63 mm, yellow ⚠ Only i.c.w. joystick module R-NET with LED-Display CODE 702/416 or OMNI II Surround control CODE 839 | 200,00 |
| 778 | External on/off switch, diameter 30 mm, green ⚠ Only i.c.w. joystick module R-NET with LED-Display CODE 702/416 or OMNI II Surround control CODE 839 | 180,00 |
| 779 | External on/off switch, diameter 30 mm, yellow ⚠ Only i.c.w. joystick module R-NET with LED-Display CODE 702/416 or OMNI II Surround control CODE 839 | 180,00 |

Zero displacement joystick

| CODE | DESCRIPTION | GBP £ |
|------|--|--------|
| 4940 | Neck holder bracket ⚠ Only in conjunction with CODE 4611 or 4612 | 956,00 |
| 4612 | MicroGuide way joystick ⚠ only i. c. with R-NET OMNI II CODE 702/839 temporarily not available | N/A |
| 4601 | MicroGuide way joystick including bracket and hand pad ⚠ only in combination with R-NET OMNI II CODE 702/839 temporarily not available | N/A |

Please select by ticking the relevant boxes Special construction/individual solution o.r. - on request Standard version: If no other selection is made, the standard version will be delivered.

Joystick attachments

| CODE | DESCRIPTION | GBP £ |
|------|---|--------|
| 553 | Tetra-fork vertical | 100,00 |
| 556 | Tetra-fork horizontal | 100,00 |
| 734 | Tetra-fork horizontal, adjustable to hand width | 100,00 |
| 4589 | Mushroom grip | 40,00 |
| 4590 | Ball grip | 40,00 |
| 4591 | T-grip | 40,00 |
| 4593 | Stem grip | 40,00 |
| 4594 | Button grip | 40,00 |
| 4595 | Softball | 40,00 |
| 4596 | Golf ball d=43 mm | 40,00 |

Please select by ticking the relevant boxes Special construction/individual solution o.r. - on request Standard version: If no other selection is made, the standard version will be delivered.**19** Frame colours / accent colours

| CODE | FRAME | AKZENTE | GBP £ |
|----------|--------------|--------------|--------|
| 207 | Matt black | | 0,00 |
| 212 | Matt black | Polar white | 100,00 |
| 212/5220 | Polar white | Polar white | 350,00 |
| 186 | Matt black | Magic Blue | 100,00 |
| 186/5220 | Magic Blue | Magic Blue | 350,00 |
| 227 | Matt black | Red Metallic | 100,00 |
| 227/5220 | Red Metallic | Red Metallic | 350,00 |
| 180 | Matt black | Lemon reflex | 100,00 |
| 180/5220 | Lemon reflex | Lemon reflex | 350,00 |
| 214 | Matt black | Sun yellow | 100,00 |
| 214/5220 | Sun yellow | Sun yellow | 350,00 |

Please select by ticking the relevant boxes

 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

20 Options around the wheelchair

| CODE | DESCRIPTION | GBP £ |
|------|--|----------|
| 906 | Rear-view mirror right | 50,00 |
| 927 | Rear-view mirror left | 50,00 |
| 994 | Baggage rack with metal rods | 50,00 |
| 970 | Crutch holder | 50,00 |
| 4795 | Anti-theft function, key  only i.c. with R-Net | 40,00 |
| 833 | Safety belt | 50,00 |
| 721 | Lap belt for ISO-transport safety | 60,00 |
| 4646 | Therapy table swivelling sideways | 320,00 |
| 590 | Abduction wedge  Only i.c.w. ErgoSeat CODE 948 or seat plate CODE 4276 | 150,00 |
| 862 | Step climber | 350,00 |
| 260 | Memory-function for head support | 30,00 |
| 957 | Rigid side cushion (pair)  not in conjunction with side panel CODE 14 | 100,00 |
| 954 | swivel away side cushion (pair)  not in conjunction with side panel CODE 24  not in conjunction with side panel CODE 14 | 500,00 |
| 781 | USB charging socket | 120,00 |
| 782 | Receptacle for mobile phone bracket | 50,00 |
| 2721 | Adapter set for DAHL docking station | 1.300,00 |
| 2676 | Warning sign sticker | 50,00 |
| 676 | Rear marking plate | 80,00 |

21 Service

| CODE | Item | DESCRIPTION | GBP £ |
|-------|------|---|--------|
| 55704 | | Flat fee for customised parameterisation (not eligible for discounts) | 556,00 |

 The on-the-spot service covers only simple adjustment of parameter sets, such as acceleration, speed etc.