


ICHAIR XXL HD bis 250 kg

1.614

 **Allowed user weight**
250 kg HD Option (incl. payload)





Utmost stability due to reinforced components



Powerful motors



Seat camber



Long-life LED lighting

Ideal for strong types

EFFICIENCY

- Effectiveness through simple maintenance and a high level of service friendliness
- Little need for repairs by implementing high value and durable parts
- Modular structure of the iChair-family enables compatibility of parts and parts groups
- Numerous adjustment options allow individual adaptation
- Improved effectiveness increases independence and supports perfect use of existing propelling strength, easier motion, great agility
- Simplified reuse due to optimal user limit dimensions, such as a standard user weight of 250 kg

THERAPEUTIC BENEFIT

- Ideal for retaining mobility at home, at the desk or in the office
- Effective pressure relief and relaxing positioning for long term sitting, through large electric adjustment sectors
- Different seat systems according to the individual demands

FIELD OF USE

- For indoor and outdoor use
- For permanent and all-day use for independent mobility, also with extreme functional limitations
- For working and active people, who need one wheelchair for different everyday situations
- Suitable for outdoor use through large serial tyres and optionally available 10 km/h-version
- Indoor spaces can easily be mastered due to the compact dimensions and high level of agility

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please send the order form by e-mail to:

info@meyragroup.com

Customer service: +49 571 93292 555

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

Order quantity:

MEYRA



Price basic model

£11,250



Allowed user weight

250 kg HD Option (incl. payload)



Hints

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply

You can find information on the measurement process at www.meyra.de/messverfahren

Valid from 01.01.2025 – 31.12.2025.

Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de

You avoid queries and incorrect orders thanks to the buildability check

USER DATA

First name

Name

Street

ZIP CODE

City

Country

Birthday

Diagnosis 1

Diagnosis 2

Tel.

Mobil

E-mail

Order number

Health insurance fund / cost unit

Specialist trade Contact person/phone.

Supply specialist MEYRA

Approval info from week

ANATOMICAL DATA (IN MM)

1) Seat depth

2) Seat width

3) Chest width

4) Chest depth

5) Elbow height

6) Armpit height

7) Back height


8) Head height

9) Forearm length

10) LLL

Body height

Weight (kg)



Remarks

Large empty rectangular area for entering remarks.

I accept the Terms and Conditions of Meyra Distribution GmbH (valid as of January 2023)

<https://www.meyra.com/gtc/>

Date

Input field for Date

City

Input field for City

Signature

Input field for Signature



Technical specifications

¹⁾ see category seat width²⁾ seat angle 4°⁴⁾ without legrests and without armrests⁵⁾ under test conditions 6 / 10 km/h with battery 73 Ah (20h)⁶⁾ see category 00 chassis/motor⁸⁾ The adjustment range may deviate by max. +/-3° depending on SH⁹⁾ depending on seat width

Seat widths in mm	530 - 770 ¹⁾²⁾
Seat depth in mm	430 - 600 ²⁾
Back support height in mm	530 - 570 ²⁾
Lower shank length in mm	370 - 510 ²⁾
Arm support height in mm	170 - 280 ²⁾
Front seat height in mm	460 - 560 / 530 - 630 ²⁾
Length with footrest in mm	1150
Length without footrests in mm	850
Width ready to drive in mm from	680 - 920 ⁹⁾
Height without head support in mm	1020 - 1150 ²⁾
Transport length in mm	850
Transport height in mm	650
Front wheel size in mm	260 x 70 (10")
Rear wheel size in mm	356 x 75 (14")
Max. obstacle height in mm	60
Turning radius in mm	950
Range with battery 63 Ah (5h), 80 Ah (20h)	30 - 35 km
Transport empty weight basic configuration min.	130 kg
User weight	max. 250 kg
Permitted overall weight incl. options	340 kg
Driving speed	6 km/h
Motor power	2 x 350 W
Range	max. 35
Permitted inclination/slopes	15%
Form of steering	indirect
Seat camber electric	0° bis 18°
Seat camber mechanical	0° to 10°
Back support angle electric	-10° to 50°
Back support angle mechanical	-10° to 30°

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

00 Chassis/Motorisation

CODE	SPEED	RANGE	MOTOR POWER	GBP £
115	6 km/h	max. 35 km	2 x 350 W	0,00

Chassis options

CODE	DESCRIPTION	GBP £
893	Reinforced XXL suspension for user weights 200 - 250 kg	0,00

01 Seat width (Sw)

CODE	DESCRIPTION	SEAT SURFACE WIDTH	GBP £
3060	Reinforced version, seat width continuously adjustable from 530 to 650 mm via armrests	530 mm	400,00
3061	Reinforced version, seat width continuously adjustable from 580 to 700 mm via armrests	580 mm	400,00
3062	Reinforced version, seat width continuously adjustable from 620 to 740 mm via armrests	620 mm	400,00
3063	Reinforced version, seat width continuously adjustable from 650 to 770 mm via armrests	650 mm	400,00

02 Front seat height (FSH) in combination with castor wheel (without seat cushion)

Code	rim	Front seat height in mm (FSH)		
		460	510	560
142/146	10 Tyres with aluminium rim			
142/900	10 Tyres with aluminium rim	100,00	100,00	100,00

Steering wheel options

CODE	DESCRIPTION	GBP £
816	Splash guard for steering wheels	138,00

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

03 Drive wheels

Code	Ø	rim	Puncture- resistant pneumatic tyres CODE 846		Puncture proof tyre CODE 904	
			grey	black	grey	black
460	14"	Aluminium rim			100,00	100,00

Rear wheel options

CODE	DESCRIPTION	GBP £
824	Mudguard for drive wheels	100,00

05 Seat camber

CODE	DESCRIPTION	SEAT ANGLING/LIFT	GBP £
3064	Mechanic seat tilt, in steps	0° to +10°	0,00
3065	Electric seat tilting continuously by 18 degrees - XXL-version	0° to +18°	800,00

06 Seat depth (SD)

	(C-788)	(C-619)	(C-792)	(C-793)	(C-356)	(C-360)
	430 mm	460 mm	490 mm	530 mm	560 mm	600 mm
Seat depth (SD)						50,00

 SD 600 mm incl. 30 mm seat tube extension

07 Seat-/back systems

CODE	Seat	Back systems	
		ErgoSeat back CODE 949	
4276	Seat plate (for external seating systems)		70,00
948	ErgoSeat-seat		250,00

 *Sitzplatte (für externe Sitzsysteme) aktuell nicht lieferbar

Please select by ticking the relevant boxes

 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

08 ErgoSeat-covers

CODE	DESCRIPTION	GBP £
237	ErgoSeat-cover, textile, black	0,00
4980	ErgoSeat-cover, incontinec, black	0,00

10 Back support options (Adjustments)

CODE	DESCRIPTION	GBP £
814	Continuous push bar	0,00
913	Head support, synthetic leather black	135,00
3066	Mechanical back support adjustment	0,00
3067	Electric back support adjustment	400,00

! It is recommended to use the headrest, imitation leather black (CODE 913).

11 Arm supports and arm pads

1 = detachable 2 = height adjustable 3 = width adjustable 4 = depth adjustable

CODE	DESCRIPTION	FUNCTIONS	GBP £
106	Standard arm support with upholstered arm pad and black clothes guard	1,2,3,4	0,00
4960	Arm support with upholstered arm support, satined clothes guard and slight depression in the padded arm support	1,2,3,4	75,14
21	Arm support with upholstered arm support, satined clothes guard and long angled padded arm support	1,2,3,4	220,00

12 Leg supports

CODE	DESCRIPTION	GBP £
3090	Legrests, detachable and swing-away	0,00
3068	Legrests with length alignment, swivelling upward, removable and swivel-away	1.200,00
3069	Legrests, electrically swivelling upward, removable and swing-away	2.000,00

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

13 Footrests

CODE	DESCRIPTION	depth	LSL	GBP £
54	Continuous footrest, 60 mm depth adjustable (in 4 steps), flip-up, height and angle adjustable ⚠ Footboard can only be folded up towards the back, towards the chair!	150 mm	280-430mm	0,00
822	Shoe fastening strap (pair)			0,00
823	Heel cup (pair)			0,00

14 Batteries and Chargers

CODE	DESCRIPTION	RANGE	GBP £
5158	Maintenance-free batteries approx.66 Ah (5h), 80 Ah (20h)	35 km	0,00
732	Charger 8 A		0,00
733	Charger 12 A		200,00

15 Lighting

CODE	DESCRIPTION	GBP £
932	Active LED-lighting front and rear acc. to StVZO	0,00

16 Joystick modules and accessories

Code	Control modules	CONTROL			
		none	2 / 682	6 / 678	8 / 780
702/415	R-NET LED				
702/416	R-NET LCD			450,00	
702/398	R-NET LCD IR/BT			800,00	
702/839	R-NET OMNI II			1.000,00	

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

External adjustment module

External 5-way adjustment module (C. 4615/4597) - mounting on the operating module side only on REQUEST

CODE	DESCRIPTION	GBP £
4599/4615	External adjustment keypad for directly selecting and activating five seat functions, also while driving, assembly on the opposite side to the control module ⚠ Only in combination with LCD colour display For an individual assignment, please use the following matrix! Not in combination with swivelling table tops CODE 4660 and 4661 Not in combination with laterally swivelling therapy table CODE 4646	0,00

Key	without assignment	Back support	Seat	CM left	CM right	CM synchron	Seatlift
(1)							
(2)							
(3)							
(4)							
(5)							

Assembly of the operating module

CODE	DESCRIPTION	CONTROLS	GBP £
74	Assembly right		0,00
60	Assembly left		0,00

Please select by ticking the relevant boxes

 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

17 Operating module bracket

CODE	DESCRIPTION	GBP £
4859	Operating module bracket, length adjustable	0,00
4566	Operating module bracket, length and height adjustable	99,00
4860	Operating module bracket, length and height adjustable, swivelling to the side (e.g. on a table)	150,00
851	Operating module bracket for accompanying person (operating module can be moved from the front to the rear) ⚠ Only i.c.w. continuous pushing bar CODE 814	150,00
4789	Additional operating module with priority switch for accompanying person, incl. assembly on the frame tube	300,00
4874	Protection bracket for control module ⚠ not in conjunction with CODE 839 OMNI 2	44,00

18 Special operating modules

CODE	DESCRIPTION	GBP £
4660	Table plate with recess (centred) for operating module, swivelling to the right	400,00
4661	Table plate with recess (centred) for operating module, swivelling to the left	400,00

External on/off switch

for users who can hardly operate the keys of the operating module or as an emergency/off function for accompanying person

CODE	DESCRIPTION	GBP £
543	External on/off switch, diameter 63 mm, green	202,00
596	External on/off switch, diameter 63 mm, yellow	200,00
778	External on/off switch, diameter 30 mm, green	180,00
779	External on/off switch, diameter 30 mm, yellow	180,00


⚠ Only i.c.w. joystick module R-NET with LED-Display CODE 702/416 or OMNI II Surround control CODE 839

Please select by ticking the relevant boxes Special construction/individual solution o.r. - on request Standard version: If no other selection is made, the standard version will be delivered.



MicroPilot

CODE	DESCRIPTION	GBP £
4602	Joystick-attachment MicroPilot cork, with spring soft	449,00
4603	Joystick-attachment MicroPilot cork, with spring medium	449,00
4604	Joystick-attachment MicroPilot multicolour, with spring soft	449,00
4605	Joystick-attachment MicroPilot multicolour, with spring medium	449,00
4606	Joystick-attachment MicroPilot blue, with spring soft	449,00
4607	Joystick-attachment MicroPilot blue, with spring medium	449,00
4608	Joystick attachment MicroGuide/MicroPilot cork, without spring	74,00
4609	Joystick attachment MicroGuide/MicroPilot multicoloured, without spring	74,00
4610	Joystick attachment MicroGuide/MicroPilot blue, without spring	74,00

Chin control

CODE	DESCRIPTION	GBP £
565	Chin control, electric, swivelling to the side  Only i.c.w. R-NET OMNI II CODE 702/839 Only i.c.w. CODE 589 4-point-belt	6.277,00
810	Chin control, mechanical, swivelling to the side  Only i.c.w. R-NET OMNI II CODE 702/839 Only i.c.w. CODE 589 4-point-belt	3.759,00

Others

CODE	DESCRIPTION	GBP £
4612	MicroGuide way joystick  only in combination with R-NET OMNI II CODE 702/839 temporarily not available	N/A
4601	MicroGuide way joystick including bracket and hand pad  only in combination with R-NET OMNI II CODE 702/839 temporarily not available	N/A

Please select by ticking the relevant boxes Special construction/individual solution o.r. - on request Standard version: If no other selection is made, the standard version will be delivered.

Joystick attachments

CODE	DESCRIPTION	GBP £
553	Tetra-fork vertical	100,00
556	Tetra-fork horizontal	100,00
734	Tetra-fork horizontal, adjustable to hand width	100,00
4589	Mushroom grip	40,00
4590	Ball grip	40,00
4591	T-grip	40,00
4593	Stem grip	40,00
4594	Button grip	40,00
4595	Softball	40,00
4596	Golf ball d=43 mm	40,00

19 software

CODE	DESCRIPTION	GBP £
985	Series programming (standard)	0,00
998	Special programming (deviation from standard)	0,00

Please select by ticking the relevant boxes



 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

20 Frame colours

CODE	FRAME	AKZENTE	GBP £
207	Matt black		0,00
212	Matt black	Polar white	100,00
212/5220	Polar white	Polar white	350,00
186	Matt black	Magic Blue	100,00
186/5220	Magic Blue	Magic Blue	350,00
227	Matt black	Red Metallic	100,00
227/5220	Red Metallic	Red Metallic	350,00
180	Matt black	Lemon reflex	100,00
180/5220	Lemon reflex	Lemon reflex	350,00
214	Matt black	Sun yellow	100,00
214/5220	Sun yellow	Sun yellow	350,00

21 Options around the wheelchair

CODE	DESCRIPTION	GBP £
906	Rear-view mirror right	50,00
927	Rear-view mirror left	50,00
970	Crutch holder	50,00
803	Retaining strap with buckle (extra long)	50,00
4646	Therapy table swivelling sideways	320,00
590	Abduction wedge	150,00
260	Memory-function for head support	30,00
957	Rigid side cushion (pair)	100,00
954	swivel away side cushion (pair)	500,00
994	Baggage rack with metal rods	50,00
4795	Anti-theft function, key  only i.c. with R-Net	0,00
781	USB charging socket	120,00
782	Universal adapter for mounting mobile phone holders  Universal adapter for mounting mobile phone holders not in conjunction with OMNI II environmental control , CODE 839	50,00

Please select by ticking the relevant boxes


Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

50,00

80,00

22 Service

CODE	Item	DESCRIPTION	GBP £
	55704	Flat fee for customised parameterisation (not eligible for discounts)  <i>The on-the-spot service covers only simple adjustment of parameter sets, such as acceleration, speed etc.</i>	556,00