

iCHAIR MC FRONT

1.613

Allowed user weight

140 kg with seat lift CODE 27 (incl. additional load)

160 kg (incl. additional load)





The central leg support makes a 90° knee angle possible



14" drive wheels front



Various optional seating systems



High degree of manoeuvrability due to compact dimensions

Full speed ahead

EFFICIENCY

- Effectiveness through simple maintenance and a high level of service friendliness
- Little need for repairs by implementing high value and durable parts
- Modular structure of the iChair-family enables compatibility of parts and parts groups
- Numerous adjustment options allow individual adaptation
- Simplified reinstallation through perfect user size limitations, as for example a standard user weight of 160 kg

THERAPEUTIC BENEFIT

- The central leg support makes a 90° knee angle possible
- Ideal for retaining mobility at home, at the desk or in the office
- Effective pressure relief and relaxing positioning for long term sitting, through large electric adjustment sectors

FIELD OF USE

- For indoor and outdoor use
- For permanent and all-day use for independent mobility, also with extreme functional limitations
- For working and active people, who need one wheelchair for different everyday situations
- Suitable for outdoor use through large serial tyres and optionally available 10 km/h-version
- Indoor spaces can easily be mastered due to the compact dimensions and high level of agility

ORDER

COST ESTIMATE

CUSTOM DESIGN

Please send the order form by e-mail to:

info@meyragroup.com

Customer service: +49 571 93292 555

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

Order quantity:

MEYRA



Price basic model

£7295



Basic equipment

- Batteries
- Battery charger

- Leg supports, removable and swivelling
- Standard side panel



Allowed user weight

140 kg with seat lift CODE 27 (incl. additional load)
160 kg (incl. additional load)



Hints

Our Terms and Conditions as stated at www.meyra.de/AGB shall apply
You can find information on the measurement process at www.meyra.de/messverfahren

Valid from 01.01.2025 – 31.12.2025.
Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de
You avoid queries and incorrect orders thanks to the buildability check

USER DATA

First name

Name

Street

ZIP CODE

City

Country

Birthday

Diagnosis 1

Diagnosis 2

Tel.

Mobil

E-mail

Order number

Health insurance fund / cost unit

Specialist trade Contact person/phone.

Supply specialist MEYRA

Approval info from week

ANATOMICAL DATA (IN MM)

1) Seat depth

2) Seat width

3) Chest width

4) Chest depth

5) Elbow height

6) Armpit height

7) Back height


8) Head height

9) Forearm length

10) LLL

Body height

Weight (kg)



Remarks

Large empty text area for remarks.

I accept the Terms and Conditions of Meyra Distribution GmbH (valid as of January 2023)

<https://www.meyra.com/gtc/>

Date

Date input field

City

City input field

Signature

Signature input field



Technical specifications

¹⁾ see category seat width

²⁾ to seat pan without cushion

³⁾ without legrests and without armrests

⁴⁾ with adjustable back

⁵⁾ seating Systems: Standard / ErgoSeat / Recaro

⁶⁾ see category leg and footrests

Seat widths in mm	380 - 650 ¹⁾
Seat depth in mm	400 - 560 / 400 - 560 / 480 - 530 ⁵⁾
Back support height in mm	450 - 500 / 530 - 570 / 640 ⁵⁾
Lower shank length in mm	280 - 430 / 330 - 450 ²⁾⁶⁾
Arm support height in mm	240 - 350 ²⁾
Front seat height in mm	440 - 510 ²⁾
Seat height with Code 27 seat lift	460 - 760 ²⁾
Length with footrest in mm	1065 - 1130
Length without footrests in mm	910
Width ready to drive in mm from	630
Height without head support in mm	960 - 1080 ⁴⁾
Transport length in mm	910
Transport height in mm	610
Front wheel size in mm	352 x 75 (14")
Rear wheel size in mm	230 x 70 (9")
Max. obstacle height in mm	60
Turning radius in mm	650
Max. range in km with 38 Ah (5 h), 45 Ah (20h) battery	max. 25 km
Range with battery 63 Ah (5h), 80 Ah (20h)	max. 40 km
Transport weight	108 kg ³⁾
User weight	140 kg with seat lift, max. 160 kg for SD 46, max. 140 kg for SD 49/53, max. 100 kg for SD 40/43
*Zul. Gesamtgewicht in kg	280 kg
Max. additional loading	10 kg
Driving speed	6 km/h / 10 km/h
Motor power	2 x 220 W / 2 x 300 W
Permitted inclination/slopes	11%
Form of steering	indirect
Seat camber electric	4° - 26° / 0° - 50°
Seat camber mechanical	4° - 10°
Back support angle electric	-10° - 50°



Technical data *** continued

Back support angle mechanical

-10° - 30°

Drive

Front

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

00 Chassis/Motorisation

CODE	SPEED	RANGE	MOTOR POWER	GBP £
115	6 km/h	max. 40 km	2 x 220 W	0,00
117/918	10 km/h incl. ESP-driving stability module	max. 35 km	2 x 300 W	802,94
<p>⚠ Not in combination with R-NET LED CODE 702/415 Not in combination with VR-Control CODE 408 Only in combination with CODE Safety belt with lock 833 Only in combination with TÜV-Gutachten CODE 4772</p>				

Chassis options

CODE	DESCRIPTION	GBP £
892	Standard suspension for user weight up to 120 kg	0,00
891	Reinforced suspension for user weight 120 - 160 kg	0,00

01 Seat width (SW)

CODE	DESCRIPTION	SEAT SURFACE WIDTH	GBP £
38	SW continuously adjustable from 380 to 500 mm through the arm supports	380 mm	0,00
43	SW continuously adjustable from 430 to 550 mm through the arm supports	430 mm	0,00
48	SW continuously adjustable from 480 to 600 mm through the arm supports	480 mm	0,00
53	SW continuously adjustable from 530 to 650 mm through the arm supports	530 mm	0,00

⚠ I.c.w. ErgoSeat Pro only SW 430 and 480 mm possible
 With RECARO the real seat width is approx. 500 mm
 Overview of RECARO seats on request

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

02 Front seat height (FSH) in combination with castor wheel (without seat cushion)

VSH measured at 4° seat inclination, upper edge of seat plate

Front seat height in mm (FSH)

Code	Ø	rim	Tyres	440	480	510
163/146	9"	Aluminium rim	Puncture protected pneumatic tyres			
163/900	9"	Aluminium rim	Puncture-proof tyres	100,00	100,00	100,00

! Only VSH 480 mm is possible in conjunction with C. 27 or c. 4118

Steering wheel options

CODE	DESCRIPTION	GBP £
816	Splash guard for steering wheels	138,00

03 Drive wheels

Puncture- resistant pneumatic tyres CODE 846

Puncture proof tyre CODE 904

Code	Ø	rim	Puncture- resistant pneumatic tyres CODE 846		Puncture proof tyre CODE 904	
			grey	black	grey	black
460	14"	Aluminium rim			100,00	100,00

Rear wheel options

CODE	DESCRIPTION	GBP £
824	Mudguard for drive wheels	100,00

Please select by ticking the relevant boxes

S Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

05 Seat tilting/seat lift

The adjustment area may vary by max. +/- 3° depending on the seat height and size of the steering wheels.

CODE	DESCRIPTION	SEAT TILT/LIFT	GBP £
119	Mechanical seat tilting	4° to +10°	0,00
118	Electric seat tilt, infinitely variable by 22° ! Only in combination with adjustment module VR2 CODE 682	4° to +26°	1.050,00
27	Cross-lift 300 mm lift incl. tilting ! Only in conjunction with R-Net CODE 702 only in conjunction with VSH 480 mm	0° to +30°	1.800,00
4118	Electric tilt-in-space, stepless by 50° ! The seat depth 56 cm CODE 356 is not possible in combination with ErgoSeat backrest CODE 949 only in conjunction with CODE 833 retaining strap with lock only in conjunction with VSH 480 mm	0° - 50°	900,00

06 Seat depth (SD)

	(C-615)	(C-788)	(C-619)	(C-792)	(C-793)	(C-356)
	400 mm	430 mm	460 mm	490 mm	530 mm	560 mm

Seat depth (SD)

! CODE 615 Seat-depth 400 mm only in conjunction with CODE 5158 maintenance-free batteries approx. 66 Ah (5h), 80 Ah (20h)

Please select by ticking the relevant boxes


 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

07 Seat system

CODE	DESCRIPTION	GBP £
561/4276	Seat cushion	132,00
4276	Seat plate without seat cushion	72,00
948	ErgoSeat-seat	250,00
7206	Netti Uno Seat	149,00
7203	Netti Sit	210,60
7400	Ride Forward	337,88
7401	Ride Java	368,43

08 Back systems

CODE	DESCRIPTION	BACK HEIGHT	GBP £
608	Round tubes, 22 mm, incl. continuous push bar  prepared for external back systems		0,00
287/735	Adjustable back strap without padding	500 mm, convertible to 450 mm	77,00
287/736	Adjustable back strap with padding	500 mm, convertible to 450 mm	100,00
949	ErgoSeat back,	590 mm, convertible to 630 mm	250,00
2019	ErgoSeat Pro comfort back including overlay cushion	590 mm, convertible to 630 mm	350,00
7201	Netti Uno Back	620 mm, convertible to 670 mm	453,00
7209	Netti Smart	620 mm, convertible to 670 mm	211,20
221/7207	Netti Stabil	620 mm	224,40
638/7207	Netti Stabil	670 mm	224,40
221/7210	Netti Super Stabil	620 mm	233,20
638/7210	Netti Super Stabil	670 mm	233,20
7205	Back cushion Netti Kyphotic	620 mm, convertible to 670 mm	176,00
7454	Ride Grande		N/A

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

Optional seat units incl. headrest



RECARO seats are currently not available

CODE	Seat unit	Back support	
		mechanical	electric
579/567	RECARO S/F short seat with little side surface	N/A	N/A
580/578	RECARO M/W long seat with very long side bolsters	N/A	N/A
581/584	RECARO L/X long seat with pronounced lateral guidance	N/A	N/A

ErgoSeat-covers

CODE	DESCRIPTION	GBP £
237	ErgoSeat-cover, textile, black-grey plaid	0,00
4980	ErgoSeat-cover, incontinec, black	0,00

ErgoSeatPRO Comfort Back Accessories

CODE	DESCRIPTION	Mass in mm (H X W Inside/Outside x D)	GBP £
2021	Thorax cushions, pair, large  Only in combination with ErgoSeat Pro comfort back CODE 2019	310 x 125/70 x 140	250,00
2032	Thorax cushions, pair, small  Only in combination with ErgoSeat Pro comfort back CODE 2019	230 x 120/60 x 125	250,00

09 RECARO-Covers



CODE	DESCRIPTION	GBP £
235	ErgoSeat Pro chest pelottes, large, pair	0,00

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request


Standard version: If no other selection is made, the standard version will be delivered.

10 Back support options (Adjustments)

CODE	DESCRIPTION	Adjustments		GBP £
814	Continuous push bar			0,00
410	Single push handles incl. stabiliser rod			80,00
2814	Continuous push bar for RECARO seat systems  only in combination with RECARO			125,00
913	Head support, synthetic leather black			135,00
589	Suspender seatbelt			0,00
401	Mechanical back support adjustment	-10° to 30°	10° increments	0,00
25	Electric back support adjustment  Only i.c.w. control of adjustment motors CODE 682 or CODE 678 Only i.c.w. tether CODE 833 It is recommended to use the headrest, imitation leather black (CODE 913)	-10° to 50°	infinitely variable	450,00

11 Arm supports and arm pads

1 = detachable 2 = height adjustable 3 = width adjustable 4 = depth adjustable

CODE	DESCRIPTION	FUNCTIONS	GBP £
106	Standard arm support with upholstered arm pad and black clothes guard	1,2,3,4	0,00
4960	Side panel with padded armrest, black clothing guard with colour insert and slight trough in arm pad	1,2,3,4	75,14
21	Side panel with padded armrest, black clothing guard with colour insert and angled arm pad, long	1,2,3,4	220,00
14	High-quality armrests on the backrest, adjustable in width, height and angle		600,00
4422	Armrest fixation in initial position  only i.c.w. armrest CODE 14		60,00

Please select by ticking the relevant boxes Special construction/individual solution o.r. - on request Standard version: If no other selection is made, the standard version will be delivered.

Armrest hemiplegia

CODE	DESCRIPTION	GBP £
4982	Hemiplegia forearm rest, swing-away a. height adjustable ⚠ only in conjunction with CODE 106, 4960, 21; always on the opposite side to the control module	96,61
4983	Extension for hemiplegia forearm shell ⚠ only i.c.w. CODE 4982 Hemi forearm support For forearm length to the middle of the hand 43cm +/- 2cm	13,21
4985	Hemi hand rest flat	30,00
4987	Hemi hand rest with ergonomic handle on the left	30,00
4986	Hemi hand rest with ergonomic handle on the right	30,00

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

12 Leg supports

CODE	DESCRIPTION	GBP £
93	Legrests, detachable and swing-away	0,00
92	Leg supports, swivelling upward, removable and swing-away ⚠ not i.c.w. footrest CODE 54	120,00
86	Legrests, electrically swivelling upward, removable and swing-away ⚠ only i.c.w. operating module R-NET CODE 702 not i.c.w. footrest CODE 54	800,00

⚠ Standard abduction +/- 20 mm per side

Central legrest

Please note that the central legrests are not removable.

Please note the height of the seat cushion: standard seat cushion +60 mm, ErgoSeat +70 mm.

CODE	DESCRIPTION	LS-ANGLE	LSL	GBP £
5100	Central legrest, mechanically angle adjustable	85°-95°	280-400 mm	700,00
5101	Central legrest, mechanically angle adjustable	85°-95°	330-450 mm	700,00
4935	Central legrest, for FSH 440mm, electrically angle- / length-adjustable, ergonomic length compensation up to LS angle 150°. ⚠ Only i.c.w. control of adjustment motors CODE 682 or CODE 678 Only i.c.w. calf pad CODE 945 Not i.c.w. SD 400 mm CODE 615 and SD 560 mm RECARO	90°-170°	200-360 mm	1.200,00
5104	Central legrest, for VSH 480 mm and 510 mm, electrically angle / length adjustable, ergonomic length compensation up to LS angle 150°. ⚠ Only i.c.w. control of adjustment motors CODE 682 or CODE 678 Only i.c.w. calf pad CODE 945 Not i.c.w. SD 400 mm CODE 615 and SD 560 mm RECARO	90°-170°	200-360 mm	100,00
4949	Central legrest, electrically angle/length adjustable, electrically lowerable to the floor, ergonomic length compensation up to LS angle 150°. ⚠ Only i.c.w. control of adjustment motors CODE 682 or CODE 678 Only i.c.w. calf pad CODE 945 Not i.c.w. SD 400 mm CODE 615 and SD 560 mm RECARO	90°-170°	330-450 mm	1.350,00

Footplate options for central legrest

CODE	DESCRIPTION	GBP £
5108	Standard footplate	0,00
5107	Single footplates, separately adjustable ⚠ not i.c. with code 4949	0,00

Please select by ticking the relevant boxes

 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

13 Footrests for split leg rests

CODE	DESCRIPTION	depth	LSL	GBP £
54	Continuous footrest, 60 mm depth adjustable (in 4 steps), flip-up, height and angle adjustable ⚠ Only i.c.w. legrest Code 93	150 mm	280-430mm	150,00
798	Two-piece footrest flip up, height and angle adjustable	150 mm	280-430mm	0,00

⚠ Lower leg length increases with standard seat cushion +60 mm, ErgoSeat +70mm, RECARO +150 mm

Leg/foot rest options

CODE	DESCRIPTION	GBP £
105	Footboard adapter: abduction +/- 45 mm per side	105,69
822	Shoe fastening strap (pair)	30,00
823	Heel cup (pair)	60,00
945	Calf pad	150,00

14 Batteries and Chargers

CODE	DESCRIPTION	RANGE	GBP £
5159	Maintenance free batteries approx. 43 Ah (5h), 50 Ah (20h) ⚠ Not in conjunction with SD 400 mm CODE 615	10 km/h 25 km / 6 km/h 30 km	0,00
5158	Maintenance-free batteries approx.66 Ah (5h), 80 Ah (20h)	10 km/h 35 km / 6 km/h 40 km	150,00
732	Charger 8 A for 50 Ah(20h)		0,00
733	Charger 12A recommended for 80 Ah (20 h)		200,00

15 Lighting

CODE	DESCRIPTION	GBP £
932	Active LED-lighting front and rear acc. to StVZO	0,00

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

16 Joystick modules and accessories


CONTROL

Code	Control modules	none	2 / 682	6 / 678	8 / 780
408	VR2		100,00		
702/415	R-NET LED			350,00	
702/416	R-NET LCD			800,00	
702/398	R-NET LCD IR/BT			1.150,00	
702/839	R-NET OMNI II			1.350,00	

 Code 839 OMNI II Flashing function and horn function only selectable via menu

External adjustment module

External 5-way adjustment module (C. 4615/4597) - mounting on the operating module side only on REQUEST

CODE	DESCRIPTION		GBP £
4599/4615	External adjustment module for the direct activation of electrical adjustments - installation opposite to the operating module side	5-fold	1.000,00
	 Only in combination with R-NET CODE 702		
	For an individual assignment, please use the following matrix!		
	Not in combination with swivelling table tops CODE 4660 and 4661		
	Not in combination with laterally swivelling therapy table CODE 4646		

Key	without assignment	Back support	Seat	CM left	CM right	CM synchron	Central legrest	Central legrest height	Seatlift
(1)									
(2)									
(3)									
(4)									

Version No.: #1257 - 11.07.2024 / 2025-04-16 13:37:20

(5)

Please select by ticking the relevant boxes

S Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.




Assembly of the operating module

CODE	DESCRIPTION	CONTROLS	GBP £
74	Assembly right		0,00
60	Assembly left		0,00

software

CODE	DESCRIPTION	GBP £
985	Series programming (standard)	0,00
998	Special programming (deviation from standard)	0,00

17 Operating module bracket

CODE	DESCRIPTION	GBP £
4859	Operating module bracket, length adjustable	0,00
4566	Operating module bracket, length and height adjustable	99,00
4860	Operating module bracket, length and height adjustable, swivelling to the side (e.g. on a table)	150,00
4874	Protection bar for operating module VR2 and R-NET  Not in combination with R-NET OMNI II 702/839	44,00
851	Operating module bracket for accompanying person (operating module can be moved from the front to the rear)  Only i.c.w. continuous pushing bar CODE 814	150,00
4789	Additional operating module with priority switch for accompanying person, incl. assembly on the frame tube  Only i.c.w. continuous pushing bar CODE 814	300,00

Please select by ticking the relevant boxes

Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

18 Special operating modules

Special control modules and special controls often have to be adapted and can therefore generally not be finished products.

Positioning and programming must be carried out with the involvement of the user or by a technician at the user's premises. Other special controls are possible on request.

CODE	DESCRIPTION	GBP £
4660	Table plate with recess (centred) for operating module, swivelling to the right	400,00
4661	Table plate with recess (centred) for operating module, swivelling to the left	400,00
813	Table top control, completely swivelling ⚠ Only in conjunction with R-NET control module with LED display CODE 702/415	2.770,00
543	External on/off switch, diameter 63 mm, green ⚠ Only in combination with R-NET LCD CODE 702/416 or R-NRT OMNI II CODE 702/839	202,00
596	External on/off switch, diameter 63 mm, yellow ⚠ Only in combination with R-NET LCD CODE 702/416 or R-NRT OMNI II CODE 702/839	200,00
778	External on/off switch, diameter 30 mm, green ⚠ Only in combination with R-NET LCD CODE 702/416 or R-NRT OMNI II CODE 702/839	180,00
779	External on/off switch, diameter 30 mm, yellow ⚠ Only in combination with R-NET LCD CODE 702/416 or R-NRT OMNI II CODE 702/839	180,00
4612	MicroGuide way joystick ⚠ only in combination with R-NET OMNI II CODE 702/839 temporarily not available	N/A
4601	MicroGuide way joystick including bracket and hand pad ⚠ only in combination with R-NET OMNI II CODE 702/839 temporarily not available	N/A

external on/off button for users who have difficulty operating the buttons on the control module or as an emergency off function for accompanying person

Please select by ticking the relevant boxes Special construction/individual solution o.r. - on request Standard version: If no other selection is made, the standard version will be delivered.**Joystick attachments**

CODE	DESCRIPTION	GBP £
553	Tetra-fork vertical	100,00
556	Tetra-fork horizontal	100,00
734	Tetra-fork horizontal, adjustable to hand width	100,00
4589	Mushroom grip	40,00
4590	Ball grip	40,00
4591	T-grip	40,00
4593	Stem grip	40,00
4594	Button grip	40,00
4595	Softball	40,00
4596	Golf ball d=43 mm small	40,00

19 Frame colours / accent colours




CODE	FRAME	AKZENTE	GBP £
5220	Frame colour as requested by custome		#o.r.
207	Matt black		0,00
212	Matt black	Polar white	100,00
212/5220	Polar white	Polar white	350,00
186	Matt black	Magic Blue	100,00
186/5220	Magic Blue	Magic Blue	350,00
227	Matt black	Red Metallic	100,00
227/5220	Red Metallic	Red Metallic	350,00
180	Matt black	Lemon reflex	100,00
180/5220	Lemon reflex	Lemon reflex	350,00
214	Matt black	Sun yellow	100,00
214/5220	Sun yellow	Sun yellow	350,00

Please select by ticking the relevant boxes

 Special construction/individual solution o.r. - on request

 Standard version: If no other selection is made, the standard version will be delivered.

20 Options around the wheelchair

CODE	DESCRIPTION	GBP £
906	Rear-view mirror right	50,00
927	Rear-view mirror left	50,00
970	Crutch holder	50,00
4795	Anti-theft function, key  only i.c. with R-Net	40,00
833	Safety belt	50,00
4646	Therapy table swivelling sideways	320,00
590	Abduction wedge  only in conjunction with seat pan CODE 4276 or ErgoSeat CODE 948	150,00
260	Memory-function for head support	30,00
957	Rigid side cushion (pair)	100,00
954	swivel away side cushion (pair)	500,00
781	USB charging socket	120,00
782	Receptacle for mobile phone bracket  not in conjunction with R-NET OMNI II CODE 839 Cell phone holder not included in scope of delivery	50,00
4772	TÜV certificate	0,00
2676	Warning sign sticker  only in conjunction with ErgoSeat	72,00
676	Rear marking plate	80,00

21 Service

CODE	Item	DESCRIPTION	GBP £
55704		Flat fee for customised parameterisation (not eligible for discounts)	556,00

 The on-the-spot service covers only simple adjustment of parameter sets, such as acceleration, speed etc.