![INVACARE — Trusted Solutions, Passionate People — Yes, you can.]

Tel: 01656 776222   Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

March 2017

Customer Ref :	**Account No :**
Contact No :	**Order No :**
Delivery Address :	**Order Qty :**
	Order Date :

Spectra XTR3®
(Standard Seat®)

Max User Weight 130Kg (20.5 stone)   **Retail**

Standard Features

CRASH TESTED   CE

Invacare® Modulite™
An evolution in seating designed around you.

With Simply Smart
LiNX®

- Tension adjustable backrest upholstery
- One Piece Seat Plate width 430 mm (17") (adjustable by arms 440 - 480 mm, 17-19") with standard foam cushion (50mm, 2")
- Seat Depths 410mm - 510mm (16" - 20")
- Detachable T-Armrests, height, width & depth adjustable with standard armpad
- **Powered seat tilt (20° achievable)** & manual backrest recline (90° to 120°)
- Swing away and detachable legrest hangers with fixed footplate
- LiNX Control System with Standard bracket
- 200mm x 45mm (8" x 1.175") puncture proof PU-foam sealed, grey castors
- 318mm x 57mm (12.5" x 2.25") puncture proof solid inlay grey drive wheels
- Rear suspension (Strong Silver spring)
- Choice of 2 Chassis Colours, 7 Body Shroud Colours, 3 Rim colours
- 6km/h (4mph) 2 Pole Motors and 50Ah Batteries
- Bolt on or quick release anti tippers
- 4 Point tie down system
- Lapbelt with autolock (adjustable both sides)
- Toolkit and 8A (200 - 250V) Charger

Standard base price: £2,850

* Configurations may vary to the image shown

	X	Please make your selection with a cross in the box ◆ Standard feature ○ Free of Charge	Retail
Code		**Description**	**Retail**
ASL0065		**Spectra XTR3 Basic Model**	◆
ASZ0065		**Spectra XTR3 Basic Model, PLEASE FILL IN DETAILS AT THE END OF THIS FORM**	**POA**
SEATING TYPE			
ASL2100	X	**Modulite Standard Seating Unit**	◆
		SEAT FRAME AND SEAT PLATE	
ASL2110	X	One Piece Standard Seat Plate	**£ 2,850**

Customer Ref: Spectra XTR3 Basic
Order number: Page 1 of 5   Subject to Invacares standard terms and conditions.
                                                                               Invacare reserve the right to alter product specification without prior notice

		SEAT WIDTH SETTING FOR ADJUSTABLE SEAT FRAME		
ASL2122	X	440 - 480 mm (17- 19") Seat Plate (additional 50 mm, 2" adjustment on armrests)		◆
		SEAT DEPTH SETTING		
ASL2132		410 mm (16") (adjustable 410-510 mm stepless adjustment)	Not available with long armpad	○
ASL2134		460 mm (18") (adjustable 410-510 mm stepless adjustment)		○
ASL2136		510 mm (20") (adjustable 410-510 mm stepless adjustment)		○
		SEAT CUSHION (sizes according to seat frame settings)		
ASL2141		Standard Foam Cushion 50 mm thick		◆
ASL2142		Matrx Flo-tech Cushion:Lite (75mm up to 127 kg); Contour (100mm up to 191 kg)		£54
ASL2143		Matrx Flo-tech Contour Visco 430 x430 mm [max. user weight 125 kg]		£59
ASL2140		Without seat cushion		○
		BACKREST SUPPORT		
ASL2161	X	Backrest frame, detachable, height 480 mm 19" (one size, manual settings only)		◆
		BACKREST UPHOLSTERY / CUSHION		
ASL2171		Tension Adjustable (standard = 480 mm, 19")		◆
ASL2170		Without Backrest Upholstry (back post's/Back Frame Only)		○
		UPHOLSTERY COLOUR		
ASL2151	X	Black fabric (nylon w 2142; 2-way-stretch material w 2142, 2143)		◆
		ARMREST		
ASL2191		T-Arm detachable		◆
ASL2181		T-Arm detachable (50mm higher)		£32
		ARMPAD for T-ARMREST (2191)		
ASL2195		Short Armpad (325 mm)		◆
ASL2196		Long Armpad (375 mm)		○
ASL2197		Long Ergonomic Armpad (397 mm)	Not available with 410mm Seat Depth	○
ASL2199		Soft Armpad		○
SEAT ADJUSTMENTS				
		SEAT TILT		
ASL1092	X	Electric Tilt (20° achievable) Seat Height 450mm		◆
		BACKREST RECLINER		
ASL0975	X	Manually Settable Recliner **(in 3.75° Steps)** (0° - 30°) removable with handwheels at the base of the backpost for easy folding		○
LEGREST PAIRS/FOOTREST				
		FOOTREST HANGER TYPE / PAIRS		
ASL0526		Standard hanger 80° pair	Not available with Angle Adjustable Footplate, Angle adjustable Footboard	○
ASL0529		Hanger, manually height adjustable, pair (Rea style)	Not available with Angle adjustable Footplate or Angle adjustable Footboard	○
ASL0503		Hanger Vari F pair (adjustable Via Tools)		£95
ASL0533		Hanger Vari A pair (adjustable Via Hand knob)	Not available with Fixed Footplate or Angle adjustable Footboard	£185
ASL0531		Hanger ADE (Electrical Elevators) 0° - 80° pair	Not available wirh Fixed Footplate, Angle adjustable Footboard	£530
		FOOTPLATE TYPE / PAIRS		
ASL0512		Fixed Footplate pair		◆
ASL0504		Angle adjustable Footplate pair		£25
ASL0513		Angle and depth adjustable Footplate pair		£94
ASL0522		Angle adjustable Footboard	Not available with Central Kerb Rider	£121

Customer Ref:

Order number:

Spectra XTR3 Basic

Page 2 of 5

Subject to Invacares standard terms and conditions.
Invacare reserve the right to alter product specification without prior notice

Simply Smart

REMOTE LiNX

LiNX USER REMOTE & BRACKET

ASL2203	Remote LiNX DLX-REM211 Drive & Actuators	Not available with lights	◆
ASL2204	Remote LiNX DLX REM216 Drive, Actuators & Lights		£120
ASL1207	Standard Bracket RH		❍
ASL1208	Standard Bracket LH		❍
ASL1707	Swing Away RH		£105
ASL1708	Swing Away LH		£105

LiNX ATTENDANT CONTROL & BRACKET

ASL2221	Remote LiNX, DLX-REM211 Drive & Actuators	Not available with lights	£15
ASL2222	Remote LiNX, DLX-REM216 Drive, Actuators & Lights		£65
ASL1207	Standard Bracket RH		❍
ASL1208	Standard Bracket LH		❍

LiNX DUAL CONTROL & BRACKET

ASL2220	Dual Control LiNX DLX-REM050 Drive only	£313
ASL1207	Standard Bracket RH	❍
ASL1208	Standard Bracket LH	❍

LiNX 10-WAY SWITCH

ASL2251	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)	£400
ASL2217	Bracket RH, mounted for user	❍
ASL2218	Bracket LH, mounted for user	❍
ASL2227	Bracket RH, mounted for attendant	❍
ASL2228	Bracket LH, mounted for attendant	❍

LiNX ACCESSORIES (For Buddy and Piko Buttons please see Powerchair Alternative Options form)

ASL2252	Loom providing jack sockets for 10 way switch and buddy button (Mode)	£80

Drive Only — REM110
Drive & Actuators — REM211
Drive, Actuators & Lights — REM216
Dual Control — REM050
10-Way Switch

DRIVE UNIT OPTIONS

FRAME COLOUR (std. components partly in silver)

ASL0228	Black	❍
ASL0252	Arctic White	❍

BODY SHROUD COLOURS

ASL0242	Pearl Night Blue	❍
ASL0243	Metallic Silver	❍
ASL0224	Black	❍
ASL0204	Transparent Cherry Red	❍
ASL0222	Arctic White	❍
ASL0248	Grasshopper Green	❍
ASL0279	Sunshine Yellow	❍

Customer Ref:

Order number:

Spectra XTR3 Basic

Page 3 of 5

Subject to Invacares standard terms and conditions.

Invacare reserve the right to alter product specification without prior notice

	RIM COLOUR			
ASL0290		White		❍
ASL0292		Silver		❍
ASL0291		Black		❍
	CASTORS			
ASL0835		9" Castor, Pneumatic, Black (non-marking)	*only available with Silver rims*	❍
ASL0836		9" Castor, Puncture proof solid inlay, Black (non-marking)		❍
ASL0828		8" Castor, puncture proof solid PU-foam, Black (non-marking)	*only available with Silver rims*	❍
	DRIVE WHEELS			
ASL0714		318 x 57mm (12.5 x 2.25") pneumatic, Black (non-marking)	*only available with Silver rims*	❍
ASL0715		318 x 57mm (12.5 x 2.25") puncture proof solid inlay, Black (non-marking)		❍
PERFORMANCE OPTIONS				
	SUSPENSION			
ASL1264		Rear suspension, standard (STANDARD Silver Spring)		❍
ASL1265		Rear suspension, strong (STRONG Black Spring)		◆
ASL1220		Rear suspension, Xtra Strong (Extra STRONG Spring Black with dampners Black)		❍
	MOTOR TYPE			
ASL1294		3 km/h (2mph) indoor speed setting	Not Available with LiNX, P&G remotes, Kerb rider	❍
ASL1282		6 km/h (4mph)		◆
ASL1283		10km/h (6mph), includes LED light system with indicators and rear wheel fenders (1437 and 1417)	Only availabe with 9" castors	£397
	BATTERY			
ASL1257		**50 Ah (Gel)**		❍
PERFORMANCE ACCESSORIES				
	G-TRAC			
ASL1215		G-trac ensures the powerchair takes the intended direction as indicated by the user control, without the need for continual correction by the client on uneven or sloping terrain.	Only with DX2 and LiNX	£653
	CHARGER			
ASL1343	X	OptiCharge Charger 8A		◆
SAFETY OPTIONS				
	ANTI-TIPPERS			
ASL1234		Bolted on Anti Tippers		◆
ASL1201		Quick release		❍
	LIGHTS			
ASL1437		LED light system with Indicators		£360
ASL1254		Without Light system		❍
SAFTEY ACCESSORIES				
	KERB RIDER			
ASL1244		Central Kerb Rider (with parking position) capable of climbing kerbs up to 100mm (4")	Not available with Angle adjustable Footboard, Indoor setting	£168
	TRANSPORTATION KIT			
ASL1494	X	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (**Adequate headrest is compulsory,** see options below)		◆
	HEADRESTS ADEQUATE FOR PERSON TRANSPORTATION			
ASL1495		Equivalent Headrest supporting the requirements of ISO7176-19:2001, provided independently from this order		❍
	LAP BELT			
ASL1329		Lapbelt (adjustable both sides) fitted to base of backrest		❍
ASL2113		Lapbelt (adjustable both sides) adjustable mounting on seat rail extrusion		◆

	REARVIEW MIRROR		
ASL1415		Rear view mirror RH	**£33**
ASL1339		Rear veiw mirror LH	**£33**
	WHEEL LOCK / PARKINGBRAKE		
ASL1206	**X**	Wheel Lock / Parking Brake pair	◆

ACCESSORIES

	LUGGAGE RACK		
ASL1438		Luggage rack	**£261**
	CANE HOLDER **(in combination with attendant or dual control the caneholder has to be mounted on the opposite side of the remote)**		
ASL1312		Cane Holder RH	**£33**
ASL1363		Cane Holder LH	**£33**
	FENDER		
ASL1417		Fender for rear wheels (mandatory for 1437)	**£83**
	TRAY (PLEASE CHOOSE OPPOSITE HAND TO USER CONTROL)		
ASL1404		Swing Away RH Not available with RH Brackets	**£132**
ASL1405		Swing Away LH Not available with LH Brackets	**£132**
	TOOLKIT		
ASL1333	**X**	Toolkit (included 2x Screwdriver, 3x hexagon socket screw key, open-jawed spanner and main fuse)	◆

Total Price:	

Please refer to our Invacare Unique special order form, for more complex custom requirements.
Available at www.invacare.co.uk

Special Instructions - Please supply the following information:

Name: **Email:**

Phone: **Fax:**

Description of special request (please include relevant option code or part number):