

Aquatec Ocean Family

The Aquatec **Ocean** series of shower commode chairs offers a flexible, modular solution for a wide range of clients. The range consists of transit, self-propel, tilt in space as well as powered tilt and recline models.

Tried and tested by Healthcare Professionals



Aquatec **Ocean**



Aquatec **Ocean XL**

- Stainless steel corrosion free frame
- Individually adjustable seat height: no tools required
- Machine-washable tension adjustable backrest, can be adjusted to the user for positioning of the spine
- Space-saving push bar to enable optimal positioning over the toilet
- Ergonomic, swing-away armrests can be adjusted to two different height levels
- Height-adjustable, swing-away and detachable legrests for ease of transfer
- Fold-away, textured footplates with heel loops for safe positioning

The **Ocean** is available as follows:

- **Ocean** Transit version with castors, soft seat with insert pan and lid. **Product code: 1517044**
- **Ocean** Self-propel model with 24" wheels, quick-release-axles and four castors, soft seat with insert, pan and lid. **Product code: 1517045**
- **Ocean** Transit XL version: More space between the backrest posts, with castors, soft seat with insert, pan and lid. **Product Code: 1517058**
- **Ocean** SP XL with 24" wheels and XL backrest. **Product Code: 1517059**

Standard Features and Options



Ocean 24" wheels
Self-propel model with 24" wheels, quick-release axles and four castors.



Ocean XL
More space between the armrests with a load capacity of up to 180 kg.



Tension adjustable back can be adjusted to the client.



Easy clip
Individually adjustable seat height.



Easy disassembly for recycling.



Stable, stainless steel frame. Corrosion resistant. Can be used in hydro pools.



Standard soft seat with key shaped cut out for hygiene access.



Height and angle adjustable swing away footrests with textured footplates and heel loops.



Aquatec **Ocean VIP**

- Stainless steel corrosion free frame
- Seat tilt can be individually adjusted (tilt angle 0° - 35°)
- Stainless steel gas spring
- Extremely stable even at maximum tilt angle
- Seat height adjustable in 3 steps, no tools required
- Very comfortable, ergonomically contoured seat
- Machine-washable tension adjustable backrest can be adjusted for positioning of the spine.

The **Ocean VIP** is available as follows:

- Standard version with castors, toilet pan holder and soft seat, insert, pan and lid. 150kg SWL **Product code: 1517060**
- **Ocean VIP XL** (more space between the armrests) with castors, soft seat with insert, pan and lid. 150kg SWL **Product code: 1517061**
- The **Ocean VIP** can be retrofitted with XL armrests for additional width.

Standard Features and Options



Seat tilt
Tilt angle 0° - 35°.



Headrest
Height and depth-adjustable headrests included.



Directional lock
Easy to operate brakes on 3 castors, 1 castor with directional lock to help push the chair in a straight line.



Adjustable seat height
Adjustable in 3 steps, no tools required.



Standard soft seat with key shaped cut out for hygiene access.



Height and angle adjustable swing away footrests with textured footplates and heel loops.



Tension adjustable back can be adjusted to the client.



Toilet pan with handle and cover as standard.



Aquatec **Ocean Dual VIP**

*model shown with optional calf support

- Seat tilt can be individually adjusted (tilt angle 0° - 35°)
- Two additional stainless steel gas springs to lower the backrest (recline angle 10° - 50°)
- Second operating lever with safety lock to lower the backrest
- Particularly stable even at maximum tilt angle, anti-tippers included
- Machine-washable tension adjustable backrest can be adjusted for the positioning of the spine.

The **Ocean Dual VIP** is available as follows:

- Standard version with castors, soft seat with insert, pan and lid. **Product code: 1517062**
- The **Ocean VIP** can be retrofitted with reclining backrest for the **Ocean Dual VIP** and be fitted with anti-tippers
- The **Ocean Dual VIP** can be retrofitted with XL armrests

Standard Features and Options



Fully upright



Seat tilt 0°, backrest recline 25°



Full seat tilt 35°, backrest recline 50°



Anti-tippers included



Headrest
Height and depth-adjustable headrest included.



Adjustable seat height
Adjustable in 3 steps, no tools required.



Tension adjustable back can be adjusted to the client.



Toilet pan with handle and cover as standard.



Aquatec **Ocean E-Vip**

- Seat height can be adjusted between 50-105cm to allow easy access and effortless transfers
- Seat tilt can be tilted forwards and backwards (tilt angle -5° to 35°) to achieve a comfortable seating position. The -5° position offers easier transfer into the chair.
- Particularly stable even at maximum tilt angle and maximum seat height
- Clearly laid out hand control for simple adjustment of the seat height and seat tilt (4 buttons only)
- Fully sealed components: Safe for use in the shower
- Can be cleaned in automatic washers at temperatures up to 85 °C!
- Detachable battery pack can be recharged easily

The **Ocean E-Vip** is available as follows:

- Standard version with castors, soft seat with insert, pan and lid. **Product code: 1518424**
- The **Ocean E-Vip** can be retrofitted with XL armrests

Standard Features and Options



Maximum tilt angle and maximum seat height



Detachable battery pack



Clearly laid out hand control

Accessories Aquatec Ocean



Soft seat

With key shaped cut out for hygiene access.

16341 for **Ocean / Ocean XL / Ocean E-Vip**
1470075 for **Ocean Vip / Ocean Vip XL / Ocean Dual Vip**



Soft seat insert

For soft seat with key-shaped cut out when commode function is not required.

16343 for all models of the **Ocean** series



Soft seat

With small opening suitable for smaller and younger adults.

16342 for all models of the **Ocean** series



Splash guard / pommel

Simply snap-on, suitable for soft seat with key-shaped cut out.

16511 for all models of the **Ocean** series

Accessories Aquatec Ocean



Universal soft seat

Closed seat surface. Smooth and comfortable.

1526032 for all models of the **Ocean** series



Ergonomic soft seat

Allows immersion into the seat for pelvic stability.

1531259 soft for **Ocean, Ocean XL, Ocean Vip, Ocean Vip XL, Ocean Dual Vip**



Variable soft seat

A 4-way position seat allows hygiene access from front, back and side.

1544469 for **Ocean / Ocean Vip / Ocean Dual Vip**



Safety bar

For additional safety. Client can grip bar for additional re-assurance.

10167-10 for all models of the **Ocean** series. Length: 540 mm

1470078 XL safety bar for all XL versions of the **Ocean** series. Length: 620 mm



Safety belts

To ensure necessary safety during the positioning process.

Machine-washable. For all models of the **Ocean** series.

1470081 Chest belt, grey

1470082 Pelvic belt, grey



Armrest locking device

Locks armrest into upright or lowered position.

1470077 for all models of the **Ocean** series



XL back

Increases the distance between the armrests by 80 mm.

Retrofit kit for **Ocean**.

1534979 until SN14551780

1558847 from SN14551781



Backrest

Offers a stable upright position. Easy to clean. Ideal for residential care.

1575299 not suitable for XL models



Soft backrest cushion

For additional stability and positioning. Will benefit small individuals and young adults.

1558769 for **Ocean / Ocean XL / Ocean Vip / Ocean Vip XL / Ocean Dual Vip and Ocean E-Vip**



Wider XL armrests

Increases the distance between the armrests by 40 mm on each side.

Retrofit kit for **Ocean Vip, Ocean Dual Vip** and **Ocean E-Vip**

1470086 Wider XL armrests (pair)



24" wheels (set)

Incl. brakes and removable axles.

16379 for **Ocean**



Calf and amputee support

Padded, both height and angle adjustable.

1556894 left for **Ocean / Ocean XL / Ocean Vip / Ocean Vip XL / Ocean Dual Vip** and **Ocean E-Vip**

1556893 right for **Ocean / Ocean XL / Ocean Vip / Ocean Vip XL / Ocean Dual Vip** and **Ocean E-Vip**

Accessories Aquatec Ocean



Calf support with foot support

Increased support helps distribute load to avoid pressure on lower limbs.

1546705 left for **Ocean / Ocean XL / Ocean Vip / Ocean Vip XL / Ocean Dual Vip** and **Ocean E-Vip**

1546439 right for **Ocean / Ocean XL / Ocean Vip / Ocean Vip XL / Ocean Dual Vip** and **Ocean E-Vip**



Lateral

This support reduces the backrest width and can help position the trunk.

1535077 for **Ocean / Ocean XL / Ocean Vip / Ocean Vip XL / Ocean Dual Vip** and **Ocean E-Vip**



Ergonomic head rest holder

Allows various adjustment positions to manage the clients head position.

1531613 for **Ocean Vip / Ocean Dual Vip** and **Ocean E-Vip**



Head/Neckrest

For ergonomic head rest holder. Offers exceptional management of head position. (Neckrest shown)

1531465 Headrest for **Ocean Vip, Ocean Vip XL, Ocean Dual Vip** and **Ocean E-Vip**

1531608 Neckrest for **Ocean Vip, Ocean Vip XL, Ocean Dual Vip** and **Ocean E-Vip**



Front anti tipper

For additional safety

1535936 for **Ocean Vip / Ocean Vip XL / Ocean Dual Vip**



Toilet pan

With handle and cover.

10230 for all models of **Ocean** series. Length: 460 mm

1541289 lid for toilet pan

Toilet pan holder (not shown)

1527985 for **Ocean / Ocean XL**

1470076 for **Ocean Vip / Ocean Vip XL / Ocean Dual Vip**

1471233 for **Ocean E-Vip**

Technical data


| Order numbers | Aquatec Ocean | Aquatec Ocean 24" wheels | Aquatec Ocean XL | Aquatec Ocean VIP with tilt | Aquatec Ocean VIP XL with tilt | Aquatec Ocean Dual VIP with tilt & recline | Aquatec Ocean E-VIP |
|--|-------------------|--------------------------|-------------------|-----------------------------|--------------------------------|--|---------------------|
| Shower commode chair with castors | 1534327 | | 1534328 | 1470000 | 1470788 | 1470829 | 1471208 |
| Shower commode chair with 24" wheels | | 1534329 | | | | | |
| Shower commode chair with castors and toilet pan holder | | | | 1470712 | | | 1522373 |
| Shower commode chair with castors, toilet pan holder and soft seat | | | | 1470713 | | | |
| Dimensions | | | | | | | |
| Seat width | 480 mm (A) | 480 mm (A) | 480 mm (A) | 500 mm (A) | 500 mm (A) | 500 mm (A) | 480 mm (A) |
| Seat depth | 450 mm (B) | 450 mm (B) | 450 mm (B) | 450 mm (B) | 450 mm (B) | 450 mm (B) | 450 mm (B) |
| | 450 mm (B) | 475 - 600 mm (C) | 475 - 600 mm (C) | 475 - 600 mm (C) | | | |
| Seat height | - | - | - | 510 - 610 mm (C) | 510 - 610 mm (C) | 510 - 610 mm (C) | 500 - 1050 mm (C) |
| Total width | 560 mm (D) | 675 mm (D) | 640 mm (D) | 595 mm (D) | 625 mm (D) | 625 mm (D) | 730 mm (D) |
| Total depth | 900 mm (E) | 1060 mm (E) | 900 mm (E) | 1060 mm (E) | 1060 mm (E) | 1060 mm (E) | 1010 mm (E) |
| Total height without adjustable headrest | 940 - 1070 mm (F) | 940 - 1070 mm (F) | 940 - 1070 mm (F) | 1085 - 1185 mm (F) | 1085 - 1185 mm (F) | 1085 - 1185 mm (F) | 1070 - 1620 mm (F) |
| Depth without footrests | 700 mm (G) | 855 mm (G) | 700 mm (G) | 845 mm (G) | 845 mm (G) | 845 mm (G) | 1010 mm (G) |
| Footplate depth | 155 mm (H) | 155 mm (H) | 155 mm (H) | 160 mm (H) | 160 mm (H) | 160 mm (H) | 155 mm (H) |
| Height to armrest | 680 - 850 mm (I) | 680 - 850 mm (I) | 680 - 850 mm (I) | 720 - 860 mm (I) | 720 - 860 mm (I) | 720 - 860 mm (I) | 730 - 1320 mm (I) |
| Height, footrests to seat | 255 - 495 mm (J) | 255 - 495 mm (J) | 255 - 495 mm (J) | 345 - 465 mm (J) | 345 - 465 mm (J) | 345 - 465 mm (J) | 345 - 465 mm (J) |
| Height, ground to lower seat edge: with holder for toilet pan | | | | | | | |
| without holder for toilet pan | 390 - 520 mm (K) | 390 - 520 mm (K) | 390 - 520 mm (K) | 420 - 520 mm (K) | 420 - 520 mm (K) | 420 - 520 mm (K) | 420 - 970 mm (K) |
| | 410 - 540 mm (K) | 410 - 540 mm (K) | 410 - 540 mm (K) | 440 - 540 mm (K) | 440 - 540 mm (K) | 440 - 540 mm (K) | 465 - 1015 mm (K) |
| Height, seat to armrest | 210 / 250 mm (L) | 210 / 250 mm (L) | 210 / 250 mm (L) | 215 / 245 mm (L) | 215 / 245 mm (L) | 215 / 245 mm (L) | 230 - 270 mm (L) |
| Width between the armrests | 460 mm (M) | 460 mm (M) | 540 mm (M) | 475 mm (M) | 555 mm (M) | 475 mm (M) | 470 mm (M) |
| Width, cut out in seat plate | 205 mm | 205 mm | 205 mm | 205 mm | 205 mm | 205 mm | 205 mm |
| Depth, cut out in seat plate | 320 mm | 320 mm | 320 mm | 320 mm | 320 mm | 320 mm | 320 mm |
| Tilt angle seat | - | - | - | 0° - 35° | 0° - 35° | 0° - 35° | - |
| Tilt angle back | - | - | - | - | - | 10° - 50° | - |
| Graduation, height adjustment | 25 mm | 25 mm | 25 mm | 50 mm | 50 mm | 50 mm | stepless |
| Ø Castors | 5" (127 mm) | 5" (127 mm) | 5" (127 mm) | 5" (127 mm) | 5" (127 mm) | 5" (127 mm) | 5" (127 mm) |
| Ø Drive wheels | - | 24" (610 mm) | - | - | - | - | - |
| Width between the 24" wheels | - | 540 mm (N) | - | - | - | - | - |
| More info | | | | | | | |
| Weight | 14.5 kg | 19.5 kg | 14.5 kg | 23.5 kg | 23.5 kg | 28.3 kg | 39 kg |
| Load capacity | 150 kg | 150 kg | 180 kg | 150 kg | 150 kg | 150 kg | 150 kg |
| Colour | White | White | White | White | White | White | White |

Heel loops are included in the scope of delivery. The toilet pan holder and toilet pan are not.

Ocean with castors


Ocean with 24" wheels

Ocean XL



Ocean VIP / VIP XL / Dual VIP

Ocean E-VIP



Invacare Limited
 Pencoed Technology Park - Pencoed -
 Bridgend CF35 5AQ - United Kingdom
 Tel: +44 1656 776 222
 Fax: +44 1656 776 220
 E-mail: uk@invacare.com
 Sales Order E-mail:
 ordersuk@invacare.com
 www.invacare.co.uk

Invacare Ireland Ltd
 Unit 5 - Seatown Business Campus
 Seatown Road - SWORDS - County
 Dublin - Ireland
 Tel. +353 1 8107084
 Fax +353 1 8107085
 Email: ireland@invacare.com
 www.invacare.ie

Ocean Family - UK - 03/2016 - 1504395

