

English
Company stamp

Rigid frame wheelchair

Date

User name

Responsible

Wheelchair measures

Seat width (LS) 33 36 39 42 45 48
The seat width is measured from the outer sides of the frame, while the distance between the two side guards is 1.5 cm wider.

Seat depth (PS) 35 37,5 40 42,5 45 47,5 50
The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.

Footplate distance (DP) **(Real distance between seat and footplate)**
IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.)

Setting Standard Prudential Active



Backrest Height (TS) Std.Value 33,5(min 24.5-max 47)

Camber 0° 2° 4°

Front height - Tick the box with the required height

LOW FRAME 90° (DP min 35)

HIGH FRAME 90° (DP min 38)



Front height	Casters					
	3"	4"	5"	3"	4"	5"
44						
44,5	(S2)					
45						
45,5		(S2)				
46	(S1)					
46,5			(P2)	(P3)		
47		(S1)				
47,5				(P2)		(S2)
48			(P1)			
48,5		(S1)				
49				(P1)	(P2)	(S1)
49,5						
50						
50,5					(P1)	
51						
51,5						(S1)
52						
52,5					(P1)	(P2)
53						(P1)

The possible difference in height between HIGH frame and LOW frame is 3cm (with same fork, caster and assembly hole).

IMPORTANT NOTICE! From the footplate to the floor minimum 4cm.!! (Minimum Front height = DP + 4cm.)

The real front-seat height could be slightly different from the chosen one considering it is affected by seat depth and rear seat height.


Rear height The difference between Font Height and Rear Height must be in the 3 - 12 cm range.

- Rear wheels 22" (min 35 - max 45)
- Rear wheels 24" (min 37 - max 47)
- Rear wheels 25" (min 38 - max 48)
- Rear wheels 26" (min 39 - max 49)

Carbon rigid seat

08336 £ 415

Pocket (under seat) [25x11x4,5]



08281 £ 65


Date Order English User name Address

CUSTOMIZE COLORS

- ① Frame colour**
 Pearl white
 Opaque black
 Bright silver
 Bright red
 Bright blue
 Opaque orange 08341 £ 55

- ② Fork colour**
 ☆ Opaque black
 Bright silver
 Pearl white
 Bright red
 Bright blue 08342 £ 55



- ③ Colour rear wheels**
 To be matched only with: Rear wheels Ultra-light Progeo - Standard! (22 - 24)
 ☆ Black
 Bright silver
 Pearl white
 Bright red
 Bright blue 04692 £ 55



- ☆ Aluminium footplate. Rake not adjustable
Low Frame minimum footplate distance 35 - High Frame minimum footplate distance 38
 ☆ Aluminium footplate Aluminium footplate with plastic plate

- Aluminium footplate, with titanium tubes - rake and depth adjustable
Low Frame minimum footplate distance 32,5 - High Frame minimum footplate distance 35,5
 ☆ Internal 2/3 Internal External 2/3 External

- One piece Carbon fibre footplate. Rake adjustable
Low Frame minimum footplate distance 32,5 - High Frame minimum footplate distance 35,5
 ☆ Internal External



04456 £ 218

04110 £ 327

Backrest with rake adjustable from -4° to +16°

- ☆ Aluminium backrest
 Titanium backrest
 Carbon fibre backrest **Weight reduction approx. 130gr.**



06811 £ 109

04389 £ 600

- ☆ Adjustable velcro straps and padded transpiring upholstery
 Light adjustable velcro straps and padded transpiring upholstery SPORT


08337 £ 65

- AIR - Posture backrest - Lateral retaining STANDARD 6,5cm** 06815 £ 1015
 not available for seat width 48 - Std. Backrest upholstery not provided - Handle tube aluminium with short tubes

Carbon shell H25 - Height 29 30,5 32 33,5 35 36,5


Carbon shell H33 - Height 37 38,5 40 41,5 43 44,5

AIR Cover STANDARD
fabric insert: colour silver



Transpiring fabric stitchings
 Fabric insert stitchings
 colour grey

AIR Cover SPORT
fabric insert: colour black



Transpiring fabric stitchings
 Fabric insert stitchings
 Silver Lime Orange Red
 Fuchsia Blue Anthracite Black

AIR Cover ACTIVE
fabric insert: colour Red Lime Blue



Transpiring fabric stitchings
 colour black
 Fabric insert stitchings
 colour grey

English

Date	Order	User name	Address
------	-------	-----------	---------

Handle tube

☆ Handle tube STD


Handle tube SPORT Without push handles

Handle tube with short tubes

Carbon fibre handle (with short tubes) **Weight reduction approx. 110gr.** 04390 £ 109

Not available with: Posture backrest PHYSIO - Posture backrest A I R

Folding handles aluminium 02958 £ 218



Casters

☆ 4" Soft

3" Sport

5" Soft

3" Active Soft (wide) **(Aluminium alloy rim)** 06824 £ 109

4" Active Sport (narrow) **(Aluminium alloy rim)** 01398 £ 109

4" Active Soft (wide) **(Aluminium alloy rim)** 03943 £ 109

5" Active Soft (wide) **(Aluminium alloy rim)** 07518 £ 109

Rear wheels

☆ 24" Ultra-light Progeo - Standard!

22" Ultra-light Progeo - Standard!

25" Ultra-light Progeo - Standard!

26" Progeo - Standard!

24" ULTRA-LIGHT PROGEO KEY SPORT **Weight reduction approx. 450gr.** 04383 £ 742

24" Ultra-light "Spinergy LX" 01685 £ 742

24" Ultra-light "Spinergy LXL" Black hub and white blade spokes Hub and blade spokes black 07846 £ 742

24" Ultra-light "Spinergy Flex rim" 02270 £ 1200

25" Ultra-light "Spinergy LX" 02101 £ 742

25" Ultra-light "Spinergy LXL" Black hub and white blade spokes 07847 £ 742

26" Ultra-light "Spinergy LX" 02102 £ 742

24" Off-road 01392 £ 164

Rear wheel tyre

☆ High pressure tyre (22"-24"-25"-26")

High pressure profile tyre (24")

Marathon Plus (24"-25") **with anti-puncture protection** 01669 £ 55

Kik tyre Mako - Colour Black (24") 01041 £ 87

Kik tyre Mako - Colour Grey (24") 01751 £ 87

Handrim - Wheel distance ☆ 3 cm 4 cm

☆ Aluminium (22"-24"-25"-26")

Chromed Steel (24"-25") **(Not available with Spinergy)** 01684 £ 109

Titanium (24"-25") 00016 £ 218

Ultra Grepp (24"-25") 00017 £ 262

Max Grepp (24"-25") 00834 £ 305

Ergo Para (24") 00632 £ 305

SURGE LT (24"-25") **Oval countour with a rubber insert** 06427 £ 316

Quad (24") (24") 00693 £ 175

Silicon cover for standard aluminium handrim **Available for measures (22"-24"-25"-26")** 04050 £ 142

Wheel locks

☆ Bent lever push to lock


Straight lever Push to lock

Straight lever Pull to lock

Sport brake OUT-FRONT 06428 £ 109

Brake with extension lever push to lock 01949 £ 55

Brake with extension lever pull to lock 03372 £ 55



Rehateam s.r.l. Vicolo Negrelli, 4 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484684
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

English

Date Order User name Address

Mudguard

☆ Carbon fibre mudguard

Removable carbon fibre mudguard

04109 £ 218

Version Straight sideguard

Armrests

Swing away armrests

(Swing away, removable and height adjustable armrest)



00694 £ 196

☆ Pad STANDARD

Ergonomic pad (30x6 cm.)

04104 £ 55

Optional 1

Only one optional devices for side can be chosen

Transit wheels

Exclude the installation of Anti-tippers



03290 £ 131

Anti-tipper with rapid hookup

Exclude the installation of Transit wheels
(inside rotation to reduce the encumbrance)



Right

00023 £ 87

Left

00024 £ 87

Optional 2

Push handles for companion

(Removable and height adjustable)



03645 £ 153

Pad for front frame protectors

07058 £ 39

Tetracrip

(Quick release axle for quadriplegic)

03947 £ 131

Safety pelvic belt

03972 £ 55

Lumbar support

(to insert in the backrest upholstery)

00013 £ 33

Swing away lateral support

Right



02097 £ 218

Not available with:

Left

02098 £ 218

Posture backrest PHYSIO - Posture backrest A I R

Spoke guards Black

(22"-24")

01043 £ 131

Spoke guards Transparent

(22"-24")

00835 £ 131

Spoke guards Progeo design

(22"-24")

00019 £ 153

Spoke guards Dragon

(22"-24")

02106 £ 153

Additional Kit

24" Off-road rear wheels

(only with aluminium handrim)

03378 £ 436

Date Order English User name Address

PHYSIO - Posture backrest

Aluminum shell - Lateral retaining STANDARD 7,5cm Height 25 33 41 05308 **£ 884**
Height 52 05309 **£ 938**



Lateral retaining wing A=high B=low

Aluminum shell - Lateral retaining DEEP 15cm Height 25 33 41 05310 **£ 938**
H25 not available for seat width 39-42-45-48



Height 52 05311 **£ 993**

Lateral retaining wing A=high B=low

Carbon shell - Lateral retaining STANDARD 7,5cm Height 25 33 41 05312 **£ 1015**



Lateral retaining wing A=high B=low


COVER

☆ Cover with fabric-cover of backrest's rear side and high refraction fabric hems



SWING AWAY - Lateral support
Not available with Physio backrest with lateral retaining DEEP and in carbon backrest

Internal thoracic support to the backrest width, adjustable (0 ÷ -1,5cm)




Large (17,5x11,5)
 Left **05646** Right **05647**

Small (14x9,5)
 Left **05642** Right **05643**

Additional Kit for internal thoracic support to the backrest width, adjustable (-8,5 ÷ -11,5cm)


Internal thoracic support to the backrest width, adjustable (-4 ÷ -5,5cm)



Large (17,5x11,5)
 Left **05646** Right **05647**

Small (14x9,5)
 Left **05642** Right **05643**

Internal thoracic support to the backrest width, adjustable (-8,5 ÷ -11,5cm)



Large (17,5x11,5)
 Left **05646** Right **05647**

Small (14x9,5)
 Left **05642** Right **05643**

(with additional kit) **£ 175**

Headrest adjustable - Double ball mounting system
Not available for Physio backrest's height 25 and with carbon shell



Large (34x14) 05648 **£ 393**
 Small (28x14)

English

Date

Order

User name

Address

Rehateam s.r.l. - Vicolo Negrelli, 4 - 31040 Castagnole di Paese (TV) - Tel. +39.0422.484657 / +39.0422.480387 - Fax +39.0422.484661 / +39.0422.484684
 P.IVA IT 03182520266 - C.C.I.A.A. TV n.225867 - Iscr. Trib. TV n.41690 Capitale Sociale I.V. Euro 100.000,00

Email: info@rehateamprogeo.com - web: http://www.rehateamprogeo.com

1	Rear wheels	
	Model	Features
	22" Ultra-light Progeo - Standard!	(not available in anthracite color)
	24" Ultra-light Progeo - Standard!	(available for all colors)
	24" ULTRA-LIGHT PROGEO KEY SPORT	(silver hub, black rim and 16 spokes)
	24" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	24" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes) - (black hub, rim and 18 spokes)
	24" Ultra-light "Spinergy Flex rim"	(silver hub, black rim and spokes) - (integrated aluminium/rubber handrim - encumbrance reduction up to 3cm. - all tyre)
	24" Off-road	(colour: black) - (aluminium handrim - tyre Off-road)
	25" Ultra-light "Spinergy LX"	(silver hub, black rim and spokes)
	25" Ultra-light "Spinergy LXL"	(black hub and rim, 18 white blade spokes)
	26" Progeo - Standard!	(colour: black)
	26" Ultra-light "Spinergy LX"	(silver hub, black rim and 18 spokes)
Note		
Italia Certified company normative UNI EN ISO 9001		Important notice! is page only if any optional have been chosen
Pag. 6 / 6	Wheelchair : JOKER R2 - Rev. 2017.2	Prices in EURO - VAT excluded to be added to the price list
	<input checked="" type="checkbox"/> standard (supplied if no requests are indicated) <input type="checkbox"/> on request (without extra charge) <input type="checkbox"/> optional (cost to be added at the basic price)	
Printed on 04-2017		