



Yes, you can:

Tel: 01656 776222 Fax: 01656 776220
Email: ordersuk@invacare.com
Online Spares available at: www.invacare.co.uk

Manual Retail Prescription Form

JANUARY 2022
Customer Ref:

Customer Ref*	Account No*
Contact No*	Order No*
Delivery Address*	Order Qty*
	Order date*

Küschall K-Series 2.0

Standard Features

- Max User Weight 130kg (20.5 stone)
- Crash Tested ISO 7176-Part 19
- Active Rigid Wheelchair with Height Adjustable Rigid Footrest
- Multiple adjustments, Front and Rear Seat Heights and Centre of Gravity
- Full Hydroformed Aluminium Front Frame 75° Front Angle
- 24" Self Propel Q/R Wheels with Grey Aluminium Handrims and Schwalbe Black and Grey Pneumatic Tyres
- Choice of 10 Seat Widths 320mm to 500mm
- Choice of 8 Seat Depths 350mm to 525mm
- Range of Front Seat Heights from 450mm to 520mm
- Range of Rear Seat Heights from 390mm to 490mm
- Lockdown Folding, Angle and Height Adjustable Backrest
- Black Nylon with Reflective Trim, Tension Adjustable Upholstery
- Without Push Handles, Carbon Clothesguards
- Black Aluminium Axle Tube with 3° Camber
- Black Comfort Front Castor
- Standard Brake Lever Bent
- Tool Kit



Standard Base price: £2,408

Please make your selection with a cross in the box ☐ Free of charge ☒ standard feature POA special request

Customer weight = KG

Code Description

BASE PRODUCT*

DKA0067	☐	KÜSCHALL K-SERIES	£2,408
DKA0000	☐	MYKÜSCHALL Special Request - Please include quotation reference in special description at the end of the form where applicable	POA

FRAME*				
DKA1040		V Style Standard Frame Angle 75° Aluminium	(NC 1475, 1490, 1495)	◆
DKA1050		Tapered Style Standard Frame Angle 75° Aluminium	(NC 1475, 1490, 1495, 1740, 1745, 1750, 3230)	○
DKA1060		V Style +5cm Frame Angle 75° Aluminium. Frame to accommodate a longer seat depth and seat height for taller clients	(NC 1410, 1420, 1435, 1740, 1745, 1750, 1755, 1760)	○
DKA1070		V Style Standard Frame Angle 90° Aluminium	(NC 1475, 1490, 1495)	○
DKA1080		Tapered Style Standard Frame Angle 90° Aluminium. Taper before the frame bend creating a parallel style front frame with a wider footrest space	(NC 1475, 1490, 1495, 1740, 1745, 1750, 3230, 5300, 5350, 5400, 5450, 5500)	○
DKA1090		V Style +5cm Frame Angle 90° Aluminium. Frame to accommodate a longer seat depth and seat height for taller clients	(NC 1410, 1420, 1435, 1740, 1745, 1750, 1755, 1760)	○
SUSPENSION				
DKA1200		Seat Suspension, Weight Range 40-65 KG	(NC 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430)	£412
DKA1210		Seat Suspension, Weight Range 65-85 KG	(NC 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430)	£412
DKA1220		Seat Suspension, Weight Range 85-100 KG	(NC 1310, 1350, 1355, 1410, 1520, 1815, 1820, 1825, 1830, 1835, 6030, 6040, 6420, 6430)	£412
SEAT WIDTH*				
DKA1310		320 mm	(NC 2050, 2610, 2630, 2720, 2730, 2750)	○
DKA1315		340 mm	(NC 2720, 2730, 2750)	○
DKA1320		360 mm		○
DKA1325		380 mm		○
DKA1330		400 mm		◆
DKA1335		420 mm		○
DKA1340		440 mm	(NC 2630)	○
DKA1345		460 mm	(NC 2630)	○
DKA1350		480 mm	(NC 2630, 3230)	○
DKA1355		500 mm	(NC 2630, 3210, 3230)	○
SEAT DEPTH*				
DKA1410		350 mm	(NC 1500, 1510, 2630, 2720, 2730)	○
DKA1420		375 mm	(NC 2720, 2730)	○
DKA1435		400 mm		◆
DKA1450		425 mm		○
DKA1465		450 mm	(NC 2630)	○
DKA1475		475 mm	(NC 2630)	○
DKA1490		500 mm	(NC 2630)	○
DKA1495		525 mm	(NC 2630, 2610)	○
SEAT POSITION. Seat module can be moved forward and backward along the frame to achieve a more active or stable rear wheel position*				
DKA1500		Position 1 = 140 mm MOST ACTIVE POSITION		○
DKA1510		Position 2 = 125 mm		○
DKA1520		Position 3 = 110 mm		◆
DKA1530		Position 4 = 95 mm		○
DKA1540		Position 5 = 80 mm LEAST ACTIVE POSITION		○

BACK HEIGHT. Transportation kit is only possible with backrest heights of 405mm and above*				
DKA1600		Back Height for 3rd party backrest. Final height depends on the height of the positioning backrest, select if Matrx/Fixed backrest is required.	(NC 2100, 2220, 2230)	☐
DKA1605		270 mm	(NC 2150, 2240, 2430, 7600)	☐
DKA1610		285 mm	(NC 2150, 2240, 7600)	☐
DKA1615		300 mm	(NC 2150, 2240, 7600)	☐
DKA1620		315 mm	(NC 2150, 2240, 7600)	☐
DKA1625		330 mm	(NC 2150, 2240, 7600)	☐
DKA1630		345 mm	(NC 2150, 2240, 7600)	☐
DKA1635		360 mm	(NC 2150, 2240, 7600)	☐
DKA1640		375 mm	(NC 2150, 2240, 7600)	☐
DKA1645		390 mm	(NC 2150, 2240, 7600)	☐
DKA1650		405 mm	(NC 2150, 2240)	☐
DKA1655		420 mm	(NC 2150, 2240)	☐
DKA1660		435 mm	(NC 2150, 2240)	☐
DKA1665		450 mm	(NC 2150, 2240)	☐
DKA1670		465 mm	(NC 2150, 2240)	☐
DKA1675		480 mm	(NC 2150, 2240)	☐
FRONT SEAT HEIGHT. For 75° frames, the maximum lower leg must be front seat height minus 30mm and minus 40mm for 90° frames*				
DKA1740		450 mm	(NC 5300, 5350, 5400, 5450, 5500)	☐
DKA1745		460 mm	(NC 5300, 5350, 5400, 5450, 5500)	☐
DKA1750		470 mm		☐
DKA1755		480 mm		☐
DKA1760		490 mm		☐
DKA1765		500 mm		☒
DKA1770		510 mm		☐
DKA1775		520 mm		☐
REAR SEAT HEIGHT*				
DKA1815		390 mm	(NC 3490, 3495, 6030, 6040, 6430)	☐
DKA1820		400 mm	(NC 3490, 3495, 6030, 6040, 6430)	☐
DKA1825		410 mm	(NC 3490, 3495)	☐
DKA1830		420 mm		☐
DKA1835		430 mm		☐
DKA1840		440 mm		☒
DKA1845		450 mm		☐
DKA1850		460 mm		☐
DKA1855		470 mm		☐
DKA1860		480 mm		☐
DKA1865		490 mm	(NC 6410)	☐

LOWER LEG LENGTH. Cushion height must be deducted*			
DKA1918		290 mm	○
DKA1920		300 mm	○
DKA1922		310 mm	○
DKA1924		320 mm	○
DKA1926		330 mm	○
DKA1928		340 mm	○
DKA1930		350 mm	○
DKA1932		360 mm	○
DKA1934		370 mm	○
DKA1936		380 mm	○
DKA1938		390 mm	○
DKA1940		400 mm	○
DKA1942		410 mm	○
DKA1944		420 mm	○
DKA1946		430 mm	◆
DKA1948		440 mm	○
DKA1950		450 mm	○
DKA1952		460 mm	○
DKA1954		470 mm	○
DKA1956		480 mm	○
BACKREST MATERIAL*			
DKA2000		Aluminium	◆
DKA2050		Titanium (NC 2150, 2430, 7600)	£196
BACKREST TYPE*			
DKA2100		Standard Backrest with Backbrace, lockdown folding for easy transportation (NC 2240, 2440)	◆
DKA2150		Backrest With Lower Backbrace. Backrest Tube Height is 285 mm, lockdown folding for easy transportation (NC 2220, 2230, 2430)	○
BACKREST UPHOLSTERY*			
DKA2220		Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener (NC 2440)	◆
DKA2230		Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener (NC 2440)	£212
DKA2240		Without Backrest Upholstery Select if fitting a Matrx/Fixed backrest, no upholstery required	○
PUSH HANDLES*			
DKA2400		Without Push Handles	◆
DKA2410		Push Handles Fixed Short/Mini Hand Grip	£126
DKA2420		Push Handles Fixed Long Hand Grip	£126
DKA2430		Push Handles Height Adjustable, Rear Set. Maximum height of push handles is rear seat height + 600mm (NC 3480)	£241
DKA2440		Push Handles Height Adjustable, Integrated in backrest	£208
DKA2450		Push Handles Foldable	£188

BACKREST ANGLE*			
DKA2520		78° angle from the seat	○
DKA2540		82° angle from the seat	○
DKA2560		86° angle from the seat	○
DKA2580		90° angle from the seat	◆
DKA2590		94° angle from the seat	○
SEAT UPHOLSTERY*			
DKA2600		Standard Nylon Seat Upholstery with one 5cm central band (Loop)	◆
DKA2610		Tension Adjustable Seat Upholstery with one 5cm central band (Loop)	£43
DKA2630		Light Seat Upholstery, mesh material to reduce weight	£66
SEAT CUSHION			
DKA2700		Standard Seat Cushion, 60 mm Double Foam with Visco Top Layer	£63
DKA2720		Matrx Libra Cushion, Black Smooth Cover	£379
DKA2730		Matrx Vi Cushion, Black Smooth Cover - High Risk	£351
DKA2750		Vicair Active O2 lightweight cushion 6cm deep	£495
SEAT BAG			
DKA2800		Seat Bag, Click in and removable	£70
FOOTREST*			
DKA3200		Footrest Tube, Rigid - Aluminium Hydroformed Profile	◆
DKA3210		Footrest Tube, Rigid - Titanium (Rounded tube)	£176
DKA3220		Carbon Footplate, Angle Adjustable (NC 3290)	£214
DKA3230		Footplate Flip-to Side, Angle Adjustable (NC 3290)	£136
FOOTREST COVER			
DKA3290		Footrest Cover	£35
CALF STRAP*			
DKA3300		Calf strap mounted on the frame with hook and loop	◆
DKA3305		Calf strap mounted with bracket support	○
CLOTHESGUARDS/MUDGUARDS*			
DKA3420		Carbon Clothesguards, Flip up, Fold in	◆
DKA3440		Carbon Mudguards, Removable (NC 3490, 3495)	£292
ARMREST			
DKA3480		Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included	£229
DKA3490		Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included	£156
DKA3495		Armrest, Height Adjustable, Long Armpad (T-Arm), Non-locking, no Clothesguard included	£156

FRAME COLOUR*			
DKA4000		Space Black (RAL 9005)	○
DKA4010		Anthracite Grey (RAL 7016)	○
DKA4020		Pure White (RAL 9016) (NC 4220)	○
DKA4030		Carmin Red (RAL 3002)	○
DKA4040		Azure Blue (RAL 5017)	○
DKA4060		Flashy Yellow (RAL 1016) (Additional 10 day lead time)	£29
DKA4070		Atomic Violet (Additional 10 day lead time)	£29
DKA4100		Black Glossy (RAL 9005) (Additional 10 day lead time)	£29
DKA4130		Silver Grey (RAL 9006) (Additional 10 day lead time)	£29
DKA4140		Royal Blue (Additional 10 day lead time)	£29
DKA4150		Ruby Red (RAL 3003) (Additional 10 day lead time)	£29
DKA4170		Dynamite Orange (Additional 10 day lead time)	£29
DKA4180		Forest Green (RAL 6029) (Additional 10 day lead time)	£29
DKA4050		Personal frame colour. Provide standard RAL colour code of your choice	£295
FRAME DECAL TYPE*			
DKA4190		Bold Decal (Full coloured transfer on frame) (NC 4300, 4310, 1111)	£29
DKA4195		Tag (Small Kuschall brand transfer on front of frame) (NC 4200, 4210, 4220, 4230, 4240, 4250, 2222)	◆
DKA4197		Without Tag (Kuschall branding only) (NC 4200, 4210, 4220, 4230, 4240, 4250, 4300, 4310)	○
BOLD DECAL COLOUR*			
DKA4200		Black	○
DKA4210		Dark Grey	○
DKA4220		Light Grey	○
DKA4230		Red	○
DKA4240		Blue	○
DKA4250		Gold	○
DKA1111		No bold colour, select only with Option DKA4195 Tag or DKA4197 Without Tag (NC 4190)	○
TAG COLOUR*			
DKA4300		Black	○
DKA4310		Red	○
DKA2222		No tag colour, select only with Option DKA4190 Bold Decal or DKA4197 Without Tag (NC 4195)	○

FRONT CASTORS*				
DKA5000		75mm x 25mm (3" x 1") Supersport		○
DKA5050		100mm x 30mm (4" x 1.2") Everyday Black hub and tyre		○
DKA5100		100mm x 30mm (4" x 1.2") Comfort Black hub and tyre		○
DKA5150		100mm x 25mm (4" x 1") Starec Black hub and tyre		£79
DKA5200		100mm x 36mm (4" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)		£88
DKA5250		100mm x 36mm (4" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)		£88
DKA5300		125mm x 30mm (5" x 1.2") Everyday Black hub and tyre		○
DKA5350		125mm x 30mm (5" x 1.2") Comfort Black hub and tyre		○
DKA5400		125mm x 25mm (5" x 1") Starec Black hub and tyre		£79
DKA5450		125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)		£88
DKA5500		125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)		£88
REAR WHEEL POSITION*				
DKA6020		Standard, Fixed Rear Wheel Position	(NC 6100, 6110, 6120, 6130, 6140, 6230, 6240)	◆
DKA6030		Light Rear Wheel Extension (3 Positions)	(NC 6070, 6130, 6140, 6230, 6240)	£107
DKA6040		Rear Wheel Extension (5 Positions)	(NC 6070)	£124
CAMBER AXLE TYPE*				
DKA6050		Vario-Ax, Adjustable Camber can achieve 1°, 3°, 7° and 10°. Only active/scissor brake will lock 10° camber position	(NC 6200, 6210, 6220, 6270, 7230)	£273
DKA6060		Standard Aluminium Axle	(NC 4444)	◆
DKA6070		Carbon Axle	(NC 4444)	£201
POSITION OF AXLE				
DKA6100		1st Position from the front. If 2nd axle is selected, 1st axle must be placed in 1st position and 2nd in the 5th position		○
DKA6110		2nd Position from the front	(NC 6230, 6240)	○
DKA6120		3rd Position from the front	(NC 6230, 6240)	○
DKA6130		4th Position from the front	(NC 6230, 6240)	○
DKA6140		5th Position from the front	(NC 6230, 6240)	○
CAMBER ANGLE*				
DKA6200		0° Camber	(NC 6270)	○
DKA6210		3° Camber		◆
DKA6220		6° Camber	(NC 6240, 6250)	○
DKA4444		Without camber angle, select only with DKA6050 Vario-Axle		○
2ND CAMBER AXLE TYPE. If a 2nd axle is selected, 1st axle must be placed in 1st position and the 2nd axle in the 5th position				
DKA6230		Standard Aluminium Axle		£220
DKA6240		Vario-Ax, Adjustable Camber can achieve 1°, 3°, 7° and 10°	(NC 6250, 6260, 6270, 7230)	£273
CAMBER ANGLE 2ND AXLE. Max of 3° difference in camber from 1st axle. If only 1 of the axles is a Vario-Axle, 2nd axle is only possible in 0° or 3° camber				
DKA6250		0° Camber		○
DKA6260		3° Camber		○
DKA6270		6° Camber		○
DKA5555		Without camber angle, select only with DKA6240 Vario-Axle		○
QUAD QUICK RELEASE AXLE				
DKA6300		Quad Quick Release/Tetra Clip	(NC 6550)	£81

REAR WHEEL SIZE*			
DKA6410		24"	◆
DKA6420		25"	(NC 6510, 6610, 6660, 6680, 6700, 6710, 6720, 6760, 6770, 6900, 6910) ○
DKA6430		26"	(NC 0907, 0909, 6520, 6550, 6610, 6630, 6660, 6720, 6740, 6750, 6760, 6770, 7240) ○
REAR WHEEL TYPE*			
DKA6510		24", 26" KÜschall Starec Wheel, 24" Black Cross Spokes, Rim & Hub. 26" Silver Cross-Spokes, Colourless hub and Black rim	◆
DKA6520		24", 25" High Performance Wheel Black hub and rim (NC 6660)	£173
DKA6550		24", 25" Spinergy LXX, Black hub, rim and 18 spokes in Black (NC 6660, 6910)	£580
SWO0907		24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKÜschall	£462
SWO0909		24", 25" Spinergy LX, Chrome hub and 12 spokes in Black. Coloured spokes are available via MyKÜschall	£698
REAR WHEEL TYRE*			
DKA6600		24", 25", 26" Schwalbe Rightrun Black/Grey Pneumatic tyre	◆
DKA6610		24", 25", 26" Schwalbe Rightrun Blue with K Guard Pneumatic tyre	£46
DKA6620		24", 25", 26" Schwalbe Marathon Plus Smart Guard (Puncture Protected tyre with 5mm layer of flexible rubber) (NC 6680)	£95
DKA6630		24", 25" Schwalbe One V-Guard Puncture Resistant tyre (Cut-Resistant High-Tech Fibre)	£92
DKA6660		24" Solid Profile Black Tyre (NC 6680, 7230)	£63
ANTI FLAT TYRE INSERT			
DKA6680		Anti-Flat Tyre Tube Protection	£21
HANDRIM*			
DKA6700		24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance	£212
DKA6710		24", 26" Steel, short tab with 1 hole, mounted at 3cm distance	£59
DKA6720		24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance	£182
DKA6740		24", 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip	£304
DKA6750		24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands	£304
DKA6760		24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion	£270
DKA6770		24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim	£338
DKA6780		24", 25", 26" Light Aluminium Grey, long tab with 2 holes for 3 cm or 4cm mountings, mounted at 3cm distance	◆
DKA6790		24", 25", 26" Light Aluminium Black powder coated, long tab with 2 holes for 3 cm or 4cm mountings, mounted at 3cm distance	£40
SPOKEGUARD			
DKA6900		24", 26" Transparent Spokeguard	£120
DKA6910		24", 26" Black Spokeguard	£120

BRAKES*			
DKA7210		Standard Push to Lock Brakes, Lever Bent	◆
DKA7230		Performance Brakes, Push to Lock. Brake barrel flips away from tyre (NC 7300)	£74
DKA7240		Active/Scissor Brakes (NC 7300)	£74
DKA7250		Light/Compact Active, Aluminium Brakes (NC 7300)	£129
BRAKE LEVER EXTENSION			
DKA7300		Brake Lever Extension	£47
SAFETY OPTIONS			
DKA7500		Anti-Tipper Right (NC 7520)	£116
DKA7510		Anti-Tipper Left (NC 7520)	£116
DKA7520		Anti-Tipper Both sides	£232
DKA7600		Transportation Kit Includes Standard Pelvic Belt and Tiedown Labels (NC 7800)	£70
DKA7800		Standard Pelvic belt	£70
OTHER OPTIONS			
DKA8010		Front Frame Protectors; 2 Piece. Removable with hook and loop	£35
DKA8200		Cane Holder, Mounted Right Side	£71
DKA8210		Cane Holder, Mounted Left Side	£71
DKA8500		Air Pump	£12
DKA8550		Tool Kit	◆
DKA8680		24" Mountain Bike Wheels with bag. Fitted with Specific Black Tyres, Grey Aluminium Handrims; Quick Release Axles Included	£304

TOTAL PRICE			
-------------	--	--	--

Non Conforming Options:	
DKA1310	320 mm
DKA1350	480 mm
DKA1355	500 mm
DKA1410	350 mm
DKA1420	375 mm
DKA1435	400 mm
DKA1475	475 mm
DKA1490	500 mm
DKA1495	525 mm
DKA1500	Position 1 = 140 mm MOST ACTIVE POSITION
DKA1510	Position 2 = 125 mm
DKA1520	Position 3 = 110 mm
DKA1740	450 mm
DKA1745	460 mm
DKA1750	470 mm
DKA1755	480 mm
DKA1760	490 mm
DKA1815	390 mm
DKA1820	400 mm
DKA1825	410 mm
DKA1830	420 mm
DKA1835	430 mm
DKA2050	Titanium
DKA2100	Standard Backrest with Backbrace, lockdown folding for easy transportation
DKA2150	Backrest With Lower Backbrace. Backrest Tube Height is 285 mm, lockdown folding for easy transportation
DKA2220	Tension Adjustable Backrest, with Premium Black Nylon and Reflective Trim Upholstery Cover, Back Pocket/hook and loop fastener
DKA2230	Tension Adjustable Backrest, with Black Aero, Breathable Spacer Upholstery Cover, Back Pocket/hook and loop fastener
DKA2240	Without Backrest Upholstery Select if fitting a Matrix/Fixed backrest, no upholstery required
DKA2430	Push Handles Height Adjustable, Rear Set. Maximum height of push handles is rear seat height + 600mm
DKA2440	Push Handles Height Adjustable, Integrated in backrest
DKA2610	Tension Adjustable Seat Upholstery with one 5cm central band (Loop)
DKA2630	Light Seat Upholstery, mesh material to reduce weight
DKA2720	Matrix Libra Cushion, Black Smooth Cover
DKA2730	Matrix Vi Cushion, Black Smooth Cover - High Risk
DKA2750	Vicair Active O2 lightweight cushion 6cm deep
DKA3210	Footrest Tube, Rigid - Titanium (Rounded tube)
DKA3230	Footplate Flip-to Side, Angle Adjustable
DKA3290	Footrest Cover
DKA3480	Tubular Armrest. Height Adjustable, Removable, Non-locking, Swing-away and Comfort Padded, no Clothesguard included
DKA3490	Armrest, Height Adjustable, Short Armpad (T-Arm), Non-locking, no Clothesguard included
DKA3495	Armrest, Height Adjustable, Long Armpad (T-Arm), Non-locking, no Clothesguard included
DKA4190	Bold Decal (Full coloured transfer on frame)
DKA4195	Tag (Small Küschall brand transfer on front of frame)

DKA4200	Black
DKA4210	Dark Grey
DKA4220	Light Grey
DKA4230	Red
DKA4240	Blue
DKA4250	Gold
DKA1111	No bold colour, select only with Option DKA4195 Tag or DKA4197 Without Tag
DKA4300	Black
DKA4310	Red
DKA2222	No tag colour, select only with Option DKA4190 Bold Decal or DKA4197 Without Tag
DKA5300	125mm x 30mm (5" x 1.2") Everyday Black hub and tyre
DKA5350	125mm x 30mm (5" x 1.2") Comfort Black hub and tyre
DKA5400	125mm x 25mm (5" x 1") Starec Black hub and tyre
DKA5450	125mm x 36mm (5" x 1.4") Aluminium Softroll Black hub and tyre (Frog Legs)
DKA5500	125mm x 36mm (5" x 1.4") Aluminium Softroll Silver hub, Black tyre (Frog Legs)
DKA6030	Light Rear Wheel Extension (3 Positions)
DKA6040	Rear Wheel Extension (5 Positions)
DKA6070	Carbon Axle
DKA6100	1st Position from the front. If 2nd axle is selected, 1st axle must be placed in 1st position and 2nd in the 5th position
DKA6110	2nd Position from the front
DKA6120	3rd Position from the front
DKA6130	4th Position from the front
DKA6140	5th Position from the front
DKA6200	0° Camber
DKA6210	3° Camber
DKA6220	6° Camber
DKA4444	Without camber angle, select only with DKA6050 Vario-Axle
DKA6230	Standard Aluminium Axle
DKA6240	Vario-Ax, Adjustable Camber can achieve 1°, 3°, 7° and 10°
DKA6250	0° Camber
DKA6260	3° Camber
DKA6270	6° Camber
DKA6410	24"
DKA6420	25"
DKA6430	26"
DKA6510	24", 26" Kuschall Starec Wheel, 24" Black Cross Spokes, Rim & Hub. 26" Silver Cross-Spokes, Colourless hub and Black rim
DKA6520	24", 25" High Performance Wheel Black hub and rim
DKA6550	24", 25" Spinergy LXX, Black hub, rim and 18 spokes in Black
SWO0907	24", 25" Spinergy SPOX, Chrome hub and 18 spokes in Black. Coloured spokes are available via MyKuschall
SWO0909	24", 25" Spinergy LX, Chrome hub and 12 spokes in Black. Coloured spokes are available via MyKuschall
DKA6610	24", 25", 26" Schwalbe Rightrun Blue with K Guard Pneumatic tyre
DKA6630	24", 25" Schwalbe One V-Guard Puncture Resistant tyre (Cut-Resistant High-Tech Fibre)
DKA6660	24" Solid Profile Black Tyre
DKA6680	Anti-Flat Tyre Tube Protection

DKA6700	24", 26" Supergripp, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance
DKA6710	24", 26" Steel, short tab with 1 hole, mounted at 3cm distance
DKA6720	24" Titanium, long tab with 2 holes for 3 cm or 4 cm mountings, mounted at 3cm distance
DKA6740	24" , 25" Carbolife Gekko, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3 cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip
DKA6750	24", 25" Carbolife Gekko S, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with fully integrated rubber strip for extra grip, smaller profile for smaller hands
DKA6760	24" Carbolife Curve L, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion
DKA6770	24" Carbolife Quadro, long tab with 2 holes for 3cm & 4cm mounting, mounted at 3cm distance. Unique shape for low-effort propulsion, with full anti-slip coating over the entire handrim
DKA6900	24", 26" Transparent Spokeguard
DKA6910	24", 26" Black Spokeguard
DKA7230	Performance Brakes, Push to Lock. Brake barrel flips away from tyre
DKA7240	Active/Scissor Brakes
DKA7300	Brake Lever Extension
DKA7520	Anti-Tipper Both sides
DKA7600	Transportation Kit Includes Standard Pelvic Belt and Tiedown Labels
DKA7800	Standard Pelvic belt



For a more complex customer requirement
please refer to our Invacare Unique special order form.
email specialsuk@invacare.com or Fax: 01656 776220

Special Instructions

Please supply the following information:

Name:

Email:

Phone:

Fax:

Description of special request (please include relevant option code or part number):