This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



Company:			Ship To:			
Account Number:	Date:		Address:			
Quote: PO Number:			City:		State:	
ATP:			Zip:	Phone:		
Marked For:			Email/Fax:			
Associated Quote/Order#:						Effective: 5/5/2025
Little Wave Flip XP-Rigid Base [PTRGD] Little Wave Flip XP-Folding Base [PTFLE		£3300 £3300				
165 lb weight capacity Price includes one tin Tilt range: 0° - 45° Maximum Seat Width of :	· · · · ·					

## **Frame**

Frame Width		Transit Option
Select box corresponding to desired Frame Width  10" [PTSWT010]  11" [PTSWT011]  12" [PTSWT012]	N/C N/C N/C	Transit System [PTTRNOPT]  No charge when selected with Base Options with Transit Included  Omit Transit [PTTRNOP2]
13" [PTSWT013] 14" [PTSWT014]	N/C N/C	Offset Hanger Option
14 [PTSWT014] 15" [PTSWT015] 16" [PTSWT016] 17" [PTSWT017]	N/C N/C N/C N/C	Offset Hanger [PTHAN015]  Available only with Rigid Base
18" [PTSWT018]	N/C	Tilt Mechanism

Frame Depth	
Select Frame Denth within desired Frame Denth Range	

Frame Depth Range			Frame Depth		
Short	12	13	14	15	16
12" - 16	[PTFDE012]	[PTFDE013]	[PTFDE014]	[PTFDE015]	[PTFDE016]
[PTFDR004]	N/C	N/C	N/C	N/C	N/C
Medium	14	15	16	17	18
14" - 18"	[PTFDE014]	[PTFDE015]	[PTFDE016	[PTFDE017]	[PTFDE018]
[PTFDR005]	N/C	N/C	] N/C	N/C	N/C
Long	16	17	18	19	20
16" - 20"	[PTFDE016]	[PTFDE017]	[PTFDE018]	[PTFDE019]	[PTFDE020]
[PTFDR006]	N/C	N/C	N/C	N/C	N/C

Tilt Mechanism	
Hand Tilt [PTTLT002] Foot Tilt [PTTLT004]	N/C £50
Seat Pan	
Growing Solid Seat Pan [PTACC004]	N/C

Omit Seat Pan [PTACC021]

N/C

N/C

£43

N/C





# **Backrest**

Back Post / Height Range / Back Height		Adjustable Height Back Post Height	
Stroller Handle Back Post (Short 20") [PTBOP016] Stroller Handle Back Post (Tall 24") [PTBOP017] Fixed Height Back with Adjustable Handle (Short 22") [PTBOP030] Not available with Dynamic Back	£127 £127 N/C	18" Back Height [PTBRH180] 19" Back Height [PTBRH190] 20" Back Height [PTBRH200] 21" Back Height [PTBRH210] 22" Back Height [PTBRH220] 23" Back Height [PTBRH230] 24" Back Height [PTBRH240] 25" Back Height [PTBRH250]	
Fixed Height Back with Adjustable Handle (Tall 26") [PTBOP031] Not available with Dynamic Back  Reclining Back with Adjustable Handle (Short 22") (Non-Folding)	N/C	26" Back Height [PTBRH260] 27" Back Height [PTBRH270]  Stroller Handle Back Post Option	N/C
[PTBOP020]  Not available with Dynamic Back or Rigidizer Bar. Available only with  Attendant Foot Lock. Minimum Seat Height of 15" with 12" Mag wheel and 16" with 16" Mag wheel.	_£550	Available only with Stroller Handle Back Post  Removable Stroller Handle Extension [PTBOP012]	£139
Reclining Back with Adjustable Handle (Tall 26") (Non-Folding) [PTBOP021]	£550	Other Backrest Options	
Not available with Dynamic Back or Rigidizer Bar. Available only with Attendant Foot Lock. Minimum Seat Height of 15" with 12" Mag wheel and 16" with 16" Mag wheel.		Non Folding Back [PTBCK005] Standard with Dynamic Back	N/C
Adjustable Height Back with Adjustable Handle (Short 18" - 25") [PTBOP018]	N/C	Dynamic Back (Non-Folding) [PTBOP014]  Not available with Flip Up Armrests. Available only with Non Folding Back.	£1200
Not available with Dynamic Back Adjustable Height Back with Adjustable Handle (Tall 20" - 27") [PTBOP019]	N/C	Adjustable Height Rigidizer Bar [PTBCK001]	£84
20"-22" Heights not available with Dynamic Back			

# **Footrest**

Footrest Hanger Type					
Hanger	70°	80°	90°		Retail
Extension Tube Mount	[PTHAN002]	[PTHAN003] <sup>1</sup>			N/C
Front Mount	[PTHAN016]	[PTHAN017] <sup>1</sup>	[PTHAN004] <sup>1</sup>		N/C
Pro Elevating Leg Rests <sup>2</sup>				[PTHAN044]	£300
Pediatric Pro Elevating Leg Rests				[PTHAN045]	£300
Omit Hangers				[PTHAN046]	N/C

<sup>1</sup> Not available with 8" casters

<sup>2</sup> Available only with classic hanger release. Not available with Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hangers

Pro ELR Cover	
Available only on Pro ELR	
Pro ELR Gel Pad Cover (PAIR) [PTELRPAD]	£300
Hanger Extension Tubes	
Available only with Front Mount Hangers	
3" Extension [PTEXT008]	£50
3" Extension (Provided as Parts) [PTEXT018]	£50





#### **Seat to Footrest Length**

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hanger measurements based on 70° Hanger Bend.

Footrest	Extension	Extension Seat to Footrest Length											
	Short (10" - 13.5") [PTEXT002]	10"	10.5"	11"	11.5"	12"	12.5"	13"	13.5"				
Extension Tube Hangers (70°,80°)	Medium (11.5" - 15.5") [PTEXT003]	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"			
	Long (14" - 18") [PTEXT004]	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"			
					Stan	dard Selec	tions				Requi	res 3" Exte	nsion
	Short Front Mount Hanger	4" 4	4.5" <sup>4</sup>	5"	5.5"	6"					8.5"	9"	9.5"
(70°,80°,90°)	(70°,80°,90°)	6.5"	7"	7.5"	8"							10.5"	11"
Front Mount Hangers <sup>1</sup>	mont Mount Hangers Medium Front Mount Hanger (70°,80°,90°)  Long Front Mount Hanger	4" 4	4.5" <sup>4</sup>	5"	5.5"	6"	6.5"	7"			10.5"	11"	11.5"
		7.5"	8"	8.5"	9"	9.5"	10"				12"	12.5"	13"
		5"	5.5"	6"	6.5"	7"	7.5"	8"	8.5"		12.5"	13"	13.5"
	(70°,80°)	9"	9.5"	10"	10.5"	11"	11.5"	12"			14"	14.5"	15"
D. J. D FI D	Low Pivot Setting (6" - 11.5") [PTPIV001]	6" <sup>3</sup>	6.5" <sup>3</sup>	7" <sup>3</sup>	7.5"	8"	8.5"	9" <sup>2</sup>	9.5" <sup>2</sup>	10" <sup>2</sup>	10.5" <sup>2</sup>	11" <sup>2</sup>	11.5" <sup>2</sup>
Peds Pro ELR	High Pivot Setting (6" - 10") [PTPIV002]	6" <sup>3</sup>	6.5" <sup>3</sup>	7" <sup>3</sup>	7.5" <sup>2</sup>	8" <sup>2</sup>	8.5" <sup>2</sup>	9" <sup>2</sup>	9.5" <sup>2</sup>	10" <sup>2</sup>			
Pro ELR Low Pivot	Pro ELR Low Pivot Setting Short (10.5" - 15.5")	PTEXT021]											
Setting Pro ELR Low Pivot Setting Long (13" - 19") [PTEX		XT022]											
Pro ELR High Pivot	Pro ELR High Pivot Setting Short (8.5" - 17") [PT	EXT023]											
Setting Pro ELR High Pivot Setting Long (11.5" - 17.5") [P													

<sup>1</sup> See Minimum Front Seat Height chart to the right

<sup>4</sup> Available only with 90° Front Mount Hangers

Footplates	
No selection needed with Contracture Footrest	
Composite [PTFPL001]	£200
Not available with Front Mount Hanger, Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hanger.	
Composite Angle Adjustable [PTFPL014]  Not available with Front Mount Hanger or 10"-12" Frame Widths. 13" and 14" Frame Widths require Offset Hanger	_£200
Aluminum Angle Adjustable [PTFPL002] Aluminum Locking Multi-Angle Adjustable [PTFPL020]  Available only with Front Mount Hanger	N/C N/C

Hanger Release	
No selection needed with Contracture Footrest. If no selection is used.	nade 4-Way - In line will be
Classic [PTREL001]	N/C
4-Way - In-Line [PTREL002]	N/C
Allows chair to be folded without removing footrest hange Pro ELR or Peds Pro ELR.	r. Not available with
4-M2y - Out [DTRELOG3]	NI/C

Minimum Front Seat Height with Front Mount Hangers								
Hanger Length Short Medium Long								
Hanger Bend	70°	80/90°	70°	80/90°	70°	80°		
Minimum Front Seat Height with Standard Selection	13"	13"	13"	13.5"	14.5"	15.5"		
Minimum Front Seat Height with 3" Extension	13.5"	14"	15.5"	16"	17"	18"		

Heel Loops	
Heel Loops [PTACC008]	£49
Not available with Frame Widths less than 14" without Offset Hangers or Frame Widths less than 12" with Offset Hangers.	
Adjustable Heel Loops [PTACC029]	£56
Omit Heel Loops [PTACC011]	N/C

Calf Straps	
Velcro Adjustable [PTACC002]	£56
Padded Velcro Adjustable [PTACC003]	£77
Padded AirMesh Calf Strap [PTACC010]	£118

## **Residual Limb Support**

Not available with Pro ELR or Peds Pro ELR

	Limb Support	Price	Omit	Co	ver	Pad Size				
Left	Left Limb Support	£209	Omit Left Hanger [PTRLS004]	Smooth [PTRLS006]	Air Mesh [PTRLS007]	5 x 8 [PTRLS008]	7 x 10 [PTRLS009]	9 x 10 [PTRLS010]	9 x 14 [PTRLS011]	11 x 10 [PTRLS012]
Right	Right Limb Support	£209	Omit Right Hanger [PTRLS005]	Smooth [PTRLS020]	Air Mesh [PTRLS021]	5 x 8 [PTRLS014]	7 x 10 [PTRLS015]	9 x 10 [PTRLS016]	9 x 14 [PTRLS017]	11 x 10 [PTRLS018]

<sup>2</sup> Comes standard with 3" Extension

<sup>3</sup> Not available on chairs 14" wide or more





# Seat Height, Casters, and Rear Wheels

Select Seat Height corresp	oonding to de	sired Rear Wh	eel and Caster	Size	
Rear			Caster Size		
Wheel Size	5"	6"	6" x 2"	7"	8"
Size			Seat Height		
	13.5"	4	4		
	14"	14" 4	14" 4		
12" with Pneumatic or Pneumatic with Airless Insert Tire	14.5"	14.5"	14.5"		
	15"	15"	15"	15" <sup>4</sup>	
	15.5"	15.5"	15.5"	15.5"	
	16"	16"	16"	16"	
	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17" <sup>3</sup>	17" <sup>3</sup>
	17.5"	17.5"	17.5"	17.5"	17.5"
	13.5"				
	14"				
	14.5"	14.5"	14.5"		
101	15"	15"	15"		
12" with Full Poly Tire	15.5"	15.5"	15.5"	15.5"	
	16"	16"	16"	16"	16" <sup>4</sup>
	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17" <sup>3</sup>	17" <sup>3</sup>
	13.5"				
	14"	14"	14"		
	14.5"	14.5"	14.5"		
	15"	15"	15"	15" <sup>4</sup>	
12" with Drum 13	15.5"	15.5"	15.5"	15.5"	
Brake _	16"	16"	16"	16"	16" <sup>4</sup>
	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"
	15"	15"	15"	15" <sup>4</sup>	
	15.5"	15.5"	15.5"	15.5"	
	16"	16"	16"	16"	
	16.5"	16.5"	16.5"	16.5"	16.5"
16" with Pneumatic,	17"	17"	17"	17"	17"
Pneumatic with Airless Insert or Full Poly Tire	17.5"	17.5"	17.5"	17.5"	17.5"
inscreoi run rony rire	18"	18"	18"	18"	18"
	18.5" 4	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"
-	1/	19.5" 2	19.5" 4	19.5" 4	17
	14"	14" 4	14" 4	27.5	
	14.5"	14.5"	14.5"		
	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"	
16" With Low Poly Tire	16"	16"	16"	16"	
10 With Low Foly Tife	16.5"	16.5"			16.5"
			16.5"	16.5"	
	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"
Self Propel Axle Plate se	18"	18"	18"	18"	18"

<sup>1</sup> Self Propel Axle Plate selections limit tilt range

			Castau Sina		
Rear Wheel	5"	6"	Caster Size	7"	8"
Size	J	ō	Seat Height	/	0
	15"	15"	15"		
-	15.5"	15.5"	15.5"	15.5"	
	16"	16"	16"	16"	16"
-	16.5"	16.5"	16.5"	16.5"	16.5"
16" with Drum Brake	17"	17"	17"	17"	17"
10 WILLIDIGITIBLAKE	17.5"	17.5"	17.5"	17.5"	17.5"
-	18"	18"	18"	18"	18"
-	18.5" 4	18.5"	18.5" 4	18.5" 4	18.5"
-	19"	19"	19"	19"	19"
	17"	17"	17"	17"	17"
-	17.5"	17.5"	17.5"	17.5"	17.5"
20" with Pneumatic, Pneumatic with Airless	18"	18"	18"	18"	18"
Insert, Low Poly, Full	18.5"	18.5"	18.5"	18.5"	18.5"
Poly Tire Or Drum Brake	19"	19"	19"	19"	19"
	19.5" 20" <sup>4</sup>	19.5" 20" <sup>4</sup>	19.5" 20" <sup>4</sup>	19.5"	19.5"
	15.5" <sup>10</sup>	15.5" <sup>10</sup>	15.5" <sup>10</sup>	20" 15.5" <sup>10</sup>	20"
	15.5"	15.5" 16" <sup>10</sup>	15.5" 16" <sup>10</sup>	15.5" 16" <sup>10</sup>	16" <sup>10</sup>
	16" 16.5" <sup>10</sup>	16" 16.5" <sup>10</sup>		16" 16.5" <sup>10</sup>	16" 16.5" <sup>10</sup>
20" Self Propel or Self			16.5" 10		
Propel with Drum Brake	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"
	18.5" 4	18.5"	18.5"	18.5" <sup>4</sup> 16.5" <sup>10</sup>	18.5"
	16.5" <sup>10</sup>	16.5" <sup>10</sup> 17" <sup>10</sup>	16.5" <sup>10</sup> 17" <sup>10</sup>	16.5" 10	16.5" <sup>10</sup>
22" Self Propel or Self	17.5" <sup>10</sup>	17.5" <sup>10</sup>	17.5" <sup>10</sup>	17.5" <sup>10</sup>	17.5" <sup>10</sup>
Propel with Drum Brake	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"
	19.5" 4	19.5" <sup>2</sup>	19.5" 4	19.5" 4	
	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"
24" Self Propel <sup>1</sup>	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"
	19.5" <sup>7,8</sup>	19.5"	19.5"	19.5" 9	19.5" <sup>7,8</sup>
	20" <sup>5</sup>	20" 6	20" 6	20"	20"
	18.5" 4,11	18.5" 11	18.5" 11	18.5" 11	18.5" 11
24" Self Propel with <sup>1</sup>	19"	19"	19"	19"	19"
Drum Brake	19.5" 11	19.5" 9,12	19.5" 9,12	19.5" 9,12	19.5" 9,12
	20" 4	20" <sup>6</sup>	20"	20"	20"

<sup>5</sup> Not available in combination with spoke wheel and Full Poly tire

<sup>2</sup> Not available with 12" Frame Depth

<sup>3</sup> Not available with 12-16" Frame Depth

<sup>4</sup> Not available with 17-20" Frame Depth

<sup>6</sup> Not available in combination with spoke wheel, Full Poly tire and 17-20 Frame Depth

<sup>7</sup> Not available in combination with Mag wheel and 17-20" Frame Depth

<sup>8</sup> Not available in combination with spoke wheel, Pneumatic tires and 17-20" Frame Depth

<sup>9 17-20&</sup>quot; Frame Depth requires spoke wheel and Full Poly tire

<sup>10</sup> Not available with Drum Brake

<sup>11</sup> Available only with Full Poly tire

<sup>12 12&</sup>quot; Frame Depth requires spoke wheel and Full Poly tire 13 Drum Brake not available with Airless Insert





#### **Casters**

		Caster Size						
		Price	Price 5" 6" 7" 8"					
	.75" Lighted Rollerblade	£100	[PTCAS033]					
	1.25" Soft Roll	N/C	[PTCAS010]	[PTCAS014]	[PTCAS019]	[PTCAS020]		
уре	1" Poly Aluminum	£70	[PTCAS011]					
aster T	1" Pneumatic	£70		[PTCAS017]		[PTCAS021]		
Casi	1.5" Soft Roll	N/C	[PTCAS025]	[PTCAS026]				
	1.5" Soft Roll Aluminum	£70	[PTCAS013]	[PTCAS016]				
	2" Poly	N/C		[PTCAS024]				

N/C

N/C

N/C

N/C

# Axles No selection needed with Drum Brake Fixed [PTAXO002] Not available with Folding Base Frame and Standard Wheel Locks Quick Release [PTAXO003] Axle Plates

Rear Tire Type	
Low Poly [PTTIR003]  Available only with 16" wheel size	N/C
Full Poly [PTTIR002]	N/C
Pneumatic [PTTIR001]	N/C
Pneumatic with Airless Insert [PTTIR004]	£139

#### Wheels

VVIIC	CIS						
		Rear Wheel Size					
			12"	16"	20"	22"	24"
<u></u>	Mag	N/C	[PTWHE112]	[PTWHE116]	[PTWH1220]	[PTWH1222]	[PTWH1224]
Rear Whee Type	Colored Mag <sup>1</sup>	£209			[PTWH1320]	[PTWH1322]	
~ > ⊢	MAXX Spoke	N/C			[PTWH1120]	[PTWH1122]	[PTWH1122]

<sup>1</sup> Mag color selection is on page 7

Standard [PTAXP001]

Self Propel Axle Plate [PTAXP008]

## Handrims

#### Handrims not available on 12" or 16" wheel sizes

Aluminum Anodized [PTHRM001]	N/C
Plastic Coated [PTHRM002]	£112
Projection (8 Vertical Projections) [PTHRM003]	£251
Available only with full profile tires in combination with 22", 24", and 26" MAXX Spoke wheels, or 22" and 24" Mag wheels	
Micos wheels, of 22 and 24 Mag wheels	
Omit Handrim [PTHRM012]	N/C

#### **Handrim Option**

Not available on Plastic Coated or Projection Handrims

3M Micro Grip [PTACC006] £105

# **Wheel Locks**

Push to Lock [PTWLK002] Pull to Lock [PTWLK003]	N/C
Not available with 12" or 16" Full Poly tires	N/C
Attendant Foot Lock [PTWLK011]	N/C
Available only with 12" and 16" Mag wheels	
Dual - Attendant Foot Lock with Push to Lock [PTWLK013]	£80
Dual - Attendant Foot Lock with Pull to Lock [PTWLK014]	£80
Available only with 12" and 16" Mag wheels	
Drum Brake [PTWLK015]	£450
Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire. Axle is Quick Release. Requires Anti-Tips.	
Dual - Drum Brake with Push to Lock [PTWLK016]	£530
Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire. Axle is Quick Release. Requires Anti-Tips.	
Dual - Drum Brake with Pull to Lock [PTWLK017]	£530
Available only with 12" Mag, 16" Mag, or MAXX Spoke wheels. Not available with 16" Low Poly tire. Axle is Quick Release. Requires Anti-Tips.	
Omit [PTWLK008]	N/C

#### Extension Handles [PTWLK004]

£63





#### **Armrests**

Armrest Type	Leng	Price		
Height Adjustable T-Arm Tall (11.5"-15") <sup>2</sup>	Desk	[PTARM039]	£250	
Height Adjustable 1-Arm Tall (11.5 -15 )2	Full	[PTARM040]	£230	
Harris A.P. and L. Da Parto 1	Desk(6.5"-9")	[PTARM014]	NIC	
Height Adjustable Pediatric <sup>1</sup>	Desk Tall(8"-10.5")	[PTARM024]	N/C	
Height Adjustable T-Arm (8.5"-13.5") <sup>2</sup>	Desk	[PTARM003]	£250	
Height Adjustable 1-Arm (6.5 -13.5 ) 4	Full	[PTARM004]	£250	
Height Adjustable T-Arm Low (6.5"-10.5") 2.3	Desk	[PTARM022]	£250	
Height Adjustable 1-Arm Low (6.5 - 10.5 ) 2.0	Full	[PTARM023]	£23U	

<sup>1</sup> Best fit with Frame Depths less than 14"

Armrest Type		Price	
Angle Adjustable Locking Extendable Flip Up 4		[PTARM010]	£250
Angle Adjustable Locking Extendable Filp Op	Full	[PTARM011]	£250
Tubular Flip Up <sup>5</sup>		[PTARM015]	N/C
Omit Armrests		[PTARM007]	N/C

#### **Arm Pads**

Standard Arm Pad [PTARM026]	N/C
Waterfall Arm Pad [PTARM020]	£35
Not available with Angle Adjustable Locking Extendable Flip Up Armrest	
Foam Grip [PTARM025]	N/C
Available only with Angle Adjustable Locking Extendable Elin Lin Armrest	

#### Accessories

# Removable Side Guards

#### Not available with Height Adjustable Armrests

Adult Composite Side Guards (14" - 16") [PTSDG002]£251Pediatric Composite Side Guard (10" - 14") [PTSDG001]£251

#### **Anti-Tips**

 Rear Anti-Tips [PTATP001]
 N/C

 Omit [PTATP000]
 N/C

#### **Other Accesories**

Tool Kit [PTACC005]	£23
Removable Underseat Pouch [PTACC015]	£35
Pediatric Ki Mobility Backpack [PTACC026]	£115
Ki Mobility Backpack [PTACC009]	£115
Black Neoprene Impact Guards [PTIMG001]	£56
Tilt Stop Posterior (Pair) [PTTLT010]	£35
Tilt Stop Anterior (Pair) [PTTLT011]	£35
Available only with Rigid Base	
IV Pole [PTACC022]	£368
Canopy with Hardware [PTACC042]	£313

## **Pelvic Positioning Belts**

£118
£174
£118
£174
£201
£216
£216
£216

## **Belt Mounting Kit**

Belt Mounting Band Clamp [PTACC054]	£118
Clamp includes hardware to mount Belt	
Seat Belt Mounting Hardware [PTACC024]	£20

<sup>2</sup> Not available with 12" Frame Depth

<sup>3</sup> If requested configuration is unavailable, Standard Height T-Arm will be used

<sup>4</sup> Not available with Dynamic Back. Available only with 12" and 16" Rear Wheels.

<sup>5</sup> Not available with Dynamic Back, Reclining Back or Arm Pads

This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



## Color

Accent

Mag Color

Select desired frame and accent colors. Accent color is used on side panel; if no accent color is selected, frame color will be used. Colors Gloss Matte Deep Sapphire Blue Opalescent Violet Radiant Orange Shadow Black Iridescent Navy Tactical Green Dry Earth Tan Options Price Electric Green Purple Plum Champagne Bright Red Blue Steel Glacier Blue Dark Pink Rich Teal Light Pink Platinum Ruby Red Yellow White N/C Frame N/C

Touch-up paint is available for purchase through the parts manual