

iCHAIR MC2 RS

1.615



Allowed user weight

160 kg (incl. additional load)





15" drive wheels



Side Panel lighting with individual engraving



RS design black-red



Recaro seat in black Imitation leather

Extraordinarily sporty

EFFICIENCY

- Effectiveness through simple maintenance and a high level of service friendliness
- Little need for repairs by implementing high value and durable parts
- Modular structure of the iChair-family enables compatibility of parts and parts groups
- Numerous adjustment options allow individual adaptation
- Simplified reinstallation through perfect user size limitations, as for example a standard user weight of 160 kg

THERAPEUTIC BENEFIT

- Ideal for retaining mobility at home, at the desk or in the office
- Effective pressure relief and relaxing positioning for long term sitting, through large electric adjustment sectors
- Different seat systems according to the individual demands

FIELD OF USE

- For indoor and outdoor use
- For permanent and all-day use for independent mobility, also with extreme functional limitations
- For working and active people, who need one wheelchair for different everyday situations
- Indoor spaces can easily be mastered due to the compact dimensions and high level of agility
- Suitable for outdoor use thanks to standard large tyres and optionally available 13 km/h version

☒ ORDER☐ COST ESTIMATE☐ CUSTOM DESIGNPlease send the order form by e-mail to: info@meyragroup.com

Customer service: +49 571 93292 555

Billing address / Customer ref. no.:

Delivery address:

Tax-ID

Consignment / Comments:

Order quantity:

MEYRA®

**Price basic model****£5750****Allowed user weight**

160 kg (incl. additional load)

**Hints**Our Terms and Conditions as stated at www.meyra.de/AGB shall applyYou can find information on the measurement process at www.meyra.de/messverfahren

Valid from 01.01.2025 – 31.12.2025.

Errors, misprints and changes reserved.

Use our K.I.S.S.S. for orders and configurations at www.kisss-by-meyra.de

You avoid queries and incorrect orders thanks to the buildability check

USER DATA

First name

Name

Street

ZIP CODE

City

Country

Birthday

Diagnosis 1

Diagnosis 2

Tel.

Mobil

E-mail

Order number

Health insurance fund / cost unit

Specialist trade Contact person/phone.

Supply specialist MEYRA

Approval info from week

ANATOMICAL DATA (IN MM)

1) Seat depth

2) Seat width

3) Chest width

4) Chest depth

5) Elbow height

6) Armpit height

7) Back height


8) Head height

9) Forearm length

10) LLL

Body height

Weight (kg)



Remarks

☐ I accept the Terms and Conditions of Meyra Distribution GmbH (valid as of January 2023)<https://www.meyra.com/gtc/>

Date

City

Signature



Technical specifications

¹⁾ see category seat width

²⁾ seating Systems ErgoSeat / RECARO seat angle 4°

³⁾ seating System ErgoSeat

⁴⁾ 120 mm incl. step climber

⁵⁾ without legrests and without armrests

⁶⁾ see category 00 chassis/motor

⁷⁾ The adjustment range may deviate by max. +/-3° depending on SH and castor wheel size

Seat widths in mm	360 - 650 ^{1) 2)}
Seat depth in mm	400 - 560 / 480 - 530 ²⁾
Back support height in mm	530 - 570 / 640 ²⁾
Lower shank length in mm	350 - 500 / 350 - 500 ²⁾
Arm support height in mm	180 - 290 / 180 - 290 ²⁾
Front seat height in mm	530 - 600 / 580 - 650 ²⁾
Length with footrest in mm	1130
Length without footrests in mm	830
Width ready to drive in mm from	635 ³⁾
Height without head support in mm	1010 - 1130 ³⁾
Transport length in mm	830
Transport height min. in mm	590 - 660
Front wheel size in mm	260 x 70 (10")
Rear wheel size in mm	380 x 75 (15")
Max. obstacle height in mm	60 ⁴⁾
Turning radius in mm	840
Transport empty weight basic configuration min.	100 kg ⁵⁾
User weight	160 kg
Permitted overall weight incl. options	320 kg
Max. additional loading	10 kg
Driving speed	6 / 13 km/h
Motor power	2 x 300 W / 2 x 350 W
Range with battery 63 Ah (5h), 80 Ah (20h)	Max. 35 - 40 km ⁶⁾
Permitted inclination/slopes	15 %
Form of steering	indirect
Seat camber electric	-2° to 26° / 0° to 50° ⁷⁾
Seat camber mechanical	0° to 10°
Back support angle electric	-10° to 50°
Back support angle mechanical	-10° to 30°
Drive	Rear

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

00 Chassis/Motorisation

CODE	SPEED	RANGE	MOTOR POWER	GBP £
☐ 115	6 km/h	max. 40 km	2 x 300 W	0,00
☐ 120	13 km/h	max. 35 km	2 x 350 W	200,00
☐ 918	ESP drive stabilisation module			400,00
 ESP driving stabilization module, only in conjunction with R-Net / LCD color display or i.V.m. OMNI II (CODE 839)				

Chassis options

CODE	DESCRIPTION	GBP £
☐ 892	Standard suspension for user weight up to 120 kg	0,00
☐ 891	Reinforced suspension for user weight 120 - 160 kg	0,00

01 Seat width (SW)

CODE	DESCRIPTION	SEAT SURFACE WIDTH	GBP £
☐ 38	SW continuously adjustable from 380 to 500 mm through the arm supports	380 mm	0,00
☐ 43	SW continuously adjustable from 430 to 550 mm through the arm supports	430 mm	0,00
☐ 48	SW continuously adjustable from 480 to 600 mm through the arm supports	480 mm	0,00
⚠ only i.c. with FSH 500 or FSH 530			
☐ 53	SW continuously adjustable from 530 to 650 mm through the arm supports	530 mm	0,00
⚠ only i.c. with FSH 500 or FSH 530			

02 Front seat height (FSH) in combination with castor wheel (without seat cushion)

				Front seat height in mm (FSH)		
Code	Ø	rim	Tyres	460	500	530
142/146	10"	Aluminium rim	Puncture protected pneumatic tyres	☐	☐	☐
142/900	10"	Aluminium rim	Puncture-proof tyres	☐ 100,00	☐ 100,00	☐ 100,00
2142/481	10"	Aluminium rim	Cross pneumatic tires	☐ 56,00	☐ 56,00	☐ 56,00
2142/900	10"	Aluminium rim	Cross puncture proof	☐ 156,00	☐ 156,00	☐ 156,00

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

Steering wheel options

CODE	DESCRIPTION	GBP £
☐ 816	Splash guard for steering wheels	138,00
⚠ Not in combination with CODE 2142 Wide cross tyre with lug tread		

03 Drive wheels

Pneumatic tyres/cleat profile CODE 482			Puncture safe tyres/cleat profile CODE 904	
Code	Ø	rim	black	black
772	15"	Aluminium rim	☐	☐ 100,00
2460	14"	Aluminum rim CROSS	☐ 342,00	☐ 442,00

Rear wheel options

CODE	DESCRIPTION	GBP £
☐ 824	Mudguard for drive wheels	100,00
⚠ Not in combination with Code 2460 Wide 14" cross tyre with lug tread		

05 Seat camber

CODE	DESCRIPTION	Seat angle	GBP £
☐ 119	Mechanic seat tilt, in steps	0° to +10°	0,00
☐ 118	Electric seat tilting continuously by 28 degrees	-2° to +26°	1.050,00
☐ 4118	Electric seat tilt stepless by 50 degrees	0° to 50°	1.105,00
⚠ The seat depth 56 cm CODE 356 is not possible in combination with ErgoSeat backrest CODE 949 Only in conjunction with adjustment module VR2 CODE 682 or R-Net CODE 702			
☐ 27	Cross-lift 300 mm incl. tilting	0° to 30°	1.800,00

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

06

Seat depth (SD)

	(C-615)	(C-788)	(C-619)	(C-792)	(C-793)	(C-356)
	400 mm	430 mm	460 mm	490 mm	530 mm	560 mm
Seat depth (SD)	☐	☐	☐	☐	☐	☐

07

Seat system

	CODE	DESCRIPTION	GBP £
☐	4276	Seat plate without cushion	70,00
☐	948	ErgoSeat-seat	0,00
☐	7206	Netti Uno Seat	147,00
☐	7203	Netti Sit	208,60
☐	7400	Ride Forward	N/A
☐	7401	Ride Java	N/A

 *Netti and Ride not i.c. with SD 560 mm*

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

08 Back systems

CODE	DESCRIPTION	BACK HEIGHT	GBP £
☐ 608	Round tubes, 22 mm, incl. continuous push bar ⚠ prepared for external back systems		0,00
☐ 735	Adjustable back strap without padding	500 mm, convertible to 450 mm	77,00
☐ 736	Adjustable back strap with padding	500 mm, convertible to 450 mm	100,00
☐ 949	ErgoSeat back,	590 mm, convertible to 630 mm	0,00
☐ 2019	ErgoSeat Pro comfort back including overlay cushion ⚠ Only i.c. with SW 430 and 480 mm	590 mm, convertible to 630 mm	350,00
☐ 7201	Netti Uno Back	620 mm, convertible to 670 mm	453,00
☐ 7209	Netti Smart	620 mm, convertible to 670 mm	211,20
☐ 7207	Netti Stabil	620 mm, convertible to 670 mm	224,40
☐ 7210	Netti Super Stabil	620 mm, convertible to 670 mm	233,20
☐ 7205	Back cushion Netti Kyphotic ⚠ Not in conjunction with SW 530 mm	620 mm, convertible to 670 mm	176,00
☐ 7454	Ride Grande		N/A

09 Optional seat units

RECARO seats are currently not available

Please note the front height of the seat cushion: ERGOSTAR +120 mm and RECARO +150 mm

CODE	Seat unit	Back support	
		mechanical	electric
961	ERGOSTAR anatomically formed seat system	☐ 794,00	
579/567	RECARO S/F short seat with little side surface	☐ N/A	☐ N/A
580/578	RECARO M/W long seat with very long side bolsters	☐ N/A	☐ N/A
581/584	RECARO L/X long seat with pronounced lateral guidance	☐ N/A	☐ N/A

⚠

ERGOSTAR seat CODE 961 is only possible with seat width 48 cm
Electric backrest adjustment only in conjunction with R-Net control
Longer delivery time for RECARO seats

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

ErgoSeat-covers

CODE	DESCRIPTION	GBP £
☐ 297	ErgoSeat-cover, netting, RS design red/black	0,00
☐ 4980	ErgoSeat-cover, incontinec, black	0,00

ErgoSeatPRO accessory back

CODE	DESCRIPTION	GBP £
☐ 2021	Thorax cushions, pair, large	250,00
☐ 2032	Thorax cushions, pair, small	250,00

Recaro remuneration

CODE	DESCRIPTION	GBP £
☐ 235	Recaro cover, textile, black	0,00

10

Back support options (Adjustments)

CODE	DESCRIPTION	GBP £
☐ 814	Continuous push bar	0,00
☐ 410	Single push handles incl. stabiliser rod	80,00
☐ 2814	Continuous push bar for RECARO seat systems ⚠ only in combination with RECARO	125,00
☐ 913	Head support, synthetic leather black	135,00
☐ 589	4-point-strap	150,00
☐ 401	Mechanical back support adjustment	0,00
☐ 25	Electric back support adjustment ⚠ It is recommended to use the headrest, imitation leather black (CODE 913).	450,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.

11 Arm supports and arm pads

1 = detachable 2 = height adjustable 3 = width adjustable 4 = depth adjustable

CODE	DESCRIPTION	FUNCTIONS	GBP £
☐ 106	Standard arm support with upholstered arm pad and black clothes guard	1,2,3,4	0,00
☐ 4960	Arm support with upholstered arm support, satined clothes guard and slight depression in the padded arm support	1,2,3,4	75,14
☐ 21	Arm support with upholstered arm support, satined clothes guard and long angled padded arm support	1,2,3,4	220,00
☐ 24	Arm support with padded arm support, swivelling and angle adjustable Differing arm support height 190 - 230 mm  Only i.c. with operating module bracket CODE 4859	2	150,00
☐ 769	Satined clothes guard without arm support  only i.c. with arm support CODE 24		130,00

Armrest hemiplegia

CODE	DESCRIPTION	GBP £
☐ 4982	Hemiplegia forearm rest, swing-away a. height adjustable  not in conjunction with CODE 24 flip-up armrest for forearm- length to centre of hand 36cm +/- 2cm	96,61
☐ 4983	Extension for hemiplegia forearm shell  only in conjunction with CODE 4983 Hemi-Forearm shell to centre of hand 43cm +/- 2cm	13,21

Hand Rest Hemiplegia

CODE	DESCRIPTION	GBP £
☐ 4985	Hemi hand rest flat	30,00
☐ 4987	Hemi hand rest with ergonomic handle on the left	30,00
☐ 4986	Hemi hand rest with ergonomic handle on the right	30,00

12 Leg supports

CODE	DESCRIPTION	GBP £
☐ 93	Legrests, detachable and swing-away	0,00
☐ 92	Leg supports, swivelling upward, removable and swing-away  not i.c.w.footrest CODE 54	120,00
☐ 86	Legrests, electrically swivelling upward, removable and swing-away  not i.c.w.footrest CODE 54	301,38

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**13 Footrests**

CODE	DESCRIPTION	depth	LSL	GBP £
☐ 808	Footrests divided, height adjustable, up-folding and angle adjustable	150 mm	280 - 430 mm	100,00
☐ 798	Two-piece footrest flip up, height and angle adjustable	150 mm	280-430mm	0,00
☐ 54	Continuous footrest, 60 mm depth adjustable (in 4 steps), flip-up, height and angle adjustable  Only i.c.w. legrest Code 93	150 mm	280-430mm	150,00
☐ 822	Shoe fastening strap (pair)			30,00
☐ 823	Heel cup (pair)			60,00

14 Batteries and Chargers

CODE	DESCRIPTION	RANGE	GBP £
☐ 5158	Maintenance-free batteries approx.66 Ah (5h), 80 Ah (20h)	40 km	0,00
☐ 733	Charger 12 A		0,00

15 Lighting

CODE	DESCRIPTION	GBP £
☐ 932	Active LED-lighting front and rear acc. to StVZO	0,00

16 Joystick modules and accessories

		CONTROL			
Code	Control modules	none	2 / 682	6 / 678	8 / 780
702/415	R-NET LED			☐	
702/416	R-NET LCD			☐	
				450,00	
702/398	R-NET LCD IR/BT			☐	
				800,00	
702/839	R-NET OMNI II			☐	
				1.000,00	

 Code 839 OMNI II Flashing function and horn function only selectable via menu

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

Standard version: If no other selection is made, the standard version will be delivered.

External adjustment module

External 5-way adjustment module (C. 4615/4597) - mounting on the operating module side only on REQUEST

CODE	DESCRIPTION	GBP £
☐ 4599/4615	External adjustment keypad for directly selecting and activating five seat functions, also while driving, assembly on the opposite side to the control module ⚠ Only in combination with LCD colour display For an individual assignment, please use the following matrix! Not in combination with swivelling table tops CODE 4660 and 4661 Not in combination with laterally swivelling therapy table CODE 4646	1.000,00

Key	without assignment	Back support	Seat	CM left	CM right	CM synchron	Seatlift
(1)	☐	☐	☐	☐	☐	☐	☐
(2)	☐	☐	☐	☐	☐	☐	☐
(3)	☐	☐	☐	☐	☐	☐	☐
(4)	☐	☐	☐	☐	☐	☐	☐
(5)	☐	☐	☐	☐	☐	☐	☐

Assembly of the operating module

CODE	DESCRIPTION	GBP £
☐ 74	Assembly right	0,00
☐ 60	Assembly left	0,00

17 Operating module bracket

CODE	DESCRIPTION	GBP £
☐ 4859	Operating module bracket, length adjustable	0,00
☐ 4566	Operating module bracket, length and height adjustable	99,00
☐ 4860	Operating module bracket, length and height adjustable, swivelling to the side (e.g. on a table)	150,00

☐ Please select by ticking the relevant boxes☒ Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.

44,00

150,00

 Only i.c.w. continuous pushing bar CODE 814**18 Special operating modules**

CODE	DESCRIPTION	GBP £
☐ 4660	Table plate with recess (centred) for operating module, swivelling to the right	400,00
☐ 4661	Table plate with recess (centred) for operating module, swivelling to the left	400,00
☐ 4789	Additional operating module with priority switch for accompanying person, incl. assembly on the frame tube	300,00

External on/off switch

for users who can hardly operate the keys of the operating module or as an emergency/off function for accompanying person

CODE	DESCRIPTION	GBP £
☐ 543	External on/off switch, diameter 63 mm, green	202,00
☐ 596	External on/off switch, diameter 63 mm, yellow	200,00
☐ 778	External on/off switch, diameter 30 mm, green	180,00
☐ 779	External on/off switch, diameter 30 mm, yellow	180,00

 Only i.c.w. joystick module R-NET with LED-Display CODE 702/416 or OMNI II Surround control CODE 839**Others**

CODE	DESCRIPTION	GBP £
☐ 4612	MicroGuide way joystick  only in combination with R-NET OMNI II CODE 702/839 temporarily not available	N/A
☐ 4601	MicroGuide way joystick including bracket and hand pad  only in combination with R-NET OMNI II CODE 702/839 temporarily not available	N/A

☐ Please select by ticking the relevant boxes

S

 Special construction/individual solution o.r. - on request

☐ Standard version: If no other selection is made, the standard version will be delivered.

Joystick attachments

CODE	DESCRIPTION	GBP £
☐ 553	Tetra-fork vertical	100,00
☐ 556	Tetra-fork horizontal	100,00
☐ 734	Tetra-fork horizontal, adjustable to hand width	100,00
☐ 4589	Mushroom grip	40,00
☐ 4590	Ball grip	40,00
☐ 4591	T-grip	40,00
☐ 4593	Stem grip	40,00
☐ 4594	Button grip	40,00
☐ 4595	Softball	40,00
☐ 4596	Golf ball d=43 mm	40,00

19

Frame colours

CODE	DESCRIPTION	GBP £
☐ 207	black matte incl. RS- colouring, red elements	0,00

☐ Please select by ticking the relevant boxes☒ S Special construction/individual solution o.r. - on request☐ Standard version: If no other selection is made, the standard version will be delivered.**20 Options around the wheelchair**

CODE	DESCRIPTION	GBP £
☐ 676	Rear marking plate	80,00
☐ 906	Rear-view mirror right	50,00
☐ 927	Rear-view mirror left	50,00
☐ 994	Baggage rack with metal rods	50,00
☐ 970	Crutch holder	50,00
☐ 589	Suspender seatbelt	150,00
☐ 833	Safety belt	50,00
☐ 721	Lap belt for ISO-transport safety	60,00
☐ 4646	Therapy table swivelling sideways	320,00
☐ 862	Step climber  not in conjunction with CODE 27 scissor lift incl. seat tilt	350,00
☐ 957	Rigid side cushion (pair)	100,00
☐ 954	swivel away side cushion (pair)  Not i.c.w. arm supports CODE 24	500,00
☐ 781	USB charging socket	120,00
☐ 782	Universal adapter for mounting mobile phone holders  not in conjunction with R-NET OMNI II CODE 702/839 ~~Cell phone holder not included in scope of delivery~~	50,00
☐ 4795	Anti-theft function, key  only i.c. with R-Net	40,00

21 software

CODE	DESCRIPTION	GBP £
☐ 985	Series programming (standard)	0,00
☐ 998	Special programming (deviation from standard)	0,00

22 Service

Item	DESCRIPTION	GBP £
☐ 55704	Flat fee for customised parameterisation (not eligible for discounts)  The on-the-spot service covers only simple adjustment of parameter sets, such as acceleration, speed etc.	556,00