

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:



Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

- Order Calculation Built 4 me

- = Standard = Cost option
 = No cost option

Part No: 47500001

Max. user weight: 100 kg

USER WEIGHT kg

Mandatory information to ensure correct configuration

ATTITUDE - MODEL SELECTION

ATT010801	<input type="checkbox"/> ATTITUDE Manual	Base Price	£2,475
	30 speed gearing; Dual Drive with 3 speed integral gear hub and external 10 speed cassette and derailleur; trigger shifter; rear and front light; speedometer; docking system; disk brake; parking brake; handle; v-crank.		
ATT010802	<input type="checkbox"/> ATTITUDE Hybrid	Base Price	£3,850
	10 speed cassette and derailleur; trigger shifter; 14,5 Ah Lithium-ion battery; motor support up to max 25 kph; front and rear lamp; docking system; stand with wheels, handle; v-crank, disk brake; parking brake; speedometer integrated in control display.		
ATT010803	<input type="checkbox"/> ATTITUDE Power	Base Price	£3,630
	Speed 6 kph (standard); handlebar; disk brake; 9 Ah Lithium-ion battery; front and rear lamp; docking system; speedometer integrated in control display; stand with wheels; parking brake.		
3203	B4Me option: Soft start ATTITUDE Power (4)		

QUICKIE Rigid Wheelchair and ATTITUDE Add on Bike Combinations **

P.O.No*:

Add Wheelchair PO Number here if purchased in combination

ATT090213
 Order without chair

ATT090213
 Order with chair

CHAIR MEASUREMENTS

WHEELCHAIR MODEL - which will be used in combination with the *ATTITUDE*

<input type="radio"/> Quickie Life FT (fixed front frame only)		Other Chairs	
<input type="radio"/> Quickie Life RT (fixed front frame only)		<input type="checkbox"/> RGK Tiga (5)	161
<input type="radio"/> Quickie Life F (fixed front frame only)		<input type="checkbox"/> Kuschall K-series (5)	161
<input type="radio"/> Quickie Life R (fixed front frame only)		<input type="checkbox"/> Kuschall Advance, Champion (5)	161
<input type="radio"/> Neon (fixed front frame only)		<input type="checkbox"/> Otto Bock Avantgarde CS/CLT (5,6)	161
<input type="radio"/> Xenon / Xenon ² (fixed front frame only)		<input type="checkbox"/> Otto Bock Motus CS (5,6)	161
<input type="radio"/> Argon ²		*Contact Sunrise Medical for availability with other Manufacturer's chairs	
<input type="radio"/> Helium*			
<input type="radio"/> Panthera (fixed front frame only)			

*Please note the Helium with handbike axle is only approved with the frame reinforcement kit for add-on bikes



Frame width (outside tubes)

WHEELCHAIR FRONT FRAME WIDTH - measured from outside front frame tube to outside front frame tube
 Bear in mind this may be less than the seat width with frame insert

26 cm	28 cm	30 cm	32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

FMG-MA03-3201-01	<input type="checkbox"/>	Extended hook bracket for short chairs to position crank away from body <i>(no discount available as is a B4M option)</i>		<input checked="" type="checkbox"/>	-	165
------------------	--------------------------	------------------------------------------------------------------------------------------------------------------------------	--	-------------------------------------	---	-----

● = Standard ○ = No cost option □ = Cost option

Manual	Hybrid	Power	£
--------	--------	-------	---

TYRES

ATT070104	<input type="radio"/>	Pneumatic, puncture resistant, tread - Schwalbe Marathon Plus Evolution		<input checked="" type="checkbox"/>	-	
ATT070110	<input type="radio"/>	Pneumatic, tread, Mountainbike - Jumpin Jack (Offroad tyre)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
ATT070111	<input type="radio"/>	Pneumatic, tread, wide slick - Big Apple (City tyre)		-	-	<input checked="" type="checkbox"/>

GEAR AND SHIFTERS

Dual drive (3 x 10 speed) for Manual

ATT070046	<input type="radio"/>	Gear, dual drive, 3 speed integral hub, 10 speed cassette / derailleur		<input checked="" type="checkbox"/>	-	-	
ATT070045	<input type="radio"/>	Shifter, trigger		<input checked="" type="checkbox"/>	-	-	
ATT070042	<input type="checkbox"/>	Shifter, grip shift, 10 speed (1)		<input checked="" type="checkbox"/>	-	-	121
ATT070043	<input type="radio"/>	Gear hub, 8 speed, coaster brake		<input checked="" type="checkbox"/>	-	-	

10 speed cassette with derailleur for Hybrid

ATT070045	<input type="radio"/>	Shifter, trigger		-	<input checked="" type="checkbox"/>	-	
ATT070042	<input type="checkbox"/>	Shifter, grip shift, 10 speed		-	<input checked="" type="checkbox"/>	-	121
ATT070048	●	Shifter mount right	ATT070047	<input type="radio"/>	Shifter mount left		
ATT070044	<input type="checkbox"/>	Shifter, universal, 1 lever (allows base to add levers)		-	<input checked="" type="checkbox"/>	-	242
B4M-MJ02-3187-01	<input type="checkbox"/>	Tetraplegic operation extension for universal shifter (4)		-	<input checked="" type="checkbox"/>	-	106

CRANK AND HANDLE - special length, widths and shapes via B4Me

ATT080022	<input type="radio"/>	V-crank, standard Length: 17 cm Width: 47 cm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	
B4M	<input type="checkbox"/>	If special required, please supply dimensions: Length _____ Width _____					POA
ATT080023	<input type="radio"/>	Handle, straight, 10° angle, round, diameter 30 mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	
ATT080027	<input type="checkbox"/>	Quad, hand support		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	121
ATT080028	<input type="checkbox"/>	Quad, arm support		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	121
ATT080024	<input type="radio"/>	Handle, straight, 10° angle, round, diameter 40 mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	
ATT080025	<input type="checkbox"/>	Handle, straight, 25° angle, oval, diameter 37 x 21 mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	121
ATT080026	<input type="checkbox"/>	Handle, straight, 25° angle, oval, diameter 47 x 23 mm		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	121


DISC BRAKE - disk 160 mm; for driving and parking brake

ATT060050	<input type="radio"/>	Manual lever brake (not with gear hub, 8 speed, coaster brake)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
ATT060102	●	Brake lever mount right	ATT060101	<input type="radio"/>	Brake lever mount left		
ATT060051	<input type="checkbox"/>	Backpedal brake (not with gear hub, 8 speed, coaster brake)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	267
ATT060052	<input type="radio"/>	Manual dual lever brake (3) (not with gear hub, 8 speed, coaster brake)		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	-	
3364	<input type="checkbox"/>	B4Me option: Second driving brake for ATTITUDE Power (4)		-	-	<input checked="" type="checkbox"/>	POA

SPEED


ATT000025	<input type="radio"/>	Speed, max. 6 kph		-	-	<input checked="" type="checkbox"/>	
ATT000026	<input type="radio"/>	Speed, max. 23 kph (2)		-	-	<input checked="" type="checkbox"/>	

(1) only for 10 speed derailleur, trigger for 3 speed hub.
 (2) only for countries which allow a higher speed or for use on private ground only. This option can only be ordered if the letter of acknowledgement attached on the back page is signed by the end user!
 (3) Parking brake as rim brake and not as disk brake. (4) Built 4 me - only in combination with ATT070044
 (5) Please note: V-Frames are only suitable up to 5°. Please check with your authorized dealer if there are any further NoGo's
 (6) Only possible for frames without inset



		Manual	Hybrid	Power	£
● = Standard ○ = No cost option □ = Cost option					
BATTERY - charger always included					
ATT160020	● Battery, Lithium-ion, 14.5 Ah - 30Km range on full assistance / flat ground	-	✓	-	
ATT160021	● Battery, Lithium-ion, 9 Ah - 30Km range on flat ground	-	-	✓	
ATT160022	□ Battery, Lithium-ion, 13.4 Ah - 50Km range on flat ground	-	-	✓	242
ATT090088	□ Additional battery, Lithium-ion, 14.5 Ah	-	✓	-	727
ATT090086	□ Additional battery, Lithium-ion, 9 Ah	-	-	✓	606
ATT090087	□ Additional battery, Lithium-ion, 13.4 Ah	-	-	✓	668
ATT090091	□ Additional charger, Hybrid	-	✓	-	97
ATT090089	□ Additional charger, Power	-	-	✓	97
ACCESSORIES					
ATT090074	● Front- & rear lamp	✓	✓	✓	
ATT090080	● Speedometer <i>(integrated in the display for Hybrid and Power)</i>	✓	✓	✓	
ATT090095	● Mudguard, bolt on, black	✓	✓	✓	
ATT090067	□ Rear view mirror	✓	✓	✓	43
ATT090081	□ Bottle holder	✓	✓	✓	24
ATT090082	□ Low rider carrier for saddle bags	✓	✓	✓	67
ATT090024	□ High pressure pump (0 - 11 bar)	✓	✓	✓	54
ATT090084	□ Additional weight, removable, 5 kg, to increase traction	✓	✓	✓	73
ATT090085	□ Bell	✓	✓	✓	18
ATT090041	□ Multitool	✓	✓	✓	18
ATT090096	□ Protection Foil	✓	✓	✓	36
COLOURS - please consult our colour catalogue to review your colour choice					
ATT100101	○ 01 White RAL 9010				
ATT100102	○ 02 Brilliant Silver				
ATT100103	○ 03 Silver Matt				
ATT100104	○ 04 Silver				
ATT100105	○ 06 Sun Yellow				
ATT100106	○ 07 Brilliant Lime				
ATT100107	○ 08 Matt Lime				
ATT100110	○ 14 Blue				
ATT100111	○ 15 Brilliant Marine				
ATT100112	○ 16 Matt Marine				
ATT100113	○ 19 Brilliant Purple				
ATT100114	○ 20 Matt Purple				
ATT100115	○ 21 Red Ruby				
ATT100116	○ 22 Brilliant Red				
ATT100117	○ 23 Matt Red				
ATT100118	○ 24 Tutti Frutti Orange				
ATT100120	○ 27 Graphite metallic				
ATT100121	○ 28 Platinum metallic				
ATT100122	○ 29 Black				
ATT100123	○ 31 Matt Black				
ATT100124	○ 32 Signal White				
ATT100125	○ 33 Pink				
ATT100126	○ 34 Dark Chocolate Metallic				
ATT100127	○ 35 Skyblue				
ATT100128	○ 36 Cyan-Metallic				
ATT100129	○ 37 Mars Red (Orange)				
ATT100131	○ 39 Cappuccino				
ATT100132	○ 40 Kiwi				
ATT100133	○ 41 Flamingo-Glitter				
ATT100134	○ 42 Matt Anthracite				
ATT100135	○ 43 Azure Blue				
COMMENTS FOR SPECIAL BUILD - please apply for a quote; lead time conditions may change.					
					
Quickie ATTITUDE - Base Price				£	
Option price				£	
VAT.				£	
Total Price				£	

ATTITUDE adjustment and set-up

ATTITUDE Manual / Hybrid - crank position range



ATTITUDE Power - handle bar position range



FMG-MJ02-3187-02 - Tetraplegic operation for Hybrid power unit - B4M Option only



ATTITUDE options



Tyre, pneumatic, puncture resistant, tread, Schwalbe Marathon Plus Evolution



Tyre, pneumatic, tread, Mountainbike



Tyre, pneumatic, tread, Big Apple



Shifter, trigger



Shifter, grip shift, 10 speed



Shifter, universal, 1 lever



FMG-MJ02-3187-01
Tetraplegic operation



Handle, vertical, 10° angle, round, diameter 30 mm



Quad, hand support



Quad, arm support



Handle, vertical, 25° angle, oval,



Brake, backpedal actuation



Mudguard, bolt on, black



Rear view mirror



Bottle holder



Low rider carrier for saddle bags



High pressure pump (0 - 11 bar)



Additional weight, removable, 5 kg, to increase traction



Bell



Multitool



LETTER OF ACKNOWLEDGEMENT

We would like to point out that using the 23kph Power version of the *ATTITUDE in road traffic* is only permitted in certain countries, otherwise it may only be used on private land.

In the absence of approval, in accordance with the road traffic laws, the *ATTITUDE 23kph Power* version may not be driven on public roads or even cycle ways. You need to check country specific legislation about the use and insurance duty of the *ATTITUDE 23kph Power* version.

When placing an order, please sign below to confirm that you have understood this information and that we should deliver the 23kph version of the *ATTITUDE Power version*.

If you want to use the *ATTITUDE 23kph Power* version in another country, you must first obtain information about the regulations and legislation in force there.

I hereby confirm, that I am aware of these circumstances and that I will strictly follow the country specific legislation.

Customer signature and date: _____