

Invoice to:	
Name:	
Street:	
Town:	Postal code:
E-Mail:	
Tel:	Fax:

Deliver to:	
Name:	
Street:	
Town:	
E-Mail:	
Tel:	

Order date:	
Purchase order:	Number required:

Marked for:	
Sunrise order no:	

Base Price
£3,995

 Fax number: **+44 (0)845 605 66 89**

 Email: **orders@sunmed.co.uk**

Max. user weight: 113kg
Heavy Duty version 158kg
Crash tested and passed



STANDARD FEATURES
Tilt in space up to 60 degrees
Comfort seating
Height adjustable folding back
Centre of gravity adjustment
Dual post armrest / short or long pad
Solid castors and solid rear wheels

BASE MODEL		£	
183WM56	● Quickie IRIS with True Fit Growth Kit (Includes a 2" Growth Kit)		
To extend the width beyond 2" after purchase please contact your ASM or Sunrise Medical direct for the TRUE GROWTH KIT options			
PRE-SET TILT ANGLE			
55 Degree Range			
183TA5	<input type="radio"/> -5° to 50° (not available with heavy duty package and 12.5"/32cm STFH)		
183TA6	<input type="radio"/> 0° to 55°		
183TA7	<input type="radio"/> +5° to 60° (not available with heavy duty package)		
40 Degree Range			
183TA8	<input type="radio"/> -5° to 35° (not available with heavy duty package and 12.5"/32cm STFH)		
183TA1	<input type="radio"/> 0° to 40°		
183TA10	<input type="radio"/> +5° to 45° (not available with heavy duty package)		
POWERED TILT			
183PA53	<input type="checkbox"/> Powered Tilt, Controller Mounted to Armrest	995	
	<input type="radio"/> Left Hand Control <input type="radio"/> Right Hand Control		
FRAME STRUTS			
183GY02	● Width Adjustable		
FRAME OPTIONS			
183TO45	● Transportation brackets - Crash test option		
183FS23	<input type="radio"/> Standard base and seat frame (Max user weight 113kg / 18 stone)		
183HV1	<input type="checkbox"/> Heavy Duty package (Max user weight 158kg / 25 stone)	580	
183FT46	<input type="radio"/> Contracture Seat Frame (n/a with 14"/36cm or 15"/38cm Frame depths. n/a with drop seat pan)		
183FS24	<input type="checkbox"/> Vent/battery tray base (n/a with Power Tilt, Attendant Wheel Lock, and 14" and 15" frame width; min 17" STFH)	690	
183FS25	<input type="checkbox"/> Reverse Configuration (n/a with Offset hanger, Vent/Battery Base, Transit and 12"-16" MAG wheels.)	495	
TILT RELEASE OPTIONS			
183TT8	<input type="radio"/> Foot release - No cables (NA with vent/battery tray; NA with 21-22"/54-56cm depth and +5° set-ups)		
	<input type="radio"/> Left <input type="radio"/> Right (Facing from Rear)		
183TT12	<input type="radio"/> Backrest dual trigger cable release	(N/A With Hub Brakes)	
FRAME COLOUR			
183C214	<input type="radio"/> Black (Gloss)	183C221	<input type="radio"/> Red Pepper
183C215	<input type="radio"/> Black (Matte)	183C222	<input type="radio"/> Royal Blue
183C211	<input type="radio"/> Celestial Sapphire	183C223	<input type="radio"/> Salute Green
183C212	<input type="radio"/> Desert Sage	183C224	<input type="radio"/> Scarlet Noir
183C213	<input type="radio"/> Desert Tan	183C225	<input type="radio"/> Silver Ore
183C216	<input type="radio"/> Metallic Shadow	183C226	<input type="radio"/> Solar Orange
183C217	<input type="radio"/> Midnight Blue	183C227	<input type="radio"/> Starlight White
183C218	<input type="radio"/> Mystic Purple	183C228	<input type="radio"/> Storm Gray
183C219	<input type="radio"/> Petal Pink	183C229	<input type="radio"/> Turbo Green
183C220	<input type="radio"/> Pink Power	183C230	<input type="radio"/> Velocity Yellow

FRAME WIDTH (can be widened after purchase with the True Growth Kit)			£
183W5	<input type="radio"/> 14" / 36cm	(Seat Pan Growth, 14-16")	
183W6	<input type="radio"/> 15" / 38cm	(Seat Pan Growth, 15-16")	
183W7	<input type="radio"/> 16" / 41cm	(Seat Pan Growth, 16-18")	
183W8	<input type="radio"/> 17" / 43cm	(Seat Pan Growth, 17-18")	
183W9	<input type="radio"/> 18" / 46cm	(Seat Pan Growth, 18-20")	
183W10	<input type="radio"/> 19" / 48cm	(Seat Pan Growth, 19-20")	
183W11	<input type="radio"/> 20" / 51cm	(Seat Pan Growth, 20-22")	
183W12	<input type="radio"/> 21" / 54cm (n/a with removable stroller handle extension)	(Seat Pan Growth, 21-22")	
183W13	<input type="radio"/> 22" / 56cm (n/a with removable stroller handle extension)		
183W57	<input type="checkbox"/> 23" / 58cm (Only with Heavy Duty Frame, B4M Solution, Extended Lead Time)		100
183W58	<input type="checkbox"/> 24" / 60cm (Only with Heavy Duty Frame, B4M Solution, Extended Lead Time)		100

FRAME DEPTH		
Frame Depth Range		
183FL91	<input type="radio"/> Short Seat Frame 14" - 18" / 36 - 46cm	
183FL92	<input type="radio"/> Medium Seat Frame 16" - 20" / 41 - 48cm	
183FL93	<input type="radio"/> Long Seat Frame 18" - 22" / 46 - 56cm	

FRAME DEPTH		
183FD5	<input type="radio"/> 14" / 36cm	
183FD6	<input type="radio"/> 15" / 38cm	
183FD7	<input type="radio"/> 16" / 41cm	
183FD8	<input type="radio"/> 17" / 43cm	
183FD9	<input type="radio"/> 18" / 46cm	
183FD10	<input type="radio"/> 19" / 48cm	
183FD11	<input type="radio"/> 20" / 51cm	
183FD16	<input type="radio"/> 21" / 54cm	
183FD17	<input type="radio"/> 22" / 56cm	

SEAT TYPE			£
183ST35	<input type="radio"/> Standard Seat Pan		
183ST36	<input type="checkbox"/> Drop Seat Pan (n/a w/ Power Tilt, Heavy Duty Frame, Contracture footrest system)		155

BACKREST OPTION			£
183BT101	<input type="radio"/> Dynamic Backrest, 14-18" Frame Depth (n/a with Reclining Backrest or with Heavy Duty Frame)		995
183VU18	<input type="radio"/> Dynamic Backrest, 19" Frame Depth (B4M Option, n/a with Reclining Backrest or with Heavy Duty Frame)		995
183VU19	<input type="radio"/> Dynamic Backrest, 20" Frame Depth (B4M Option, n/a with Reclining Backrest or with Heavy Duty Frame)		995


BACKPOST STYLE (SELECT OPTION 1,2 or 3)

Please select only **one** of the three below backpost options

1. STROLLER HANDLE BACK POSTS (FIXED)			(N/A With Hub Brakes)
183BP9	<input type="radio"/> Low (18" / 46cm)		
183BP10	<input type="radio"/> Medium (21" / 54cm)		
183BP11	<input type="radio"/> Tall (24" / 61cm)		
183BP13	<input type="checkbox"/> Removable stroller handle extension		125

2. HEIGHT ADJ. BACK with ADJ. STROLLER HANDLES			
Select Desired Push Handle			
183PH8	<input type="radio"/> Standard Push Handle		
183PH9	<input type="checkbox"/> Long Push Handle (Recommended in combination with Vent and Battery Tray Option)		295
Select Desired Back Cane			
183PH200	<input type="radio"/> Standard Height Back cane 15" - 21" / 38 - 54cm		
183PH201	<input type="checkbox"/> Tall Height Back cane 18" - 24" / 46 - 61cm		295

3. RECLINING BACKREST (ONLY with 40° Tilt Range)			(N/A with 22" Deep Frame or Hub Brakes)
183BT21	<input type="checkbox"/> Reclining Backrest		1225
183B5	<input type="radio"/> Medium		
183B9	<input type="radio"/> Tall		
183BP64	<input type="radio"/> Angle Adj stroller handles		
183PH8	<input type="radio"/> Standard Push Handle		
183PH9	<input type="radio"/> Long Push Handle		



ARMREST AND ARMPAD		
ARMREST		
183AA11 & 183AR18	<input type="radio"/> Single Post Height Adjustable Std	(NA with heavy duty package)
183AA29 & 183AR17	<input type="radio"/> Single Post Height Adjustable Low	(NA with heavy duty package)
183AA62	<input type="checkbox"/> Dual Post	140
183AA63	<input type="checkbox"/> Dual Post Height Adjustable	150
183AA43	<input type="checkbox"/> Dual Post Flip Back	160
183AA48	<input type="checkbox"/> Dual Post Flip Back Height Adjust.	170
183AA7	<input type="checkbox"/> Length Adjustable Locking Flip-Up	(NA with heavy duty package) 320
183AA1	<input type="checkbox"/> Adjustable Locking Flip-Up	(NA with heavy duty package or armpads) 295
ARMPAD		
183AM24	<input checked="" type="radio"/> Full Length Classic	
183AM22	<input type="radio"/> Full Length Contour	
183AM23	<input type="radio"/> Desk Length Classic	
183AM21	<input type="radio"/> Desk Length Contour	
183AM9	<input type="radio"/> Foam Short (Option for Length Adj. Locking Flip Up Armrest)	
183AM10	<input type="radio"/> Foam Long (Option for Length Adj. Locking Flip Up Armrest)	
183AM27	<input type="radio"/> Ergo Armpad	
Sideguards (Only available w/ length adj locking flip-up and adj locking flip-up armrest styles)		
183SG3	<input type="checkbox"/> Plastic Regular	195
183SG4	<input type="checkbox"/> Plastic Kids	195

FOOTREST (CHOOSE OPTION 1,2 3 or 4)

Please select only **one** of the four below footrest options

1. HANGER MOUNTED FOOTREST

Standard, hanger mounted footplates, please select your required hanger angle, extension tube size and footplate option

Hanger Option		
183H140	<input type="radio"/> 70° Swing-Away Front Mount	
183H142	<input type="radio"/> 80° Swing-Away Front Mount	
183H158	<input type="radio"/> 90° Swing-Away Front Mount	
183H146	<input type="checkbox"/> 70° Heavy-Duty Front Mount Lift-Off	55
183H132	<input type="checkbox"/> 80° Heavy-Duty Front Mount Lift-Off	(NA with 4" castors) 55
183H147	<input type="checkbox"/> 90° Heavy-Duty Front Mount Lift-Off	(NA with 4" castors) 55
183H161	<input type="checkbox"/> 90° Elevating	(NA with 6" castors or 90° footboard) 145
Extension Tubes (n/a with 12.5" seat height)		
183E23	<input type="checkbox"/> 2"/5cm	(NA with 90° swing-away and lift-off hangers) 45
183E24	<input type="checkbox"/> 4"/10cm	(NA with 90° swing-away and lift-off hangers) 45
Footplate Options		
183F4	<input type="radio"/> Kids Angles Adjust. w/Leg Strap	(available with 14"/36cm to 16"/41cm frame width only)
183F3	<input type="radio"/> Adult Angle Adjust. w/Heel Loops	
183A7	<input type="radio"/> Omit Footplate	

2. EXTENSION TUBE MOUNTED FOOTRESTS

Standard, hanger mounted footplates, please select your required hanger angle, extension tube size and footplate option

Hanger Option		
183H145	<input type="radio"/> 60° Swing-away	
183H139	<input type="radio"/> 70° Swing-away	
183H41	<input type="radio"/> 80° Swing-away; NA with 8" castors	
183H160	<input type="checkbox"/> Elevating	(NA w/locking angle adjust. footplate) 460
183H159	<input type="checkbox"/> Articulating Adult	(NA w/locking angle adjust. Footplate or short ext. tubes) 675
Extension Tubes		
183E1	<input type="radio"/> Short (11.5" - 14" / 29 - 36cm)	
183E2	<input type="radio"/> Medium (14" - 17" / 36 - 43cm)	(NA with 12.5"/32cm seat height)
183E5	<input type="radio"/> Long (17" - 19" / 43 - 48cm)	(NA with 12.5"/32cm seat height)
183E16	<input type="checkbox"/> High Mount (Only available with adult or kids angle adjust. footplates)	140
Footplate Options		
183F1	<input type="radio"/> Composite w/Heel Loops (With 70° SA Ext. Mount hangers NA with 8" castors)	
183F271	<input type="radio"/> Composite Angle Adj (16"-22"w)	
183F5	<input type="radio"/> Aluminium (Only available with elevating legrests)	
183F3	<input type="checkbox"/> Adult Angle Adjust. w/Heel Loops	120
183F48	<input type="checkbox"/> Platform Flip-Up w/Leg Strap (2)	185
183F7	<input type="radio"/> Omit Footplate and Ext. Tube	

3. CONTRACTURE FOOTREST SYSTEM (Multi-Adjustable Padded Hangers & Angle Adjust. Aluminium Footrests)			
Allows you to achieve hanger angles beyond 90 degrees for contracture legrest positions, please select either outside or inside mount and your extension tube size			
Footrest System			
183H26	<input type="checkbox"/> Contracture Footrest System	(NA with drop seat pan; NA with 15"/38cm frame depth)	425
183HFP02	<input type="radio"/> Outside Mount		
183HFP01	<input type="radio"/> Inside Mount		
Extension Tubes			
183E25	<input type="radio"/> Short, please select	183E26	<input type="radio"/> Regular, please select
183EP1	<input type="radio"/> 10.5" / 27cm Extension Height	183EP5	<input type="radio"/> 12.5" / 32cm Extension Height
183EP2	<input type="radio"/> 11" / 28cm Extension Height	183EP6	<input type="radio"/> 13" / 33cm Extension Height
183EP3	<input type="radio"/> 11.5" / 29cm Extension Height	183EP7	<input type="radio"/> 13.5" / 34cm Extension Height
183EP4	<input type="radio"/> 12" / 30.5cm Extension Height	183EP8	<input type="radio"/> 14" / 36cm Extension Height
183EP5	<input type="radio"/> 12.5" / 32cm Extension Height	183EP9	<input type="radio"/> 14.5" / 37cm Extension Height
183EP6	<input type="radio"/> 13" / 33cm Extension Height	183EP10	<input type="radio"/> 15" / 38cm Extension Height
4. Z-FINITY FOOTREST SYSTEM (Max User Weight 75kg)			
Multi-adjustable legrest that can be adjusted to achieve a wide range of lower leg lengths and legrest angles. Choose for it to be mounted directly to the hanger for shorter LLL or mounted on extension tubes, as well as footplate options			
Footrest System			
183H162	<input type="checkbox"/> Z-Finity Hanger		295
Hanger Option			
183DI22	<input type="radio"/> Direct Hanger Mt/Fixed Frame - High		
183DI23	<input type="radio"/> Direct Hanger Mt/Fixed Frame - Low		
183DI24	<input type="radio"/> Extension Tube Mount		
Footrest Pivot Arm			
183DI20	<input type="radio"/> Short 2"		
183DI21	<input type="radio"/> Long 3 1/4"		
Footplate Options			
183F320	<input type="radio"/> Multi Angle Adjustable (Pair)		
183F321	<input type="radio"/> Angle Adjustable Platform Footboard		
183F6	<input type="radio"/> Omit Footplate		
Extension Tubes			
183E62	<input type="checkbox"/> Hemi Short		95
183E1	<input type="checkbox"/> Short		50
183E2	<input type="checkbox"/> Medium		50
183E5	<input type="checkbox"/> Long		50
HANGER OPTIONS (Applies to all footrests)			
183MZ02	<input type="radio"/> Standard Hanger Mount		
183MZ01	<input type="checkbox"/> 1" Offset Hanger Mount	(n/a with -5 degree tilt settings)	15
183IE05	<input type="checkbox"/> Enhanced hanger latch		15
FOOTREST OPTIONS (Applies to all footrests)			
183IG2	<input type="checkbox"/> Impact Guard Neoprene	(Only available w/60°, 70° or 70° V ext. mount hangers)	20
183HL1	<input type="checkbox"/> Heel Loop		15
183HL5	<input type="checkbox"/> Leg Strap		15
183DI47	<input type="checkbox"/> Neoprene Hanger Cover	(Articulating or Elevating Hanger Only)	15
183DI48	<input type="checkbox"/> Gel Pad Hanger Cover	(Articulating or Elevating Hanger Only)	25

CASTOR AND REAR WHEEL									
FRONT SEAT HEIGHT MATRIX (Information listing below for important NO-GO information)									
CASTOR SIZE									
REAR WHEEL SIZE	4" Semi-Pneumatic	5"x1" Polyurethane 5"x1.5" Semi-Pneumatic	6"x1" Polyurethane 6"x1.5" Semi-Pneumatic	8"x1" Polyurethane (5) 8"x1.5" Semi-Pneumatic (4)	8"x2" Pneumatic 8"x2" Solid				
	12" Mag Wheel	○ 12.5"/32cm	○ 13.5"/34cm ○ 17"/43cm ○ 16.5"/42cm ○ 17.5"/44cm	○ 16.5"/42cm ○ 17.5"/44cm ○ 17"/43cm	○ 16.5"/42cm (4) ○ 17.5"/44cm ○ 17"/43cm ○ 18"/46cm	○ 17.5"/44cm ○ 18"/46cm			
	12" Low Poly Wheel		○ 16"/41cm ○ 17"/43cm ○ 16.5"/42cm ○ 17.5"/44cm	○ 16"/41cm ○ 17"/43cm ○ 16.5"/42cm	○ 16"/41cm (4) ○ 17"/43cm ○ 16.5"/42cm ○ 17.5"/44cm (5)	○ 16.5"/42cm ○ 17.5"/44cm			
	16" Mag Wheel		○ 13.5"/34cm ○ 15"/38cm ○ 14"/36cm ○ 18"/46cm ○ 14.5"/37cm ○ 18.5"/47cm	○ 14.5"/37cm ○ 18.5"/47cm ○ 15"/38cm ○ 19"/48cm ○ 18"/46cm	○ 18"/46cm ○ 19.5"/50cm (4) ○ 18.5"/47cm ○ 19"/48cm	○ 18"/46cm ○ 19"/48cm			
	20" Mag Wheel		○ 16"/41cm ○ 17"/43cm ○ 16.5"/42cm ○ 17.5"/44cm	○ 16"/41cm ○ 17"/43cm ○ 16.5"/42cm	○ 16"/41cm (4) ○ 17"/43cm ○ 16.5"/42cm ○ 17.5"/44cm (5)	○ 16.5"/42cm ○ 17"/43cm			
	22" Mag Wheel		○ 17"/43cm ○ 18"/46cm ○ 17.5"/44cm ○ 18.5"/47cm	○ 17"/43cm ○ 18"/46cm ○ 17.5"/44cm	○ 17"/43cm (5) ○ 18"/46cm ○ 17.5"/44cm ○ 18.5"/47cm (4)	○ 17"/43cm ○ 18"/46cm			
	24" Mag Wheel 24" Spoke Wheel		○ 18"/46cm ○ 18.5"/47cm	○ 18"/46cm ○ 19"/48cm ○ 18.5"/47cm	○ 18"/46cm (4) ○ 19"/48cm ○ 18.5"/47cm ○ 19.5"/50cm (5)	○ 18"/46cm ○ 19"/48cm			
CASTOR WHEELS									
183CW73	○ 4"x 1.25" Semi-Pneumatic					(NA with Heavy Duty Option)			
183CW53	○ 5" x 1" Polyurethane								
183CW7	○ 5" x 1.5" Semi-Pneumatic								
183CW45	○ 6" x 1" Polyurethane								
183CW35	○ 6" x 1.5" Semi-Pneumatic								
183CW46	○ 8" x 1" Polyurethane								
183CW39	○ 8" x 1.5" Semi-Pneumatic								
183CW36	□ 8" x 2" Pneumatic							150	
183CW37	□ 8" x 2" Pneumatic w/Airless Insert							150	
REAR WHEEL WITH HUB BRAKES									
000061581	□ 16" Attendant Drum Brakes (including wheel and tyre)							380	
000061583	□ 24" Attendant Drum Brakes (including wheel and tyre)							380	
REAR WHEEL STANDARD									
183RW13	○ 12" Mag Wheel								
183RW14	○ 16" Mag Wheel								
183RW3	○ 20" Mag Wheel								
183RW103	○ 20" Mag Wheel - 5 Spoke								
183EW8	○ 22" Mag Wheel								
183RW104	○ 22" Mag Wheel - 5 Spoke								
183RW1	○ 24" Mag Wheel								
183RW102	○ 24" Mag Wheel - 5 Spoke								
183RW51	○ 24" Spoke Wheel								
REAR WHEEL TYRE									
183RT3	○ Full Polyurethane								
183RT4	○ Low Polyurethane							(only available with 12" Mag Wheel)	
183RT1	□ Pneumatic							60	
183RT2	□ Pneumatic Airless Insert							125	
HANDRIM (12" and 16" wheels not available with hand rims)									
183HR1	○ Aluminium Anodised								
183HR4	□ Plastic Coated							100	
183HR8	□ Projection Handrim - 8 Oblique (Only available with 24" MAG wheels)							195	
183HR7	○ Omit Handrim								
AXLE PLATE									
183AL33	○ Standard Axle Plate								
183AL17	□ One Arm Drive Axle Plate							(NA with 12" & 16" mag and 24" spoke wheels)	795
183OA2	○ One Arm Drive Standard Handrim								
	183HM1 ○ Right Hand Mount								
	183HM2 ○ Left Hand Mount								
183OA1	○ One Arm Drive Small Handrim							(NA with 20" mag wheels)	
	183HM1 ○ Right Hand Mount								
	183HM2 ○ Left Hand Mount								
AXLE									
183AX1	○ Quick Release Axles							(NA with one arm drive)	
183AX17	○ Threaded Axles							(NA with 24" spoke wheels)	
WHEEL LOCK									
183WL8	○ Push to Lock								
183EH7	□ Extension Handle 6" pair							25	
183WL41	□ Attendant Wheel Lock (Foot Lock)							(n/a with one arm drive)	45

JAY POSITIONING SUPPORTS		
JAY Foot Boxes		
<small>Only available with Swing Away, Lift-off Hangers , Adult Angle Adj Footplates and ELR / ALR. Single Foot Box pairs N/A with 14"-15" frame widths. Full Foot Boxes N/A with Heel Loop or Leg Strap, Tall Height Full Footbox w/ 14"-15" frame width and ELR / ALR. Full Foot Box not available with 23"-24" widths.</small>		
Single Foot Box - Standard Height (205mm Tall)		
183JX01	<input type="checkbox"/> Standard Height - Left	150
183JX03	<input type="checkbox"/> Standard Height - Right	150
183JX05	<input type="checkbox"/> Standard Height - Pair	300
Single Foot Box - Tall Height (305mm Tall)		
183JX02	<input type="checkbox"/> Tall Height - Left	150
183JX04	<input type="checkbox"/> Tall Height - Right	150
183JX06	<input type="checkbox"/> Tall Height - Pair	300
Full Foot Boxes - Standard Height (205mm Tall)		
183JX07	<input type="checkbox"/> Full Foot box Std Height	300
183JX09	<input type="checkbox"/> Full Foot box w/ Divider Std Height	300
Full Foot Boxes - Standard Height (305mm Tall)		
183JX08	<input type="checkbox"/> Full Foot box Tall Height	300
183JX10	<input type="checkbox"/> Full Foot box w/ Divider Tall Height	300
JAY Arm Troughs (n/a with Length Adj. Locking Flip Up and Adj Locking Flip Up armrests.)		
JAY Arm Trough Size		
183JL01	<input type="checkbox"/> Arm Trough - 14" long - Left	95
183JL04	<input type="checkbox"/> Arm Trough - 14" long - Right	95
183JL05	<input type="checkbox"/> Arm Trough - 14" long - Pair	190
183JL02	<input type="checkbox"/> Arm Trough - 18" long - Left	95
183JL06	<input type="checkbox"/> Arm Trough - 18" long - Right	95
183JL07	<input type="checkbox"/> Arm Trough - 18" long - Pair	190
183JL03	<input type="checkbox"/> Arm Trough - 22" long - Left	95
183JL08	<input type="checkbox"/> Arm Trough - 22" long - Right	95
183JL09	<input type="checkbox"/> Arm Trough - 22" long - Pair	190
JAY Arm Trough Hardware		
183JN01	<input type="radio"/> Fixed (Each)	
183JN03	<input type="radio"/> Fixed (Pair)	
183JN02	<input type="checkbox"/> Swing Away (Each)	95
183JN04	<input type="checkbox"/> Swing Away (Pair)	95
JAY Anterior Thoracic Support		
Style		
183JY01	<input type="checkbox"/> Classic Dynamic	135
183JY02	<input type="checkbox"/> Classic Structure	135
183JY03	<input type="checkbox"/> Contour Dynamic	135
183JY04	<input type="checkbox"/> Contour Structure	135
183JY05	<input type="checkbox"/> Center Opening with Buckle	135
Size		
183JZ01	<input type="checkbox"/> Small	135
183JZ02	<input type="checkbox"/> Medium	135
183JZ03	<input type="checkbox"/> Large	135
183JZ04	<input type="checkbox"/> X-Large	135
JAY Padded Trunk Strap		
183JA01	<input type="checkbox"/> Padded Trunk Strap - Small	95
183JA02	<input type="checkbox"/> Padded Trunk Strap - Medium	95
183JA03	<input type="checkbox"/> Padded Trunk Strap - Large	95
183JA04	<input type="checkbox"/> Padded Trunk Strap - X-Large	95








ACCESSORIES			
183AT1	<input type="checkbox"/>	Rear Anti-tip <i>(Included with vent tray option; Not ordered as separate line item)</i>	120
183A54	<input type="checkbox"/>	Extra Leg Strap black	35
1838A06	<input type="checkbox"/>	Canopy (Sunshade) 10" - 14" wide (Need 2" back post clearance to mount canopy hardware)	195
1838A07	<input type="checkbox"/>	Canopy (Sunshade) 15" - 20" wide (Need 2" back post clearance to mount canopy hardware)	195
183A1	<input type="checkbox"/>	Black Utility Backpack	45
183A8	<input type="checkbox"/>	Black Seat Pouch	45
183A82	<input type="checkbox"/>	Caddy (Only available w/ extension tube mounted footrests)	25
183A999	<input type="checkbox"/>	Quickie Water Bottle & Holder	45
Medical Devices			
183A601	<input type="checkbox"/>	O2 Holder	195
183A701	<input type="checkbox"/>	IV Pole (not available with transit option)	95
183LF12	<input type="checkbox"/>	Vent Tray Back Cane Mount - for LTV Ventilators (7kg Carry Weight)	250
183LF13	<input type="checkbox"/>	Vent Tray Back Cane Mount - for Trilogy Ventilators (7kg Carry Weight)	250
Positioning Belts			
183ZZ26	<input type="checkbox"/>	JAY 2PT Belt 2" Push Btn 9.5" Pad	105
183ZZ28	<input type="checkbox"/>	JAY 2PT Belt 1.5" Push Btn 7.5" Pad	105
183A117	<input type="checkbox"/>	2" Aircraft Buckle w/Clamps	95
183A118	<input type="checkbox"/>	2" Aircraft Buckle Pad w/Clamp	95
183A120	<input type="checkbox"/>	Positioning Belt Clamps Only	20
SPOKE GUARDS (NA with 12" and 16" mag wheels)			
183A24	<input type="checkbox"/>	Clear	50
183A23	<input type="checkbox"/>	Black	50
WHEELCHAIR TRAY TABLE - Please refer to the table below (Only available if armrests are included)			
183A30	<input type="checkbox"/>	Small (13" - 14" / 33 - 36cm)	195
183A31	<input type="checkbox"/>	Medium (15" - 17" / 38 - 43cm)	195
183A32	<input type="checkbox"/>	Large (18" - 20" / 48 - 51cm)	195
183A33	<input type="checkbox"/>	X-Large (21" - 22" / 54 - 56cm)	195


TRAY REFERENCE GUIDE

Seat Width	Flip-up	Padded S/A	Adj. Locking Flip up	SPHA, Dual Post & Flip Back	Length Adj. Locking Flip Up
	Measurements taken from outside of the right armrest to the outside of the left armrest.				
13"	XS/SML	XS/SML	MED	MED	MED
14"	MED	MED	MED	MED	MED
15"	MED	MED	MED	MED	MED
16"	MED	MED	MED	MED	LRG
17"	MED	MED	MED	LRG	LRG
18"	MED	MED	LRG	LRG	X LRG
19"	LRG	LRG	LRG	X LRG	X LRG
20"	LRG	LRG	X LRG	X LRG	X LRG
21"	X LRG	X LRG	X LRG	X LRG	X LRG***
22"	X LRG	X LRG	X LRG	X LRG***	X LRG***
23"	X LRG	X LRG	X LRG***	X LRG***	X LRG****
24"	X LRG	X LRG****	X LRG***	X LRG****	X LRG****
25"	X LRG****	X LRG****	X LRG****	X LRG****	Size N/A
26"	X LRG****	X LRG****	X LRG****	Size N/A	Size N/A
27"	X LRG****	X LRG****	Size N/A	Size N/A	Size N/A
28"	X LRG****	Size N/A	Size N/A	Size N/A	Size N/A
29"	Size N/A	Size N/A	Size N/A	Size N/A	Size N/A
30"	Size N/A	Size N/A	Size N/A	Size N/A	Size N/A

- * REQUIRES the toggle hardware mounted to the inside of the tray.
- **REQUIRES the Quickie Hardware to achieve the overall armrest width.
- *** REQUIRES the armpads to be inverted on the armrest to attach the tray
- ****REQUIRES the tray hardware to be mounted on the inside of the tray

Quickie IRIS - Base Price	£3,995
Option price	£
Total Price	£

Z-Finity Matrix				Growing Seat Pan Matrix																																																																																																																																																																									
Direct Hanger Mount		Extension Tube Mount		Rigid Frame - Frame Depth Growth Range Matrix																																																																																																																																																																									
				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Seat Pan Size</th> <th>Dim A Range</th> </tr> <tr> <td>10" - 16"</td> <td>11-1/4" - 15-1/4"</td> </tr> <tr> <td>14" - 18"</td> <td>15" - 19"</td> </tr> </table> 				Seat Pan Size	Dim A Range	10" - 16"	11-1/4" - 15-1/4"	14" - 18"	15" - 19"																																																																																																																																																																
Seat Pan Size	Dim A Range																																																																																																																																																																												
10" - 16"	11-1/4" - 15-1/4"																																																																																																																																																																												
14" - 18"	15" - 19"																																																																																																																																																																												
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: center;">Direct Hanger Mounted</th> </tr> <tr> <th>Footrest Adaptor</th> <th>Hanger Mounting Position</th> <th>Min</th> <th>Max</th> </tr> </thead> <tbody> <tr> <td rowspan="2">Short</td> <td>High Mount</td> <td>-0.9"</td> <td>3.4"</td> </tr> <tr> <td>Low Mount</td> <td>2.6"</td> <td>6.7"</td> </tr> <tr> <td rowspan="2">Long</td> <td>High Mount</td> <td>-2.1"</td> <td>4.6"</td> </tr> <tr> <td>Low Mount</td> <td>1.3"</td> <td>7.9"</td> </tr> </tbody> </table>		Direct Hanger Mounted				Footrest Adaptor	Hanger Mounting Position	Min	Max	Short	High Mount	-0.9"	3.4"	Low Mount	2.6"	6.7"	Long	High Mount	-2.1"	4.6"	Low Mount	1.3"	7.9"	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: center;">Extension Tube Mounted</th> </tr> <tr> <th>Footrest Adaptor</th> <th>Extension Tube Length</th> <th>Min</th> <th>Max</th> </tr> </thead> <tbody> <tr> <td rowspan="4">Short</td> <td>Hemi Short</td> <td>3.9"</td> <td>12.4"</td> </tr> <tr> <td>Short</td> <td>4.9"</td> <td>13.4"</td> </tr> <tr> <td>Medium</td> <td>6.6"</td> <td>15.4"</td> </tr> <tr> <td>Long</td> <td>8.6"</td> <td>17.4"</td> </tr> <tr> <td rowspan="4">Long</td> <td>Hemi Short</td> <td>2.6"</td> <td>13.6"</td> </tr> <tr> <td>Short</td> <td>4.1"</td> <td>14.6"</td> </tr> <tr> <td>Medium</td> <td>5.6"</td> <td>16.6"</td> </tr> <tr> <td>Long</td> <td>7.6"</td> <td>18.6"</td> </tr> </tbody> </table>		Extension Tube Mounted				Footrest Adaptor	Extension Tube Length	Min	Max	Short	Hemi Short	3.9"	12.4"	Short	4.9"	13.4"	Medium	6.6"	15.4"	Long	8.6"	17.4"	Long	Hemi Short	2.6"	13.6"	Short	4.1"	14.6"	Medium	5.6"	16.6"	Long	7.6"	18.6"	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="14" style="text-align: center;">Folding Frame - Frame Depth Growth Range Matrix</th> </tr> </thead> <tbody> <tr> <td colspan="14" style="text-align: center;"></td> </tr> <tr> <th rowspan="2">Seat Depth Pan Size</th> <th colspan="10" style="text-align: center;">Seat Depth</th> <th colspan="2" style="text-align: center;">L Range</th> </tr> <tr> <th>10"</th><th>11"</th><th>12"</th><th>13"</th><th>14"</th><th>15"</th><th>16"</th><th>17"</th><th>18"</th><th>19"</th><th>20"</th> <th>Min</th><th>Max</th> </tr> <tr> <td>Short</td> <td>x</td><td>x</td><td>x</td><td>x</td><td>x</td><td></td><td></td><td></td><td></td><td></td><td></td><td>10"</td><td>14"</td> </tr> <tr> <td>Medium</td> <td></td><td></td><td></td><td></td><td>x</td><td>x</td><td></td><td></td><td></td><td></td><td></td><td>11.75"</td><td>16.25"</td> </tr> <tr> <td>Long</td> <td></td><td></td><td></td><td></td><td></td><td></td><td>x</td><td>x</td><td></td><td></td><td></td><td>13.75"</td><td>18.25"</td> </tr> <tr> <td>X-Long</td> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>x</td><td>x</td><td>x</td><td>15.75"</td><td>20.25"</td> </tr> </tbody> </table>				Folding Frame - Frame Depth Growth Range Matrix																												Seat Depth Pan Size	Seat Depth										L Range		10"	11"	12"	13"	14"	15"	16"	17"	18"	19"	20"	Min	Max	Short	x	x	x	x	x							10"	14"	Medium					x	x						11.75"	16.25"	Long							x	x				13.75"	18.25"	X-Long									x	x	x	15.75"	20.25"
Direct Hanger Mounted																																																																																																																																																																													
Footrest Adaptor	Hanger Mounting Position	Min	Max																																																																																																																																																																										
Short	High Mount	-0.9"	3.4"																																																																																																																																																																										
	Low Mount	2.6"	6.7"																																																																																																																																																																										
Long	High Mount	-2.1"	4.6"																																																																																																																																																																										
	Low Mount	1.3"	7.9"																																																																																																																																																																										
Extension Tube Mounted																																																																																																																																																																													
Footrest Adaptor	Extension Tube Length	Min	Max																																																																																																																																																																										
Short	Hemi Short	3.9"	12.4"																																																																																																																																																																										
	Short	4.9"	13.4"																																																																																																																																																																										
	Medium	6.6"	15.4"																																																																																																																																																																										
	Long	8.6"	17.4"																																																																																																																																																																										
Long	Hemi Short	2.6"	13.6"																																																																																																																																																																										
	Short	4.1"	14.6"																																																																																																																																																																										
	Medium	5.6"	16.6"																																																																																																																																																																										
	Long	7.6"	18.6"																																																																																																																																																																										
Folding Frame - Frame Depth Growth Range Matrix																																																																																																																																																																													
																																																																																																																																																																													
Seat Depth Pan Size	Seat Depth										L Range																																																																																																																																																																		
	10"	11"	12"	13"	14"	15"	16"	17"	18"	19"	20"	Min	Max																																																																																																																																																																
Short	x	x	x	x	x							10"	14"																																																																																																																																																																
Medium					x	x						11.75"	16.25"																																																																																																																																																																
Long							x	x				13.75"	18.25"																																																																																																																																																																
X-Long									x	x	x	15.75"	20.25"																																																																																																																																																																
Lower Leg Length Matrix																																																																																																																																																																													
																																																																																																																																																																													
				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hanger</th> <th rowspan="2">Extension</th> <th colspan="2" style="text-align: center;">Seat Pan to Top of Footrest</th> <th rowspan="2">Min Allowable FSH</th> </tr> <tr> <th>Min</th> <th>Max</th> </tr> </thead> <tbody> <tr> <td rowspan="3">70° Front Mount</td> <td>No Ext.</td> <td>3 1/2"</td> <td>9"</td> <td>11 1/2"</td> </tr> <tr> <td>2"</td> <td>3 1/2"</td> <td>11 1/2"</td> <td>13 1/2"</td> </tr> <tr> <td>4"</td> <td>3 1/2"</td> <td>13 1/2"</td> <td>15 1/2"</td> </tr> <tr> <td rowspan="3">80° Front Mount</td> <td>No Ext.</td> <td>3 1/2"</td> <td>9 1/2"</td> <td>11 1/2"</td> </tr> <tr> <td>2"</td> <td>3 1/2"</td> <td>12"</td> <td>14"</td> </tr> <tr> <td>4"</td> <td>3 1/2"</td> <td>14"</td> <td>16"</td> </tr> <tr> <td>90° Front Mount</td> <td>No Ext.</td> <td>3"</td> <td>9"</td> <td>11 1/2"</td> </tr> <tr> <td>ELR Front Mount</td> <td>No Ext.</td> <td>3"</td> <td>7"</td> <td>10 1/2"</td> </tr> <tr> <td rowspan="3">60° Swing In/Out</td> <td>Short</td> <td>9"</td> <td>12 1/2"</td> <td>12 1/2"</td> </tr> <tr> <td>Medium</td> <td>9"</td> <td>14 1/2"</td> <td>12 1/2"</td> </tr> <tr> <td>Long</td> <td>11 1/2"</td> <td>16"</td> <td>14 1/2"</td> </tr> <tr> <td rowspan="3">70° Swing In/Out</td> <td>Short</td> <td>10 1/2"</td> <td>15 1/2"</td> <td>12 1/2"</td> </tr> <tr> <td>Medium</td> <td>10 1/2"</td> <td>17 1/2"</td> <td>13"</td> </tr> <tr> <td>Long</td> <td>13 1/2"</td> <td>19"</td> <td>15"</td> </tr> <tr> <td rowspan="3">80° Swing In/Out</td> <td>Short</td> <td>11"</td> <td>14 1/2"</td> <td>13"</td> </tr> <tr> <td>Medium</td> <td>11"</td> <td>16 1/2"</td> <td>13"</td> </tr> <tr> <td>Long</td> <td>13"</td> <td>18"</td> <td>15"</td> </tr> <tr> <td rowspan="3">ALR</td> <td>Short</td> <td>14"</td> <td>17 1/2"</td> <td>12 1/2"</td> </tr> <tr> <td>Medium</td> <td>15"</td> <td>19 1/2"</td> <td>13 1/2"</td> </tr> <tr> <td>Long</td> <td>16 1/2"</td> <td>19"</td> <td>14 1/2"</td> </tr> <tr> <td rowspan="3">ELR Ext Mount</td> <td>Short</td> <td>13"</td> <td>17"</td> <td>12 1/2"</td> </tr> <tr> <td>Medium</td> <td>13"</td> <td>18 1/2"</td> <td>13 1/2"</td> </tr> <tr> <td>Long</td> <td>14 1/2"</td> <td>20"</td> <td>14 1/2"</td> </tr> </tbody> </table>				Hanger	Extension	Seat Pan to Top of Footrest		Min Allowable FSH	Min	Max	70° Front Mount	No Ext.	3 1/2"	9"	11 1/2"	2"	3 1/2"	11 1/2"	13 1/2"	4"	3 1/2"	13 1/2"	15 1/2"	80° Front Mount	No Ext.	3 1/2"	9 1/2"	11 1/2"	2"	3 1/2"	12"	14"	4"	3 1/2"	14"	16"	90° Front Mount	No Ext.	3"	9"	11 1/2"	ELR Front Mount	No Ext.	3"	7"	10 1/2"	60° Swing In/Out	Short	9"	12 1/2"	12 1/2"	Medium	9"	14 1/2"	12 1/2"	Long	11 1/2"	16"	14 1/2"	70° Swing In/Out	Short	10 1/2"	15 1/2"	12 1/2"	Medium	10 1/2"	17 1/2"	13"	Long	13 1/2"	19"	15"	80° Swing In/Out	Short	11"	14 1/2"	13"	Medium	11"	16 1/2"	13"	Long	13"	18"	15"	ALR	Short	14"	17 1/2"	12 1/2"	Medium	15"	19 1/2"	13 1/2"	Long	16 1/2"	19"	14 1/2"	ELR Ext Mount	Short	13"	17"	12 1/2"	Medium	13"	18 1/2"	13 1/2"	Long	14 1/2"	20"	14 1/2"																																																										
Hanger	Extension	Seat Pan to Top of Footrest		Min Allowable FSH																																																																																																																																																																									
		Min	Max																																																																																																																																																																										
70° Front Mount	No Ext.	3 1/2"	9"	11 1/2"																																																																																																																																																																									
	2"	3 1/2"	11 1/2"	13 1/2"																																																																																																																																																																									
	4"	3 1/2"	13 1/2"	15 1/2"																																																																																																																																																																									
80° Front Mount	No Ext.	3 1/2"	9 1/2"	11 1/2"																																																																																																																																																																									
	2"	3 1/2"	12"	14"																																																																																																																																																																									
	4"	3 1/2"	14"	16"																																																																																																																																																																									
90° Front Mount	No Ext.	3"	9"	11 1/2"																																																																																																																																																																									
ELR Front Mount	No Ext.	3"	7"	10 1/2"																																																																																																																																																																									
60° Swing In/Out	Short	9"	12 1/2"	12 1/2"																																																																																																																																																																									
	Medium	9"	14 1/2"	12 1/2"																																																																																																																																																																									
	Long	11 1/2"	16"	14 1/2"																																																																																																																																																																									
70° Swing In/Out	Short	10 1/2"	15 1/2"	12 1/2"																																																																																																																																																																									
	Medium	10 1/2"	17 1/2"	13"																																																																																																																																																																									
	Long	13 1/2"	19"	15"																																																																																																																																																																									
80° Swing In/Out	Short	11"	14 1/2"	13"																																																																																																																																																																									
	Medium	11"	16 1/2"	13"																																																																																																																																																																									
	Long	13"	18"	15"																																																																																																																																																																									
ALR	Short	14"	17 1/2"	12 1/2"																																																																																																																																																																									
	Medium	15"	19 1/2"	13 1/2"																																																																																																																																																																									
	Long	16 1/2"	19"	14 1/2"																																																																																																																																																																									
ELR Ext Mount	Short	13"	17"	12 1/2"																																																																																																																																																																									
	Medium	13"	18 1/2"	13 1/2"																																																																																																																																																																									
	Long	14 1/2"	20"	14 1/2"																																																																																																																																																																									
				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: center;">Rear Tire & Wheel Matrix</th> </tr> <tr> <th rowspan="2">Tire</th> <th colspan="3" style="text-align: center;">Rear Wheel</th> </tr> <tr> <th>5 Spoke Mag</th> <th>Spoke</th> <th>Mag Wheel</th> </tr> </thead> <tbody> <tr> <td>Pneumatic</td> <td>20,22,24</td> <td>24</td> <td>12,16,20,22,24</td> </tr> <tr> <td>Pneumatic w/ Airless Insert</td> <td>20,22,24</td> <td>24</td> <td>12,16,20,22,24</td> </tr> <tr> <td>Full Poly</td> <td>20,22,24</td> <td>24</td> <td>20,22,24</td> </tr> <tr> <td>Low Poly</td> <td>N/A</td> <td>N/A</td> <td>12</td> </tr> </tbody> </table> <p style="text-align: center; font-size: small;">12" = mm 16" = mm 20" = 451mm 22" = 501mm 24" = 540mm</p>				Rear Tire & Wheel Matrix				Tire	Rear Wheel			5 Spoke Mag	Spoke	Mag Wheel	Pneumatic	20,22,24	24	12,16,20,22,24	Pneumatic w/ Airless Insert	20,22,24	24	12,16,20,22,24	Full Poly	20,22,24	24	20,22,24	Low Poly	N/A	N/A	12																																																																																																																																											
Rear Tire & Wheel Matrix																																																																																																																																																																													
Tire	Rear Wheel																																																																																																																																																																												
	5 Spoke Mag	Spoke	Mag Wheel																																																																																																																																																																										
Pneumatic	20,22,24	24	12,16,20,22,24																																																																																																																																																																										
Pneumatic w/ Airless Insert	20,22,24	24	12,16,20,22,24																																																																																																																																																																										
Full Poly	20,22,24	24	20,22,24																																																																																																																																																																										
Low Poly	N/A	N/A	12																																																																																																																																																																										
				<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="4" style="text-align: center;">Rear Wheel & Handrim Matrix</th> </tr> <tr> <th rowspan="2">Handrim</th> <th colspan="3" style="text-align: center;">Rear Wheel</th> </tr> <tr> <th>5 Spoke Mag</th> <th>Spoke</th> <th>Mag Wheel</th> </tr> </thead> <tbody> <tr> <td>Aluminum Anodized</td> <td>20,22,24</td> <td>24</td> <td>20,22,24</td> </tr> <tr> <td>Plastic Coat</td> <td>20,22,24</td> <td>24</td> <td>20,22,24</td> </tr> <tr> <td>Projection 8 Oblique</td> <td>N/A</td> <td>N/A</td> <td>24</td> </tr> </tbody> </table>				Rear Wheel & Handrim Matrix				Handrim	Rear Wheel			5 Spoke Mag	Spoke	Mag Wheel	Aluminum Anodized	20,22,24	24	20,22,24	Plastic Coat	20,22,24	24	20,22,24	Projection 8 Oblique	N/A	N/A	24																																																																																																																																															
Rear Wheel & Handrim Matrix																																																																																																																																																																													
Handrim	Rear Wheel																																																																																																																																																																												
	5 Spoke Mag	Spoke	Mag Wheel																																																																																																																																																																										
Aluminum Anodized	20,22,24	24	20,22,24																																																																																																																																																																										
Plastic Coat	20,22,24	24	20,22,24																																																																																																																																																																										
Projection 8 Oblique	N/A	N/A	24																																																																																																																																																																										

Armrest Matrix for Single Post							
Armrest Size	Transfer Tube Length D	Receiver	Classic Pad				
			H Range	Pad length L			
Std	8"	Std	10-3/4" to 15-3/4"	10-1/4"	14"		
			Low			8-3/4" to 13-3/4"	
Low	5-1/4"	Std	9" to 13"	10-1/2"	14-1/4"		
			Low			7-1/4" to 11-1/4"	
			Contour Pad				
			Receiver	H Range	Pad length L		
			Std	10" to 15"	10-1/2"	14-1/4"	
						Low	8-1/4" to 13-1/4"
			Std	8-1/2" to 12-1/2"	10-1/2"	14-1/4"	
						Low	6-3/4" to 10-3/4"
Ergo Pad			Pad length L				
Std	10-1/2" to 15-1/2"	11-3/4"	11-3/4"				
			Low	8-3/4" to 13-3/4"	11-3/4"		
					Std	9" to 13"	11-3/4"
			Low	7-1/4" to 11-1/4"			11-3/4"

Handrim	Rear Wheel		
	5 Spoke Mag	Spoke	Mag Wheel
Aluminum Anodized	20,22,24	24	20,22,24
Plastic Coat	20,22,24	24	20,22,24
Projection 8 Oblique	NA	NA	24

Tire	Rear Wheel		
	5 Spoke Mag	Spoke	Mag Wheel
Pneumatic	20,22,24	24	12,16,20,22,24
Pneumatic w/ Airless Insert	20,22,24	24	12,16,20,22,24
Full Poly	20,22,24	24	20,22,24
Low Poly	NA	NA	12

12" = 203mm 16" = 305mm 20" = 451mm 22" = 501mm 24" = 540mm