

Invoice to:	
Name:	
Street:	
Town:	Postal code:
Country:	
Tel:	Fax:
Order date:	
Purchase order:	

Deliver to:	
Name:	
Street:	
Town:	
Country:	
Tel:	
Marked for:	

Standard Features	<ul style="list-style-type: none"> ● Angle adj. footplate or central legrest ● VR2 90Ah controller ● Parallel swing away mount ● 6KPH (4-pole) motors 	<ul style="list-style-type: none"> ● Solid drive wheels ● Solid castors ● 60Ah batteries
<ul style="list-style-type: none"> ● 3rd party seating interface ● Fixed angle tilt ● Matt Black Base & Frame (Jive M) 		

Fax: +44 (0)845 605 66 89 E-mail: orders@sunmed.co.uk Spare Parts: <http://parts.sunrisemedical.eu>

JIVE R2: £6050 **JIVE F: £7150** **JIVE M: £7480**

Max. user weight: 160kg (25 stone)



RECARO SEAT STYLE

REC010001	●	Recaro seat interface only		
REC010002	<input type="checkbox"/>	Recaro EXPERT M	(Nardo black/ Arista black)	1362
			(Max. recommended user weight 120 kg)	
REC010003	<input type="checkbox"/>	Recaro EXPERT M c/w power recline	(Nardo black/ Arista black)	2283
			(Max. recommended user weight 120 kg)	
REC010004	<input type="checkbox"/>	Recaro ERGOMED ES c/w power recline - LH	(Nardo black/ Arista black)	2592
		(power recline only accessible through seat control panel)	(Max. recommended user weight 120 kg)	
REC010005	<input type="checkbox"/>	Recaro ERGOMED ES c/w power recline - RH	(Nardo black/ Arista black)	2592
		(power recline only accessible through seat control panel)	(Max. recommended user weight 120 kg)	



Expert M



Ergomed ES

SW 50 cm, SD 50 cm
BH 61 cm w/o headrest,
BH 76 cm with headrest

SEAT HEIGHT & DRIVE WHEEL POSITION

Seat height

inches	16.5	17	17.5	18	18.5	19
cm	42	43	44.5	46	47	48
RWD		○				
JIV010011		GRV000002				
FWD		○(1)	○	○	○	○
JIV010002		GRV000002	GRV000004	GRV000006	GRV000008	GRV000010
MWD	○(2)	○	○	○	○	○
JIV010005	GRV000001	GRV000002	GRV000004	GRV000006	GRV000008	GRV000010

Seat height measured floor to seat pan at 0° tilt
























NB - Does not include height of Recaro seating

When powered lift/tilt options are selected achievable seat height is as follows:







- FWD: Tilt, only: 44.5cm, Lift & Tilt: 46cm
- MWD: Tilt: 43cm, Lift & Tilt: 44.5cm
- RWD: Tilt only: 43cm, Lift & Tilt: 44.5cm

(1) not available with power modules or 0° seat angle setting with no module

(2) not available with filler module in 0° and 3° seat angle setting (JIV030001)

SEAT TO BASE INTERFACE								
JIV030001	<input type="radio"/>	Fixed tilt (filler module)					(tool adjustable seat angle)	
	<input type="radio"/>	0°	<input type="radio"/>	3°	<input type="radio"/>	6°	<input type="radio"/>	9°
Power seating modules								
JIV030002	<input type="checkbox"/>	30° Power COG tilt						651
JIV030005	<input type="checkbox"/>	Power seat lift					(30 cm (12") lift)	1109
JIV030006	<input type="checkbox"/>	Power seat lift and tilt combined					(30° tilt and 30cm lift)	1748
POSITIONING STRAPS								
JIV020901	<input type="radio"/>	5cm (2") aircraft buckle						
JIV090056	<input type="radio"/>	5cm (2") aircraft buckle - 190cm (Long)						
JIV020902	<input type="checkbox"/>	5cm (2") padded aircraft buckle						52
ARMREST TYPE								
GRV010001	<input type="radio"/>	Single post armrest						
GRV010005	<input type="checkbox"/>	Omit armrests						-40
SKIRT GUARDS								
GRV010006	<input type="radio"/>	Short 28 cm (11")				(not with Recaro Ergomed ES)	(plexi glass)	
GRV010007	<input type="radio"/>	Long 36 cm (14")				(not with Recaro Ergomed ES)	(plexi glass)	
ARMPADS - LEFT AND RIGHT HAND SIDE								
	Standard armpads				Left	Right		
	Full length	36cm (14")	JIV050201	<input type="radio"/>	<input type="radio"/>	JIV050202		
	Desk Length	25cm (10")	GRV010102	<input type="radio"/>	<input type="radio"/>	GRV010103		
	Comfort armpads	41cm (16")	JIV050203	<input type="radio"/>	<input type="radio"/>	JIV050204		
	JAY COMFORT armpads							
	Padded (vinyl) upholstery	full length	41cm (16")	JIV050251	<input type="checkbox"/>	<input type="checkbox"/>	JIV050252	52 each
	Padded (vinyl) upholstery	desk length	25cm (10")	PRO040002	<input type="checkbox"/>	<input type="checkbox"/>	PRO040003	52 each
	P-Shaped skai upholstery	full length	45 cm (18")	JIV050253	<input type="checkbox"/>	<input type="checkbox"/>	JIV050254	52 each
	P-Shaped skai upholstery	desk length	25cm (10")	PRO040006	<input type="checkbox"/>	<input type="checkbox"/>	PRO040007	52 each
	Hemi Armpads				(Hemi Armpad & hand pad must be chosen together)			
	Hemi forearm pad	small	23cm (9")	JIV050205	<input type="checkbox"/>	<input type="checkbox"/>	JIV050206	87 each
	Hemi forearm pad	medium	28cm (11")	JIV050207	<input type="checkbox"/>	<input type="checkbox"/>	JIV050208	87 each
	Hemi forearm pad	large	33cm (13")	JIV050209	<input type="checkbox"/>	<input type="checkbox"/>	JIV050210	87 each
	Flat hand pads	small	11 x 18cm (4.5" x 7")	JIV050281	<input type="checkbox"/>	<input type="checkbox"/>	JIV050282	87 each
	Flat hand pads	large	14 x 23cm (5.5" x 9")	JIV050283	<input type="checkbox"/>	<input type="checkbox"/>	JIV050284	87 each
								
								
								
								
								
								
								
								
								
								
								
								
								
								
								
								
								
								
								
CENTRE MOUNT LEGRESTS								
(Not available on RWD)								
Fixed centre mount legrest, including flip up footboard & calf pads								
JIV060001	<input type="radio"/>	Fixed centre mount legrest	Short				20.4 cm -31.6 cm (8" - 12.5")	
JIV060002	<input type="radio"/>	Fixed centre mount legrest	Medium				37 cm - 47 cm (13.5" - 18.5")	
JIV060003	<input type="radio"/>	Fixed centre mount legrest	Long				42 cm - 55 cm (16.5" - 22")	
GRV020003	<input type="checkbox"/>	Powered centre mount legrest				(37 - 49cm fixed mechanical adjustment + 14cm via motor:)	1080	
SWING AWAY LEGRESTS								
GRV020100	<input checked="" type="radio"/>	Std. s/a fixed legrest receiver					(pair)	
JIV060101	<input type="radio"/>	70° s/a legrest						
GRV020201	<input type="radio"/>	80° s/a legrest						
JIV060102	<input type="checkbox"/>	75° s/a legrest tapered					(Only with footboard, reduces inner legrest width by 2")	111
JIV060104	<input type="checkbox"/>	Manual elevating adult					(c/w standard foam calf pads)	263
JIV060105	<input type="checkbox"/>	Powered elevating					(c/w standard foam calf pads)	496
JIV060106	<input type="checkbox"/>	Powered articulating					(c/w standard foam calf pads)	683
JIV060107	<input type="checkbox"/>	Auto Connectors for powered s/a legrests						111
JIV060108	<input type="checkbox"/>	Omit both legrests and receivers						-67

				£	
EXTENSION TUBES FOR S/A LEGRESTS				<i>(per pair)</i>	
JIV060201	<input type="radio"/>	Short	33 cm - 41 cm (13" - 16")		
JIV060202	<input type="radio"/>	Medium	39 cm - 46 cm (15" - 18")		
JIV060203	<input type="radio"/>	Long	43 cm - 53 cm (17" - 21")		
FOOTPLATES, INCLUDING HEEL LOOPS				<i>(pair)</i>	
JIV060301	<input type="radio"/>	Composite	<i>(not available on 80° legrest)</i>		
JIV060302	<input type="radio"/>	Aluminium angle adjustable			
JIV060303	<input type="checkbox"/>	Foot board	<i>(angle adjustable)</i>	117	
LEGREST ACCESSORIES					
JIV060401	<input type="checkbox"/>	Extra legrest strap		24	
VR2 CONTROLS				<i>(Not Available with 13Kph Motors - Rnet must be selected to deliver increased Power for Kerb/Hill Climbing)</i>	
VR2020000	<input type="radio"/>	VR2 Joystick: with actuator control	<i>(max. 2 actuators)</i>		
VR2020001	<input type="radio"/>	VR2 Joystick: with actuator and light control	<i>(lights & indicators plus max. 2 actuators)</i>		
Dual control options					
VR2020100	<input type="checkbox"/>	VR2 dual control - Actuators only		737	
VR2020101	<input type="checkbox"/>	VR2 dual control - Actuators and lights		737	
	VR2 User Joystick VR2020000		VR2 Dual Control Joystick VR2020100		
R-NET 120A CONTROLS				<i>(Required for over 2 actuators & users requiring max torque & performance)</i>	
RNT020002A	<input type="checkbox"/>	R-net control system	<i>(Must be selected if R-Net control system required)</i>	578	
RNT020003	<input type="radio"/>	R-net LED joystick	<i>(Incl. actuator control option)</i>		
RNT020004	<input type="radio"/>	R-net LED joystick	<i>(Incl. L&I and actuator control option)</i>		
RNT020005A	<input type="checkbox"/>	R-net LCD colour joystick	<i>(Integrated colour display with 2 jack inputs for buddy buttons)</i>	65	
Dual control options					
RNT020006A	<input type="checkbox"/>	Dual control	<i>(Separate dual control module mounted at rear)</i>	737	
	R-net LED User Joystick RNT020003		R-net LCD User Joystick RNT020005		R-net Dual Control Joystick RNT020006
CONTROL MOUNTINGS					
Front control mountings				<i>(for single Joystick selection mount)</i>	
DEL020100	<input type="radio"/>	Fixed front mount			
DEL020101	<input type="checkbox"/>	Swing away front mount		31	
DEL020102	<input type="checkbox"/>	Centre bar s/a control mount		168	
DEL020103	<input type="checkbox"/>	Swing away tray mounted centre control	<i>(not available on 22" width)</i>	578	
JIV110143	<input type="checkbox"/>	Swing-away tray mounted centre control - R-Net LCD	<i>(not available on 22" width)</i>	1606	
		Left	Right		
DEL020201	<input type="radio"/>	<input type="radio"/>	DEL020200		
Rear control mountings				<i>(for single Joystick selection mount)</i>	
DEL020300	<input type="radio"/>	Fixed rear mount	<i>(as attendant or dual)</i>		
		Left	Right		
DEL020401	<input type="radio"/>	<input type="radio"/>	DEL020400		
LIGHTS & INDICATORS					
JIV110201	<input type="radio"/>	LED (StVZO approved)			
JIV090403	<input type="radio"/>	OMIT			

							£	
R-NET OMNI DISPLAY & SPECIAL CONTROL INPUT MODULE							(with IR functionality)	
RNT030000	<input type="checkbox"/>	R-NET OMNI color display input module				(includes Special Control Interface)	876	
RNT020006	<input type="checkbox"/>	Dual control				(Separate Dual control module mounted at rear)	737	
Front control mountings							(always mounted opposite to remote pod)	
DEL030102	<input type="checkbox"/>	R-NET OMNI Flexi mount only				(30 cm (12") long flexible height extension)	256	
		Left	Right					
DEL030201	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	DEL030200				
R-NET OPTIONAL CONTROLS / ELECTRONICS								
RNT020007	<input type="radio"/>	R-NET ISM-L (lighting module)				(required if L&I selected)		
RNT020008	<input type="radio"/>	R-NET ISM (seating and lighting module)				(required if L&I and actuators selected)		
B4M	<input type="checkbox"/>	R-NET IO Module				(Build position selected as B4M process)	578	
JIV100503	<input type="checkbox"/>	R-Net Bluetooth control module				(Compatible with Windows PC and Android systems only)	344	
R-NET SPECIAL CONTROLS							(R-NET OMNI required; 2 buddy buttons recom.)	
RNT030001	<input type="checkbox"/>	OMNI in scanning mode				(c/w 10 assignable functions through DB9 interface)	876	
RNT020010	<input type="checkbox"/>	Switch-It Versaguide Joystick as hand control					1693	
DEL060201	<input type="checkbox"/>	Switch-It Micro Guide as hand control					2276	
JIV100553	<input type="checkbox"/>	Switch-It Micro Pilot (0 way) joystick as hand control					2509	
DEL060308	<input type="radio"/>	Fixed front mount						
DEL060309	<input type="radio"/>	Swing away front mount						
		Left	Right					
DEL060351	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	DEL060350				
	R-Net OMNI in Scanning Mode RNT030001			Proportional Versaguide Joystick RNT020010			Switch-It Micro Guide Joystick DEL060201	
					Switch-It Micro Pilot 0-Way Joystick JIV100553			
R-NET HEAD RELATED INPUT DEVICES								
DEL060202	<input type="checkbox"/>	Switch-It 3 switch head array / adult				(5 switch and other versions available via B4M) (OMNI required, 2 BB recommended)	3443	
JIV100703	<input type="checkbox"/>	Switch-It Micro Pilot (0 way) joystick as chin control				(OMNI required, 2 BB recommended)	2509	
DEL060301	<input type="checkbox"/>	Proportional chin control				(proportional joystick; OMNI required; 2 BB recommended)	876	
DEL060302	<input type="checkbox"/>	Sip & Puff control				(tube and mouthpiece; OMNI required; 2 BB recommended)	293	
DEL060303	<input type="checkbox"/>	Switch-It Micro Guide as chin control				(OMNI required, 2 BB recommended)	2276	
DEL060204	<input type="checkbox"/>	Switch-It proportional head control				(OMNI required, 2 BB recommended)	3210	
RNT060300	<input type="checkbox"/>	Switch-It Versaguide Joystick as chin control				(OMNI required, Switch-It flex switch kit incl.)	1810	
	Switch-It Head Array DEL060202			Proportional Versaguide Joystick as chin control RNT060300				
CHIN CONTROL SWING AWAY OPTIONS								
DEL060310	<input type="checkbox"/>	Manual s/a option					228	
Powered s/a option (choose your setting below)								
DEL060311	<input type="checkbox"/>	Operated with buddy button				(operated via one buddy button - select colour below)	1693	
DEL060312	<input type="checkbox"/>	Operated with ribbon switch					1810	
		Left	Right	Swing away direction				
DEL060351	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	DEL060350				
BUDDY BUTTON SWITCHES								
JIV100901	<input type="checkbox"/>	Red	x 1	JIV100905	<input type="checkbox"/>	Red	x 2	87 each
JIV100902	<input type="checkbox"/>	Green	x 1	JIV100906	<input type="checkbox"/>	Green	x 2	87 each
JIV100903	<input type="checkbox"/>	Yellow	x 1	JIV100907	<input type="checkbox"/>	Yellow	x 2	87 each
JIV100904	<input type="checkbox"/>	Blue	x 1	JIV100908	<input type="checkbox"/>	Blue	x 2	87 each

REAR or FRONT WHEEL DRIVE POSITION		
CASTOR WHEELS (JIVE R2/F only)		
JIV080001	<input type="radio"/> 9 x 2.5" Solid	
JIV080002	<input type="radio"/> 9 x 2.5" Pneumatic	
JIV080003	<input type="checkbox"/> 10 x 3" Solid (Not available with 13 kph motors and 6 kph FWD / RWD. Not recommended on RWD base)	87
JIV080004	<input type="checkbox"/> 10 x 3" Pneumatic (Not recommended on RWD base)	87
MID WHEEL DRIVE POSITION		
JIV080101	JIVE M (MWD Version) comes only with 6" solid castor wheels on front and rear	
CASTOR FORKS (JIVE R2/F only)		
JIV080201	<input type="radio"/> Standard castor fork	
KERB CLIMBER (JIVE R2 only)		
JIV080501	<input type="checkbox"/> Kerb climber	168
UNIVERSAL DRIVE BASE OPTIONS		
SPEED		
JIV090002	<input type="radio"/> 6kph (4mph) (4-pole) high torque motors for optimal kerb climbing	
JIV090003	<input type="radio"/> 10kph (6mph) (4-pole) high torque motors for optimal kerb climbing	
JIV090004	<input type="checkbox"/> 13kph (8mph) (4-pole) (Not available on JIVE F) (Not available with VR2 - Rnet must be selected)	344
DRIVE WHEELS		
JIV090101	<input type="radio"/> 14" V-Type Pneumatic	
JIV090102	<input type="radio"/> 14" V-Type Solid	
JIV090103	<input type="radio"/> 14" Knobby Pneumatic	
JIV090104	<input type="radio"/> 14" Knobby Solid	
SUSPENSION		
JIV010901	<input type="radio"/> Performance Spring Sports suspension, (Greater traction & more responsive ride. Reduced kerb climbing to 7cm max)	
JIV010909	<input type="radio"/> Omit Performance Spring - Comfort suspension (1) (Traditional suspension - greater comfort and kerb climbing - Max 10cm)	
BATTERIES		
JIV090201	<input type="radio"/> 60 Ah maintenance free	
JIV160005	<input type="checkbox"/> 80 Ah maintenance free (Recommended for 13Kph Motors where battery power is drawn faster)	111
JIV090203	<input type="radio"/> Omit Batteries	
CHARGER		
JIV160100	<input type="radio"/> 220V/ 8A automatic charger (UK)	
JIV090303	<input type="checkbox"/> 220V/ 10A automatic charger (UK) (Must be ordered with 13kph speed - charges batteries faster)	168
JIVE F/ JIVE R2		JIVE MWD
(body panel colour)		(body panel colour)
JIV010101	<input type="radio"/> White RAL 9010	JIV140004 <input type="radio"/> Matt Black RAL 9005
JIV010102	<input type="radio"/> Red	JIV010101 <input type="radio"/> White RAL 9010
JIV010103	<input type="radio"/> Blue	JIV010102 <input type="radio"/> Red
		JIV010103 <input type="radio"/> Blue

£

ACCESSORIES

JIV090502	<input type="radio"/>	Rear view mirror	<i>(Always required with 10Kph Chairs)</i>	
JIV090504	<input type="checkbox"/>	24/12V DC/ DC converter		228
JIV090501	<input type="checkbox"/>	Crutch holder		30
JIV090505	<input type="checkbox"/>	Golf ball joystick knob		30
JIV090506	<input type="checkbox"/>	T bar B38 joystick knob		30
JIV090507	<input type="checkbox"/>	Soft ball joystick knob		30
JIV090508	<input type="checkbox"/>	Ball joystick knob		30
JIV090509	<input type="checkbox"/>	Chin cup joystick knob		30
JIV090510	<input type="checkbox"/>	Stick joystick knob		30
JIV090511	<input type="checkbox"/>	Mushroom joystick knob		30
JIV090512	<input type="checkbox"/>	Swing- away tray table	<i>(only available from 36 cm (14") to 51 cm (20") seat width)</i>	168
JIV090516	<input type="checkbox"/>	Bluetooth USB mouse receiver		65

For special requirements, please complete Built-4-Me prescription form



Jive Recaro Seat - base price

£

Option Price

£

Total Price

£