



Deliver to: Name: Street: Town: E-Mail: Tel: Order date: Purchase of Number req	uired	: □ Calcula		Pos Fax	tal code : □ Bui		ne				<€		Nar Stre Tow E-M Tel: Mar Sun O	eet: vn: 1ail:	for: orde and o co	ard st op	otion			Fa	= Cos	de: t option
Part. n	Part. no. : 84600001								y,	E P	A A		US	ER V	NEI	GH.	to en			configura	tion] kg ,540
			C	LIE	NT ME	ASI	JRE	MEN	NTS	(all	mea	asur	eme	ents	with	nout	cus	hion)			
SE	AT W	IDTH SELE	СТІС	DN -	measure	d fro	m ou	tside	fran	ne tul	oe to	outs	ide f	rame	tube	Э						
	28 0	-	_	cm	34 cm		cm		cm	40		42		44		-	cm	48 c	m	50 cm	1	
	0		(C	0		0		С	C)	C		()	0)	0		
SE	וח דמ	EPTH SELE	сти	NC																		
	32 c		-	cm	38 cm	1 40	cm	12	cm	44	cm		l6 cr	n		* not	ovoi	labla y	uith f	romo wid	the 24cm	or greater
	0				0		0			44			0							swing-awa		i or greater
Short Frame Mediu							diun	m Frame Long Frame														
FR	ONT	SEAT HEIG	HT S	SELE	ECTION	: in d	-			of fro eight			rs ar	nd fra	ame	ver	sions	8				
	[Fork				40	41	42	43				47	48	49	50	51	52	53			
			Hemi Version			0	0	0	0	0	0											
	4"	Carbotecture (111 mm) 123 mm (1)			_	0	0	0	0	0	0											
		Aluminium (143 mm)							0	0	0	0	0	0								
		Aluminium (168 mm) Hemi Version						0	0			0	0	0	0	0	0	0				
to		Carbotec				0	0	0	0	0	0	0										
cas	5"		3 mm		,			0	0	0	0	0	0									
Front castor		Alumini							0	0	0	0	0	0	0							
с Ц		Alumini	um (1 ni Ve			_		0	0	0	0	0	0	0	0	0	0					
		Carbotec						Ŭ	Ŭ	Ŭ	0	0	0									
	6"		3 mm								0	0	0		0							
		Alumini Aluminium								0	0	0	0	0	0	0	0		0			
	7"	Aluminiu			,						0	0	0	0	0	0	0	0	0			
		Hemi version				e																
RE	AR S	EAT HEIGH	T SE	ELEC	CTION:	in de	epen	denc	ce of	rear	whe	eel s	ize									
			Rea		at heigh																	
	Re	ar wheels	40			_	45		_	48	49	50										
	——	22" 24"	0	0	0	0		0	0	0	0	0										
	The I	rear seat heig	ght ca	an on	-	_	0 cr					-	l selec	cted fi	ront	seat	heig	ht.				
																	5					

(1) compatible with power add on devices

	•	= Standard O = No cost option \Box = Cost option	£
		SEAT UPHOLSTERY AND CUSHIONS	
eat slings			
FT020014	•	Seat sling, nylon, depth adjustable, 1 bag	
FT020000	0	Without seat sling	
eat cushio	on, co	ver with zipper, black	
		(medium soft) Thickness: LFT020101	62
_atex (very	soft)	Thickness: <i>LFT020103</i> 5 cm <i>LFT020104</i> 8 cm	62
Seat cushio	on cli	natic membrane water-resistant, cover with zipper, black	
		(medium soft) Thickness: $LFT020105 \square 3 \text{ cm}$ $LFT020106 \square 5 \text{ cm}$	121
atex (very s		Thickness: $LFT020107 \square 5 \text{ cm}$ $LFT020108 \square 8 \text{ cm}$	121
	,	•	
Seat access			
FT090018	0	Lap belt with buckle, metal	44
FT020150		Replacement cover for seat cushion, cover with zipper, black (only with cushion order)	44
ay Cushio	n - for	complete Jay product range see Jay order forms	
AY020002		Jay Basic	55
AY020003		Jay Soft Combi P	77
AY020001		Jay Easy Visco	132
AY020007		JAY Easy Fluid	308
AY020004		JAY Lite	215
		DAOKDEOT	
		BACKREST	
ackrest he	-		
ack height	settin		
		$ \bigcirc 27.5 \ \bigcirc 32.5 \ \bigcirc 37.5 \ \bigcirc 42.5 \ \bigcirc 47.5 $	
		\bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 45	
.FT030001	•	Fixed backrest 0°	
FT030101		Backrest, half-folding (to the back)	73
FT030012	0	Backrest, angle-adjustable	
		LFT030512 O 78° LFT030518 O 82° LFT030514 O 86° LFT030500 O 90°	
		LFT030504 O 94° LFT030508 O 98° LFT030522 O 102°	
		Push handles	
FT030201	0	Push handles long	
FT030202	0	Push handles, short (2)	
FT030203		Push handles, fold-down (1) (2) (only from back height 30cm; from 35 with angle adj back)	139
FT030204		Push handles, height-adjustable(2)(only from back height 30 cm)	200
FT030205		Push handles, height-adjustable for Jay backs(2)(only from back height 30 cm)	200
FT030200	0	Without push handles (2)	
FTOODOLO		Backrest upholstery (black)	
.FT030316	0	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black	
ET020217		Colour, binding Black O Orange O Silver O Red O Blue EXO PRO Reader aling synthetic fibre pedded adi, breathable spacer fabric assessment bag, black	400
FT030317		EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black	136
FT030300	0	Colour, binding Black O Orange O Silver O Red O Blue Without backrest upholstery	
1030300	0	Without backrest uphoistery	
		Backrest accessories	
		Stabilising bar, automatic folding (2) (3) (from sw 36cm)	62
ET030402			02
.FT030402 .FT030411 .FT030410		Headrest, small height, depth and angle-adjustable (only with height adjustable push handles) Headrest, tall height, depth and angle-adjustable (only with height adjustable push handles)	267 267

(1) not in combination with stabilizer bar

(2) not in combination with folding back

(3) not in combination fold-down pushhandles

	•	= Standard O = No cost option \Box = Cost option	£
		JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms	
AY 3 Back	- Sha	llow Contour	
Mid Thoraci	c:	□ JAY030010 Medium 34 cm □ JAY030033 Tall 38 cm	506
Jpper Thora	acic:	□ JAY030012 Short 42 cm □ JAY030019 Medium 46 cm □ JAY030025 Tall 50 cm	572
JAY 3 Back	- Mid	Contour	
Mid Thoraci		□ JAY030011 Medium 34 cm □ JAY030018 Tall 38 cm	506
Upper Thora	acic:	□ JAY030013 Short 42 cm □ JAY030020 Medium 46 cm □ JAY030026 Tall 50 cm	572
JAY 3 Back		n Contour	
Upper Thora		□ JAY030014 Short 42 cm □ JAY030021 Medium 46 cm □ JAY030027 Tall 50 cm	627
	2010.		021
JAY030004		□ Jay Flip Back Headrest (J3EUHDFH & J3EUHDLSP) (only with JAY 3 backs)	255
JA Y030006		□ Jay Std. Headrest (J3EUHDXH & J3EUHDLSP) (only with JAY 3 backs)	138
	4 0		_
	AR	MREST AND SIDEGUARDS	
		Armrest (choose only one option, not in combination with sideguards; only with 0° and 1° camber) Single post height adjustable armrest	1
LFT040050			139
LFT040050 LFT040051		 Single-post sideguard, armpad (25 cm), height-adjustable, removable Single-post sideguard, armpad (36 cm), height-adjustable, removable 	139
LFT040057 LFT040052	0	Single-post sideguard, armpad (35 cm), height-adjustable, removable (with abduction only from SW 34)	139
LF1040032	0	Desk armrest with long and short pad (1)	
LFT040001		Desk sideguard, armpad (25 cm), fixed, flip-up, removable	152
LFT040006		Desk sideguard, armpad (36 cm), fixed, flip-up, removable	152
LFT040002		Desk sideguard, armpad (30 cm), nxed, np-dp, removable Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable	183
LFT040007		Desk sideguard, armpad (36 cm), height-adjustable, flip-up, removable	1863
LFT040005		Desk sideguard, flip-up, removable	152
LFT040020		Release assistance for tetraplegics	31
		Sideguards (not in combination with armrest)	
LFT040107	0	Plastic sideguard, removable (black) (COG 8,3 not possible with abducted frame; not with safari brake)	
LFT040102		Aluminium sideguard, vert weather protection (in frame colour) (2) (not with safari brake)	152
LFT040102		Aluminium sideguard, wet weather protection (in name colour) (2) (for use with all brakes) (for use with all brakes)	152
LFT040055		□ Armpad, height-adjustable, short (only with aluminium sideguard, not with safari brake)	152
LFT040104		Carbon fibre sideguard, fender, wet weather protection (black) (2) (not with safari brake)	267
		AYS	0.40
LFT090111	_	Tray, wood, elevated frame, push-fit, SW 22 - 36 cm only with LFT040055	242
LFT090112		Tray, plastic, swing-away, left-mount (only with height adj. armrests with pad)	242
LFT090113		Tray, plastic, swing-away, right-mount (only with height adj. armrests with pad)	242
	FR	AME	
LFT010010	0	Frame FF 75° (EU 105°) (from LLL 26 cm)	
LFT010011	0	Frame FF 85 ° (EU 95°) (from LLL 26 cm)	
LRT010023	0	Frame FF 75° (EU 105°), abducted (2.5 cm on each side) (not for SW 48/50; from LLL 26 cm)	
LFT010016		Frame FF 85 ° (EU 95°), inset (2 cm on each side), active (from SW 34; from LLL 26 cm)	139
LFT010015	0	Frame SA (removable footrest, hanger option on page 4) (not for SD 32/34)	
			Std.

(1) not in combination with backrest, half-folding (to the back)

(2) Effective seat width (measured between the sideguards) is seat width + 2 cm

	•	= Standard O = No cost option \Box = Cost option	£
		CENTER OF GRAVITY (COG) measured from front of back post; choose only one option	
COG23	0	Centre of gravity 2.3 cm	
COG43	٠	Centre of gravity 4.3 cm	
COG63	0	Centre of gravity 6.3 cm	
COG83	0	Centre of gravity 8.3 cm	
ETODOOAO		FRAME ACCESSORIES	405
LFT090010		Transit wheels (not with crutch holder, tip assist and anti tip)	195
		Tip assist (step tube) & crutch holder	
.FT090001		Tip assist, left <i>LFT090002</i>	36
.FT090003		Tip assist, pair (choose either tip assist or anti- tip tubes, not both)	73
.FT090009		Crutch holder, loop (only in combination with tip assist)	195
		Anti-tip tubes, swing-away	
FT090004		Anti-tip tubes, swing-away, left LFT090005	73
LFT090006		Anti-tip tubes, swing-away, pair (choose either tip assit or anti- tip tubes, not both)	146
FT090036		Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair (not with tip assist)	146
			-
		PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames	
LFT090211		without ATTITUDE order (docking pins assembled)	90
FT090212	0	with ATTITUDE order (docking pins assembled; ATTITUDE order separately)	
		HANGERS & FOOTPLATES	
		Aluminium hanger	
FT050002	0	Hanger angle 70° LFT050001 O Hanger angle 80°	
.FT050006	0	Hanger, aluminium, swing-away, LH LFT050007 O Hanger, aluminium, swing-away, RH	
oick both	0	Hanger, aluminium, swing-away, pair	
		Composite hanger	
FT050002	0	Hanger angle 70° <i>LFT050001</i> O Hanger angle 80°	
FT050003	0	Hanger, composite, swing-away, LH LFT050004 O Hanger, composite, swing-away, RH	
oick both	0	Hanger, composite, swing-away, pair	
		Elevating Legrest (ELR) (not with footboards, platform; only SA frame)	
FT050009		Hanger, aluminium, flip-up, swing-away, LH	121
LFT050010		Hanger, aluminium, flip-up, swing-away, RH	121
pick both		Hanger, aluminium, flip-up, swing-away, pair (1)	242
		Amputee Support Pad	
_FT050014		Amputee support, left <i>LFT050013</i> Amputee support, right	110
		Amputee support, left LFT050013 Amputee support, right Amputee support, pair	110 218
LFT050014 LFT050012	_	Amputee support, pair	110 218
LFT050012	_	Amputee support, pair Footplates	
LFT050012 LFT050020	•	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4)	
LFT050012 LFT050020 LFT050050	•	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5)	
_FT050012 _FT050020 _FT050050 _FT050102	• • 0	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	218
.FT050012 .FT050020 .FT050050 .FT050102 .FT050126	• •	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black Swing-away mechanism for platform footboard	
.FT050012 .FT050020 .FT050050 .FT050102 .FT050126 .FT050131	• •	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Swing-away mechanism for platform footboard (only from LLL40cm) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3)	218 169
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132	• •	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Swing-away mechanism for platform footboard (only from LLL40cm) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6)	218 169 304
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132	• •	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Swing-away mechanism for platform footboard (only from LLL40cm) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3)	218 169
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132	• •	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard	218 169 304 62
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132	• •	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard LOWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in the sea	218 169 304 62 cm
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132	• •	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard LOWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in C 0 22 0 23 0 24 0 25 0 27 0 28 0 29 0 30 0	218 169 304 62 cm 31
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132	• •	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (2/3) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard UOWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in example a side or a side	218 169 304 62 cm 31
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132 FT050127		Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Swing-away mechanism for platform footboard (only from LLL40cm) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard COWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in (2, 2, 2, 2, 3, 3, 2, 4, 0, 2, 5, 2, 6, 0, 2, 7, 0, 2, 8, 0, 2, 9, 0, 3, 0, 2, 3, 3, 0, 3, 4, 0, 3, 5, 0, 3, 6, 0, 3, 7, 0, 3, 8, 0, 3, 9, 0, 4, 0, 0, 2, 0, 4, 2, 0, 4, 3, 0, 4, 4, 0, 4, 5, 0, 4, 6, 0, 4, 7, 0, 4, 8, 0, 4, 9, 0, 5,	218 169 304 62 cm 31
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132 FT050127 SA Frame: LLL	O O	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (2/3) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard Cover LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in (2) 0 22 23 24 25 26 27 28 29 30 32 0 32 33 34 35 36 37 38 39 40 42 0 42 43 44 45 46 47 48 49 50 rom SW34 with divided footboard / from SW32 with platform footboard	218 169 304 62 cm 31
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132 FT050127 SA Frame: LLL	O O	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Swing-away mechanism for platform footboard (only from LLL40cm) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard COWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in (2, 2, 2, 2, 3, 3, 2, 4, 0, 2, 5, 2, 6, 0, 2, 7, 0, 2, 8, 0, 2, 9, 0, 3, 0, 2, 3, 3, 0, 3, 4, 0, 3, 5, 0, 3, 6, 0, 3, 7, 0, 3, 8, 0, 3, 9, 0, 4, 0, 0, 2, 0, 4, 2, 0, 4, 3, 0, 4, 4, 0, 4, 5, 0, 4, 6, 0, 4, 7, 0, 4, 8, 0, 4, 9, 0, 5,	218 169 304 62 cm 31
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132 FT050127 SA Frame: LLL	O O	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (2/3) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard Cover LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in (2) 0 22 23 24 25 26 27 28 29 30 32 0 32 33 34 35 36 37 38 39 40 42 0 42 43 44 45 46 47 48 49 50 rom SW34 with divided footboard / from SW32 with platform footboard	218 169 304 62 cm 31
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132 FT050127 SA Frame: LLL F Frame: LLL	O O	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard C 22 23 24 25 26 27 28 29 30 33 O 32 33 34 35 36 37 38 39 40 42 or 42 43 44 45 46 47 48 49 50 rom SW34 (SW30 with abduction)with divided footboard / from SW32 (SW28 with abduction) with platform footboard	218 169 304 62 cm 31
FT050012 FT050020 FT050050 FT050102 FT050131 FT050132 FT050132 FT050127 SA Frame: LLL F Frame: LLL F Frame: LLL		Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard COVER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in (222) 0 22 23 24 25 26 27 28 29 30 32 0 32 0 34 0 35 36 37 38 39 44 45 rom SW34 with divided footboard / from SW32 with platform footboard rom SW32 (SW28 with abduction) with platform footboard rom SW32 (SW28 with abduction) with platform footboard FORK (compare with your choi	218 169 304 62 cm 31
FT050012 FT050020 FT050050 FT050102 FT050131 FT050132 FT050127 SA Frame: LLL F Frame: LLL F Frame: LLL FT080029 FT080013		Amputee support, pair Footplates Footplated, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (2/3) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard 0 22 0 23 0 24 0 25 26 27 0 28 29 0 30 0 0 22 0 23 0 34 0 35 0 36 37 0 38 0 39 0 40 0 42 0 43 0 44 0 45 0 46 47 0 48 49 50 <	218 169 304 62 cm 31 41
FT050012 FT050020 FT050050 FT050102 FT050131 FT050132 FT050127 SA Frame: LLL F Frame: LLL F Frame: LLL FFrame: LLL FT080029 FT080013	□ 0 0 0 0 0 0 0 22-29 26-33 f 0 0 0 0 0	Amputee support, pair Footplates Footplated, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard LOWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in a side-stop on the footboard 0 22 23 24 25 26 27 28 29 30 30 0 32 33 34 35 36 37 38 39 40 40 Gompare with divided footboard / from SW32 with platform footboard for SW34 with divided footboard / from SW32 with platform footboard Compare with your choice on the first page) Castor fork, Aluminium Castor fork, Carbotecture ® (not in combination with 7" castors; SA frame only) </td <td>218 169 304 62 cm 31 41</td>	218 169 304 62 cm 31 41
_FT050012 _FT050020 _FT050050 _FT050102 _FT050131 _FT050132 _FT050132 _FT050127 	□ 0 0 0 0 0 0 0 22-29 26-33 f 0 0 0 0 0 0 0 0 0 0 0 0 0	Amputee support, pair Footplates Footplated, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard LOWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in expension of the footboard 0 22 0 23 0 24 0 25 0 26 27 0 28 39 0 40 0 22 0 23 0 34 0 35 0 36 37 0 38 39 0 40 60 0 42 0 43 0 46 0 47 0 48 49 0 50 compare with your choice on the first page) Castor	218 169 304 62 cm 31 41
FT050012 FT050020 FT050050 FT050102 FT050131 FT050132 FT050132 FT050127 SA Frame: LLL F Frame: LLL F Frame: LLL FT080029 FT080013 FT080101 FT080011	□ 0 0 0 0 0 22-29 26-33 f 0 0 0 0 0 0 0 0 0 0 0 0 0	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard LOWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in end of 32 0 22 0 23 0 24 0 25 0 26 27 0 28 0 29 0 30 0 20 33 0 44 0 45 0 47 0 48 0 49 0 50 FORK (compare with your choice on the first page) Castor fork, Aluminium Castor fork, Carbotecture ® (not in combination with 7" castors; SA frame only)	218 169 304 62 cm 31 41
FT050012 FT050020 FT050050 FT050102 FT050131 FT050132 FT050132 FT050127 SA Frame: LLL FF Frame: LLL FF Trame: LLL FT080029 FT080013 FT080101 FT080301 FT080302	□ 0 0 0 0 0 0 22-29 26-33 f 0 0 0 0 0 0 0 0 0 0 0 0 0	Amputee support, pair Footplates Footplated, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (2/3) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard LOWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in expression (2/2) 0 22 23 24 25 26 27 28 29 30 50 0 22 0 33 0 34 0 35 36 37 0 38 39 0 40 50 rom SW34 with divided footboard / from SW32 (SW28 with abduction) with platform footboard fork (compare with your choice on the first page) Castor fork, Aluminium Castor fork, Aluminium <	218 169 304 62 200 31 41
EFT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132 FT050132 FT050127 SA Frame: LLL FFrame: LLL FFrame: LLL FFT080029 FT080013 FT080101 FT080301 FT080302 FT080304	□ 0 0 0 0 0 0 22-29 26-33 f 0 0 0 0 0 0 0 0 0 0 0 0 0	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (2/3) Footboard, platform, ilghtweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard LOWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in a 0 22 0 23 0 24 0 25 0 26 0 27 0 28 0 29 0 30 0 0 0 0 22 0 33 0 34 0 35 0 36 0 37 0 38 0 39 0 40 0 0 0 0 0 22 0 43 0 44 0 45 0 46 0 47 0 48 0 49 0 50 Month adduction/with divided footboard / from SW32 with platform footboard FORK (compare with your choice on the first page) Castor fork, Aluminium Castor fork, Aluminium Castor, solid (hard), rim: composite Castor, solid (hard), rim: composite Castor, solid (hard), rim: aluminium	218 169 304 62 cm 31 41 195 73
FT050012 FT050020 FT050050 FT050102 FT050126 FT050131 FT050132 FT050132 FT050127 SA Frame: LLL F Frame: LLL F Frame: LLL FT080029 FT080013 FT080101 FT080301 FT080302 FT080304 FT080306	□ 0 0 0 0 0 0 22-29 1 26-33 f 0 0 0 0 0 0 0 0 0 0 0 0 0	Amputee support, pair Footplates Footplated, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (2/3) Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard LOWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in or 0.22 0.23 0.24 0.25 0.26 0.27 0.28 0.29 0.30 0.20 0.32 0.33 0.34 0.35 0.36 0.37 0.38 0.39 0.40 0.20 0.42 0.43 0.44 0.45 0.46 0.47 0.48 0.49 0.50 Monte With divided footboard / from SW32 (SW28 with abduction) with platform footboard fork (compare with your choice on the first page) Castor fork, Aluminium Castor, solid (hard), rim: composite (compare with your choice on the first page) Castor, solid (hard), rim: aluminium (only for 5* and 6 ¹) Castor, solid (hard), rim: aluminium	218 169 304 62 5m 31 41 195 73 73 73
LFT050012 LFT050020 LFT050050 LFT050102 LFT050131 LFT050132 LFT050127	□ 0 0 0 0 0 0 22-29 26-33 f 0 0 0 0 0 0 0 0 0 0 0 0 0	Amputee support, pair Footplates Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/4) Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (5) Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (2/3) Footboard, platform, ilghtweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2/3) Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (6) Adjustable side protection, to create a side-stop on the footboard LOWER LEG LENGTH (LLL) - LLL to be 2.5 cm lower than front seat height; all measurements in a 0 22 0 23 0 24 0 25 0 26 0 27 0 28 0 29 0 30 0 0 0 0 22 0 33 0 34 0 35 0 36 0 37 0 38 0 39 0 40 0 0 0 0 0 22 0 43 0 44 0 45 0 46 0 47 0 48 0 49 0 50 Month adduction/with divided footboard / from SW32 with platform footboard FORK (compare with your choice on the first page) Castor fork, Aluminium Castor fork, Aluminium Castor, solid (hard), rim: composite Castor, solid (hard), rim: composite Castor, solid (hard), rim: aluminium	218 169 304 62 cm 31 41 195 73

(1) not in combination with footboard platform; not with SW 28-36
(2) from LLL 34 cm
(3) not with SA frame; with FF frame 75°/85° from SW 30 with inset from SW 34
(4) from SW 36; with inset from SW 40; with abduction from SW 32

(5) with SA frame and FF frame 75°/85° from SW 30 $\,$

⁽⁶⁾ from SW 32; with inset from SW 36

	٠	= Standard O = No cost option \Box = Cost option	£
		REAR WHEEL (compare with your choice on the first page; choose only	one wheel type)
LFT070001	0	Rear wheel, Universal, 36 spokes, cross-wise spokes	
LFT070002	0	Rear wheel, Design, 36 spokes, straight spokes	(only 24")
_FT070003	0	Rear wheel, Lightweight, 24 spokes, straight spokes	
LFT070004		Rear wheel, Proton, 24 spokes, straight spokes	449
_FT070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	(24" only) 460
LFT070008		Rear wheel, drum brakes, 36 cross-wise spokes (not with COG 2,3 cm, only with height ac	lj push handles) 316
LFT070401		Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation	606
LFT070402		Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation	606
LFT070000	0	Without rear wheel	
			ly one tyre type)
FT070102	0		ntweight wheels)
FT070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run	
_FT070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	(only 24") 85
_FT070107	0	Tyre, pneumatic, slick, Schwalbe One	(only 24")
		HANDRIM	
.FT070202	0	Handrims, aluminium, anodised, silver	
.FT070201	0		
.FT070204	0		
.FT070203			62
FT070207		Handrims, Supergrip ® (22" only with universal and drun	
_FT070208		Handrims, Maxgrepp ®	231
LFT070200	0	Without handrims	
	-		
		HANDRIM MOUNTING	
.FT070317	٠	Handrim mount, narrow (17 mm) (1)	
.FT070327	0	Handrim mount, wide (27 mm)	
.FT070307	0	Handrim mount, super narrow (7 mm) (1)	
		WHEEL CAMBER (choose only one option; Armrests o	nly with 0° & 1°)
.FT070600	0	Camber 0°	
FT070601	0	Camber 1° LFT070603 O Camber 3° LFT070605 O Camber Camber 0° LFT070603 O Camber 3° LFT070605 O Camber	
FT070602	0	Camber 2° <i>LFT070604</i> O Camber 4° <i>LFT070606</i> O Camber	0
		SPOKE GUARDS (not with s	pinergy wheels)
FT070831	0	Transparent	,
FT070826	0	•	
FT070810	0	Fantasy LFT070813 O Glaktica LFT070805 O Cheese	
.FT070823	0	Princess LFT070808 O Dancing Bear LFT070818 O Jungle F	ever
FT070816	0	Happy Lions LFT070832 O Water World LFT070825 O Randolf	
.FT070819	0	Monkeys LFT070821 O Pirates LFT070811 O Feather	
.FT070820	0	Oriental LFT070824 O Racing LFT070809 O Dirt Rac	e
.FT070829	0	Superhero LFT070814 O Graffiti LFT070806 O Chrome	
FT070817	0	Hot Wheels LFT070802 O Basketball LFT070803 O Basketb	all 2
.FT070822	0	Pool LFT070812 O Flying Water LFT070828 O Space	
.FT070827	0	Silk LFT070801 O Abstract LFT070807 O Creative	,
.FT070830	0	Tiger LFT070833 O Zebra	
		•	
			only one option)
.FT060002	•	Knee-lever brake (not in combination with SA frame short	and 24" wheel)
.FT060003	0	Compact brake	
.FT060013	0	Push to lock brake, integrated in sideguard, Safari	
FT060016		Push to lock brake, one-arm, right actuation	195
FT060015		Push to lock brake, one-arm, left actuation	195
.FT060010		Brake lever extension, knee-lever brake, fold-down	43
		ACCESSORIES	
FT00000	_		
.FT090000	•	Tool kit	60
.FT090019		Tool kit Caddy, flip-up bracket for bags	62
.FT090019 .FT090030		Tool kit Caddy, flip-up bracket for bags Back pack	62
.FT090019 .FT090030 .FT090024		Tool kit Caddy, flip-up bracket for bags Back pack High pressure pump (0 - 14 bar)	62 73
.FT090019 .FT090030		Tool kit Caddy, flip-up bracket for bags Back pack	62

(1) only with stainless steel handrim; not with lightweight & drumbrake wheel and 22" wheel

•	= Standard	O =	No cost opti	on	\Box = Cost option			Γ	£
	COLOUR	S ⁽¹⁾ Plea	ase consul	t our colour	catalogue to review your colour	choice			
	Frame	Handrim £62	Hub/rim £169	Fork £48		Frame	Handrim £62	Hub/rim £169	Fork £48
01 White RAL 901	0 0			£40 □	26 Silver Texture	0			£40
02 Brilliant Silver	0				27 Graphitemetallic	0			
03 Silver Matt	õ				28 Platinmetallic	õ			
04 Silver	0				29 Black	0			
06 Sun Yellow	0				31 Matt Black	0			
07 Brilliant Lime	0				32 Signal White	0			
08 Matt Lime	0				33 Pink	0			
14 Blue	0				34 Dark Chocolate Metallic	0			
15 Brilliant Marine	0				35 Skyblue	0			
16 Matt Marine	0				36 Cyan-Metallic	0			
19 Brilliant Purple	(2) O				37 Mars Red (Orange)	0			
20 Matt Purple (2)	0				39 Cappuccino	0			
21 Red Ruby	0				40 Kiwi	0			
22 Brilliant Red	0				41 Flamingo-Glitter	0			
23 Matt Red	0				42 Matt-Anthracite	0			
24 Tutti Frutti Oran	ige O				43 Azuri Blue	0			
	Stylepackag								
Comments for	special b	uild - pleas	se apply fo	r a quote; le	ad time conditions my change.			345454	
							buil	t <mark>4</mark> r	me
Quickie Life	T - Basic	: Price					£	1,540	
Option price							£		
Packaging and	transport						£		
Exclusive VAT							<u>~</u> £		
VAT.							£		
Total Price							£		
						_		_	

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

 a) For the user: b) On the wheelchair: Seat depth (SD): a) For the user: 	Allow space between sideguard and hip on each side of the chair (approx. 1 - 2 cm altogether) From outside frame tube to outside frame tube.
Seat depth (SD):	
Seat depth (SD):	From outside frame tube to outside frame tube.
a) For the user:	
,	When sitting upright: leave space for 2 - 3 fingers between
	front edge of the seat upholstery and back of knee.
	(approx. 3 - 6 cm). Care must be taken with adj. upholstery.
b) On the wheelchair:	From back tube to front of seat upholstery.
Front seat height:	
a) For the user:	When sitting with 90° knee angle:
	From back of knee to bottom of shoe sole.
b) On the wheelchair:	From front of seat tube to the ground.
	(min. 3 cm longer than user measurement)
	Remember to include the cushion height.
Rear seat height:	
b) On the wheelchair:	From back of seat tube to the ground.
	Note: Max. seat height difference rear to front is 13 cm
Back height:	
a) For the user:	From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.
b) On the wheelchair:	From back of seat tube to upper edge of backrest upholstery.
	Note: The user's ability to sit upright has a major influence on the
	back height and it can therefore differ considerably
Back angle:	Important: The back height depends on the degree of disability.
	0° is the angle 90° to the ground. Negative angles are < 90°
	and positive angles are $> 90^{\circ}$.

Technical Data Overview - Life T

Max. overall height:	103,5 cm		
Max. overall length:	107,5 cm		
Max. turning circle:	86 cm		
Max. safe slope:	10°		
Wheelchair weight:	from 10 kg		
Dismantled weight:	from 7 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	Camber	22" rear wheel	24" rear wheel
	For 0° camber:	SW + 20 cm	SW + 20 cm
	For 3° camber:	SW + 23 cm	SW + 24 cm
	For 6° camber:	SW + 25cm	SW + 26 cm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle For transport without a user the chair must be safe clamped in the vehicle

All changes in the configuration might change the seat heights. Manufacturing tolerances of +/- 1 cm $\,$



aluminium



Backrest, half folding (to the back) Backrest tube,



Backrest, angle adjustable





Push handles long

Push handles short



Push handles, fold-down



Push handles, height-adjustable



Without push handles,



Stabilizer bar, automatic folding



Headrest, height, depth and angle adjustable



EXO backrest sling



EXO PRO backrest sling



Jay 3 Back Shallow Contour



Jay 3 Back Mid Contour



Jay 3 Back Deep Contour



Jay 3 Carbon Back Shallow Contour



Jay Zip Back



Single post height adjustable



Single-post sideguard, armpad, height-adjustable, removable



Desk sideguard, armpad, fixed, flip-up, removable



Desk sideguard, armpad, height-adjustable, flip-up, removable



Desk sideguard, flip-up, removable



Plastic sideguard, removable (black)



Aluminium sideguard, wet weatherprotection (in frame colour)



Aluminium sideguard, fender, wet weatherprotection (in frame colour)



Carbon fibre sideguard, fender, wet weatherprotection (black)



Frame FF 95 ° (integrated footrest)



Frame FF 105 ° (integrated footrest)



Frame FF 105° (integrated footrest), abducted (2 cm on each side)



Frame FF 95 ° (integrated footrest), 2 cm inset, active



Frame SA (removable footrest)



Transit wheels

Tip assist



Crutch holder, loop



Anti-tip tubes, swingaway, left





Aluminium hanger 110°/100°



Composite hanger 110°/100°



Elevating legrest (ELR)



Amputee Support Pad



Footboard, divided, composite, angleadjustable, flip-up (sideways), heel loop, black



Footboard, divided, aluminium, angleadjustable, flip-up (sideways), heel loop, black



Footboard, divided, composite, angleadjustable, flip-up (sideways), heel loop, black



Footboard, platform, lightweight, plastic, angle & depthadjustable flip up (sideways), calf strap



spokes



Rear wheel, Universal, Rear wheel, Design, 36 36 spokes, cross-wise spokes, straight spokes



24 spokes, straight

spokes

Rear wheel, Lightweight,



Rear wheel, Proton,

24 spokes, straight

spokes

Rear wheel, Spinergy, 18 spokes (black),

hub: silver

straight spokes;



Rear wheel, drum brakes, 36 spokes, crosswise spokes



Tyre, puncture proof, tread



Tyre, pneumatic, fine profile, Schwalbe Right Run



Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution



Tyre, pneumatic, slick, Schwalbe One



Handrims, Supergrip ®



Handrims, Maxgrepp ®



Knee-lever brake



Compact brake



Push to lock brake, integrated in sideguard, Safari



Push to lock brake, onearm, right actuation




Brake lever extension, knee-lever brake, folddown

Caddy, flip-up bracket for

bags



Back pack





Air pump



Mobile phone pocket