



Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

- Order Calculation Built 4 me

- = Standard = Cost option
 ○ = No cost option

Part. no. : 84700001



Max. user weight: 100 kg
USER WEIGHT kg

Mandatory information to ensure correct configuration

Base Price £1,540

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube

28 cm	30 cm	32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm
<input type="radio"/>										

SEAT DEPTH SELECTION

32 cm*	34 cm*	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm
<input type="radio"/>							
Short Frame				Medium Frame		Long Frame	

* not available with frame widths 34cm or greater
 * not available with swing-away frame

FRONT SEAT HEIGHT SELECTION: in dependence of front castors and frame versions

		Front seat height in cm																
		Fork Type (mm)		36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
Front castor	4"	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>											
		Carbotecture (111 mm)	<input type="radio"/>															
		123 mm (1)		<input type="radio"/>														
		Aluminium (143 mm)				<input type="radio"/>												
	Aluminium (168 mm)								<input type="radio"/>									
	5"	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>											
		Carbotecture (111 mm)			<input type="radio"/>													
		123 mm (1)			<input type="radio"/>													
		Aluminium (143 mm)				<input type="radio"/>												
	Aluminium (168 mm)									<input type="radio"/>								
	6"	Hemi Version			<input type="radio"/>													
		Carbotecture (111 mm)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
123 mm (1)						<input type="radio"/>												
Aluminium (143 mm)							<input type="radio"/>											
Aluminium (168 mm)							<input type="radio"/>											
7"	Aluminium (168 mm)								<input type="radio"/>									

Hemi version only with SA frame

REAR SEAT HEIGHT SELECTION: in dependence of rear wheel size

Rear wheels	Rear seat height in cm									
	36	37	38	39	40	41	42	43	44	45
22"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>		
24"			<input type="radio"/>	<input type="radio"/>		<input type="radio"/>				

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

(1) compatible with power add on devices

For more information
 visit our webpage
www.SunriseMedical.co.uk

● = Standard ○ = No cost option □ = Cost option		£
SEAT UPHOLSTERY AND CUSHIONS		
Seat slings		
LRT020008	○ Seat sling, nylon, adjustable <i>(Standard option)</i>	
LRT020009	○ Seat sling, nylon, adjustable, 1 bag	
LRT020000	○ Without seat sling	
Seat cushion, cover with zipper, black		
Foam Composite (medium soft)	Thickness: LRT020101 □ 3 cm LRT020102 □ 5 cm	62
Latex (very soft)	Thickness: LRT020103 □ 5 cm LRT020104 □ 8 cm	62
Seat cushion, climatic membrane water-resistant, cover with zipper, black		
Foam Composite (medium soft)	Thickness: LRT020105 □ 3 cm LRT020106 □ 5 cm	121
Latex (very soft)	Thickness: LRT020107 □ 5 cm LRT020108 □ 8 cm	121
Seat accessories		
LRT090018	○ Lap belt with buckle, metal	
LRT020150	□ Replacement cover for seat cushion, cover with zipper, black <i>(only with cushion order)</i>	44
Jay Cushion - for complete Jay product range see Jay order forms		
JAY020002	□ Jay Basic	55
JAY020003	□ Jay Soft Combi P	77
JAY020001	□ Jay Easy Visco	132
JAY020007	□ JAY Easy Fluid	308
JAY020004	□ JAY Lite	215
BACKREST		
Backrest height range	25-30 cm 30-35 cm 35-40 cm 40-45 cm	
Back height setting at (cm)	○ 25 ○ 30 ○ 35 ○ 40	
	○ 27.5 ○ 32.5 ○ 37.5 ○ 42.5	
	○ 30 ○ 35 ○ 40 ○ 45	
LRT030001	○ Fixed backrest	
LRT030015	○ Backrest, angle-adjustable, fold-down LRT030512 ○ 78° LRT030518 ○ 82° LRT030514 ○ 86° LRT030500 ○ 90° LRT030504 ○ 94° LRT030508 ○ 98°	
LRT030102	□ Backrest, angle-adjustable, lock when folded LRT030512 ○ 78° LRT030518 ○ 82° LRT030514 ○ 86° LRT030500 ○ 90° LRT030504 ○ 94° LRT030508 ○ 98°	48
Push handles		
LRT030201	○ Push handles long	
LRT030202	○ Push handles, short	
LRT030203	□ Push handles, fold-down <i>(only from back height 30cm; from 35 with angle adj back)</i>	139
LRT030204	□ Push handles, height-adjustable <i>(only from back height 30 cm)</i>	200
LRT030205	□ Push handles, height-adjustable for Jay backs <i>(only from back height 30 cm)</i>	200
LRT030208	□ Push bar, height-adjustable, width and angle-adjustable <i>(only from SW 28 to 38cm)</i>	200
LRT030200	○ Without push handles	
Backrest upholstery (black)		
LRT030316	○ EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black Colour, binding : ● Black ○ Orange ○ Silver ○ Red ○ Blue	
LRT030317	□ EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black Colour, binding : ● Black ○ Orange ○ Silver ○ Red ○ Blue	136
LRT030300	○ Without backrest upholstery	
Backrest accessories		
LRT030411	□ Headrest, small height, depth and angle-adjustable <i>(only with height adjustable push handles)</i>	267
LRT030410	□ Headrest, tall height, depth and angle-adjustable <i>(only with height adjustable push handles)</i>	267

For more information
visit our webpage
www.SunriseMedical.co.uk

● = Standard ○ = No cost option □ = Cost option			£
JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms			
JAY 3 Back - Shallow Contour			
Mid Thoracic:	□ JAY030010 Medium 34 cm	□ JAY030033 Tall 38 cm	506
Upper Thoracic:	□ JAY030012 Short 42 cm	□ JAY030019 Medium 46 cm	572
JAY 3 Back - Mid Contour			
Mid Thoracic:	□ JAY030011 Medium 34 cm	□ JAY030018 Tall 38 cm	406
Upper Thoracic:	□ JAY030013 Short 42 cm	□ JAY030020 Medium 46 cm	572
JAY 3 Back - Deep Contour			
Upper Thoracic:	□ JAY030014 Short 42 cm	□ JAY030021 Medium 46 cm	627
JAY030004	□ Jay Flip Back Headrest (J3EUHDFH & J3EUHDLSP)	<i>(only with JAY 3 backs)</i>	255
JAY030006	□ Jay Std. Headrest (J3EUHDXH & J3EUHDLSP)	<i>(only with JAY 3 backs)</i>	138
ARMREST AND SIDEGUARDS			
Armrest <i>(choose only one option, not in combination with sideguards; only with 0° and 1° camber)</i>			
	□ Single post height adjustable armrest		139
LRT040050	□ Single-post sideguard, armpad (25 cm), height-adjustable, removable		
LRT040051	□ Single-post sideguard, armpad (36 cm), height-adjustable, removable		
LRT040052	○ Single-post sideguard, armpad (33 cm), height-adjustable, removable		<i>(Not abducted frame and COG 8.3)</i>
Sideguards <i>(not in combination with armrests)</i>			
LRT040107	○ Plastic sideguard, removable (black)		<i>(not with safari brake)</i>
LRT040102	□ Aluminium sideguard, wet weather protection (in frame colour)		<i>(not with safari brake)</i> 152
LRT040103	□ Aluminium sideguard, fender, wet weather protection (in frame colour)		<i>(for use with all brakes)</i> 152
LRT040055	□ Armpad, height-adjustable, short		<i>(only with aluminium sideguard, not with safari brake)</i> 152
LRT040104	□ Carbon fibre sideguard, fender, wet weather protection (black)		<i>(not with safari brake)</i> 267
TRAYS			
LRT090111	□ Tray, wood, elevated frame, push-fit, SW 22 - 36 cm		<i>only with LRT040055</i> 242
LRT090112	□ Tray, plastic, swing-away, left-mount		<i>(only with height adj. armrests with pad)</i> 242
LRT090113	□ Tray, plastic, swing-away, right-mount		<i>(only with height adj. armrests with pad)</i> 242
FRAME			
LRT010010	○ Frame FF 75° (EU 105°)		
LRT010011	○ Frame FF 85° (EU 95°)		
LRT010023	○ Frame FF 75° (EU 105°), abducted (2.5 cm on each side)		<i>(not for SW 48/50)</i>
LRT010016	□ Frame FF 85° (EU 95°), inset (2 cm on each side), active		<i>(from SW 34)</i> 139
LRT010015	○ Frame SA (removable footrest, hanger option on page 4)		<i>(not for SD 32/34)</i>
LRT090100	● Transportation brackets - Crash test option		Std.
CENTRE OF GRAVITY (COG) measured from front of back post; choose only one option			
COG23	○ Centre of gravity 2.3 cm		
COG43	○ Centre of gravity 4.3 cm		<i>(Standard option)</i>
COG63	○ Centre of gravity 6.3 cm		
COG83	○ Centre of gravity 8.3 cm		

For more information
visit our webpage
www.SunriseMedical.co.uk

● = Standard ○ = No cost option □ = Cost option			£
FRAME ACCESSORIES			
LRT010500	□ Handbike axle	(not with drumbrake, crutch holder, tip assist and anti tip)	254
LRT090010	□ Transit wheels	(not with crutch holder, tip assist and anti tip)	195
Tip assist (step tube) & Crutch holder			
LRT090001	□ Tip assist, left	LRT090002 □ Tip assist, right	36
LRT090003	□ Tip assist, pair	(choose either tip assist or anti- tip tubes, not both)	73
LRT090009	□ Crutch holder, loop	(only in combination with tip assist)	195
Anti-tip tubes, swing-away			
LRT090004	□ Anti-tip tubes, swing-away, left	LRT090005 □ Anti-tip tubes, swing-away, right	73
LRT090006	□ Anti-tip tubes, swing-away, pair	(choose either tip assist or anti- tip tubes, not both)	146
LRT090036	□ Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair	(not with tip assist)	146
PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames			
LRT090211	□ without ATTITUDE order	(docking pins assembled)	90
LRT090212	○ with ATTITUDE order	(docking pins assembled; ATTITUDE order separately)	
HANGERS & FOOTPLATES			
Aluminium hanger			
LRT050002	○ Hanger angle 70°	LRT050001 ○ Hanger angle 80°	
LRT050006	○ Hanger, aluminium, swing-away, LH	LRT050007 ○ Hanger, aluminium, swing-away, RH	
pick both	○ Hanger, aluminium, swing-away, pair		
Composite hanger			
LRT050002	○ Hanger angle 70°	LRT050001 ○ Hanger angle 80°	
LRT050003	○ Hanger, composite, swing-away, LH	LRT050004 ○ Hanger, composite, swing-away, RH	
pick both	○ Hanger, composite, swing-away, pair		
Elevating Legrest (ELR) (not with footboards, platform; only SA frame)			
LRT050009	□ Hanger, aluminium, flip-up (0° - 90°), swing-away, LH		121
LRT050010	□ Hanger, aluminium, flip-up (0° - 90°), swing-away, RH		121
pick both	□ Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(1)	242
Footrest (colour black)			
LRT050020	○ Footplate, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/5)	(Std option)	
LRT050050	□ Footplate, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (6)		103
LRT050102	□ Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black		139
LRT050126	□ Swing-away mechanism for platform footboard	(from LLL 40 cm)	169
LRT050131	○ Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap (2)		
LFT050132	□ Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (7)		327
LRT050127	□ Foot positioning plate (8)		62
Footboard (only with fixed front frame)			
LRT050025	○ Footboard, platform, lightweight, plastic, angle and depth-adjustable, calf strap, black (3)		
LRT050056	□ Footboard, platform, lightweight, aluminium, angle and depth-adjustable, calf strap, black (3)		139
LRT050026	□ Footboard, platform, lightweight, carbon fibre, angle and depth-adjustable, calf strap, black (3)		327
LRT050127	□ Foot positioning plate (8)		62
LOWER LEG LENGTH (LLL) - has to be 2.5 cm lower than front seat height; all measurements in cm			
○ 22 ○ 23 ○ 24 ○ 25 ○ 26 ○ 27 ○ 28 ○ 29 ○ 30			
○ 31 ○ 32 ○ 33 ○ 34 ○ 35 ○ 36 ○ 37 ○ 38 ○ 39			
○ 40 ○ 41 ○ 42 ○ 43 ○ 44 ○ 45 ○ 46 ○ 47			
LLL 22-29 from SW34 (SW30 with abduction)with divided footboard / from SW32 (SW28 with abduction) with platform footboard			
FORK (compare with your choice on the first page)			
LRT080029	○ Castor fork, Aluminium		
LRT080013	○ Castor fork, Carbotecture ®	(only 111mm)	
LFT080101	□ Expansion kit, designed for hemiplegic users	(not in combination with 7" castors; SA frame only)	195
CASTOR (compare with your choice on the first page)			
LRT080301	○ Castor, solid (hard), rim: composite		
LRT080302	○ Castor, solid (soft), rim: composite	(only for 5" and 6")	
LRT080304	□ Castor, solid (hard), rim: aluminium	(only for 4" and 5")	73
LRT080306	□ Castor, solid (soft), rim: aluminium	(only for 4" and 5")	73
LRT080303	□ Castor, solid (hard), light-up, rim: composite	(only for 4" and 5")	73
LRT080305	○ Castor, pneumatic, rim: composite	(only for 4" and 5")	

(1) not in combination with footboard platform; not with SW 28-36 cm

(3) from LLL 28; with FF frame 85°/75° from SW 30

(5) from SW 36; with inset from SW 40; with abduction from SW 32

(6) with SA frame and FF frame 85°/75° from SW 30

(8) Only with LRT050131, LRT050132, LRT050025, LRT050056, LRT050026

(2) from LLL 30

(4) not with SA frame

(7) from SW 32; with inset from SW 36

For more information

visit our webpage

www.SunriseMedical.co.uk

● = Standard ○ = No cost option □ = Cost option			£
REAR WHEELS <i>(compare with your choice on the first page; choose only one wheel type)</i>			
LRT070001	○ Rear wheel, Universal, 36 spokes, cross-wise spokes		
LRT070002	○ Rear wheel, Design, 36 spokes, straight spokes	<i>(only 24")</i>	
LRT070003	○ Rear wheel, Lightweight, 24 spokes, straight spokes		
LRT070004	□ Rear wheel, Proton, 24 spokes, straight spokes		449
LRT070005	□ Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	<i>(24" only)</i>	460
LRT070008	□ Rear wheel, drum brakes, 36 cross-wise spokes	<i>(not with COG 2,3 cm, only with height adj push handles)</i>	316
LRT070401	□ Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation		606
LRT070402	□ Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation		606
LRT070000	○ Without rear wheel		
TYRES <i>(choose only one tyre type)</i>			
LRT070102	○ Tyre, puncture proof, tread	<i>(not with lightweight wheels)</i>	
LRT070101	○ Tyre, pneumatic, fine profile, Schwalbe Right Run		
LRT070104	□ Tyre, pneumatic, puncture resistant, tread, Schwalbe Marathon Plus Evolution	<i>(only 24")</i>	85
LRT070107	○ Tyre, pneumatic, slick, Schwalbe One	<i>(only 24")</i>	
HANDRIM			
LIR070202	○ Handrims, aluminium, anodised, silver		
LIR070201	○ Handrims, aluminium, powder-coated, clear		
LIR070204	○ Handrims, stainless steel, silver		
LIR070203	□ Handrims, aluminium, powder-coated, coloured		62
LIR070207	□ Handrims, Supergrip ®	<i>(22" only with universal and drum brake wheels)</i>	231
LIR070208	□ Handrims, Maxgripp ®		231
LIR070200	○ Without handrims		
HAND RIM MOUNTING			
LRT070317	○ Handrim mount, narrow (17 mm)		
LRT070327	○ Handrim mount, wide (27 mm) (2)		
LRT070307	○ Handrim mount, super narrow (7 mm) (1) (3)		
WHEEL CAMBER <i>(choose only one option)</i>			
LRT070600	○ Camber 0°		
LRT070601	○ Camber 1°	LRT070603 ○ Camber 3°	LRT070605 ○ Camber 5°
LRT070602	○ Camber 2°	LRT070604 ○ Camber 4°	LRT070606 ○ Camber 6°
SPOKE GUARDS <i>(not with spinergy wheels)</i>			
LRT070831	○ Transparent		
LRT070826	○ Rotation	LRT070815 ○ Graphik	LRT070804 ○ Bibbo
LRT070810	○ Fantasy	LRT070813 ○ Glaktica	LRT070805 ○ Cheese
LRT070823	○ Princess	LRT070808 ○ Dancing Bear	LRT070818 ○ Jungle Fever
LRT070816	○ Happy Lions	LRT070832 ○ Water World	LRT070825 ○ Randolf
LRT070819	○ Monkeys	LRT070821 ○ Pirates	LRT070811 ○ Feather
LRT070820	○ Oriental	LRT070824 ○ Racing	LRT070809 ○ Dirt Race
LRT070829	○ Superhero	LRT070814 ○ Graffiti	LRT070806 ○ Chrome
LRT070817	○ Hot Wheels	LRT070802 ○ Basketball	LRT070803 ○ Basketball 2
LRT070822	○ Pool	LRT070812 ○ Flying Water	LRT070828 ○ Space
LRT070827	○ Silk	LRT070801 ○ Abstract	LRT070807 ○ Creative
LRT070830	○ Tiger	LRT070833 ○ Zebra	
WHEEL LOCKS <i>(choose only one option)</i>			
LRT060001	○ Standard brake	<i>(in combination with SA frame short and 24" wheel -> only with COG 2,3)</i>	
LRT060002	○ Knee-lever brake	<i>(not in combination with SA frame short and 24" wheel)</i>	
LRT060003	○ Compact brake	<i>(not with abduction frame)</i>	
LRT060013	○ Push to lock brake, integrated in sideguard, Safari	<i>(must pick LRT040103 sideguard option)</i>	
LRT060010	□ Brake lever extension, knee-lever brake, fold-down		43
ACCESSORIES			
LRT090000	● Tool kit		
LRT090019	□ Caddy, flip-up bracket for bags		62
LRT090030	□ Back pack		62
LRT090024	□ High pressure pump (0 - 14 bar)		73
LRT090025	□ Air pump		18
LRT090026	□ Mobile phone pocket		24

- (1) Only with stainless steel handrim
(2) Not available with lightweight or Proton wheels
(3) Universal and Design wheels only

For more information
visit our webpage
www.SunriseMedical.co.uk

● = Standard ○ = No cost option □ = Cost option										£	
COLOURS ⁽¹⁾ Please consult our colour catalogue to review your colour choice											
	Frame	Handrim	Hub/rim	Fork		Frame	Handrim	Hub/rim	Fork		
		£62	£169	£48			£62	£169	£48		
01 White RAL 9010	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26 Silver Texture	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
02 Brilliant Silver	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27 Graphitemetallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
03 Silver Matt	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28 Platinmetallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
04 Silver	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29 Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
06 Sun Yellow	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31 Matt Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
07 Brilliant Lime	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32 Signal White	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
08 Matt Lime	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33 Pink	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
14 Blue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34 Dark Chocolate Metallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
15 Brilliant Marine	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35 Skyblue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
16 Matt Marine	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	36 Cyan-Metallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
19 Brilliant Purple	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	37 Mars Red (Orange)	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
20 Matt Purple	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	39 Cappuccino	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
21 Red Ruby	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	40 Kiwi	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
22 Brilliant Red	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	41 Flamingo-Glitter	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
23 Matt Red	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42 Matt-Anthracite	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
24 Tutti Frutti Orange	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	43 Azuri Blue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
<i>(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel; Fork: not with Carbotechnology</i>											
Colour package (fork, axle plate)											
LFT100502	<input type="radio"/>	Style package black									
LFT100501	<input type="radio"/>	Style package orange									
LFT100503	<input type="radio"/>	Style package silver									
Comments for special build - please apply for a quote; lead time conditions may change.											
											
Quickie Life RT - Basic Price										£1,540	
Option price										£	
Packaging and transport										£	
Exclusive VAT										£	
VAT.										£	
Total Price										£	

For more information
visit our webpage
www.SunriseMedical.co.uk

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair
(approx. 1 - 2 cm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between
front edge of the seat upholstery and back of knee.
(approx. 3 - 6 cm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° knee angle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.
(min. 3 cm longer than user measurement)
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 13 cm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the
back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are < 90°
and positive angles are > 90°.

Technical Data Overview - Life RT:

Max. overall height:	95 cm		
Max. overall length:	107,5 cm		
Max. turning circle:	70 cm		
Max. safe slope:	10°		
Wheelchair weight:	from 10 kg		
Dismantled weight:	from 8 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	Camber	22" rear wheel	24" rear wheel
	For 0° camber:	SW + 20 cm	SW + 20 cm
	For 3° camber:	SW + 23 cm	SW + 24 cm
	For 6° camber:	SW + 25cm	SW + 26 cm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle
For transport without a user the chair must be safe clamped in the vehicle

All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 1 cm



Backrest tube,
aluminium
Life T



Backrest, angle
adjustable



Push handles long



Push handles short



Push handles,
fold-down



Push handles,
height-adjustable



Without push
handles,



Push bar, height-
adjustable, width
and angle-
adjustable



Headrest, height, depth and
angle adjustable



EXO backrest sling



EXO PRO backrest sling



Jay 3 Back
Shallow Contour

Jay 3 Back
Mid Contour

Jay 3 Back
Deep Contour



Jay 3 Carbon Back
Shallow Contour



Jay Zip Back



Single post height
adjustable



Single-post sideguard,
armpad, height-adjustable,
removable



Plastic sideguard,
removable (black)



Aluminium sideguard, wet
weather protection (in
frame colour)



Aluminium sideguard,
fender, wet weather
protection (in frame colour)



Carbon fibre sideguard,
fender, wet weather
protection (black)



Frame FF 95°
(integrated footrest)



Frame FF 105°
(integrated footrest)



Frame FF 75°
(integrated footrest),
abducted (2 cm on
each side)



Frame FF 85°
(integrated footrest),
2 cm inset, active



Frame SA
(removable footrest)



Wheelbase extension for add-on bike



Transit wheels



Tip assist



Crutch holder, loop



Anti-tip tubes, swing-away, left



Aluminium hanger 70°/80°



Composite hanger 70°/80°



Elevating legrest (ELR)



Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black



Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black



Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black



Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap



Footboard, platform, lightweight, plastic, angle and depth-adjustable, calf strap, black



Rear wheel, Universal, 36 spokes, cross-wise spokes



Rear wheel, Design, 36 spokes, straight spokes



Rear wheel, Lightweight, 24 spokes, straight spokes



Rear wheel, Proton, 24 spokes, straight spokes



Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver



Rear wheel, drum brakes, 36 spokes, cross-wise spokes



Tyre, puncture proof, tread



Tyre, pneumatic, fine profile, Schwalbe Right Run



Tyre, pneumatic, puncture resistant, tread, Schwalbe Marathon Plus Evolution



Tyre, pneumatic, slick, Schwalbe One



Handrims, Supergrip ®



Handrims, Maxgrepp ®



Standard brake



Knee-lever brake



Compact brake



Push to lock brake, integrated in sideguard, Safari



Brake lever extension, knee-lever brake, fold-down



Caddy, flip-up bracket for bags



Back pack



High pressure pump



Air pump



Mobile phone pocket