

Deliver to:  
 Name:  
 Street:  
 Town: Postal code:  
 E-Mail:  
 Tel: Fax:



Invoice to:  
 Name:  
 Street:  
 Town: Postal code:  
 E-Mail:  
 Tel: Fax:

Order date:  
 Purchase order:  
 Number required:

Marked for:  
 Sunrise order no:

- = Standard  = Cost option
- = No cost option

Max. user weight: 125 kg  
**USER WEIGHT**  kg

Mandatory information to ensure correct configuration

Part. No. : 84600001 QPP01

<b>Base Price</b>
<b>£2,285</b>



**CLIENT MEASUREMENTS** (all measurements without cushion)

**SEAT WIDTH SELECTION** - measured from outside frame tube to outside frame tube (cm)

28	30	32	34	36	38	40	42	44	46	48	50
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

**SEAT DEPTH SELECTION** - measured in cm

32*	34*	36	38	40	42	44	46
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Short Frame				Medium Frame		Long Frame	

- \* not available with frame widths 34cm or greater
- \* not available with swing-away frame

**FRONT SEAT HEIGHT SELECTION:** in dependance of front castors and frame versions

Front seat height in cm

		Fork type (mm)	40	41	42	43	44	45	46	47	48	49	50	51	52	53	
<b>Front castor</b>	<b>4"</b>	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>											
		Carbotecture (111 mm)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
		Aluminium (123 mm) (1)		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
		Aluminium (143 mm) (1)				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
	Aluminium (168 mm) (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
	<b>5"</b>	Hemi Version	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>											
		Carbotecture (111 mm)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
		Aluminium (123 mm) (1)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Aluminium (143 mm) (1)				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
	Aluminium (168 mm) (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
	<b>6"</b>	Hemi Version			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
		Carbotecture (111 mm)							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
		Aluminium (123 mm) (1)							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>					
		Aluminium (143 mm) (1)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
	Aluminium (168 mm) (1)							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
	<b>7"</b>	Aluminium (168 mm) (1)									<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Hemi version only with SA frame

**REAR SEAT HEIGHT SELECTION:** in dependance of rear wheel size

Rear seat height in cm

Rear wheels	40	41	42	43	44	45	46	47	48	49	50
22"	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
24"				<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices


						£	
<b>SEAT UPHOLSTERY AND CUSHIONS</b>							
<b>Seat slings</b>							
LFT020014	<input checked="" type="radio"/> Seat sling, nylon, 1 utility bag						
LFT020000	<input type="radio"/> Without seat sling						
<b>Seat cushion, cover with zipper, black</b>							
LFT020101	<input type="checkbox"/> Seat cushion, foam (medium-soft), cover with zipper, black, 3cm						£94
LFT020102	<input type="checkbox"/> Seat cushion, foam (medium-soft), cover with zipper, black, 5cm						£94
LFT020103	<input type="checkbox"/> Seat cushion, Latex (very soft), cover with zipper, black, 5cm						£94
<b>Jay Cushion - for complete Jay product range see Jay order forms</b>							
JAY020002	<input type="checkbox"/> JAY Basic						£78
JAY020001	<input type="checkbox"/> JAY Easy Visco C						£188
JAY020007	<input type="checkbox"/> JAY Easy Fluid Cushion						£432
JAY020004	<input type="checkbox"/> JAY LITE						£359
<b>Seat accessories</b>							
LFT090018	<input type="radio"/> Lap belt with buckle, metal						
<b>BACKREST</b>							
<b>Backrest height range</b>	<b>25-30</b>	<b>30-35</b>	<b>35-40</b>	<b>40-45</b>	<b>45-47.5</b>		
Back height setting at (cm)	<input type="radio"/> 25	<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40	<input type="radio"/> 45		
	<input type="radio"/> 27.5	<input type="radio"/> 32.5	<input type="radio"/> 37.5	<input type="radio"/> 42.5	<input type="radio"/> 47.5		
	<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40	<input type="radio"/> 45			
LFT030001	<input checked="" type="radio"/> Backrest tube, aluminium						
LFT030101	<input type="checkbox"/> Backrest, half-folding (to the back)					<i>(from back height 45-47.5cm)</i>	£94
LFT030031	<input type="checkbox"/> Backrest, fold-down (to the front)					<i>(from back height 30-47.5cm)</i>	£94
LFT030012	<input type="radio"/> Backrest, angle-adjustable						
	<input type="radio"/> -12° (78 EU)	<input type="radio"/> -8° (82 EU)		<input type="radio"/> -4° (86 EU)			
	<input type="radio"/> 0° (90 EU)	<input type="radio"/> 4° (94 EU)		<input type="radio"/> 8° (98 EU)	<input type="radio"/> 12° (102 EU)		
<b>Push handles</b>							
LFT030201	<input checked="" type="radio"/> Push handles long						
LFT030203	<input type="checkbox"/> Push handles, fold-down					<i>(1) (only from back height 30cm; from 35cm with angle adj back)</i>	£177
LFT030204	<input type="checkbox"/> Push handles, height-adjustable					<i>(1) (2) (only from back height 30cm)</i>	£240
LFT030205	<input type="checkbox"/> Push handles, height-adjustable for Jay backs					<i>(1) (2) (only from back height 30cm)</i>	£240
LFT030200	<input type="radio"/> Without push handles					<i>(1)</i>	
<b>Backrest upholstery (black)</b>							
LFT030316	<input type="radio"/> EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version)						
	Colour, binding t <input checked="" type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue						
LFT030317	<input type="checkbox"/> EXO PRO Backrest sling, synth fibre, padded, adj, breathable, spacer fabric, 1 accessory bag, black (Evo Exo Version)						£203
	Colour, binding t <input checked="" type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue						
LFT030300	<input type="radio"/> Omit Back Upholstery						
<b>Backrest accessories</b>							
LFT030402	<input type="checkbox"/> Stabilising bar, automatic folding					<i>(2) (from sw 360 mm)</i>	£198
LFT030411	<input type="checkbox"/> Headrest, medium height, depth and angle-adjustable, 20 x 11cm						£281
LFT030410	<input type="checkbox"/> Headrest, tall height, depth and angle-adjustable, 23 x 11cm						£281
<b>(1)</b>	Not in combination with backrest, half-folding (to the back)						
<b>(2):</b>	Not in combination backrest backrest, fold-down (to the front)						

				£
<b>JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms</b>				
<b>JAY 3 Back - Deep Contour</b>				
Upper Thoracic:	<input type="checkbox"/>	JAY030021	Medium 46cm	£905
JAY030004	<input type="checkbox"/>	Jay Flip Back Headrest (J3EUHDFH & J3EUHDLSP)		(only with JAY 3 backs) £359
JAY030006	<input type="checkbox"/>	Jay Std. Headrest (J3EUHDXH & J3EUHDLSP)		(only with JAY 3 backs) £245
<b>JAY J3 Carbon Back - Shallow Contour (with quick-release hardware)</b>				
Low Thoracic:	<input type="checkbox"/>	JAY060001	Short - 17cm	<input type="checkbox"/>
				JAY060002
				Tall - 24cm
£853				
Mid Thoracic:	<input type="checkbox"/>	JAY060003	Short - 30cm	<input type="checkbox"/>
				JAY060004
				Tall - 38cm
£853				
<b>JAY Zip Back</b>				
M (20 cm)	<input type="checkbox"/>	JAY070004	SW 28cm	£754
M (20 cm)	<input type="checkbox"/>	JAY070005	SW 30-34cm	£754
T (25cm)	<input type="checkbox"/>	JAY070007	SW 28cm	£780
T (25cm)	<input type="checkbox"/>	JAY070008	SW 30-34cm	£795
X (30cm)	<input type="checkbox"/>	JAY070010	SW 28cm	£812
X (30cm)	<input type="checkbox"/>	JAY070011	SW 30-34cm	£827
<b>ARMREST AND SIDEGUARDS</b>				
<b>Armrest</b>				(choose only one option, not in combination with sideguards; only with 0° and 1° camber)
LFT040050	<input type="checkbox"/>	<input type="radio"/>	Single-post sideguard, armpad (25cm), height-adjustable, removable	£203
LFT040051	<input type="checkbox"/>	<input type="radio"/>	Single-post sideguard, armpad (36cm), height-adjustable, removable	£203
LFT040052	<input type="radio"/>		Single-post sideguard, armpad (33cm), depth adjustable, height-adjustable, removable	(3)
<b>Desk armrest with long and short pad</b>				(1)
LFT040001	<input type="checkbox"/>	Desk sideguard, armpad (25cm), fixed, flip-up, removable		£224
LFT040006	<input type="checkbox"/>	Desk sideguard, armpad (36cm), fixed, flip-up, removable		£224
LFT040002	<input type="checkbox"/>	Desk sideguard, armpad (25cm), height-adjustable, flip-up, removable		£276
LFT040007	<input type="checkbox"/>	Desk sideguard, armpad (36cm), height-adjustable, flip-up, removable		£276
LFT040005	<input type="checkbox"/>	Desk sideguard, flip-up, removable		£224
LFT040020	<input type="checkbox"/>	Release assistance for tetraplegics		£42
<b>Sideguards</b>				(not in combination with armrest)
LFT040107	<input type="radio"/>	Sideguard, composite, removable, 21cm high (31cm long), black		(4)
LFT040103	<input type="radio"/>	Sideguard, aluminium, fender, cold weather protection (in frame colour)		(2) (available with safari brake)
LFT040102	<input type="checkbox"/>	Sideguard, aluminium, cold weather protection (in frame colour)		(2) (not with safari brake) £229
LFT040055	<input type="checkbox"/>	Armpad, height-adjustable, short		(not with safari brake) £229
LFT040104	<input type="checkbox"/>	Sideguard, carbon fibre, fender, cold weather protection (black)		(2) (not with safari brake) £427
<b>TRAYS</b>				
LFT090111	<input type="checkbox"/>	Tray, wood, push-fit, SW 22-36cm		only with LFT040055 £193
LFT090112	<input type="checkbox"/>	Tray, plastic, swing-away, left-mount		(only with height adj. armrests with pad) £193
LFT090113	<input type="checkbox"/>	Tray, plastic, swing-away, right-mount		(only with height adj. armrests with pad) £193
<b>FRAME</b>				
LFT010010	<input type="radio"/>	Frame FF 75 ° (integrated footrest)		(from LLL 26cm)
LFT010011	<input type="radio"/>	Frame FF 85 ° (integrated footrest)		(from LLL 26cm)
LFT010023	<input type="radio"/>	Frame FF 75° (integrated footrest), abducted (25 mm on each side)		(not for SW 48/50; from LLL 26cm, Max User Weight 100kg)
LFT010016	<input type="checkbox"/>	Frame FF 85 ° (integrated footrest), inset (20 mm on each side), active		(from SW 34; from LLL 26cm) £203
LFT010015	<input type="radio"/>	Frame SA (removable footrest)		(not for SD 32/34)
LFT090100	<input checked="" type="radio"/>	Tie down brackets for transportation		
(1) not in combination with backrest, half-folding (to the back), fold down back only from BH 375 mm only 1° & 2° camber				
(2) Effective seat width (measured between the sideguards) is seat width + 20 mm				
(3) with abduction only from SW 34				
(4) COG 83 not possible with abducted frame; not with safari brake				

		£
<b>CENTRE OF GRAVITY (COG)</b> measured from front of back post; choose only one option		
COG23	<input type="radio"/> Centre of gravity 2.3cm	
COG43	<input type="radio"/> Centre of gravity 4.3cm	
COG63	<input type="radio"/> Centre of gravity 6.3cm	
COG83	<input type="radio"/> Centre of gravity 8.3cm	
<b>FRAME ACCESSORIES</b>		
LFT090010	<input type="checkbox"/> Transit wheels	(not with crutch holder, tip assist and anti tip) £266
<b>Tip assist (step tube) &amp; crutch holder</b>		
LFT090001	<input type="checkbox"/> Tip assist, left	£37
LFT090002	<input type="checkbox"/> Tip assist, right	£37
LFT090003	<input type="checkbox"/> Tip assist, pair	(choose either tip assist or anti- tip tubes, not both) £74
LFT090009	<input type="checkbox"/> Crutch holder, loop	(only in combination with tip assist) £94
<b>Anti-tip tubes, swing-away</b>		
LFT090036	<input type="radio"/> Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair	(not with tip assist) £219
LFT090004	<input type="checkbox"/> Anti-tip tubes, swing-away, left	£120
LFT090005	<input type="checkbox"/> Anti-tip tubes, swing-away, right	£120
LFT090006	<input type="checkbox"/> Anti-tip tubes, swing-away, pair	(choose either tip assist or anti- tip tubes, not both) £245
<b>PREPARATION FOR ATTITUDE ADD-ON BIKE</b> - only with FF-Frames		
LFT090211	<input type="checkbox"/> without ATTITUDE order	(docking pins assembled) £136
LFT090212	<input type="radio"/> with ATTITUDE order	(docking pins assembled; ATTITUDE order seperately)
<b>HANGERS &amp; FOOTPLATES</b>		
<b>Aluminium hanger</b>		
LFT050002	<input type="radio"/> Hanger angle 70°	
LFT050001	<input type="radio"/> Hanger angle 80°	
LFT050041	<input type="radio"/> Hanger angle 90°	(not with 6", 7" castor)
LFT050006	<input type="radio"/> Hanger, aluminium, swing-away, LH	LFT050007 <input type="radio"/> Hanger, aluminium, swing-away, RH
pick both	<input type="radio"/> Hanger, aluminium, swing-away, pair	
<b>Composite hanger</b>		
LFT050002	<input type="radio"/> Hanger angle 70°	
LFT050001	<input type="radio"/> Hanger angle 80°	
LFT050003	<input type="radio"/> Hanger, composite, swing-away, LH	LFT050004 <input type="radio"/> Hanger, composite, swing-away, RH
pick both	<input type="radio"/> Hanger, composite, swing-away, pair	
<b>Elevating Legrest (ELR) (1)</b> (not with footboards, platform; only SA frame)		
LFT050009	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	£177
LFT050010	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	£177
pick both	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(1) £354
<b>Amputee Support Pad</b>		
LFT050014	<input type="checkbox"/> Amputee support, left	£177
LFT050013	<input type="checkbox"/> Amputee support, right	£177
LFT050012	<input type="checkbox"/> Amputee support, pair	£354
<b>Footboards (colour black)</b>		
LFT050020	<input checked="" type="radio"/> Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black	
LFT050050	<input type="radio"/> Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	
LFT050102	<input type="radio"/> Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	
LFT050126	<input type="checkbox"/> Swing-away mechanism for platform footboard	(only from LLL 380 mm) £203
LFT050062	<input type="checkbox"/> Locking system, platform footplate, aluminium	£73
LFT050131	<input type="radio"/> Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap, black	
LFT050132	<input type="checkbox"/> Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable flip up (sideways), calf strap, black	£422
LFT050127	<input type="checkbox"/> Adjustable side protection, to create a side-stop on the footboard	£26
(1) not in combination with footboard platform; not with SW 28-36		

										£									
<b>LOWER LEG LENGTH (LLL) - LLL has to be 2.5cm lower than front seat height; measurements in cm</b>																			
<input type="radio"/>	22	<input type="radio"/>	23	<input type="radio"/>	24	<input type="radio"/>	25	<input type="radio"/>	26	<input type="radio"/>	27	<input type="radio"/>	28	<input type="radio"/>	29	<input type="radio"/>	30	<input type="radio"/>	31
<input type="radio"/>	32	<input type="radio"/>	33	<input type="radio"/>	34	<input type="radio"/>	35	<input type="radio"/>	36	<input type="radio"/>	37	<input type="radio"/>	38	<input type="radio"/>	39	<input type="radio"/>	40	<input type="radio"/>	41
<input type="radio"/>	42	<input type="radio"/>	43	<input type="radio"/>	44	<input type="radio"/>	45	<input type="radio"/>	46	<input type="radio"/>	47	<input type="radio"/>	48	<input type="radio"/>	49	<input type="radio"/>	50		
SA Frame: LLL 22-29 from SW34 with divided footboard / from SW32 with platform footboard																			
FF Frame: LLL 26-33 from SW34 (SW30 with abduction) with divided footboard/from SW32 (SW28 with abduction) with platform footboard																			
<b>FORK</b> <span style="float: right;"><i>(compare with your choice on the first page)</i></span>																			
LFT080041	<input type="radio"/>	Castor fork, Aluminium, Black																	
		LFT080042	<input type="radio"/>	Colour Cast. Fork Silver															
		LFT080043	<input type="radio"/>	Colour Cast. Fork Orange															
	<input checked="" type="radio"/>	Castor fork, Aluminium, Powdercoated																	
			<input type="radio"/>	04 Starlight White															
			<input type="radio"/>	12 Royal Blue															
			<input type="radio"/>	16 Red Pepper															
			<input type="radio"/>	21 Solar Orange															
LFT080013	<input type="radio"/>	Castor fork, Carbotecture® <span style="float: right;"><i>(only 111 mm)</i></span>																	
		<input checked="" type="radio"/>	Black	<input type="radio"/>	Orange	<input type="radio"/>	Silver												
LFT080101	<input type="checkbox"/>	Expansion kit, designed for hemiplegic users									£151								
<b>CASTOR</b> <span style="float: right;"><i>(compare with your choice on the first page)</i></span>																			
LFT080301	<input type="radio"/>	Castor, solid (hard), rim: composite, black																	
LFT080302	<input type="radio"/>	Castor, solid (soft), rim: composite, black <span style="float: right;"><i>(only for 5" and 6")</i></span>																	
LFT080305	<input type="radio"/>	Castor, pneumatic, rim: composite, black <span style="float: right;"><i>(only for 4" and 5")</i></span>																	
LFT080304	<input type="checkbox"/>	Castor, solid (hard), rim: aluminium <span style="float: right;"><i>(only for 4" and 5")</i></span>									£104								
LFT080306	<input type="checkbox"/>	Castor, solid (soft), rim: aluminium, silver <span style="float: right;"><i>(only for 4" and 5")</i></span>									£104								
		Colour, rim:	LFT080311	<input type="radio"/>	Black	LFT080315	<input type="radio"/>	Blue											
			LFT080313	<input type="radio"/>	Orange	LFT080314	<input type="radio"/>	Red											
<b>REAR WHEEL</b> <span style="float: right;"><i>(compare with your choice on the first page; choose only one wheel type)</i></span>																			
LFT070001	<input type="radio"/>	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes																	
LFT070002	<input type="radio"/>	Rear wheel, Design, 36 spokes (silver), straight spokes <span style="float: right;"><i>(only 24")</i></span>																	
LFT070003	<input type="radio"/>	Rear wheel, Lightweight, 24 spokes (silver), straight spokes																	
LFT070004	<input type="checkbox"/>	Rear wheel, Proton, 24 spokes (black), straight spokes <span style="float: right;"><i>(Max User Weight 100kg)</i></span>									£650								
LFT070005	<input type="checkbox"/>	Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver <span style="float: right;"><i>(only 24")</i></span>									£604								
LFT070008	<input type="checkbox"/>	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes									£489								
		<i>(22" &amp; 24"; only with stainless steel handrim, COG 43 mm; 0° camber) (3)</i>																	
LFT070401	<input type="checkbox"/>	Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation <span style="float: right;"><i>(not with camber)</i></span>									£905								
LFT070402	<input type="checkbox"/>	Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation <span style="float: right;"><i>(not with camber)</i></span>									£905								
LFT070000	<input type="radio"/>	Without rear wheel																	
<b>TYRES</b> <span style="float: right;"><i>(choose only one tyre type)</i></span>																			
LFT070107	<input checked="" type="radio"/>	Tyre, pneumatic, slick, Schwalbe One <span style="float: right;"><i>(only 24")</i></span>																	
LFT070102	<input type="radio"/>	Tyre, puncture proof, tread <span style="float: right;"><i>(not with lightweight wheels)</i></span>																	
LFT070101	<input type="radio"/>	Tyre, pneumatic, fine profile, Schwalbe Right Run																	
LFT070104	<input type="checkbox"/>	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution									£125								
<b>HANDRIM</b>																			
LFT070202	<input type="radio"/>	Handrims, aluminium, anodised, silver																	
LFT070201	<input type="radio"/>	Handrims, aluminium, powder-coated, clear																	
LFT070204	<input type="radio"/>	Handrims, stainless steel, silver																	
LFT070203	<input type="checkbox"/>	Handrims, aluminium, powder-coated, coloured									£84								
LFT070207	<input type="checkbox"/>	Handrims, Supergrip® <span style="float: right;"><i>(22" only with universal and drum brake wheels)</i></span>									£307								
LFT070208	<input type="checkbox"/>	Handrims, Maxgrepp® <span style="float: right;"><i>(only handrim mounting wide)</i></span>									£307								
LFT070212	<input type="checkbox"/>	Handrims, Ellipse 3R, black <span style="float: right;"><i>(ergonomic handrims with rubber-strip, 24" and 25" only)</i></span>									£245								
LFT070200	<input type="radio"/>	Without handrims																	
<b>(1) not in combination with 7" castors, Carbotecture fork; SA frame only</b> <span style="float: right;"><b>(2) only with 0-4° camber</b></span>																			
<b>(3) RSH for 22":40-45cm; for 24": 42-47cm; axle plate silver</b>																			

								£				
<b>HANDRIM MOUNTING</b>												
LFT070317	<input type="radio"/>	Handrim mount, narrow (17 mm) <span style="float: right;"><i>(not with Maxgrepp)</i></span>										
LFT070327	<input type="radio"/>	Handrim mount, wide (27 mm)										
LFT070307	<input type="radio"/>	Handrim mount, super narrow (7 mm) <span style="float: right;"><i>(Only with 24" stainless steel)</i></span>										
<b>WHEEL CAMBER</b> <span style="float: right;"><i>(choose only one option; Armrests only with 0° &amp; 1°)</i></span>												
LFT070600	<input type="radio"/>	Camber 0° <span style="float: right;"><i>(no camber brackets provided)</i></span>										
LFT070601	<input type="radio"/>	Camber 1°		LFT070603	<input type="radio"/>	Camber 3°		LFT070605	<input type="radio"/>	Camber 5°		
LFT070602	<input checked="" type="radio"/>	Camber 2°		LFT070604	<input type="radio"/>	Camber 4°		LFT070606	<input type="radio"/>	Camber 6°		
<b>SPOKE GUARDS</b> <span style="float: right;"><i>(not with spinergy wheels)</i></span>												
LFT070831	<input type="checkbox"/>	Transparent		LFT070813	<input type="checkbox"/>	Glaktica		LFT070828	<input type="checkbox"/>	Space		£167
LFT070823	<input type="checkbox"/>	Princess		LFT070821	<input type="checkbox"/>	Pirates						£167
LFT070816	<input type="checkbox"/>	Happy Lions		LFT070814	<input type="checkbox"/>	Graffiti						£167
LFT070819	<input type="checkbox"/>	Monkeys		LFT070802	<input type="checkbox"/>	Basketball						£167
LFT070820	<input type="checkbox"/>	Oriental		LFT070812	<input type="checkbox"/>	Flying Water						£167
LFT070829	<input type="checkbox"/>	Superhero		LFT070833	<input type="checkbox"/>	Zebra						£167
LFT070817	<input type="checkbox"/>	Hot Wheels		LFT070818	<input type="checkbox"/>	Jungle Fever						£167
LFT070822	<input type="checkbox"/>	Pool		LFT070811	<input type="checkbox"/>	Feather						£167
LFT070827	<input type="checkbox"/>	Silk		LFT070806	<input type="checkbox"/>	Chrome						£167
LFT070830	<input type="checkbox"/>	Tiger		LFT070803	<input type="checkbox"/>	Basketball 2						£167
<b>WHEEL LOCKS</b> <span style="float: right;"><i>(choose only one option)</i></span>												
LFT060001	<input type="radio"/>	Standard brake										
LFT060003	<input type="radio"/>	Compact brake										
LFT060013	<input type="radio"/>	Push to lock brake, integrated in sideguard, Safari										
LFT060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down						£52				
LFT060002	<input type="radio"/>	Knee-lever brake										
LFT060016	<input type="checkbox"/>	Push to lock brake, one-arm, right actuation						£219				
LFT060015	<input type="checkbox"/>	Push to lock brake, one-arm, left actuation						£219				
<b>ACCESSORIES</b>												
LFT090000	<input checked="" type="radio"/>	Tool kit										
LFT090025	<input type="checkbox"/>	Air pump						£21				
LFT090024	<input type="checkbox"/>	High pressure pump (0 - 11 bar)						£99				
LFT090030	<input type="checkbox"/>	Back pack						£84				
LFT090026	<input type="checkbox"/>	Mobile phone pocket						£84				
<b>COLOURS</b> <sup>(1)</sup> Please consult our colour catalogue to review your colour choice												
	Frame	Handrim	Hub/rim		Frame	Handrim	Hub/rim					
			£240				£240					
01 Matte Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	17 Turbo Green	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>					
02 Gloss Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	20 Mystic Purple	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>					
03 Metallic Shadow	<input type="radio"/>	<input type="checkbox"/>		22 Velocity Yellow	<input type="radio"/>	<input type="checkbox"/>						
04 Starlight White	<input type="radio"/>	<input type="checkbox"/>		09 Salute Green	<input type="radio"/>	<input type="checkbox"/>						
05 Silver Ore	<input type="radio"/>	<input type="checkbox"/>		10 Velvet Sapphire	<input type="radio"/>	<input type="checkbox"/>						
06 Storm Gray	<input type="radio"/>	<input type="checkbox"/>		13 Brilliant Ocean	<input type="radio"/>	<input type="checkbox"/>						
07 Desert Tan	<input type="radio"/>	<input type="checkbox"/>		16 Cherry Lustre	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>					
08 Desert Sage	<input type="radio"/>	<input type="checkbox"/>		18 Pink Power	<input type="radio"/>	<input type="checkbox"/>						
11 Midnight Blue	<input type="radio"/>	<input type="checkbox"/>		19 Satin Rose	<input type="radio"/>	<input type="checkbox"/>						
12 Royal Blue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	21 Solar Orange	<input type="radio"/>	<input type="checkbox"/>						
14 Scarlet Noir	<input type="radio"/>	<input type="checkbox"/>										
15 Red Pepper	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>									
<b>(1)</b> Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel; Fork: not with Carbotecture												

		£
<b>STICKER COLOURS</b>		
LFT100550	● Sticker colour - black	
LFT100551	○ Sticker colour - silver	
<b>ANODISED COLOUR AXLE PLATE</b> (not in combination with one hand operation)		
LFT100580	● Axle plate anodised , black	
LFT100581	○ Axle plate anodised , silver	
LFT100582	○ Axle plate anodised, orange	
<b>24 " LIGHT WEIGHT WHEEL COLOURS</b>		
	● Black	
LFT100336	□ Anodised, orange	£125
LFT100337	□ Anodised, blue	£125
LFT100338	□ Anodised, red	£125
<b>Comments for special build</b> - please apply for a quote; lead time conditions my change.		
		
<b>Quickie Life T - Basic Price</b>		<b>£2,285</b>
Option price		
Packaging and transport		
Exclusive VAT		
VAT.		
<b>Total Price</b>		

**Please follow this measuring method:**

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

**Seat width (SW):**

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

**Seat depth (SD):**

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

**Front seat height:**

- a) For the user: When sitting with 90° kneeangle: From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground. (min. 30 mm longer than user measurement) Remember to include the cushion height.

125 kg

**Rear seat height:**

- b) On the wheelchair: From back of seat tube to the ground.  
Note: Max. seat height difference rear to front is 130 mm

**Back height:**

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.  
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

**Back angle:**

Important: The back height depends on the degree of disability.  
0° is the angle 90° to the ground. Negative angles are < 90° and positive angles are > 90°.

**Technical Data Overview - Life T**

<b>Max. overall height:</b>	1035 mm		
<b>Max. overall length:</b>	1075 mm		
<b>Max. turning circle:</b>	860 mm		
<b>Max. safe slope:</b>	10°		
<b>Wheelchair weight:</b>	from 10 kg		
<b>Dismantled weight:</b>	from 7 kg		
<b>Weight of heaviest part:</b>	2,1 kg		
<b>Max. overall width:</b>	<b>Camber</b>	<b>22" rear wheel</b>	<b>24" rear wheel</b>
	For 0° camber:	SW + 200 mm	SW + 200 mm
	For 3° camber:	SW + 230 mm	SW + 240 mm
	For 6° camber:	SW + 250 mm	SW + 260 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle  
For transport without a user the chair must be safe clamped in the vehicle

All changes in the configuration might change the seat heights.  
Manufacturing tolerances of +/- 10 mm

**BACKREST**



Backrest tube, aluminium



Backrest, half folding (to the back)



Backrest, angle adjustable



Backrest, fold down (to the front)



Push handles long



Push handles, fold-down



Push handles, height-adjustable



Without push handles,



Stabilizer bar, automatic folding



Headrest, height, depth and angle adjustable



EXO backrest sling



EXO PRO backrest sling

**JAY BACKS**



Jay 3 Back  
Mid Contour



Jay Zip Back

**ARMREST AND SIDEGUARDS**



Single post height adjustable



Single-post sideguard, armpad, height-adjustable, remove



Desk sideguard, armpad, fixed, flip-up, remove



Desk sideguard, armpad, height-adjustable, flip-up, remove



Desk sideguard, flip-up, remove



Composite sideguard, removeable (black)



Aluminium sideguard, wet weatherprotection (in frame colour)



Aluminium sideguard, fender, wet weatherprotection (in frame colour)



Carbon fibre sideguard, fender, wet weatherprotection (black)

**FRAME**



Frame FF 105 ° (integrated footrest)



Frame FF 95 ° (integrated footrest)



Frame FF 105° (integrated footrest), abducted (20 mm on each side)



Frame FF 95 ° (integrated footrest), 20 mm inset, active



Frame SA (removable footrest)

## FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder,  
loop



Anti-tip tubes, swing-  
away, left

## HANGERS AND FOOTPLATES



Aluminium hanger, 90°



Composite hanger  
110°/100°



Elevating legrest  
(ELR)



Amputee Support Pad



Footboard, divided,  
composite, angle-  
adjustable, flip-up  
(sideways), heel loop,  
black



Footboard, divided,  
aluminium, angle-  
adjustable, flip-up  
(sideways), heel loop,  
black



Footboard, platform,  
lightweight, plastic,  
angle & depth-adjustable  
flip up (sideways), calf  
strap, black



Footboard, platform,  
lightweight, plastic,  
angle & depth-  
adjustable flip up  
(sideways), calf strap



Footboard, angle and depth  
adjustable; flip up, aluminium with  
locking system

## FORKS



Fork Aluminium,  
black, orange & silver



Expansion kit, designed for  
hemiplegic users

## REAR WHEELS



Rear wheel, Universal,  
36 spokes, cross-wise  
spokes



Rear wheel, Design, 36  
spokes, straight spokes



Rear wheel, Lightweight,  
24 spokes, straight  
spokes



Rear wheel, Proton,  
24 spokes, straight  
spokes



Rear wheel,  
Spinergy, 18  
spokes (black),  
straight spokes;  
hub: silver



Rear wheel,  
drum brakes, 36  
spokes, cross-  
wise spokes

## TYRES



Tyre, puncture proof, tread



Tyre, pneumatic, fine  
profile, Schwalbe Right  
Run



Tyre, pneumatic, puncture proof,  
tread, Schwalbe Marathon Plus  
Evolution



Tyre, pneumatic, slick,  
Schwalbe One

## HANDRIMS



Supergrip



Max Grepp



Ellipse 3R Handrim

## WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake,  
integrated in sideguard,  
Safari



Push to lock brake, one-  
arm, right actuation



Brake lever extension,  
knee-lever brake, fold-  
down

## ACCESSORIES



Back pack



High pressure pump



Air pump



Mobile phone  
pocket

**ANODIZED COLOUR AXLE PLATE**



Axle plate  
anodized, orange



Axle plate  
anodized, silver



Axle plate  
anodized, black

**24 " LIGHT WEIGHT WHEEL COLOURS**



*Lightweight wheel, anodized orange*



*Lightweight wheel, anodized blue*



*Lightweight wheel, anodized red*