

Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:



Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

Fax number: +44 (0)845 605 66 89

Email: orders@sunmed.co.uk

Part no. 84400101 QMA01

Base Pricing
£1,765

Max. user weight:

125 kg

USER WEIGHT

 kg

CLIENT MEASUREMENT

Seat width (cm)

	34	36	38	40	42	44	46	48
Seat depth (cm)	36	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	38	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	40	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	42	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	44	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	46	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	48	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	50	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Frame Length Matrix

Seat Depth	Frame Length
36-40cm	Short
42-44cm	Medium
46-48cm	Long
50cm	Extra long

Please note that the measurement is from the back. All measurements are in cm and without a cushion.

FRONT SEAT HEIGHT SELECTION: independent of front castors and frame versions

Front seat height (cm)

	Fork type (mm)	39	40	41	42	43	44	45	46	47	48	49	50
4"	Short	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Long	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
5"	Short	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Long	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
6"	Short	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	Long	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7"	Long	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Max. difference front/ rear seat height: 0 - 110 mm

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

Rear seat height (cm)


Wheels	36	37	38	39	40	41	42	43	44	45	46	47
22"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
24"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
25"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

					£
SEAT UPHOLSTERY AND CUSHIONS					
Seat Slings					
LRF020001	● Seat sling, Nylon, tension adjustable				
LRF020002	□ Seat sling, nylon, tension adjustable, 1 utility bag				
LRF020000	○ Without seat sling				
Seat Cushion with black cover					
LRF020101	□ Seat cushion, foam (medium-soft), cover with zipper, black, 3cm				89
LRF020102	□ Seat cushion, foam (medium-soft), cover with zipper, black, 5cm				89
LRF020103	□ Seat cushion, Latex (very soft), cover with zipper, black, 5cm				89
Jay Cushion - for complete Jay product range see Jay order forms					
JAY020002	□ JAY Basic				78
JAY020001	□ JAY Easy Visco C				188
JAY020007	□ JAY Easy Fluid				432
JAY020004	□ JAY LITE				302
Seat accessories					
LRF090018	□ Lap belt with buckle, metal				73
BACKREST					
Backrest height range	25-30	30-35	35-40	40-50	
Back height set at (cm)	○ 25	○ 30	○ 35	○ 40	
	○ 27.5	○ 32.5	○ 37.5	○ 42.5	
	○ 30	○ 35	○ 40	○ 45	
LRF030001	● Backrest tube, aluminium <i>(from BH 27.5cm)</i>				
LRF030015	○ Backrest, angle-adjustable, fold-down				
	○ -12° (78 EU)	○ -8° (82 EU)	○ -4° (86 EU)		
	○ 0° (90 EU)	○ 4° (94 EU)	○ 8° (98 EU)		
LRF030102	□ Backrest, angle-adjustable, lock when folded <i>(only with angle adj back)</i>				94
Push handles					
LRF030201	● Push handles long				
LRF030203	□ Push handles, fold-down <i>(only from back height 30cm)</i>				172
LRF030204	□ Push handles, height-adjustable <i>(only from back height 30cm)</i>				229
LRF030205	□ Push handles, height-adjustable for Jay backs <i>(only from back height 30cm)</i>				229
LRF030200	○ Without push handles				
Headrest					
LRF030410	□ Headrest, tall height, depth and angle-adjustable, 23 x 11cm <i>(Only with push handles height adjustable)</i>				255
LRF030411	□ Headrest, medium height, depth & angle-adjustable, 20 x 11cm <i>(Only with push handles height adjustable)</i>				255
Backrest upholstery (black)					
LRF030316	○ EXO Backrest sling, padded, adjustable, 1 accessory bag, black (Evo Exo Version) Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue				
LRF030317	□ EXO PRO Backrest sling, padded,adjust., breathable spacer fabric, accessory bag, black (Evo Exo Version) Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue				94
LRF030000	○ Without backrest upholstery				

			£
JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms			
Jay 3 Back - Mid Deep Contour			
Upper Thoracic:	<input type="checkbox"/> JAY030042	Medium 46cm	884
Jay 3 Back - Deep Contour			
Upper Thoracic:	<input type="checkbox"/> JAY030021	Medium 46cm	905
JAY030004	<input type="checkbox"/> Jay Headrest S/A	(only with Jay 3 backs)	302
JAY030006	<input type="checkbox"/> Standard Jay headrest	(only with Jay 3 backs)	245
ARMREST AND SIDEGUARDS			
Armrest (choose only one option, not in combination with sideguards; only with 0° and 1° camber)			
LRF040050	<input type="checkbox"/> Single-post sideguard, height-adjustable, removable, armpad (25cm),		188
LRF040051	<input type="checkbox"/> Single-post sideguard, height-adjustable, removable, armpad (36cm),		188
LRF040052	<input type="checkbox"/> Single-post sideguard, depth adjustable, tool height-adjustable, removable, armpad (33cm)		188
Sideguards (not in combination with armrest)			
LRF040107	<input type="radio"/> Sideguard, composite, removable, 21 cm high (31cm long), black		
LRF040102	<input type="checkbox"/> Sideguard, aluminium, cold weather protection (in frame colour)	(effective seat width is sw + 2cm)	240
LRF040103	<input type="checkbox"/> Sideguard, aluminium, fender, cold weather protection (in frame colour)	(effective seat width is sw + 2cm)	328
LRF040104	<input type="checkbox"/> Sideguard, carbon fibre, fender, cold weather protection (black)	(effective seat width is sw + 2cm)	416
FRAME			
LRF010010	<input type="radio"/> Frame FF 75 ° (integrated footrest)	(LLL from 34cm)	
LRF010011	<input type="radio"/> Frame FF 85 ° (integrated footrest)		
LRF010016	<input type="checkbox"/> Frame FF 85 ° (integrated footrest), inset (2cm on each side), active		
LRF010015	<input type="radio"/> Frame SA (removable footrest)		
LRF090100	<input checked="" type="radio"/> Tie down brackets for transportation		
CENTRE OF GRAVITY (COG) measured from front of back post; choose only one option			
COG23	<input type="radio"/> Centre of gravity 2.3cm		
COG43	<input type="radio"/> Centre of gravity 4.3cm		
COG63	<input type="radio"/> Centre of gravity 6.3cm		
COG83	<input type="radio"/> Centre of gravity 8.3cm		
Frame accessories			
LRF010500	<input type="checkbox"/> Handbike axle	(1)	380
LRF090010	<input type="checkbox"/> Transit wheels	(Not with crutch holder, tip assist and anti tip)	245
Tip assist (step tube) & Crutch holder (choose either tip assist or anti-tip tubes, not both)			
LRF090001	<input type="checkbox"/> Tip assist, left	LRF090002 <input type="checkbox"/> Tip assist, right	37
LRF090003	<input type="checkbox"/> Tip assist, pair		76
LRF090009	<input type="checkbox"/> Crutch holder, loop	(only in combination with tip assist)	84
Anti-tip tubes, swing-away (choose either tip assist or anti-tip tubes, not both)			
LRF090036	<input type="radio"/> Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair		99
LRF090004	<input type="checkbox"/> Anti-tip tubes, swing-away, left	LRF090005 <input type="checkbox"/> Anti-tip tubes, swing-away, right	130
LRF090006	<input type="checkbox"/> Anti-tip tubes, swing-away, pair		203
(1) (max 100 kg user weight; not with drumbrake, crutch holder, tip assist, anti tip, wheel drive)			

				£
PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frame				
LRF090211	<input type="checkbox"/>	Preparation for ATTITUDE, w/o ATTITUDE order	(docking pins assembled)	130
LRF090212	<input type="radio"/>	Preparation for ATTITUDE, with ATTITUDE order	(docking pins assembled; ATTITUDE order seperately)	
EMPULSE F55 BUNDLING				
EMO000101	<input type="radio"/>	With F55 order, not mounted to the wheelchair	(Please use separate OF to order the F55.)	
EMO000102	<input type="radio"/>	With F55 order, mounted to the wheelchair	(Please use separate OF to order the F55.)	
HANGERS & FOOTPLATES				
LRF050002	<input type="radio"/>	Hanger angle 70°		
LRF050001	<input type="radio"/>	Hanger angle 80°		
LRF050041	<input type="radio"/>	Hanger angle 90°	(not with 6" & 7" castor)	
LRF050008	<input type="radio"/>	Hanger, aluminium, swing-away, pair		
LRF050006	<input type="radio"/>	Hanger, aluminium, swing-away, LH	LRF050007 <input type="radio"/> Hanger, aluminium, swing-away, RH	
Composite hanger				
LRF050002	<input type="radio"/>	Hanger angle 70°		
LRF050001	<input type="radio"/>	Hanger angle 80°		
LRF050005	<input type="radio"/>	Hanger, composite, swing-away, pair		
LRF050003	<input type="radio"/>	Hanger, composite, swing-away, LH	LRF050004 <input type="radio"/> Hanger, composite, swing-away, RH	
Elevating Legrest (ELR)				
LRF050011	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(1) (from seat width 38cm)	344
LRF050009	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	(1)	172
LRF050010	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	(1)	172
Footplate (when SA front selected)				
LRF050020	<input checked="" type="checkbox"/>	Footplates, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black	(2)	
LRF050050	<input type="checkbox"/>	Footplates, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	(from LLL 35cm)	156
LRF050102	<input type="checkbox"/>	Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	(3)	156
	LRF050126	<input type="checkbox"/> Swing-away mechanism for platform footboard	(from LLL 34cm)	104
	LRF050062	<input type="checkbox"/> Locking system, platform footplate, aluminium		78
Platform footrest, angle adjustable (only for seat width 32 to 50cm)				
LRF050131	<input type="checkbox"/>	Footboard, platform, lightweight, composite, angle & depth-adjustable flip up, calf strap black	(4)	203
LRF050132	<input type="checkbox"/>	Footboard, platform lightweight, carbon fibre, angle & depth-adjustable flip-up, calf strap, black	(4)	411
LRF050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard	(only in combination with Platform)	32
Footrest (only with fixed front frame) (not with hanger; lower leg length between 36 - 52.5cm)				
LRF050025	<input type="radio"/>	Footboard, platform, lightweight, composite, angle and depth-adjustable, calf strap, black		
LRF050024	<input type="checkbox"/>	Footboard, platform, lightweight, aluminum, angle and depth-adjustable, calf strap, frame colour		203
LRF050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard	(only with LIR050025/050024/050032)	32
LOWER LEG LENGTH (LLL in cm) (Attention: LLL has to be 25 mm lower than seat height front)				
<input type="radio"/> 33 <input type="radio"/> 34 <input type="radio"/> 35 <input type="radio"/> 36 <input type="radio"/> 37 <input type="radio"/> 38 <input type="radio"/> 39 <input type="radio"/> 40 <input type="radio"/> 41 <input type="radio"/> 42 <input type="radio"/> 43 <input type="radio"/> 44 <input type="radio"/> 45 <input type="radio"/> 46 <input type="radio"/> 47				
FORK (compare with your choice on the first page)				
LRF080041	<input checked="" type="radio"/>	Castor fork, Aluminium, Black		
	LRF080042	<input type="radio"/> Colour Cast. Fork Silver		
	LRF080043	<input type="radio"/> Colour Cast. Fork Orange		
	<input checked="" type="radio"/>	Castor fork, Aluminium, Powdercoated		
		<input type="radio"/> 04 Starlight White		
		<input type="radio"/> 12 Royal Blue		
		<input type="radio"/> 16 Red Pepper		
		<input type="radio"/> 21 Solar Orange		
CASTOR (compare with your choice on the first page)				
LRF080301	<input type="radio"/>	Castor, solid (hard), rim: composite, black		
LRF080302	<input type="radio"/>	Castor, solid (soft), rim: composite, black	(only for 5" & 6" castors; max SH 520mm)	
LRF080305	<input type="radio"/>	Castor, pneumatic, rim: composite, black	(only for 6" & 7" castors)	
Castor with aluminium rim				
LRF080304	<input type="checkbox"/>	Castor, solid (hard), rim: aluminium	(Only for 4" and 5")	110
LRF080306	<input type="checkbox"/>	Castor, solid (soft), rim: aluminium, silver	(Only for 4" and 5";)	110
	Colour, rim:	LRF080311 <input type="radio"/> Black	LRF080315 <input type="radio"/> Blue	
		LRF080313 <input type="radio"/> Orange	LRF080314 <input type="radio"/> Red	
(1):	Not in combination with platform footboard		(2): pair; from LLL 33cm; only from SW 36cm	
(3):	from LLL 35cm; not in combination with ELR		(4): not with ELR	

		£
REAR WHEELS <i>(compare with your choice on the first page; choose only one wheel type)</i>		
LRF070000	<input type="radio"/> Without rear wheel	
LRF070001	<input type="radio"/> Rear wheel, Universal, 36 spokes (silver), cross-wise spokes <i>(only 22"/24")</i>	
LRF070002	<input type="radio"/> Rear wheel, Design, 36 spokes (silver), straight spokes <i>(only 24")</i>	
LRF070003	<input type="checkbox"/> Rear wheel, Lightweight, 24 spokes (silver), straight spokes <i>(max. user weight: 125 kg)</i>	94
LRF070004	<input type="checkbox"/> Rear wheel, Proton, 24 spokes (black), straight spokes <i>(max. user weight: 100 kg)</i>	260
LRF070005	<input type="checkbox"/> Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver <i>(only 24"/25")</i>	515
LRF070008	<input type="checkbox"/> Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes <i>(only 22"/24")</i>	442
LRF070009	<input type="checkbox"/> Rear wheel, Mountain bike, 36 spokes (silver), straight spokes <i>(only 24")</i>	375
LRF070010	<input type="checkbox"/> Mountain bike wheel, replacement kit incl. tyre (extra coarse profile) <i>(only 24")</i>	579
TYRES <i>(choose only one tyre type)</i>		
LRF070107	<input checked="" type="radio"/> Tyre, pneumatic, slick, Schwalbe One <i>(only 24"/25")</i>	120
LRF070101	<input type="radio"/> Tyre, pneumatic, fine profile, Schwalbe Right Run <i>(only 22"/24")</i>	
LRF070102	<input type="radio"/> Tyre, puncture proof, tread <i>(25" only with Proton, lightweight wheel)</i>	
LRF070104	<input type="checkbox"/> Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution <i>(only 24"/25")</i>	99
HANDRIM		
LRF070202	<input type="radio"/> Handrims, aluminium, anodised, silver	
LRF070201	<input type="radio"/> Handrims, aluminium, powder-coated, clear	
LRF070204	<input type="checkbox"/> Handrims, stainless steel, silver	104
LRF070203	<input type="checkbox"/> Handrims, aluminium, powder-coated, coloured	
LRF070207	<input type="checkbox"/> Handrims, Supergrip® <i>(22" only with universal and drum brake wheels)</i>	260
LRF070208	<input type="checkbox"/> Handrims, Maxgrepp® <i>(only 22"/24", only handrim mounting wide)</i>	364
LRF070212	<input type="checkbox"/> Handrims, Ellipse 3R, black <i>(ergonomic handrims with rubber-strip, 24" and 25" only)</i>	130
LRF070200	<input type="radio"/> Without handrims	
HANDRIM MOUNTING		
LRF070307	<input type="radio"/> Handrim mount, super narrow (7 mm) <i>(Only with 24" stainless steel)</i>	
LRF070317	<input type="radio"/> Handrim mount, narrow (17 mm) <i>(not with Maxgrepp)</i>	
LRF070327	<input type="radio"/> Handrim mount, wide (27 mm)	
HANDRIM COVER		
LRF070250	<input type="checkbox"/> Handrim cover, Silicon <i>(not with 25", Supergrip, Maxgrepp)</i>	115
WHEEL CAMBER <i>(choose only one option; Armrests only with 0° & 1°)</i>		
LRF070600	<input type="radio"/> Camber 0° <i>(no camber brackets provided)</i>	
LRF070601	<input checked="" type="radio"/> Camber 1°	LRF070603 <input type="radio"/> Camber 3°
LRF070602	<input type="radio"/> Camber 2°	LRF070604 <input type="radio"/> Camber 4°
SPOKE GUARDS <i>(not with spinergy wheels, not with 25", not with mountain bike)</i>		
LRF070831	<input type="checkbox"/> Transparent	LRF070820 <input type="checkbox"/> Oriental
		LRF070827 <input type="checkbox"/> Silk
LRF070822	<input type="checkbox"/> Pool	LRF070817 <input type="checkbox"/> Hot Wheels
LRF070811	<input type="checkbox"/> Feather	LRF070806 <input type="checkbox"/> Chrome
LRF070814	<input type="checkbox"/> Graffiti	LRF070802 <input type="checkbox"/> Basketball
WHEEL LOCKS <i>(choose only one option)</i>		
LRF060001	<input type="radio"/> Standard brake	
LRF060003	<input type="checkbox"/> Compact brake	78
LRF060002	<input type="checkbox"/> Knee-lever brake	99
LRF060010	<input type="checkbox"/> Brake lever extension, knee-lever brake, fold-down	52

				£
ACCESSORIES				
LRF090000	●	Tool kit		
LRF090025	□	Air pump		21
LRF090024	□	High pressure pump (0 - 11 bar)		94
LRF090030	□	Back pack		78
LRF090026	□	Mobile phone pocket		58
COLOURS ⁽¹⁾ Please consult our colour catalogue to review your colour choice				
	Frame	Handrim	Hub/rim	
		78	229	
01 Matte Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	17 Turbo Green
02 Gloss Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	20 Mystic Purple
03 Metallic Shadow	<input type="radio"/>	<input type="checkbox"/>		22 Velocity Yellow
04 Starlight White	<input type="radio"/>	<input type="checkbox"/>		09 Salute Green
05 Silver Ore	<input type="radio"/>	<input type="checkbox"/>		10 Velvet Sapphire
06 Storm Gray	<input type="radio"/>	<input type="checkbox"/>		13 Brilliant Ocean
07 Desert Tan	<input type="radio"/>	<input type="checkbox"/>		16 Cherry Lustre
08 Desert Sage	<input type="radio"/>	<input type="checkbox"/>		18 Pink Power
11 Midnight Blue	<input type="radio"/>	<input type="checkbox"/>		19 Satin Rose
12 Royal Blue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	21 Solar Orange
14 Scarlet Noir	<input type="radio"/>	<input type="checkbox"/>		
15 Red Pepper	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	
(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel				
STICKER COLOURS				
LRF100550	●	Sticker colour - black		
LRF100551	○	Sticker colour - silver		
ANODISED COLOUR AXLE PLATE				
LRF100580	●	Axle plate anodised, black		
LRF100581	○	Axle plate anodised, silver		
LRF100582	○	Axle plate anodised, orange		
24 " LIGHT WEIGHT WHEEL COLOURS				
	●	Black		
LRF100336	□	Anodised, orange		
LRF100337	□	Anodised, blue		
LRF100338	□	Anodised, red		
COMMENTS FOR SPECIAL BUILD				
				
Quickie Life R - Basic Price				£1,765
Option price				£
Packaging and transport				£
Exclusive VAT				£
VAT.				£
Total Price				£

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair
(approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between
front edge of the seat upholstery and back of knee.
(approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° knee angle:
From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground.

(min. 30 mm longer than user measurement)
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 130 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the
back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are < 90°
and positive angles are > 90°.

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

COG	Seat Depth						
	380	400	420	440	460	480	500
40	X	X	X	✓	✓	✓	✓
60	X	X	X	X	✓	✓	✓
70	X	X	X	X	✓	✓	✓
80	X	X	X	X	X	✓	✓
90	X	X	X	X	X	✓	✓
100	X	X	X	X	X	X	✓
110	X	X	X	X	X	X	✓
120	X	X	X	X	X	X	X
130	X	X	X	X	X	X	X

SEAT UPHOLSTERY AND CUSHIONS



Seat cushion, cover with zipper, black



Seat cushion, climate membrane water-resistant, cover with zipper, black



Lap belt with buckle, metal



Jay Basic
(picture shown without upholstery)



Jay Easy Visco
(picture shown without upholstery)



Jay Easy Fluid
(picture shown without upholstery)



Jay Lite

BACKREST



Backrest, angle-adjustable, lock when folded



Push handles long



Fold down push



Height adjustable push handles



EXO
backrest sling



EXO PRO
backrest sling

ARMREST AND SIDEGUARDS



Single post height adjustable armrest



Single-post sideguard, depth adjustable, tool height-adjustable



Sideguard composite detachable



Sideguard carbon with fender



Sideguard alu with fender



Desk armrest, height adjustable, short armpad(25cm)



Desk armrest, fixed height, short armpad(25cm)



Desk armrest without armpad

Frame



Life SA



Life FF 85°



Life FF 75°



Frame FF 85° (integrated footrest), inset (20 mm on)

FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder



Anti-tip swing away

FRAME ACCESSORIES




Aluminium hanger, 90°



Hanger Angle 70°/80°



Elevating legrest



Amputee Support Pad



Platform footplate lightweight angle & depth adjustable composite flip up



Divided footplate composite



Divided footplate aluminium



Platform, angle and depth adjustable; flip up, aluminium with locking system

FORKS



Fork Aluminium, black, orange & silver

REAR WHEELS



Universal cross spoked



Design wheel



Lightweight wheel



Spinergy wheel, 18 spokes



Drum brake wheel

TYRES



Right Run Tyre



Solid Tyre



Marathon Plus Evolution



Supergrip



Max Grepp



Ellipse 3R Handrim

WHEEL LOCKS



Knee lever wheel lock



Brake lever extension



Compact wheel lock



Standard brake

ACCESSORIES



Back pack



High pressure pump



Air pump



Mobile phone pocket

Anodized colour axle plate



Axle plate
anodized, orange



Axle plate
anodized, silver



Axle plate
anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red