

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:



Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

- = Standard = Cost option
- = No cost option

Base Price
£2,285



Max. user weight: **125 kg**
USER WEIGHT **kg**

Mandatory information to ensure correct configuration

Part. no. : 84700001

QPP01

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (cm)

28	30	32	34	36	38	40	42	44	46	48
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

SEAT DEPTH SELECTION - measured in cm

32*	34*	36	38	40	42	44	46
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Short Frame				Medium Frame		Long Frame	

* not available with frame widths 34cm or greater
 * not available with swing-away frame

FRONT SEAT HEIGHT SELECTION: in dependance of front castors and frame versions

Front seat height in cm

		Fork Type (mm)	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50		
Front castor	4"	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>													
		Carbotecture (111 mm)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>											
		Aluminium (123 mm) (1)		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
		Aluminium (168 mm) (1)							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
	5"	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>												
		Carbotecture (111 mm)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
		Aluminium (123 mm) (1)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Aluminium (168 mm) (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
	6"	Hemi Version			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
		Carbotecture (111 mm)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
		Aluminium (123 mm) (1)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
		Aluminium (168 mm) (1)							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
7"	Aluminium (168 mm) (1)									<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		

Hemi version only with SA frame

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in cm

Rear wheels	36	37	38	39	40	41	42	43	44	45
22"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>		
24"			<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height can only be between 0 and 11cm below the selected front seat height.

(1) compatible with power add on devices

£

SEAT UPHOLSTERY AND CUSHIONS**Seat slings**LRT020008 Seat sling, nylon, tension-, depth adjustableLRT020009 Seat sling, nylon, adjustable, 1 bagLRT020000 Without seat sling**Seat cushion, cover with zipper, black**LRT020101 Seat cushion, foam (medium-soft), cover with zipper, black, 3cm

£94

LRT020102 Seat cushion, foam (medium-soft), cover with zipper, black, 5cm

£94

LRT020103 Seat cushion, Latex (very soft), cover with zipper, black, 5cm

£94

Jay Cushion - for complete Jay product range see Jay order formsJAY020002 Jay Basic

£78

JAY020001 Jay Easy Visco

£188

JAY020007 JAY Easy Fluid

£432

JAY020004 JAY Lite

£359

Seat accessoriesLRT090018 Lap belt with buckle, metal**BACKREST****Backrest height range**

Back height setting at (cm)

25-30	30-35	35-40	40-45
<input type="radio"/> 25	<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40
<input type="radio"/> 27.5	<input type="radio"/> 32.5	<input type="radio"/> 37.5	<input type="radio"/> 42.5
<input type="radio"/> 30	<input type="radio"/> 35	<input type="radio"/> 40	<input type="radio"/> 45

LRT030001 Backrest tube, aluminium (Not for 250 mm backrest height)LRT030015 Backrest, angle-adjustable, fold-down -12° (78 EU) -8° (82 EU) -4° (86 EU) 0° (90 EU) 4° (94 EU) 8° (98 EU)LRT030102 Backrest, angle-adjustable, lock when folded

£94

 -12° (78 EU) -8° (82 EU) -4° (86 EU) 0° (90 EU) 4° (94 EU) 8° (98 EU)**Push handles**LRT030201 Push handles longLRT030203 Push handles, fold-down (only from back height 30cm; from 35 with angle adj back)

£177

LRT030204 Push handles, height-adjustable (only from back height 30cm)

£240

LRT030205 Push handles, height-adjustable for Jay backs (only from back height 30cm)

£240

LRT030208 Push bar, height-adjustable, width and angle-adjustable (only from SW 28cm to 38cm)

£240

LRT030200 Without push handles**Backrest upholstery (black)**LRT030316 EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version)Colour, binding tape: Black Orange Silver Red BlueLRT030317 EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (Evo Exo Version)

£203

Colour, binding tape: Black Orange Silver Red BlueLRT030300 Without backrest upholstery**Backrest accessories**LRT030411 Headrest, small height, depth and angle-adjustable, 20 x 11cm (only with height adjustable push handles)

£281

LRT030410 Headrest, tall height, depth and angle-adjustable, 23 x 11cm (only with height adjustable push handles)

£281

		£
JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms		
JAY 3 Back - Deep Contour		
Upper Thoracic:	<input type="checkbox"/> JAY030021 Medium 46cm	£905
JAY030004	<input type="checkbox"/> Jay Flip Back Headrest (J3EUHDFH & J3EUHDLSP) <i>(only with JAY 3 backs)</i>	£302
JAY030006	<input type="checkbox"/> Jay Std. Headrest (J3EUHDXH & J3EUHDLSP) <i>(only with JAY 3 backs)</i>	£245
JAY J3 Carbon Back - Shallow Contour (with fixed hardware)		
Low Thoracic:	<input type="checkbox"/> JAY060001 Short - 17cm <input type="checkbox"/> JAY060002 Tall - 24cm	£853
Mid Thoracic:	<input type="checkbox"/> JAY060003 Short - 30cm <input type="checkbox"/> JAY060004 Tall - 38cm	£853
JAY Zip Back		
M (20 cm)	<input type="checkbox"/> JAY070004 SW 28cm	£754
M (20 cm)	<input type="checkbox"/> JAY070005 SW 30-34cm	£754
T (25cm)	<input type="checkbox"/> JAY070007 SW 28cm	£780
T (25cm)	<input type="checkbox"/> JAY070008 SW 30-34cm	£796
X (30cm)	<input type="checkbox"/> JAY070010 SW 28cm	£812
X (30cm)	<input type="checkbox"/> JAY070011 SW 30-34cm	£827
ARMREST AND SIDEGUARDS		
Armrest <i>(choose only one option, not in combination with sideguards; only with 0° and 1° camber)</i>		
LRT040050	<input type="checkbox"/> <input type="radio"/> Single post height adjustable armrest armpad short (25cm)	£203
LRT040051	<input type="checkbox"/> <input type="radio"/> Single post height adjustable armrest Armpad long (36cm)	£203
LRT040052	<input type="radio"/> Single-post sideguard, armpad (33cm), height-adjustable, remove <i>(Not with abducted frame and COG 83)</i>	
Sideguards <i>(not in combination with armrests)</i>		
LRT040103	<input type="radio"/> Aluminium sideguard, fender, wet weatherprotection (in frame colour) (1) <i>(available with safari brake)</i>	
LRT040107	<input type="radio"/> Composite sideguard, removable (black) <i>(not with safari brake)</i>	
LRT040102	<input type="checkbox"/> Aluminium sideguard, wet weatherprotection (in frame colour) (1) <i>(not with safari brake)</i>	£224
LRT040055	<input type="checkbox"/> Armpad, height-adjustable, short <i>(not with safari brake)</i>	£224
LRT040104	<input type="checkbox"/> Carbon fibre sideguard, fender, wet weatherprotection (black) (1) <i>(not with safari brake)</i>	£427
TRAYS		
LRT090111	<input type="checkbox"/> Tray, wood, elevated frame, push-fit, SW 22 - 36cm <i>only with LRT040055</i>	£193
LRT090112	<input type="checkbox"/> Tray, plastic, swing-away, left-mount <i>(only with height adj. armrests with pad)</i>	£193
LRT090113	<input type="checkbox"/> Tray, plastic, swing-away, right-mount <i>(only with height adj. armrests with pad)</i>	£193
FRAME		
LRT010010	<input type="radio"/> Frame FF 75 ° (integrated footrest)	
LRT010011	<input type="radio"/> Frame FF 85 ° (integrated footrest)	
LRT010023	<input type="radio"/> Frame FF 75° (integrated footrest), abducted (2.5cm on each side) <i>(not for SW 48cm, Max User Weight 100kg)</i>	
LRT010016	<input type="checkbox"/> Frame FF 85 ° (integrated footrest), inset (2cm on each side), active <i>(from SW 34cm)</i>	£203
LRT010015	<input type="radio"/> Frame SA (removable footrest) <i>(not for SD 32/34cm)</i>	
LRT090100	<input checked="" type="radio"/> Tie down brackets for transportation	
CENTRE OF GRAVITY (COG) measured from front of back post; choose only one option		
COG23	<input type="radio"/> Centre of gravity 2.3cm	
COG43	<input type="radio"/> Centre of gravity 4.3cm	
COG63	<input type="radio"/> Centre of gravity 6.3cm	
COG83	<input type="radio"/> Centre of gravity 8.3cm	
(1) Effective seat width (measured between the sideguards) is seat width + 2cm		

		£
FRAME ACCESSORIES		
LRT010500	<input type="checkbox"/> Wheelbase extension for add-on bike <i>(not with drumbrake, crutch holder, tip assist, anti tip, wheel drive)</i>	£302
LRT090010	<input type="checkbox"/> Transit wheels <i>(not with crutch holder, tip assist and anti tip)</i>	£266
Tip assist (step tube) & Crutch holder		
LRT090001	<input type="checkbox"/> Tip assist, left LRT090002 <input type="checkbox"/> Tip assist, right	£37
LRT090003	<input type="checkbox"/> Tip assist, pair <i>(choose either tip assist or anti- tip tubes, not both)</i>	£110
LRT090009	<input type="checkbox"/> Crutch holder, loop <i>(only in combination with tip assist)</i>	£151
Anti-tip tubes, swing-away		
LRT090036	<input type="radio"/> Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair <i>(not with tip assist)</i>	
LRT090004	<input type="checkbox"/> Anti-tip tubes, swing-away, left LRT090005 <input type="checkbox"/> Anti-tip tubes, swing-away, right	£120
LRT090006	<input type="checkbox"/> Anti-tip tubes, swing-away, pair <i>(choose either tip assist or anti- tip tubes, not both)</i>	£245
PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames		
LRT090211	<input type="checkbox"/> without ATTITUDE order <i>(docking pins assembled)</i>	£136
LRT090212	<input type="radio"/> with ATTITUDE order <i>(docking pins assembled; ATTITUDE order separatley)</i>	
HANGERS & FOOTPLATES		
Aluminium hanger		
LRT050002	<input type="radio"/> Hanger angle 70°	
LRT050001	<input type="radio"/> Hanger angle 80°	
LRT050041	<input type="radio"/> Hanger angle 90° <i>(not with 6" & 7")</i>	
LRT050006	<input type="radio"/> Hanger, aluminium, swing-away, LH LRT050007 <input type="radio"/> Hanger, aluminium, swing-away, RH	
<i>pick both</i>	<input type="radio"/> Hanger, aluminium, swing-away, pair	
Composite hanger		
LRT050002	<input type="radio"/> Hanger angle 70°	
LRT050001	<input type="radio"/> Hanger angle 80°	
LRT050003	<input type="radio"/> Hanger, composite, swing-away, LH LRT050004 <input type="radio"/> Hanger, composite, swing-away, RH	
<i>pick both</i>	<input type="radio"/> Hanger, composite, swing-away, pair	
Elevating Legrest (ELR) <i>(not with footboards, platform; only SA frame)</i>		
LRT050009	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	£177
LRT050010	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	£177
<i>pick both</i>	<input type="checkbox"/> Hanger, aluminium, flip-up (0° - 90°), swing-away, pair (1)	£354
Footboard (when SA front selected)		
LRT050020	<input checked="" type="radio"/> Footplates, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/5)	
LRT050050	<input type="checkbox"/> Footplates, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (6)	£151
LRT050102	<input type="checkbox"/> Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	£203
	LRT050126 <input type="checkbox"/> Swing-away mechanism for platform footboard <i>(from LLL 34cm)</i>	£141
	LRT050062 <input type="checkbox"/> Locking system, platform footplate, aluminium	£73
LRT050131	<input type="radio"/> Footboard, platform, lightweight, composite, angle & depth-adjustable flip up (sideways), calf strap (2)	
LRT050132	<input type="checkbox"/> Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (7)	£422
LRT050127	<input type="checkbox"/> Adjustable side protection, to create a side-stop on the footboard	£26
Footboard (only with fixed front frame)		
LRT050025	<input type="radio"/> Footboard, platform, lightweight, composite, angle and depth-adjustable, calf strap, black (3)	
LRT050056	<input type="checkbox"/> Footboard, platform, lightweight, aluminium, angle and depth-adjustable, calf strap, black (3)	£208
LRT050026	<input type="checkbox"/> Footboard, platform, lightweight, carbon fibre, angle and depth-adjustable, calf strap, black (3)	£422
LRT050127	<input type="checkbox"/> Adjustable side protection, to create a side-stop on the footboard	£26
LOWER LEG LENGTH (LLL) - LLL has to be 2.5cm lower than front seat height; measurements in cm		
<input type="radio"/> 22 <input type="radio"/> 23 <input type="radio"/> 24 <input type="radio"/> 25 <input type="radio"/> 26 <input type="radio"/> 27 <input type="radio"/> 28 <input type="radio"/> 29 <input type="radio"/> 30 <input type="radio"/> 31 <input type="radio"/> 32 <input type="radio"/> 33 <input type="radio"/> 34 <input type="radio"/> 35 <input type="radio"/> 36 <input type="radio"/> 37 <input type="radio"/> 38 <input type="radio"/> 39 <input type="radio"/> 40 <input type="radio"/> 41 <input type="radio"/> 42 <input type="radio"/> 43 <input type="radio"/> 44 <input type="radio"/> 45 <input type="radio"/> 46 <input type="radio"/> 47		
LLL 22-29 from SW34 (SW30 with abduction) with divided footboard / from SW32 (SW28 with abduction) with platform footboard		
(1) not in combination with footboard platform; not with SW 28-36cm (2) from LLL 30cm		
(3) from LLL 28cm; with FF frame 85°/75° from SW 30cm (4) not with SA frame		
(5) from SW 36; with inset from SW 40; with abduction from SW 32cm (6) with SA frame and FF frame 85°/75° from SW 30cm		
(7) from SW 32cm; with inset from SW 36cm		

		£
FORK <i>(compare with your choice on the first page)</i>		
LRT080041	<input type="radio"/> Castor fork, Aluminium, Black	
	LRT080042 <input type="radio"/> Colour Cast. Fork Silver	
	LRT080043 <input type="radio"/> Colour Cast. Fork Orange	
	<input checked="" type="radio"/> Castor fork, Aluminium, Powdercoated	
	<input type="radio"/> 04 Starlight White	
	<input type="radio"/> 12 Royal Blue	
	<input type="radio"/> 16 Red Pepper	
	<input type="radio"/> 21 Solar Orange	
LRT080013	<input type="radio"/> Castor fork, Carbotecture® <i>(only 111 mm)</i>	
	<input checked="" type="radio"/> Black <input type="radio"/> Orange <input type="radio"/> Silver <input type="radio"/> Red <input type="radio"/> Blue	
LRT080101	<input type="checkbox"/> Expansion kit, designed for hemiplegic users <i>(not with 7" castors, Carbotecture fork; SA frame only)</i>	£151
CASTOR <i>(compare with your choice on the first page)</i>		
LRT080301	<input type="radio"/> Castor, solid (hard), rim: composite	
LRT080302	<input type="radio"/> Castor, solid (soft), rim: composite <i>(only for 5" and 6")</i>	
LRT080305	<input type="radio"/> Castor, pneumatic, rim: composite <i>(only for 4" and 5")</i>	
LRT080304	<input type="checkbox"/> Castor, solid (hard), rim: aluminium <i>(only for 4" and 5")</i>	£104
LRT080306	<input type="checkbox"/> Castor, solid (soft), rim: aluminium, silver <i>(only for 4" and 5")</i>	£104
	Colour, rim: LRT080311 <input type="radio"/> Black LRT080315 <input type="radio"/> Blue	
	LRT080313 <input type="radio"/> Orange LRT080314 <input type="radio"/> Red	
REAR WHEELS <i>(compare with your choice on the first page; choose only one wheel type)</i>		
LRT070001	<input type="radio"/> Rear wheel, Universal, 36 spokes, cross-wise spokes	
LRT070002	<input type="radio"/> Rear wheel, Design, 36 spokes, straight spokes <i>(only 24")</i>	
LRT070003	<input type="radio"/> Rear wheel, Lightweight, 24 spokes, straight spokes	
LRT070004	<input type="checkbox"/> Rear wheel, Proton, 24 spokes, straight spokes <i>(Max User Weight 100kg)</i>	£650
LRT070005	<input type="checkbox"/> Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver <i>(24" only)</i>	£604
LRT070008	<input type="checkbox"/> Rear wheel, drum brakes, 36 cross-wise spokes (2) <i>(not with COG 23 mm, only with height adj push handles)</i>	£489
LRT070401	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation <i>(not with camber; axle plate silver)</i>	£905
LRT070402	<input type="checkbox"/> Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation <i>(not with camber; axle plate silver)</i>	£905
LRT070000	<input type="radio"/> Without rear wheel	
TYRES <i>(choose only one tyre type)</i>		
LRT070107	<input checked="" type="radio"/> Tyre, pneumatic, slick, Schwalbe One <i>(only 24")</i>	
LRT070101	<input type="radio"/> Tyre, pneumatic, fine profile, Schwalbe Right Run	
LRT070102	<input type="radio"/> Tyre, puncture proof, tread <i>(not with lightweight wheels)</i>	
LRT070104	<input type="checkbox"/> Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution <i>(only 24")</i>	£125
HANDRIM		
LRT070204	<input type="radio"/> Handrims, stainless steel, silver	
LRT070202	<input type="radio"/> Handrims, aluminium, anodised, silver	
LRT070201	<input type="radio"/> Handrims, aluminium, powder-coated, clear	
LRT070203	<input type="checkbox"/> Handrims, aluminium, powder-coated, coloured	£84
LRT070207	<input type="checkbox"/> Handrims, Supergrip® <i>(22" only with universal and drum brake wheels)</i>	£307
LRT070208	<input type="checkbox"/> Handrims, Maxgrepp®	£307
LRT070212	<input type="checkbox"/> Handrims, Ellipse 3R, black <i>(ergonomic handrims with rubber-strip, 24" and 25" only)</i>	£245
LRT070200	<input type="radio"/> Without handrims	
HAND RIM MOUNTING		
LRT070317	<input type="radio"/> Handrim mount, narrow (17 mm) (1) <i>(not with Maxgrepp)</i>	
LRT070327	<input type="radio"/> Handrim mount, wide (27 mm)	
LRT070307	<input type="radio"/> Handrim mount, super narrow (7 mm) (1) <i>(Only with 24" stainless steel)</i>	
WHEEL CAMBER <i>(choose only one option)</i>		
LRT070600	<input type="radio"/> Camber 0° <i>(no camber brackets provided)</i>	
LRT070601	<input type="radio"/> Camber 1° LRT070603 <input type="radio"/> Camber 3° LRT070605 <input type="radio"/> Camber 5°	
LRT070602	<input checked="" type="radio"/> Camber 2° LRT070604 <input type="radio"/> Camber 4° LRT070606 <input type="radio"/> Camber 6°	
(1) only with stainless steel handrim; not with lightweight & drumbrake wheel and 22" wheel		
(2) only with 0-4° camber		

						£			
SPOKE GUARDS						(not with spinergy wheels)			
LRT070831	<input type="checkbox"/>	Transparent	LRT070813	<input type="checkbox"/>	Glaktica	LRT070828	<input type="checkbox"/>	Space	£167
LRT070823	<input type="checkbox"/>	Princess	LRT070821	<input type="checkbox"/>	Pirates				£167
LRT070816	<input type="checkbox"/>	Happy Lions	LRT070814	<input type="checkbox"/>	Graffiti				£167
LRT070819	<input type="checkbox"/>	Monkeys	LRT070802	<input type="checkbox"/>	Basketball				£167
LRT070820	<input type="checkbox"/>	Oriental	LRT070812	<input type="checkbox"/>	Flying Water				£167
LRT070829	<input type="checkbox"/>	Superhero	LRT070833	<input type="checkbox"/>	Zebra				£167
LRT070817	<input type="checkbox"/>	Hot Wheels	LRT070818	<input type="checkbox"/>	Jungle Fever				£167
LRT070822	<input type="checkbox"/>	Pool	LRT070811	<input type="checkbox"/>	Feather				£167
LRT070827	<input type="checkbox"/>	Silk	LRT070806	<input type="checkbox"/>	Chrome				£167
LRT070830	<input type="checkbox"/>	Tiger	LRT070803	<input type="checkbox"/>	Basketball 2				£167
WHEEL LOCKS						(choose only one option)			
LRT060001	<input type="radio"/>	Standard brake	(in combination with SA frame short and 24" wheel -> only with COG 2.3)						
LRT060003	<input type="radio"/>	Compact brake	(not with abduction frame)						
LRT060013	<input type="radio"/>	Push to lock brake, integrated in sideguard, Safari							
LRT060002	<input type="radio"/>	Knee-lever brake							
LRT060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down				£52			
ACCESSORIES									
LRT090000	<input checked="" type="radio"/>	Tool kit							
LRT090025	<input type="checkbox"/>	Air pump				£21			
LRT090024	<input type="checkbox"/>	High pressure pump (0 - 14 bar)				£99			
LRT090030	<input type="checkbox"/>	Back pack				£84			
LRT090026	<input type="checkbox"/>	Mobile phone pocket				£63			
COLOURS ⁽¹⁾ Please consult our colour catalogue to review your colour choice									
	Frame	Handrim	Hub/rim £240		Frame	Handrim	Hub/rim £240		
01 Matte Black	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	17 Turbo Green	<input type="radio"/>				
02 Gloss Black	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	20 Mystic Purple	<input type="radio"/>				
03 Metallic Shadow	<input type="radio"/>	<input type="radio"/>		22 Velocity Yellow	<input type="radio"/>				
04 Starlight White	<input type="radio"/>	<input type="radio"/>		09 Salute Green	<input type="radio"/>	<input type="radio"/>			
05 Silver Ore	<input type="radio"/>	<input type="radio"/>		10 Velvet Sapphire	<input type="radio"/>	<input type="radio"/>			
06 Storm Gray	<input type="radio"/>	<input type="radio"/>		13 Brilliant Ocean	<input type="radio"/>	<input type="radio"/>			
07 Desert Tan	<input type="radio"/>	<input type="radio"/>		16 Cherry Lustre	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>		
08 Desert Sage	<input type="radio"/>	<input type="radio"/>		18 Pink Power	<input type="radio"/>	<input type="radio"/>			
11 Midnight Blue	<input type="radio"/>	<input type="radio"/>		19 Satin Rose	<input type="radio"/>	<input type="radio"/>			
12 Royal Blue	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	21 Solar Orange	<input type="radio"/>	<input type="radio"/>			
14 Scarlet Noir	<input type="radio"/>	<input type="radio"/>							
15 Red Pepper	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>						
(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel; Fork: not with Carbotecture									

£

STICKER COLOURS

LRT100550 ● Sticker colour - black

LRT100551 ○ Sticker colour - silver

ANODISED COLOUR AXLE PLATE

(not in combination with one hand operation)

LRT100580 ○ Axle plate anodised, black

LRT100581 ○ Axle plate anodised, silver

LRT100582 ○ Axle plate anodised, orange

24 " LIGHT WEIGHT WHEEL COLOURS

● Black

LRT100336 □ Anodised, orange

LRT100337 □ Anodised, blue

LRT100338 □ Anodised, red

£125

£125

£125

Comments for special build - please apply for a quote; lead time conditions may change.**Quickie Life RT - Basic Price****£2,285**

Option price

Packaging and transport

Exclusive VAT

VAT.

Total Price

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle: From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground. (min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 130 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability. 0° is the angle 90° to the ground. Negative angles are < 90° and positive angles are > 90°.

Technical Data Overview - Life RT:

Max. overall height:	950 mm		
Max. overall length:	1075 mm		
Max. turning circle:	700 mm		
Max. safe slope:	10°		
Wheelchair weight:	from 10 kg		
Dismantled weight:	from 8 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	Camber	22" rear wheel	24" rear wheel
	For 0° camber:	SW + 200 mm	SW + 200 mm
	For 3° camber:	SW + 230 mm	SW + 240 mm
	For 6° camber:	SW + 250 mm	SW + 260 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle
For transport without a user the chair must be safe clamped in the vehicle

All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 10 mm

BACKREST



Backrest tube, aluminium
Austauschen Life T



Backrest, angle adjustable



Push handles long



Push handles, fold-down



Push handles, height-adjustable



Without push handles,



Push bar, height-adjustable, width and angle-adjustable



Headrest, height, depth and angle adjustable



EXO backrest sling



EXO PRO backrest sling

JAY BACKS



Jay 3 Back
Deep



Jay Zip Back

ARMREST AND SIDEGUARDS



Single post height
adjustable



Single-post sideguard,
armrest, height-adjustable,
remove



Composite sideguard,
removable (black)



Aluminium sideguard,
wet weatherprotection
(in frame colour)



Aluminium sideguard,
fender, wet
weatherprotection (in
frame colour)



Carbon fibre sideguard, fender,
wet weatherprotection (black)

FRAME



Frame FF 105 °
(integrated footrest)



Frame FF 95 °
(integrated footrest)



Frame FF 105°
(integrated footrest),
abducted (20 mm on
each side)



Frame FF 95 °
(integrated footrest),
20 mm inset, active



Frame SA
(removable footrest)

FRAME ACCESSORIES



Wheelbase extension
for add-on bike



Transit wheels



Tip assist



Crutch holder,
loop



Anti-tip tubes, swing-away,
left

HANGERS AND FOOTPLATES



Aluminium hanger, 90°



Composite hanger
110°/100°



Elevating legrest
(ELR)



Footboard, divided,
composite, angle-
adjustable, flip-up
(sideways), heel loop,
black



Footboard, divided,
aluminium, angle-
adjustable, flip-up
(sideways), heel loop,
black



Footboard, platform,
aluminium, angle-
adjustable, flip-up
(sideways), heel loop,
black



Footboard, platform,
lightweight, plastic,
angle & depth-
adjustable flip up
(sideways), calf strap



Footboard, platform,
lightweight, plastic,
angle and depth-
adjustable, calf strap,
black



Footboard, angle and depth
adjustable; flip up,
aluminium with locking
system

FORKS



Fork Aluminium,
black, orange & silver



Expansion kit, designed for
hemiplegic users

REAR WHEELS



Rear wheel, Universal,
36 spokes, cross-wise
spokes



Rear wheel, Design, 36
spokes, straight spokes



Rear wheel,
Lightweight, 24 spokes,
straight spokes



Rear wheel, Proton,
24 spokes, straight
spokes



Rear wheel,
Spinergy, 18
spokes (black),
straight spokes;
hub: silver



Rear wheel,
drum brakes, 36
spokes, cross-
wise spokes

TYRES



Tyre, puncture proof, tread



Tyre, pneumatic, fine
profile, Schwalbe Right
Run



Tyre, pneumatic, puncture proof,
tread, Schwalbe Marathon Plus
Evolution



Tyre, pneumatic,
slick, Schwalbe One

HANDRIMS



Supergrip



Max Grepp



Ellipse 3R Handrim

WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake,
integrated in sideguard,
Safari



Push to lock brake, one-
arm, right actuation



Brake lever extension,
knee-lever brake, fold-
down

ACCESSORIES



Back pack



High pressure pump



Air pump



Mobile phone pocket

ANODIZED COLOUR AXLE PLATE



Axle plate
anodized, orange



Axle plate
anodized, silver



Axle plate
anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red