permobil Order Form - Progeo JOKER ENERGY

UK (English)

Date .....

User .....

End user wheight (kg) .....

Language user manual .....

Company stamp

Responsible .....

Rigid frame wheelchair

£ 3650,00

Retail price - VAT not included

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City,Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Keep attention to all measures.

JOKER ENERGY is a completely welded wheelchair and no modifications can be carried out after its manufacturing.

Wheelchair measures

Seat width (LS) ☐ 33 ☐ 36 ☐ 39 ☐ 42 ☐ 45 ☐ 48

The seat width is measured from the outer sides of the frame

For seat enlargement see section enlargement of mudguard

Seat depth (PS) ☐ 35 ☐ 37,5 ☐ 40 ☐ 42,5 ☐ 45 ☐ 47,5 ☐ 50

The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.

Footplate distance (DP) …… (cm)

(Real distance between seat and footplate) - IMPORTANT NOTICE! From the footplate to the floor minimum 4cm !! (Minimum Front height = DP + 4cm)

Setting ☆ Standard ☐ Extremely prudenti ☐ Prudential ☐ Active ☐ Extreme

Backrest Height (TS) Std.Value 33,5 .....(min 26-max 47) adjustment steps 1.5cm

Rear wheel camber ☆ 2° ☐ 0° ☐ 4° ○ 8° ○ 12° **Special cambers (00989 - 135£)**

See reference tables N°4

Front height STD 49 …… Rear height STD 42 ……

Frame

☆ Made-to-measure aluminium welded frame

Backrest with rake adjustable from -4° to +16°

○ Made-to-measure aluminium welded frame with fixed and welded backrest **08932** **802,00**

Not available: bright silver!!

☆ 0° (90° to the floor)

☐ 90° to the seat

(……) to the ground ☐ ☐ (……) to the ground



Frame Angle

☆ Frame Angle STD 95° ☐ Frame Angle : ……..



☐ Frame Angle 90° to the floor

Exclude the installation of casters 5"

Frame's depth

Front frame extension

☆ 0 cm ☐ 0,5 cm ☐ 1 cm ☐ 1,5 cm ☐ 2 cm ☐ 2,5 cm

☐ 3 cm ☐ 3,5 cm ☐ 4 cm ☐ 4,5 cm ☐ 5 cm



Footplate

☆ Tubular aluminium footplate - WELDED, not adjustable in height and angle



☐ with plastic plate ○ **with carbon fiber plate** **09193** **135,00**

○ Aluminium footplate EVOLUTION - (adjustable distance +/- 1,5cm) **04456** **270,00**

rake and depth adjustable

☆ Internal ☐ 2/3 Internal ☐ 2/3 External ☐ External

○ One piece Carbon fibre footplate - (adjustable distance +/- 1,5cm) **04111** **466,00**

Rake adjustable



☆ Internal ☐ External

Order Form - Progeo JOKER ENERGY

Date ..... Order ..... User ..... Address .....

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Frame colour (without extra charge)

☆ Bright silver (Not available with welded backrest)

☐ POLAR white ☐ Opaque black ☐ Matt orange

☐ **Tekno anthracite** ☐ **Matt Midnight blue** ☐ **Matt red** ☐ **Matt grey**

Seat

☆ Seat cloth with pocket (under seat)

○ Seat with tension straps	08883	240,00
○ Carbon rigid seat	08336	509,00
○ Pocket (under seat) [25x11x4,5]	08281	79,00

Backrest adjustment and fixing system - Not available with welded backrest

☆ Backrest with double locking (upright and folded) **with rake adjustable from -4° to +16°**

☐ Backrest with upright locking system ONLY (no locking when folded) **with rake adjustable from -4° to +16°**

☐ Fixed back(non-folding back) **with rake adjustable from -4° to +16°**

Backrest

☆ Adjustable velcro straps and padded transpiring upholstery

☆ Aluminium backrest			
○ Titanium backrest Not available with welded backrest		06811	203,00
○ Carbon fibre backrest Not available with welded backrest		04389	802,00

○ AIR **Integrated posture backrest (NOT REMOVABLE)** **1.121,00**

Carbon shell - Lateral retaining 7,5cm

Depth adjustment ±1cm. - Angle adjustment ±10°

not available for seat width 48

H 28	H 34	H 40
Backrest Height (TS) min 34	Backrest Height (TS) min 38	Backrest Height (TS) min 44
(.....)	(.....)	(.....)

Lateral retaining wing A=high - R=regular

A	R	A	R	A	R
					
☐	☐	☐	☐	☐	☐

Installation on:

☆ Aluminium backrest tubes WITHOUT backrest rigidizer

☐ Aluminium backrest

○ Titanium backrest Not available with welded backrest		06811	203,00
○ Carbon fibre backrest Not available with welded backrest		04389	802,00

Handle tube

☆ Tubes with short handle

☐ Tubes with standard handle

☐ SPORT tubes Without push handles

○ Carbon fibre tubes with short handle **Not available with: Posture backrest PHYSIO - Posture backrest A I R**	*Lightest configuration*	04390	158,00
○ Folding handles Not available with: Push handles for companion	**Minimum backrest height 30,5cm**	02958	270,00

Colour set: includes rear wheel hub and rim and front forks

Only standard Progeo 22"/24" wheels have coloured hubs and rims

☆ Black	22" 24" 25" 26"		
○ Bright silver	22" 24"	00833	135,00
○ Bright lime	22" 24"	00833	135,00
○ Bright blue	22" 24"	00833	135,00
○ Bright red	22" 24"	00833	135,00
○ Bright fuchsia	22" 24"	00833	135,00
○ POLAR white	22" 24"	00833	135,00
○ Tekno anthracite	22" 24"	00833	135,00
○ Matt Midnight blue	22" 24"	00833	135,00
○ Matt grey	22" 24"	00833	135,00
○ Matt red	22" 24"	00833	135,00

Date ..... Order ..... User ..... Address .....

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Casters

☆ 4" Soft				
☐ 3" Sport		*Lightest configuration*		
☐ 5" Soft		Not available with frame angle 90° to the floor		
○ 3" Active Soft (wide) - Aluminium alloy rim			06824	95,00
○ 4" Active Sport (narrow) - Aluminium alloy rim			01398	95,00
○ 4" Active Soft (wide) - Aluminium alloy rim			03943	95,00
○ 5" Active Soft (wide) - Aluminium alloy rim		Not available with frame angle 90° to the floor	07518	95,00
○ 5" Pneumatic		Not available with frame angle 90° to the floor	10844	68,00

Rear wheels

☆ 24" Ultra-light Progeo - Standard!				
☐ 22" Ultra-light Progeo - Standard!				
☐ 25" Ultra-light Progeo - Standard!	(colour: black)			
☐ 26" Progeo - Standard!	(colour: black)			
○ 24" ULTRA-LIGHT PROGEO KEY SPORT	*Lightest configuration*		04383	695,00
○ 24" Ultra-light "Spinergy LX"			01685	695,00
○ 24" Ultra-light "Spinergy LXL"	☐ Black hub and white spokes	☐ Hub and spokes black	07846	695,00
○ 24" Ultra-light "Spinergy Flex rim"	Integrated aluminium/rubber handrim		02270	1.150,00
○ 25" Ultra-light "Spinergy LX"			02101	695,00
○ 25" Ultra-light "Spinergy LXL"	☐ Black hub and white spokes		07847	695,00
○ 26" Ultra-light "Spinergy LX"			02102	695,00
○ 24" Off-road (aluminium handrim black)			01392	270,00

Rear wheel tyre

☆ High pressure tyre	(22"-24"-25"-26")	*Lightest configuration*		
☐ High pressure profile tyre	(24")			
○ Marathon Plus	(24"-25")	with anti-puncture protection	01669	95,00
○ Anti-puncture - Colour Grey	(22")		04181	105,00
○ Anti-puncture - Colour Black	(24")		11083	95,00

Not available with Rear wheels : 24" ULTRA-LIGHT PROGEO KEY SPORT, 24" Ultra-light "Spinergy LXL"

Handrim

Handrim	Wheel distance ☆ 3 cm	☐ 4 cm		
☆ Aluminium	(22"-24"-25"-26")	*Lightest configuration*		
○ Aluminium black SOFT-TOUCH	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	09170	160,00
○ Chromed Steel	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	01684	160,00
○ Titanium	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00016	290,00
○ Ultra Grepp	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00017	290,00
○ TOP FRICTION	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11023	290,00
Oval countour with a rubber insert				
○ NOVA H	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11025	290,00
Ergonomic black profile				
○ NOVA D	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11026	290,00
Ergonomic profile with rubber coating (ideal for quadriplegics)				
○ Silicon cover for standard aluminium handrim		Available for measures (22"- 24" - 26")	04050	172,00

Wheel locks

☆ Bent lever push to lock				
☐ Straight lever push to lock				
☐ Straight lever pull to lock				
○ Sport brake	*Lightest configuration*		06428	135,00
○ Brake with extension lever push to lock			01949	68,00
○ Brake with extension lever pull to lock			03372	68,00

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

Order Form - Progeo JOKER ENERGY

Date ..... Order ..... User ..... Address .....

Mudguard

☆ Carbon fibre mudguard
☐ Carbon fibre Straight sideguard ☆ Aligned wheel ☐ Under wheel ..... cm ☐ Above wheel ..... cm

Mudguard enlargement
☆ + 0 cm
☐ + 1 cm ☐ + 2 cm **12648**

○ Removable carbon fibre mudguard		04109	270,00
○ Removable Carbon fibre straight sideguard	☆ Aligned wheel ☐ Under wheel ..... cm ☐ Above wheel ..... cm	04109	270,00
○ **Welded straight mudguard**	Available only with made-to-measure aluminium welded frame with fixed and welded backr ☆ Aligned wheel ☐ Under wheel ..... cm ☐ Above wheel ..... cm	08933	398,00

Armrests

○ Tubolar armrests	(Swing away, removable and height adjustable armrest)		00694	270,00

Accessories

○ Pad for front frame protectors		07058	56,00
○ Backrest-seat connection cloth		10241	25,00
○ Removable storage bag (with quick coupling)		09811	135,00

Optional 1

☐ Set-up for post-sale optional assembly

○ Transit wheels			03290	158,00
○ Crutches support	○ Right ○ Left		00838 00837	79,00 79,00
○ Anti-tipper with rapid hookup	**(inside rotation to reduce the encumbrance)** ○ Right ○ Left		06821 06822	145,00 145,00
○ Tipping aid	○ Right ○ Left		00025 01046	79,00 79,00

Optional 2

○ Push handles for companion	(Removable and height adjustable)		03645	189,00
○ Tetraclip	(Quick release axle for quadriplegic)		03947	189,00
○ Safety pelvic belt			03972	68,00
○ Harness			04103	145,00
○ Lumbar support	(to insert in the backrest upholstery)		00013	43,00
○ Swing away lateral support Prevents backrest folding	Not available Harness PHYSIO - Harness A I R ○ Right ○ Left		02097 02098	270,00 270,00
○ Spoke guards Black	(22"-24")		01043	158,00
○ Spoke guards Transparent	(22"-24")		00835	158,00
○ Spoke guards Progeo design	(22"-24")		00019	189,00

Additional Kit

○ 24" Off-road rear wheels	Off-Road tyre - aluminium handrim (black colour)	03378	534,00
○ 24" FAT rear wheels	FAT tyre 3" - aluminium handrim (black colour)	09357	895,00

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Date Order User Address

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

PHYSIO - Posture backrest
(Std. Backrest upholstery not provided)

Removable with quick release
Suitable for tubes with diameter 18÷26mm
Depth adjustment (4cm)
Angle adjustment (±18°)

○ AIR Carbon shell — **1.121,00**

not available for seat width 48

BACKREST HEIGHT	28		34		40	
Shell's shape	Lateral retaining wing A=high - R=regular					
	A	R	A	R	A	R
7,5 cm	☐	☐	☐	☐	☐	☐

○ POSTURE Aluminum shell — **1.085,00**

BACKREST HEIGHT	34	40	52
Shell's shape	Lateral retaining wing R=regular		
	R	R	R
7,5 cm	☐	☐	☐

Configuration DEEP with side support PAD (height adjustable)

Alluminum lateral with padded, breathable upholdstery.

15 cm

Small (h 13cm)			Large (h 20cm)		
○ Right	10272	49,00	○ Right	10273	49,00
○ Left	10272	49,00	○ Left	10273	49,00

SWING AWAY - Lateral support

Fixing and adjustment hardware complete with protection sleeve
Alluminum lateral with padded, breathable upholdstery.



○ Large (18x12)		05647	196,00
○ Small (14x9)		05643	196,00
○ Lateral support extension	Quantity (number pcs).....	10271	74,00
○ Lateral support extension	Quantity (number pcs).....		
○ Small (14x9)		05642	196,00
○ Large (18x12)		05646	196,00

○ Headrest adjustable - Double ball mounting system

Available only with backrest Physio Posture

☐ Large (34x14)	05648	385,00
☐ Small (28x14)		

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

Order Form - Progeo JOKER ENERGY

Date Order User Address

1	A Footplate width		
DP / LS	35÷39	40÷45	46÷50
33	21	20	19
36	24	23	22
39	26	25	24
42	29	28	27
45	32	31	30
48	35	34	33

2	Setting	C :
Extremely prudential		7,5
Prudential		9
Standard		10,5
Active		12
Extreme		13,5

3 Camber	Lt Maximum width
0°	LS + 18
2°	LS + 21
4°	LS + 24
8°	LS + 30
12°	LS + 36

Maximum width calcolated including 3 cm. distance between tyre and handrim





Wheelchair : Progeo JOKER ENERGY - Rev. 2025.1	Prices - VAT excluded to be added to the price list

Send this page only if any optional have been chosen

☆	standard	(supplied if no requests are indicated)
□	on request	(without extra charge)
○	optional	(cost to be added at the basic price)

customer_support_uk@permobil.com - https://www.permobil.com/en-gb