

permobil

Order Form - Progeo noir 2.0

Date.....

User.....

End user wheight (kg).....

Language user manual.....

UK (English)

Company stamp

Responsible.....

Rigid frame wheelchair

£ 8646,00

Retail price - VAT not included

Carbon fibre frame made-to-measure.

NOIR is a wheelchair without possibilities of adjustments after its manufacturing..

See reference tables

Take care to write all the requested measures (in centimetres)

Frame Angle

☐ 85°

☒ 90°

☐ 95°

Seat depth (PS)

☐ 35☐ 37,5

☐ 40☐ 42,5

☐ 45☐ 47,5

See note (1)

Backrest rake adjustable from -4° to +16°

Backrest height (TS)

Std.Value 33,5

(min 26-max 47)

adjustment steps 1.5cm

Seat width (LS)

☐ 33☐ 36

☐ 39☐ 42

☐ 45

camber

☒ 2°

☐ 0°

☐ 4°

Front height (min 44-max 54)

Rear height (min 37-max 48)

calculated with rear wheels 24"

Setting C

☐ Extremely prudential 7,5

☐ Prudential 9

☒ Standard 10,5

☐ Active 12

☐ Extreme 13,5

Footplate option

☆ Carbon fibre frame with integrated footplate, not adjustable

Lightest configuration

☐ Aluminium footplate adjustable distance +/- 1,5cm (rake and depth adjustable)

Minimum footplate distance 35cm.

☒ Internal

☐ 2/3 Internal

☐ 2/3 External

☐ External

11531

Seat

☆ Seat cloth with pocket (under seat)

☐ Seat with tension straps

08883

240,00

☐ Carbon rigid seat

08336

509,00

☐ Pocket (under seat) [25x11x4,5]

08281

79,00

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Pag. 1 / 6

UK_202504

Rev. 2025.1_Apr

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields, Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

Date.....

Order.....


User.....

Address.....

Since that the paint is sensitive to the surface material and texture, the colour selected for the wheelchair frame can also differ considerably from what is displayed on a RAL colour chart or also compared to what is displayed on a monitor.

CARBON

☆ Polished transparent paining



☐ Opaque transparent painting

08925

938,00

ESSENCE

Polished transparent paining

☐ ANTHRACITE Essence

10351

938,00

☐ BLUE Essence

08928

938,00

☐ GREEN Essence

11163

938,00

☐ LIME Essence

08926

938,00

☐ ORANGE Essence

10349

938,00

☐ RED Essence

08927

938,00

☐ SAND Essence

11165

938,00

☐ VIOLET Essence

11167

938,00

☐ WHITE Essence

10350

938,00

☐ my ESSENCE colour

RAL.....

☐ Glossy

Note

☐ Opaque

11186

938,00

Opaque transparent painting

☐ ANTHRACITE Opaque Essence

08929

1.201,00

☐ BLUE Opaque Essence

10354

938,00

☐ GREEN Opaque Essence

11162

938,00

☐ LIME Opaque Essence

10352

938,00

☐ ORANGE Opaque Essence

10355

938,00

☐ RED Opaque Essence

10353

938,00

☐ SAND Opaque Essence

11164

938,00

☐ VIOLET Opaque Essence

11166

938,00

☐ WHITE Opaque Essence

10356

938,00

RACE

Polished transparent paining

☐ ANTHRACITE Race

11168

938,00

☐ BLUE Race

11170

938,00

☐ GREEN Race

11172

938,00

☐ LIME Race

11174

938,00

☐ ORANGE Race

11176

938,00

☐ RED Race

11178

938,00

☐ SAND Race

11180

938,00

☐ VIOLET Race

11182

938,00

☐ WHITE Race

11184

938,00

☐ my RACE colour

RAL.....

☐ Glossy

Note

☐ Opaque

11187

938,00

Opaque transparent painting

☐ ANTHRACITE Opaque Race

11169

938,00

☐ BLUE Opaque Race

11171

938,00

☐ GREEN Opaque Race

11173

938,00

☐ LIME Opaque Race

11175

938,00

☐ ORANGE Opaque Race

11177

938,00

☐ RED Opaque Race

11179

938,00

☐ SAND Opaque Race

11181

938,00

☐ VIOLET Opaque Race

11183

938,00

☐ WHITE Opaque Race

11185

938,00

FLASH

Polished transparent paining

☐ BLUE Flash

11190

938,00

☐ WHITE Flash

11192

938,00

☐ RED Flash

11188

938,00

☐ my FLASH colour

RAL.....

☐ Glossy

Note

☐ Opaque

11193

938,00

Opaque transparent painting

☐ BLUE Opaque Flash

11191

938,00

☐ WHITE Opaque Flash

11193

938,00

☐ RED Opaque Flash

11189

938,00

Colour set: includes rear wheel hub and rim and front forks			
Only standard Progeo 22"/24" wheels have coloured hubs and rims			
☆ Black	22" 24" 25" 26"		
☐ Bright silver	22" 24"	00833	135,00
☐ Bright lime	22" 24"	00833	135,00
☐ Bright blue	22" 24"	00833	135,00
☐ Bright red	22" 24"	00833	135,00
☐ Bright fuchsia	22" 24"	00833	135,00
☐ POLAR white	22" 24"	00833	135,00
☐ Tekno anthracite	22" 24"	00833	135,00
☐ Matt Midnight blue	22" 24"	00833	135,00
☐ Matt grey	22" 24"	00833	135,00
☐ Matt red	22" 24"	00833	135,00

customer_support_uk@permobil.com - https://www.permobil.com/en-gb

Pag. 2 / 6

UK_202504


Rev. 2025.1_Apr

Date Order User Address

Backrest adjustment and fixing system

- ☆ Backrest with double locking (upright and folded) **with rake adjustable from -4° to +16°**
- ☐ Backrest with upright locking system ONLY (no locking when folded) **with rake adjustable from -4° to +16°**
- ☐ Fixed back(non-folding back) **with rake adjustable from -4° to +16°**

- ☐ Integrated backrest (Banded, not folding back)
Exclude installation of the titanium backrest
Exclude installation of the Tubular armrests

10841 **1.336,00****Backrest**

- ☆ Adjustable velcro straps and padded transpiring upholstery
- ☆ Carbon fibre backrest
- ☐ Titanium backrest
Not available with: Integrated backrest (Banded, not folding back)

- ☐ **AIR** Integrated posture backrest (NOT REMOVABLE)
Carbon shell - Lateral retaining 7,5cm
Depth adjustment ±1cm. - Angle adjustment ±10°
not available for seat width 48

H 28	H 34	H 40
Backrest Height (TS) min 34	Backrest Height (TS) min 38	Backrest Height (TS) min 44
(.....)	(.....)	(.....)

Lateral retaining wing A=high - R=regular					
A	R	A	R	A	R
					
☐	☐	☐	☐	☐	☐

Installation on:

- ☆ Aluminium backrest tubes
WITHOUT backrest rigidizer
(Carbon tubes with integrated backrest)
- ☐ Carbon fibre backrest
- ☐ Titanium backrest
Not available with: Integrated backrest (Banded, not folding back)

Handle tube

- ☆ Tubes with short handle
- ☐ SPORT tubes Without push handles *Lightest configuration*
- ☐ Folding handles **Minimum backrest height 30,5cm**

02958 **270,00****Casters**

- ☆ 3" Sport *Lightest configuration*
- ☐ 4" Soft
- ☐ 3" Active Soft (wide) (Aluminium alloy rim)
- ☐ 4" Active Sport (narrow) (Aluminium alloy rim)
- ☐ 4" Active Soft (wide) (Aluminium alloy rim)
- ☐ 5" Active Soft (wide) (Aluminium alloy rim)
- ☐ 5" Pneumatic

Rear wheels - See chart N°3

- ☆ 24" ULTRA-LIGHT PROGEO KEY SPORT *Lightest configuration*
- ☐ 24" Ultra-light "Spinergy LX"
- ☐ 24" Ultra-light "Spinergy LXL"
- ☐ 24" Ultra-light "Spinergy Flex rim"
- ☐ 25" Ultra-light "Spinergy LX"
- ☐ 25" Ultra-light "Spinergy LXL"
- ☐ 26" Ultra-light "Spinergy LX"
- ☐ Black hub and white spokes
- Integrated aluminium/rubber handrim
- ☐ Hub and spokes black

04353 **1.150,00**

Date	Order	User	Address
------------	-------------	------------	---------------

Rear wheel tyre			
☒ High pressure tyre	(24"-25"-26")	<i>Lightest configuration</i>	
☐ High pressure profile tyre	(24")		
☐ Marathon Plus	(24"-25")	with anti-puncture protection	01669 95,00
☐ Anti-puncture - Colour Black	(24")		11083 95,00
Not available with Rear wheels : 24" ULTRA-LIGHT PROGEO KEY SPORT, 24" Ultra-light "Spinergy LXL"			

Handrim	Wheel distance ☒ 3 cm ☐ 4 cm		
☒ Aluminium	(24"-25"-26")	<i>Lightest configuration</i>	
☐ Aluminium black SOFT-TOUCH	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	09170 160,00
☐ Chromed Steel	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	01684 160,00
☐ Titanium	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00016 290,00
☐ Ultra Grepp	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	00017 290,00
☐ TOP FRICTION	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11023 290,00
Oval countour with a rubber insert			
☐ NOVA H	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11025 290,00
Ergonomic black profile			
☐ NOVA D	(24"-25")	(24" handrim, on 25" wheel is installed with spacers)	11026 290,00
Ergonomic profile with rubber coating (ideal for quadriplegics)			
☐ Silicon cover for standard aluminium handrim	Available for measures (22" - 24" - 26")		04050 172,00

Wheel locks	
☒ Sport brake	     
☐ Bent lever push to lock	
☐ Straight lever push to lock	
☐ Straight lever pull to lock	
☐ Brake with extension lever push to lock	
☐ Brake with extension lever pull to lock	

Mudguard			
☒ Carbon fibre mudguard			
☐ Carbon fibre Straight sideguard	☒ Aligned wheel	☐ Under wheel cm	☐ Above wheel cm
Mudguard enlargement			
☒ + 0 cm			
☐ + 1 cm	☐ + 2 cm		
			12648
☐ Removable carbon fibre mudguard			04109 270,00
☐ Removable Carbon fibre straight sideguard	☒ Aligned wheel	☐ Under wheel cm	☐ Above wheel cm
			04109 270,00

Armrests			
Tubular armrests (Swing away, removable and height adjustable armrest)			00694 270,00
Not available with Integrated backrest (Banded, not folding back)			

Accessories			
☐ Pad for front frame protectors			07058 56,00
☐ Backrest-seat connection cloth			10241 25,00
☐ Removable storage bag (with quick coupling)			09811 135,00

Optional 1			
☐ Transit wheels			03290 158,00
☐ Anti-tipper with rapid hookup	(inside rotation to reduce the encumbrance)		
☐ Right			
☐ Left		06821 145,00	06822 145,00

Optional 2			
☐ Safety pelvic belt			03972 68,00
☐ Harness			04103 145,00
☐ Lumbar support	(to insert in the backrest upholstery)	00013 43,00	
☐ Tetraclip	(Quick release axle for quadriplegic)	03947 189,00	

Additional Kit			
☐ 24" Off-road rear wheels	Off-Road tyre - aluminium handrim (black colour)	03378 534,00	
☐ 24" FAT rear wheels	FAT tyre 3" - aluminium handrim (black colour)	09357 895,00	

Date.....

Order.....

User.....

Address.....

PHYSIO - Posture backrest
(Std. Backrest upholstery not provided)

Removable with quick release
Suitable for tubes with diameter 18÷26mm
Depth adjustment (4cm)
Angle adjustment (±18°)

- ☐ *AIR* Carbon shell
- not available for seat width 48

BACKREST HEIGHT		28		34		40	
Shell's shape 7.5 cm 		Lateral retaining wing A=high - R=regular					
		A	R	A	R	A	R
							

1.121,00

- ☐ *POSTURE* Aluminum shell

BACKREST HEIGHT	34	40	52
Shell's shape 7,5 cm	Lateral retaining wing R=regular		
	R	R	R

1.085,00

Configuration DEEP with side support PAD (height adjustable)

Alluminum lateral with padded, breathable upholstery.



Small (h 13cm)



- ☐ Right
10272

49,00

- ☐ Left
10272

49,00

Large (h 20cm)



- ☐ Right
10273


49,00

- ☐ Left
10273

49,00

SWING AWAY - Lateral support

Fixing and adjustment hardware complete with protection sleeve
Alluminum lateral with padded, breathable upholstery.



- ☐ Large (18x12)

05647 196,00

- ☐ Small (14x9)

05643 196,00

- ☐ Lateral support extension

Quantity (number pcs).....
10271 74,00

- ☐ Lateral support extension

Quantity (number pcs).....

- ☐ Small (14x9)

05642 196,00

- ☐ Large (18x12)

05646 196,00

- ☐ Headrest adjustable - Double ball mounting system
Available only with backrest Physio Posture



- ☐ Large (34x14)
- 05648 385,00
- ☐ Small (28x14)

Permobil LimitedUnit 7, Polaris Centre, 41 Brownfields,Welwyn Garden City, Herts, AL7 1ANUnited Kingdom - Phone: +44 1484 722888

DateOrderUserAddress

REFERENCE TABLES

Progeo (Español)NOIR is a wheelchair without possibilities of adjustments after its manufacturing.
(1) The real seat depth, from the front part of the seat cloth to the backrest tube will be 1,5 cm more than the declared one.

1	A Footplate width		
DP\LS	35÷39	40÷45	46÷50
33	21,5	21	20,5
36	24,5	24	23,5
39	27,5	27	26,5
42	30,5	30	29,5
45	33,5	33	32,5
48	36,5	36	35,5

2	Setting	C :
	Extremely prudential	7,5
	Prudential	9
	Standard	10,5
	Active	12
	Extreme	13,5

3	Maximum width
Camber	
0°	LS + 18
2°	LS + 21
4°	LS + 24

Maximum width calculated including 3 cm. distance between tyre and handrim

Wheelchair : Progeo noir 2.0 - Rev. 2025.1

Prices - VAT excluded
to be added to the price list

Send this page only if any optional have been chosen

☆standard(supplied if no requests are indicated)

☐on request(without extra charge)

☐optional(cost to be added at the basic price)

customer_support_uk@permobil.com - https://www.permobil.com/en-gb