PUMA 20 PRO



Valid from	01/06/2019	Version 2
Dealer		Date
Reference No.		
Delivery address		Quantity
		UNIT-ID 0227

Basic configuration exclusive VAT £5,148

5% Surcharge will be added to the total value of the order

- Sedeo Pro Seat Frame
- Anthracite grey metallic chassis colour
- 250 x 200 air castor wheels
- 12.5" air drive wheels
- Aluminium / steel rim
- Grey tyres
- 40.5 cm seat height (exc cushion)
- Rear wheel drive
- Speed 6 km/h / 4 mp/h
- Puma 20 Motor
- Air castors and drive wheels
- Comfort suspension
- Shark drive only controller, on right
- Fixed controller bracket
- 46 cm width padded seat cushion, with removable incontinence cover
- 46 cm width padded backrest, with removable incontinence cover
- Folding backrest
- · Sedeo Original standard legrests, with calf strap
- Removable armrests, with quick lock, 40 cm pads
- Synthetic side supports
- Lap strap
- 50Ah AGM batteries
- 8Ah charger

The standard configuration below is indicated with 'basic'. If an alternative option is required please mark clearly by ticking the associated box.

THE CODES WHICH ARE MENTIONED BEHIND THE OPTIONS, ARE NOT ARTICLE NUMBERS. ALWAYS USE THESE CODES IN COMBINATION WITH THE PRICE LIST-ID NUMBER MENTIONED ABOVE.

-		_	
$D \Lambda 0$	SE F		

	2	3	
A	5	200	
		5300	

4	0
	EL 1
B	140
3	40~

	option ID	Exc
SEDEO PRO SEAT FRAME		
Sedeo Pro seat frame	Y01117	Basi
Backrest frame for third-party backrests, frame only, no backrest cushion will be supplied	Y01124	280
Anthracite grey metallic chassis colour	Y01299	Basi
Platinum white metallic chassis colour	Y01300	
8" indoor / outdoor castor wheels (only i.c.w. 12.5" indoor/outdoor drive wheels)	Y01506	Basi
9" indoor/outdoor castor wheels (only i.c.w. 12.5" indoor/outdoor drive wheels)	Y01284	4
10" outdoor/indoor castor wheels (only i.c.w. 14" outdoor/indoor drive wheels)	Y01285	59
12.5" indoor/outdoor drive wheels	Y01286	Basi
14" outdoor/indoor drive wheels	Y01287	83
Aluminum rim	Y01289	Basio
Grey tyres	Y01370	Basio



The picture shown may deviate from the standard configuration



7176/19 crash tested. Final configuration may differ from tested configuration.

	SEAT HEIGHT EXCL. STANDARD CUSHION USER WEIGHT INCL.		
	Seat height i.c.w. 12.5" drive wheels	V04204	Deele
	40.5 cm / 15.9", seat angle 0° (not i.c.w. SD 560mm)	Y01291	Basic
	43 cm / 16.9", seat angle 0°	Y01292	0
	45.5 cm / 17.9", seat angle 0°	Y01293	0
	48 cm / 18.9", seat angle 0°	Y01294	0
	50.5 cm / 19.9", seat angle 0°	Y01295	0
	Seat height i.c.w. 14" drive wheels		
	41.5 cm / 16.3", seat angle 0° (not i.c.w. SD 560 mm)	Y01322	0
	44 cm / 17.3", seat angle 0°	Y01323	0
	46.5 cm / 18.3", seat angle 0°	Y01324	0
	49 cm / 19.3", seat angle 0°	Y01325	0
	51.5 cm / 20.3", seat angle 0°	Y01326	0
3	Front wheel drive	Y00105	0
4	Rear wheel drive	Y00106	Basic
	Speed 6 km/h / 4 mph	Y00211	Basic
	Speed 10 km/h / 6 mph, choose also lights, mirror on joystick side and relevan	nt controller	
	upgrade	Y00215	416
H	Puma 20 motor	Y01296	Basic
	Castor wheels air	Y00097	Basic

	Castor wheels all	100097	Dasic
	Castor wheels puncture proof with solid inner tube	Y00098	71
	Drive wheels air	Y00107	Basic
	Drive wheels puncture proof with solid inner tube	Y00108	95
	Comfort suspension	Y01302	Basic
ADJUSTMENTS & LIGHTING	-	option ID	Excl
1 2 3	Manually reclining backrest, operated by the user, right (not i.c.w. same joystick side or		
	1 same entry side worktop, only as adaptation)	Y01121	125
	Manually reclining backrest, operated by the user, left (not i.c.w. same joystick side or		
	1 same entry side worktop, only as adaptation)	Y01120	125
	2 Electrically reclining backrest	Y01128	505
	3 Electrical tilt adjustment 0 - 25°, (not i.c.w. electrical high/low adjustment)	Y00398	535
	3 Electrical tilt adjustment 0 - 45°	Y01305	862
4 6 5 0	4 Electrical high/low adjustment 30 cm / 12"	Y00391	981
1 B and	LED lights and indicators (i.c.w. removable armrests, lights will be mounted on the seat		
The second second	5 frame; i.c.w. SW 54 cm lights may shine to the legrest holder)	Y01129	351
	_		

CONTROLLERS

		option ID	Excl
	VR2: no lighting and electrical adjustments possible		
	VR2 lights: lighting, no electrical adjustments possible		
	VR2 seats & lights: lighting and two electrical adjustments possible		
	R-net entry level: lighting and five electrical adjustments possible		
	R-net with LCD display: lighting and five electrical adjustments possible		
 _	PGDT CONTROLLERS		
7	VR2 drive only, right	Y00255	0
7	VR2 drive only, left	Y00254	0
8	VR2 lights, right	Y00257	137
8	VR2 lights, left	Y00256	137
9	VR2 seats & lights, right	Y00259	202
9	VR2 seats & lights, left	Y00258	202
10	R-net entry level, right	Y01317	292
10	R-net entry level, left	Y01318	292
11	R-net with LCD display, right	Y00261	368
11	R-net with LCD display, left	Y00260	368
	Attendant control on push bar, additional ,choose also controller (not i.c.w. shark drive		
12	only and VR2 drive only), right	Y01132	499
13	Fixed controller bracket	Y01130	Basic
14	Swing away controller bracket	Y01131	95

SEAT CUSHIONS		option ID	Ex
	COMFORT SEAT CUSHION WIDTH (SW) X DEPTH (SD)		
	420 x 500 mm (SW 400 - 420 mm, SD 440 - 520 mm)	Y01139	
	420 x 560 mm (SW 400 - 420 mm, SD 500 - 590 mm)	Y02644	
	460 x 500 mm (SW 420 - 460 mm, SD 440 - 520 mm)	Y01142	
	460 x 560 mm (SW 420 - 460 mm, SD 500 - 590 mm)	Y02645	
	500 x 500 mm (SW 460 - 500 mm, SD 440 - 520 mm)	Y01145	
	500 x 560 mm (SW 460 - 500 mm, SD 500 - 590 mm)	Y02646	
	540 x 500 mm (SW 500 - 540 mm, SD 440 - 520 mm)	Y01148	
	540 x 560 mm (SW 500 - 540 mm, SD 500 - 590 mm)	Y02647	
	CHOOSE ALSO SEAT CUSHION COVER		
	Profiled seat, 70 mm thick	Y01152	Bas
	Support seat, 100 mm thick	Y01154	2
	Stabilizer seat, 90 mm thick	Y01156	2
	Pan seat with front (50 mm) and depth adjustable rear lip (only i.c.w. income Board seat with rear pan (only i.c.w. incontinence cover)	ntinence cover) Y01159 T Y01160	T190
	Adaptive or other seat, choose desired deviations with adaptations	Y01162	
	Omit seat cushion	Y01163	
	Comfort cover	Y01164 Y01165	Ва
BACKRESTS		option ID	E
		орнонто	E .
	COMFORT BACKREST CUSHION WIDTH (BW) X HEIGHT (BH)	option ib	-
	(not i.c.w. third party	υρισπο	
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm)	ομισπο	
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm)	οριοπο	
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm)	οριστισ	
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm)	ομισητο	
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm)	ομισητο	
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm)	ομισητο	
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 500 - 580 mm)	ομισητο	E
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 540 x 500 mm (BW 500 - 540 mm, BH 500 - 580 mm)	ομισητο	E
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER	ομισητο	
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 560 - 640 mm) 540 x 500 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party		
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 500 - 580 mm) 500 x 560 mm (BW 460 - 500 mm, BH 500 - 580 mm) 540 x 500 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest	Y01185	
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest Backrest Flexible, deep contour, passive, adjustable straps (note: not rem	Y01185	
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 500 - 580 mm) 500 x 560 mm (BW 460 - 500 mm, BH 500 - 580 mm) 540 x 500 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest	Y01185	Ва
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest Backrest Flexible, deep contour, passive, adjustable straps (note: not rem	Y01185 novable) (not Y01190	Ва
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 560 - 640 mm) 540 x 500 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest Backrest Flexible, deep contour, passive, adjustable straps (note: not rem i.c.w. thoracic supports)	Y01185 novable) (not Y01190	Ba
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 560 - 640 mm) 540 x 500 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest Backrest Flexible, deep contour, passive, adjustable straps (note: not rem i.c.w. thoracic supports) Backrest Flexible, deep contour, active, adjustable straps (note: not remo 5 thoracic supports)	Y01185 novable) (not Y01190 vable) (not i.c.w. Y01191	Ba
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 500 - 580 mm) 500 x 560 mm (BW 500 - 540 mm, BH 500 - 580 mm) 500 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest Backrest Flexible, deep contour, passive, adjustable straps (note: not rem 4 i.c.w. thoracic supports) Backrest Flexible, deep contour, active, adjustable straps (note: not remo 5 thoracic supports) Backrest Flexible, extra deep contour, active, adjustable straps (note: not remo	Y01185 novable) (not Y01190 vable) (not i.c.w. Y01191	Ba
	(not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 500 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 500 - 580 mm) 500 x 560 mm (BW 460 - 500 mm, BH 500 - 640 mm) 540 x 500 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest Backrest Flexible, deep contour, passive, adjustable straps (note: not remo 4 i.c.w. thoracic supports) Backrest Flexible, deep contour, active, adjustable straps (note: not remo 5 thoracic supports) Backrest flexible, extra deep contour, active, adjustable straps (note: not remo 6 i.c.w. thoracic supports)	Y01185 novable) (not Y01190 vable) (not i.c.w. Y01191 removable) (not Y01520	Ba
	 (not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 500 - 580 mm) 500 x 560 mm (BW 500 - 540 mm, BH 500 - 580 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party Profiled backrest Backrest Flexible, deep contour, passive, adjustable straps (note: not rem i.c.w. thoracic supports) Backrest flexible, extra deep contour, active, adjustable straps (note: not remo thoracic supports) Backrest flexible, extra deep contour, active, adjustable straps (note: not remo thoracic supports) Adaptive or other back, choose desired deviations with adaptations 	Y01185 novable) (not Y01190 vable) (not i.c.w. Y01191 removable) (not Y01520 Y01264	Ba
	 (not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 500 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 500 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 500 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest Backrest Flexible, deep contour, passive, adjustable straps (note: not rem i.c.w. thoracic supports) Backrest Flexible, deep contour, active, adjustable straps (note: not rem 6 i.c.w. thoracic supports) Adaptive or other back, choose desired deviations with adaptations 7 Incontinence cover (not i.c.w. third party backrest frame) 	Y01185 novable) (not Y01190 vable) (not i.c.w. Y01191 removable) (not Y01520 Y01264 Y01193	Ba
	 (not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest Backrest Flexible, deep contour, passive, adjustable straps (note: not rem i.c.w. thoracic supports) Backrest Flexible, extra deep contour, active, adjustable straps (note: not rem 6 i.c.w. thoracic supports) Adaptive or other back, choose desired deviations with adaptations 7 Incontinence cover (not i.c.w. third party backrest frame) 	Y01185 novable) (not Y01190 vable) (not i.c.w. Y01191 removable) (not Y01520 Y01264 Y01193 Y01194	Ba 3 3 3 Ba
	 (not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 50	Y01185 novable) (not Y01190 vable) (not i.c.w. Y01191 removable) (not Y01520 Y01264 Y01193 Y01194 Y01195	Ba 3 3 Ba
	 (not i.c.w. third party 420 x 500 mm (BW 400 - 420 mm, BH 500 - 580 mm) 420 x 560 mm (BW 400 - 420 mm, BH 560 - 640 mm) 460 x 560 mm (BW 420 - 460 mm, BH 500 - 580 mm) 460 x 560 mm (BW 420 - 460 mm, BH 560 - 640 mm) 500 x 500 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 460 - 500 mm, BH 560 - 640 mm) 500 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) 540 x 560 mm (BW 500 - 540 mm, BH 560 - 640 mm) CHOOSE ALSO BACKREST CUSHION COVER (not i.c.w. third party 1 Profiled backrest Backrest Flexible, deep contour, passive, adjustable straps (note: not rem i.c.w. thoracic supports) Backrest Flexible, extra deep contour, active, adjustable straps (note: not rem 6 i.c.w. thoracic supports) Adaptive or other back, choose desired deviations with adaptations 7 Incontinence cover (not i.c.w. third party backrest frame) 	Y01185 novable) (not Y01190 vable) (not i.c.w. Y01191 removable) (not Y01520 Y01264 Y01193 Y01194	Bas 3 3 Bas Bas

LEGRESTS			option ID	Excl
		LEGRESTS SET Standard legrests Manually elevating legrests (only i.c.w. option Y01204 Calf support, set) Electrically elevating legrests (only i.c.w. option Y01204 Calf support, set) (only i.c.w. DX	Y01198 Y01199	Basic 292
	3	or R-net controller) Standard heavy duty legrests with heel straps	Y01200 Y01265-A	862 315
	5 6 7	LEGREST ACCESSORIES (not i.c.w. heavy duty legrests) Calf strap (only i.c.w. standard legrests) Depth adjustable calf support, upholstered, set Knee pads (not i.c.w. padded side support, wedge-shape)	Y01202 Y01658 Y01205	Basic 95 59
	8	Amputation support, right <u>Amputation support, left</u> <u>CENTRAL LEGRESTS (not i.c.w. legrest set or legrest accessories)</u>	Y01208 Y01207	154 154
	9	Central legrest (i.c.w. electrical adjustments choose calf support, limitations in knee angle i.c.w. RWD) CENTRAL LEGREST ACCESSORIES	Y01209	59
10	10	Central calf support	Y01212	42



ARMRESTS			option ID	Excl
	1	Removable armrests with quick-lock	Y01216	Basic
P 2x P 2x	2	Flip-up armrests	Y01217-A	54
	3	Armrest pad 30 cm / 11.8", right	Y01223	0
	3	Armrest pad 30 cm/ 11.8", left	Y01222	0
	4	Armrest pad 40 cm / 15.7", right	Y01221	Basic
4 5 0	4	Armrest pad 40 cm / 15.7", left	Y01220	Basic
		Hemiplegia armrest (not i.c.w. same joystick side or same entry side worktop, only as		
	5	adaptation), right	Y01227	95
		Hemiplegia armrest (not i.c.w. same joystick side or same entry side worktop, only as		
	5	adaptation), left	Y01226	95

SIDE CUSHIONS			option ID	Excl
1_{2x} 2_{2x} 3_{2x}	1	Side supports synthetic	Y01230	Basic
	2	Side supports PU (SW -2cm)	Y01231	48
	3	Padded side supports, wedge-shape (SW -8cm) (not i.c.w. flip up armrest)	Y01232-A	197
	4	Thigh supports	Y01234	351



4 2 x			
HEADRESTS		option ID	Excl
	1 Headrest PU, small, choose also headrest socket	Y01235-A	143
	2 Headrest flexible, choose also headrest socket	Y01236-A	161
	3 Headrest large, choose also headrest socket	Y01237	173
	4 Headrest socket on backrest frame (not i.c.w. third party backrest frame)	Y01239-A	78
	5 Headrest socket on backrest frame (only i.c.w. third party backrest frame)	Y00333-A	30
4 6 5 6	Width adjustable headrest bracket (only i.c.w. headrest) (not i.c.w. headrest bracket	et with	
NAM MAR COL	6 quick-lock)	Y01240	102
	Headrest bracket with quick-lock (not i.c.w. attendant control on push bar or width		
SPIELD GRU	7 adjustable headrest bracket)	Y01241	66
7 3x			

edd

WORKTOPS		option ID	Excl
1 2 3	ENTRY TUBE SIDE NOT I.C.W. REMOTE SIDE		
	Folding worktop acrylic, joystick recess on the side, abdominal recess 11 cm / 4.3"	, entry	
	1 tube right	Y01244	297
	Folding worktop acrylic, joystick recess on the side, abdominal recess 11 cm / 4.3"	, entry	
	1 tube left	Y01243	297
	2 Folding worktop half, acrylic, entry tube right	Y01248	285
	2 Folding worktop half, acrylic, entry tube left	Y01247	285
4 5	WORKTOP TOGETHER WITH		
BS ACO	3 Partial padding (not i.c.w. elbow pads)	Y01252	107
	4 Raised edges acrylic	Y01253	119
	5 Elbow pads (not i.c.w. partial padding), set	Y01254	107

ACCESSORIES			option ID	Exc
1 2 3	1	Lap strap	Y01255	Basic
	1	Lap strap longer	Y01256	83
	3	Mirror on joystick side	Y00023	36
	3	Mirror not on joystick side (not i.c.w. same entry side worktop)	Y00024	59
	4	Cane/crutch holder for 2 walking canes	Y00012	59
	5	Mudguards for castor wheels (design based on 10", not i.c.w. 8" castor wheels), set	Y00027	83
	6	Mudguards for drive wheels (design based on 14"), set	Y00028	107
		Kerb climber detachable (not i.c.w. lowest SH and not i.c.w. front wheel drive)	Y00506	208
	7	Brackets for bag on backrest frame (not i.c.w. third party backrest frame)	Y01258	24
BATTERIES & CHARGERS			option ID	Exc
BATTERIES & CHARGERS		Batteries approx. 40 Ah (C20) GEL, set	option ID Y00045	Exc 102
BATTERIES & CHARGERS		Batteries approx. 40 Ah (C20) GEL, set Batteries approx. 50 Ah (C20) AGM, set	•	
BATTERIES & CHARGERS			Y00045	102
BATTERIES & CHARGERS		Batteries approx. 50 Ah (C20) AGM, set Batteries approx. 60 Ah (C20) GEL, set Batteries approx. 74 Ah (C20) GEL, i.c.w. 12.5" drive wheels lowest SH 43 cm / 16.9" a	Y00045 Y01319 Y00046	102 Basic
BATTERIES & CHARGERS		Batteries approx. 50 Ah (C20) AGM, set Batteries approx. 60 Ah (C20) GEL, set	Y00045 Y01319 Y00046	102 Basic
BATTERIES & CHARGERS		Batteries approx. 50 Ah (C20) AGM, set Batteries approx. 60 Ah (C20) GEL, set Batteries approx. 74 Ah (C20) GEL, i.c.w. 12.5" drive wheels lowest SH 43 cm / 16.9" a	Y00045 Y01319 Y00046 nd	102 Basic 208
		Batteries approx. 50 Ah (C20) AGM, set Batteries approx. 60 Ah (C20) GEL, set Batteries approx. 74 Ah (C20) GEL, i.c.w. 12.5" drive wheels lowest SH 43 cm / 16.9" an i.c.w 14" drive wheels lowest SH 44 cm / 17.3", seat angle 0°, set	Y00045 Y01319 Y00046 nd Y00047-A	102 Basic 208 333
		Batteries approx. 50 Ah (C20) AGM, set Batteries approx. 60 Ah (C20) GEL, set Batteries approx. 74 Ah (C20) GEL, i.c.w. 12.5" drive wheels lowest SH 43 cm / 16.9" an i.c.w 14" drive wheels lowest SH 44 cm / 17.3", seat angle 0°, set	Y00045 Y01319 Y00046 nd Y00047-A	102 Basic 208 333
		Batteries approx. 50 Ah (C20) AGM, set Batteries approx. 60 Ah (C20) GEL, set Batteries approx. 74 Ah (C20) GEL, i.c.w. 12.5" drive wheels lowest SH 43 cm / 16.9" an i.c.w 14" drive wheels lowest SH 44 cm / 17.3", seat angle 0°, set	Y00045 Y01319 Y00046 nd Y00047-A	102 Basic 208 333
		Batteries approx. 50 Ah (C20) AGM, set Batteries approx. 60 Ah (C20) GEL, set Batteries approx. 74 Ah (C20) GEL, i.c.w. 12.5" drive wheels lowest SH 43 cm / 16.9" an i.c.w 14" drive wheels lowest SH 44 cm / 17.3", seat angle 0°, set	Y00045 Y01319 Y00046 nd Y00047-A	102 Basic 208 333
BATTERIES & CHARGERS REMARKS		Batteries approx. 50 Ah (C20) AGM, set Batteries approx. 60 Ah (C20) GEL, set Batteries approx. 74 Ah (C20) GEL, i.c.w. 12.5" drive wheels lowest SH 43 cm / 16.9" an i.c.w 14" drive wheels lowest SH 44 cm / 17.3", seat angle 0°, set	Y00045 Y01319 Y00046 nd Y00047-A	

Sunrise Medical can tailor solutions to meet your requirements. Please contact your Sunrise Medical contact person for all additional wishes that are not described above.