

**Customer Contact Details**

Customer Name: _____

Advisor: _____

Address: _____

Phone: _____

Email: _____

Ship to Customer Address: ☐

Shipping Name: _____

Shipping Address: _____

Phone: _____

Email: _____

Additional Information

Notes: _____

Current Wheelchair: _____

Customer Weight: _____

Customer Height: _____

Customer Disability: _____

OtherVAT Exemption Declaration (UK Only):

I declare that I am chronically sick or disabled by reason of:

and that I am receiving from RGK Wheelchairs Ltd, the wheelchair specified herein and I claim relief from Value Added Tax under group 12 of schedule 8 to Value Added Tax Act 1994.

Signature: _____ Date: _____

RGK Contact Authorisation:

From time to time, RGK would like to send you exclusive information, news and offers on everything RGK, by email or post. We will not pass any of your details to any third party.

I would like to be contacted by RGK: ☐

Signature: _____ Date: _____

SERIAL NO: _____

Guide:

☒ Base product☐ Required option☐ Optional Extra

Critical Information



Information Needed


Non certified
Sub4 weight
option

PRODUCT STYLE

☒ SBCXZ010 VEYPR SUB4
£10,290.00☐ XA070 Open design

Max User Weight 110kg (242lbs)

PLEASE NOTE: ALL RGK CHAIRS ARE HAND BUILT AND HAVE A MANUFACTURING MEASUREMENT TOLERANCE OF +/- 5MM




CAD APPROVAL

☐ XW009 QUOTE ONLY (NO CAD FOR APPROVAL)
£0.00☐ XW011 ORDER (NO CAD FOR APPROVAL)
£0.00☐ XW012 QUOTE / CAD drawing for approval
£312.00 (2 customer amendments ONLY)☐ XW010 ORDER CAD drawing for approval
£192.00 (2 customer amendments ONLY)

KEY MEASUREMENTS

☒ XY010 Seat width (*Inside of sideguards*)(Max - 440mm)
(Min - 250mm)☒ XY020 Seat length(Max - 440mm)
(Min - 250mm)☐ XY030 Extra seat length (*Provides additional leg support & hand grip*)

(Max - 440mm total seat)

☒ XY050 Front frame height(Max - 520mm)
(Min - 380mm)☒ XY060 Rear frame height(Max - 500mm)
(Min - 380mm)☒ XY070 Frame length(Min = XY020 + XY030 + 140mm)
(Max - 625mm)☒ XY072 Castor position☐ Optimise measurements☐ XA020 Ergonomic seat
£65.00Specify length



FRONT FRAME AND FOOTREST

Front Frame Options

☐ XY080 Seat taper design


i Specify width mm

(When combined with XY091, dimension is inbetween the centre of the main bends)


☐ XY091 Parallel taper design

i Specify width mm


(When combined with XY080, dimensions must be smaller by 20mm)



Footrest Design (Choose one)

☒ XY100 Round design

Castor Wheel Size	Max Height Achievable
4"	130



Footrest Measurements

☒ XY115 Front footrest height


mm

☒ XY120 Rear footrest height



mm

Std = 20 lower than front height

☒ XY125 Footrest length


mm

Maximum length 120mm (Certified weight)



Footrest Style

☒ SBCXB400 Carbon Fibre Footrest with Carbon Plate
(Height adjustable +/-10mm)

CASTOR WHEELS, FORKS & WHEEL LOCKS

Castor Wheels

- ☐ XC135 Aluminium centre 4"x1.25"
Choose colour below:



- | | |
|--|---|
| ☐ Silver hub & black tyre (Std) | ☐ Green hub & black tyre |
| ☐ Black hub & black tyre | ☐ Red hub & black tyre |
| ☐ Purple hub & black tyre | ☐ Blue hub & black tyre |

- ☒ SBCXC155 Forged carbon centre 4"x1.4" (Non certified Sub4 option)

- ☒ XC140 Aluminium centre 5"x1.4" (Non certified Sub4 option)
£103.00 (Silver hub and black tyre only)

- ☒ XC145 Aluminium centre 6"x1.4" (Non certified Sub4 option)
£103.00 (Silver hub and black tyre only)

Castor Forks


- ☐ XC190 Performance castor fork (Std)
Choose colour below:

- | | | |
|--------------------------------|---------------------------------|---------------------------------|
| ☐ Black | ☐ Red | ☐ Silver |
| ☐ Blue | ☐ Purple | |

- ☐ XC192 High trail castor fork
Choose colour below:
Note: Greater distance between contact patch and steering axis reduces flutter at higher speeds.

Castor Pin Width

- ☒ XY330 Castor pin width
Optimise measurements
(Minimum width for clear castor rotation and maximum wheelbase length)



Wheel Lock Options

- ☐ SBCXD036 Compact scissor with lightweight fixing
- ☐ XD010 Omit wheel locks

SIDEGUARDS

Sideguard without Fender

- ☐ XE055 Screw on lightweight carbon fibre


Sideguard Measurements

- ☐ Individual above tyre (Follow tyre - max. 25mm)



mm

- ☐ Level with tyre (Follow tyre)



Sideguard with Fender

- ☐ XE065 Screw on lightweight carbon fibre w/fender

Sideguard Measurements


- ☐ 10mm above tyre (Standard)

- ☐ Individual above tyre (Min = 10mm)



mm

- ☒ Centre of tyre



BACKREST

Backrest Height - Fixed




XY230

Backrest height



Specify height

Max 400mm



XG010

Fixed Backrest (non-folding)

Ergonomic Options



XY360

Backrest angle



-5

-3

0


+3

+5

Individual

Deg

(Max -10/+20 Deg)



XG100

Ergonomic backrest

£65.00




Vertical height

mm



Rearward position

mm



XG110


Inward taper

(inside of backrest posts)

£65.00



Specify width or per side



XG120

Outward flare


(inside of backrest posts)

£65.00



Specify width or per side

mm



CAMBER BAR

Camber Angle



XY390

Camber angle



1

2

3



SBCXH100


Single post fixed centre of gravity

(25-125mm)



Specify length

mm



PUSH HANDLES



XG080

Flip down push handles

£194.00

(Non Certified Sub4 option)

ANTI-TIP



XJ100

Single sport anti tip

£358.00

(Non Certified Sub4 option)

FRAME FINISH OPTIONS

Frame and Footrest

☐ SBCXN300 Carbon Fibre Matte finish☐ SBCXN305 Carbon Fibre Gloss finish
£315.00

Accent Colour (Choose One)

Note: Accent colour includes decals only

☐ Black ☐ White ☐ Purple ☐ Grey ☐ None
☒  Red ☐ Blue ☐ Orange ☐ Yellow
☐ Pink ☐ Green

UPHOLSTERY

Seat Upholstery

☐ XP045 Sub4 Seat sling strap adjustable

☒ XR050 Carbon fibre seat plate (With velcro to attach to seat sling - **Not Fixed to frame**)
 £275.00 (Non certified Sub4 option)

Specify length of plate

 mm (Std XY020 - 20mm)

Backrest Upholstery

☐ XP035 Airtech Sub4 backrest strap adjustable

☒ XP050 Airtech backrest strap adjustable
 (Non certified Sub4 option)

☒ XP070 Backrest upgrade to leather corners (Black)
 £98.00 (only with Airtech upholstery XP050)
 (Non certified Sub4 option)

☒ XP110 Backrest with zip pocket
 £73.00 (only with Airtech upholstery XP050)
 (Non certified Sub4 option)

☒ XP170 Individual backrest embroidery
 £111.00 (only with Airtech upholstery XP050)
 Please complete page 9

Backrest Upholstery Stitching Options

☐ Silver (Std)☐ Black☐ Blue☐ Individual:☐ Red☐ Purple☐ Orange

Backrest Upholstery Logo Colour

☐ White (Std)☐ Black☐ Blue☐ Individual:☐ Red☐ Purple☐ Orange

4 REAR WHEELS (* non certified weight options)

Rear Wheel Size

☐ XY420 24" Wheels

☐ XY430 25" Wheels

Rear Wheel Gap


☒ XY460 Rear wheel gap


15

20

25

XY460



Rear Wheel Options

☐ XK075 Spinergy **BLXL** 18 blade spoke
N/A IN SILVER HUB
☐ SBCXK150 Spinergy **CLX** 18 carbon blade spoke
N/A IN SILVER HUB
£572.00

☒ XK226 Titanium 100mm quick release axle pins

Spinergy Colour Options:

☐ Black spokes

☐ White spokes

☐ Yellow spokes

☐ XK180 Individual spoke design
£143.00 (Specify colour)

☐ Red spokes

☐ Blue spokes

☐ Pink spokes

Inside: _____

☐ Purple spokes

☐ Orange spokes

☐ Green spokes

Outside: _____

Spinergy Anodise Options

☐ XK190 Black hub
(std option)

☐ XK201 Red hub/rims
£224.00 (LX, XLX & BLXL only)

☐ XK204 Gold hub/rims
£224.00 (LX, XLX & BLXL only)

☐ XK202 Purple hub/rims
£224.00 (LX, XLX & BLXL only)

☐ XK203 Blue hub/rims
£224.00 (LX, XLX & BLXL only)

Supply Without Wheels

☐ SBCXK040 Supply without Wheels & Axle Pins
-£386.00


Wheel Type: _____

Tyre Type: _____

Handrim Position / Options

☐ XY480 Narrow set handrim

☐ XY485 Wide set handrim

☐ XL090 Remove excess mounting tabs
£83.00 (recommended for small wheel gaps)

Handrim Styles

☐ XL010 Aluminium hard anodised 6 tab

☐ XL040 Titanium 6 tab

☐ XL160 Elipse 6 tab
£276.00 (replacement for Surge)

☐ XL035 Natural Fit LT
£246.00

☐ XL020 Tetra grip 6 tab
£231.00

☐ XL150 Carbolife Gekko
£487.00

☐ Black

☐ Silver

☐ XL100 Para grip 6 tab
£231.00

☐ XL170 Carbolife Curve L
(Black)
£522.00

Tyre Options

☐ XM060 Schwalbe One (Lightest option)
£77.00

☐ XM130 Kenda black
£29.00

☐ XM010 Kenda ☐ Grey ☐ Blue ☐ Red

☐ XM050 Kenda K885 mountain bike tyre (24", 25" only)
£22.00

☐ XM020 Schwalbe Marathon Plus
£56.00

☐ XM040 Shox solid airless (Black only)
(26" N/A WITH FUSION WHEELS)

Inner Tube Valve Options

☐ XY500 Schraeder inner tube valve
(Standard if no option selected)

☐ XY490 Presta inner tube valve


Wheel Accessories

☐ XK145 Black Gloss Spokeguards
£229.00

☐ Fitted

☐ Supply Non - Fitted

* Indicates items that are not part of the certified weight of the Tiga Sub4

④ CUSHION (** non certified weight options)

Cushion foam options

- ☐ XP080 Cushion foam
£68.00
(select density and size below)
- ☐ Soft (CMS040)
 ☐ Medium (CMS050)
 ☐ 50mm
 ☐ 75mm
 ☐ 100mm

Cushion cover upgrades

- ☐ XP085 Nylon cushion cover
(Black)
- ☐ XP090 Airlite cushion cover
£53.00
(Black)
- ☐ XP100 Leather cushion cover
£173.00
(Black)

Jay Products

- ☐ JAY Cushion
(Price dependant on size / option)
- ☐ JAY Backrest
(Price dependant on size / option)
- Refer to Jay Order Form
- Refer to Jay Order Form

④ ACCESSORIES (** non certified weight options)

- ☐ XP120 Frame protectors Neoprene zip fasten (Black)
£59.00
- ☐ XP420 Frame protectors Nylon velcro fasten (Black)
£39.00
- ☐ XR010 Seat pouch velcro attach (Black)
£31.00
- ☐ XR200 Rucksack with RGK logo (Black)
£52.00
- ☒ XR090 Tool kit
- ☒ XS065 Sub4 Calf Strap

NEW!

** indicates options that, when chosen, will not enable RGK to guarantee a Sub4kg product weight

ADDITIONAL NOTES

INDIVIDUAL BACKREST EMBROIDERY

PLEASE PROVIDE JPEG IMAGE AT TIME OF ORDER AND NOTE POSITION BELOW



BRACE BAR

SPEC NOTES:



OFF SPEC REQUEST*

(please specify below the page number(s) and details to which the off spec request applies.**OFF SPEC REQUEST
APPROVED** *(for internal
RGK office only)*

X

RGK Internal Sign-off

Off spec requests require a feasibility study which may increase order price and lead time. Any dimension/ option/ frame request not listed on the order form will be treated as an off spec request.*