

Seat width

Seat depth

Back height

□ 20

□ 20

□ 35

□ 23

□ 25

□ 40

□ 25

□ 30

□ 45 □ 50

28

□ 35

□ 30

□ 40

□ 55

□ 33

□ 45

□ 60

**Thompson House** 

Unit 10, Styles Close, Sittingbourne, Kent ME10 3BF Tel: 01795 477280 Fax: 01795 229692

Email: sales@rms-kent.co.uk web: www.ineedawheelchair.co.uk



## Caddy modular seating system order form NHS April 2019 Customer details Client Name/ref no: Contact Name: Tel: Contact email: Address: **CADDY-MSS** Standard specification: Quick release slot interface Solid seat and backrest Anti-thrust seat cushion Fixed pelvic supports Fixed thoracic supports Sacral support Angle adjustable backrest Growth adjustment Crash tested Base price Machine washable removable covers Upholstery colour options Client measurements Client weight: A Pelvic width cm **B** Seat depth cm C Footrest height cm D Shoulder height cm E Thoracic height cm F Thoracic width cm **G** Shelf length cm **H** Pelvic depth (B-G) cm Wheelchair information Manufacturer: Model: Seat width: cm Seat depth: cm Information for second wheelchair if applicable Manufacturer: Seat width: Model: Seat depth: cm cm Seating measurements in cm (Internal use only)

□ 35

□ 50

□ 65

38 □ 40

□ 43


□ 45


To the nearest seat depth panel (5cm Growth adjustment)


To the nearest backrest height panel (7.5cm Growth adjustment)


□ 48


□ 50 (Outside width of W/C backrest rails)















Headrest options								
(I) Headrest boss		(II) Type A headrest	(III) Type D headrest					
L4-P44	(I) Headrest boss <b>only</b> . Fits 12.7mm	& 15.88mm square stems (Must be ticked if a headres	t option is selected)					
L8-P18-S-B	(II) Type A Small headrest C/W angle							
L8-P18-S-CV	Type A Small headrest cover only							
L8-P18-L-B	(II) Type A Large headrest C/W angle adjustable stem							
L8-P18-L-CV	Type A Large headrest cover only							
L8-P21-S-B	(III) Type D Small headrest C/W angle adjustable stem							
L8-P21-S-CV	Type D Small headrest cover only							
L8-P21-L-B	(III) Type D Large headrest C/W angle adjustable stem							
L8-P21-L-CV	Type D Large headrest cover only							
L8-P22-B	Type E headrest C/W angle adjustable stem							
L8-P24-S-B	Type G Small headrest C/W angle adjustable stem							
L8-P24-L-B	Type G Large headrest C/W angle adjustable stem							
L8-P17-B	Type J headrest C/W angle adjustable stem							
L8-P29-S-B	Type K Small headrest C/W angle ad							
L8-P29-L-B	Type K Large headrest C/W angle adjustable stem							
	For other options, please specify the part number from the RMS catalogue							

Harness options					
H012	Sternum harness small, contoured pad designed to offer greater support				
H004	Sternum harness medium, contoured pad designed to offer greater support				
H005	Sternum harness large, contoured pad designed to offer greater support				
н006	Shoulder harness small, distributes pressure evenly over the chest and shoulder				
H007	Shoulder harness medium, distributes pressure evenly over the chest and shoulder				
ноо8	Shoulder harness large, distributes pressure evenly over the chest and shoulder				
Н009	Dynamic harness small, designed to offer a high level of support and comfort				
H010	Dynamic harness medium, designed to offer a high level of support and comfort				
H011	Dynamic harness large, designed to offer a high level of support and comfort				
H014	Slimline sternum harness small, shaped to give greater flexibility in client fitting				
H015	Slimline sternum harness medium, shaped to give greater flexibility in client fitting				
H016	Slimline sternum harness large, shaped to give greater flexibility in client fitting				

Pelvic belt op	tions									
BPB-004-S	Padded dual pull plastic buckle, 25mm webbing, pad size 40mm x 150mm									
BPB-004-M	Padded dual pull plastic buckle, 40mm webbing, pad size 60mm x 170mm									
BPB-004-L	Padded dual pull plastic buckle, 40mm webbing, pad size 70mm x 230mm									
BPB-005-S	Padded four point dual pull plastic buckle, 25mm webbing, pad size 40mm x 150mm									
BPB-005-M										
BPB-005-L	Padded four point dual pull plastic buckle, 40mm webbing, pad size 60mm x 170mm  Padded four point dual pull plastic buckle, 40mm webbing, pad size 70mm x 230mm									
BAT-007-S	·									
BAT-007-3	Padded single pull twin lock plastic buckle, 25mm webbing, pad size 40mm x 150mm									
	Padded four point twin lock plastic buckle, 25mm webbing, pad size 40mm x 150mm									
BMB-001-S	Padded single pull tight, 25mm webbing with metal buckle, pad size 40mm x 150mm									
BMB-001-M	Padded single p									
BMB-001-L	Padded single p									
BMB-002-S	Padded four poi									
BMB-002-M	Padded four poi	nt single pull m	etal buckle,	40mm web	bing, p	oad si	ze 60mm	x 170mm		
BMB-002-L	Padded four poi	nt single pull m	etal buckle,	40mm web	bing, p	oad si	ze 70mm	x 230mm		
Clear Plactic	Contoured Tra									
Small	A=51cm	B=51cm	C=33cm	D=15c	m		l			
Medium	A=56cm	B=56cm	C=36cm	D=20c			Cont	oured tray		
Large	A=61cm	B=61cm	C=43cm	D=22.5						7
	I									b
L5-P51-#	Clear Plastic Cor	ntoured Tray c/v	w slide in tr	ay brackets						
	For other tray options, please specify the part number from the RMS catalogue									
Anklesure op	tions									
ASO01	Anklesures XS V	elcro fastened (	Pair )	☐ £74.00	,	AS	001/B	Anklesures XS Buckle fastene	ed ( Pair )	
AS002	Anklesures S Vel			☐ £74.00			002/B	Anklesures S Buckle fastened	, ,	
AS003	Anklesures M Ve	elcro fastened (	Pair )	☐ £74.00	)	AS	003/B	Anklesures M Buckle fastene	d ( Pair )	
AS004	Anklesures L Vel	lcro fastened ( F	Pair )	☐ £74.00	)	AS	004/B	Anklesures L Buckle fastened	l ( Pair )	
AS005	Anklesures XL Ve	elcro fastened (	Pair )	☐ £74.00	)	AS	005/B	Anklesures XL Buckle fastene	ed ( Pair )	
M/b a al ab a in a	ccessories opt	tions 0 Addi	ional Infe							
	nber from the late									
specify part fram	liber from the late	CSC NIVIS ACCESS	ories catale	рвис						
Estimate to b	e raised from	prescription								
Notes:										


## **CADDY LATERAL PELVIC WIDTH INDEX**

## **CADDY-300-INDEX**




(I) CADDY-311 Straight bracket


DRAWN BY	WMJ	23/03/2017
CHECKED BY	AM	27/03/2017
APPROVED BY	WAC	27/03/2017



(II) CADDY-312 2.5cm width reduction bracket



(III) CADDY-313 5cm width reduction bracket



WHEELCHAIR	STRAIGHT	25mm OFF SET	50mm OFF SET	
WIDTH	BRACKET	BRACKET	BRACKET	
25cm / 10"	15cm TO 22.5cm	7.5cm TO 17.5cm	5cm TO 12.5cm	
27.5cm / 11"	17.5cm TO 25cm	10cm TO 20cm	7.5cm TO 15cm	
30cm / 12"	20cm TO 27.5cm	12.5cm TO 22.5cm	10cm TO 17.5cm	
32.5cm / 13"	23.5cm TO 30cm	17.5cm TO 25cm	12.5cm TO 20cm	
35cm / 14"	25cm TO 32.5cm	20cm TO 27.5cm	15cm TO 22.5cm	
37.5cm / 15"	27.5cm TO 35cm	22.5cm TO 30cm	17.5cm TO 25cm	
40cm / 16"	30cm TO 37.5cm	25cm TO 32.5cm	20cm TO 27.5cm	
42.5cm / 17"	32.5cm TO 40cm	27.5cm TO 35cm	22.5cm TO 30cm	
45cm / 18"	35cm TO 42.5cm	30cm TO 37.5cm	25cm TO 32.5cm	
.= - / !!				
47.5cm / 19"	37.5cm TO 45cm	32.5cm TO 40cm	27.5cm TO 35cm	
50cm / 20"	40cm TO 47.5cm	35cm TO 42.5cm	30cm TO 37.5cm	