



Phone (800) 981-1540 | Fax (715) 254-0996
sales@kimobility.com | www.kimobility.com

ROGUE²

Company:

Ship To:

Account Number:

Date:

Address:

Quote: PO Number:

City:

State:

ATP:

Zip:

Phone:

Marked For:

Email/Fax:

Associated Quote/Order#:

Effective: 5/5/2025

Rogue2 £2851

Rogue Standard Frame 275 lb Weight Capacity

Frame

Seat Width

See reference A on page 7

12" [RGSWT012]	N/C
13" [RGSWT013]	N/C
14" [RGSWT014]	N/C
15" [RGSWT015]	N/C
16" [RGSWT016]	N/C
17" [RGSWT017]	N/C
18" [RGSWT018]	N/C
19" [RGSWT019]	N/C
20" [RGSWT020]	£403

Seat Depth

See reference B on page 7

14" [RGSDE014]	N/C
15" [RGSDE015]	N/C
16" [RGSDE016]	N/C
17" [RGSDE017]	N/C
18" [RGSDE018]	N/C
19" [RGSDE019]	N/C
20" [RGSDE020]	£403

Transit Option

Transit System [RGTRNOPT]	£230
Cannot be retrofitted. Requires Expanded Width Caster Position.	
Omit [RGTRNOP2]	N/C

Adjustable Depth

Adds the capability to grow seat in depth

No Rear Adjustment [RGAD05]	N/C
1/2" [RGAD06]	N/C
1" [RGAD01]	£132
2" [RGAD02]	£132

Sling Position

See reference C on page 7

0" (Performance) [RGSP01]	N/C
1" [RGSP03]	N/C
2" (Classic) [RGSP02]	N/C

Seat Option

Standard Seat Sling [RGSS001]	N/C
Aluminum Solid Seat Pan [RGACC004]	£331

Front Frame Bend

See reference D on page 7

90° [RGFA01]	N/C
85° [RGFA03]	N/C
80° [RGFA02]	N/C
75° [RGFA04]	£199
70° [RGFA05]	£199

Backrest

Back Post / Height Range / Back Height

Back Post	Price	Height Range	Back Height				
Height Adjustable	N/C	Short [RGBOP025]	11" ²	12"	13"	14"	
		Medium [RGBOP026]	13"	14"	15"	16"	17"
		Tall [RGBOP027]	17"	18"	19"	20"	
Fixed Height ¹	N/C	Fixed Straight [RGBOP011]	9" ²	10" ²	11" ²	12"	13"
			14"	15"	16"	17"	18"

¹ Not available with back upholstery

² Not available with Fold Down Push Handle

Push Handles

Omit Push Handle [RGBCK008]	N/C
Standard Push Handle [RGBCK004]	N/C
Low Profile Push Handle [RGBCK007]	£199
2" shorter than standard push handles	
Bolt-On Push Handle [RGBOP005]	£212
Handles will be 1" - 2" above back height	
Fold Down Push Handle [RGBCK006]	£199

Stroller Handle

Stroller Handles are removable and height adjustable

Single Stroller Handle [RGBOP007]	£212
Double Stroller Handle [RGBOP006]	£265
Not available with Push Handles	

Rigidizer Bar

Adjustable Height Rigidizer Bar [RGBCK001]	N/C
Non-Adjustable Height Rigidizer Bar [RGBCK010]	N/C
Not Available with Fixed Height Back Post	

Seat Back Angle

Standard is 90° (perpendicular to floor). Minus (-°) closes back angle. Plus (+°) opens back angle.

Standard [RGSBA001]	+3° [RGSBA002]	+6° [RGSBA003]
+9° [RGSBA004]	-3° [RGSBA005]	-6° [RGSBA006]
-9° [RGSBA007]	-12° [RGSBA008]	N/C

Back Upholstery Options

Available only with Height Adjustable Back Posts. If selecting both upholstery and Axiom Back, the upholstery will be installed.

Padded Velcro Adjustable with Standard Cover [RGBUP001]	N/C
Padded Velcro Adjustable with Air Mesh Breathable Cover [RGBUP006]	£106
Tension Adjustable with Standard Cover [RGBUP002]	N/C
Tension Adjustable with Air Mesh Breathable Cover [RGBUP007]	£225
Omit [RGBUP003]	N/C

Front Seat Height and Casters

Caster Size / Footrest Taper / Front Seat Height

Select Footrest Taper (reference E, p.7), Caster Size then Front Seat Height (reference F, p.7) in the corresponding row. 2" Taper not available with 75° Front Frame Bend. 6" Casters not available with 85° and 90° Front Frame Bend. Straight Taper required with 70° Front Frame Bend.

Footrest Taper	Price	Caster Size	Front Seat Height														
Straight [RGFT00]	N/C	3"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"
		4"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"	
		5"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"		
		6"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"			
1" Taper [RGFT01]	£69	3"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"						
		4"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"							
		5"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"								
		6"	18"	18.5"	19"	19.5"	20"	20.5"									
2" Taper [RGFT02]	£69	3"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"						
		4"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"							
		5"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"								
		6"	18"	18.5"	19"	19.5"	20"	20.5"									
3.5" V-Front [RGFT05]	£69	3"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"
		4"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"	
		5"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"		
		6"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"			
7" V-Front [RGFT06]	£69	3"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"
		4"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"	
		5"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"		
		6"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"			

Casters

		Caster Size				
		Price	3"	4"	5"	6"
Caster Type	.75" Rollerblade	£120	[RGCAS002]	[RGCAS004]		
	.75" Lighted Rollerblade	£120	[RGCAS001]	[RGCAS005]		
	1.25" Soft Roll	N/C		[RGCAS006]	[RGCAS010]	[RGCAS014]
	1" Poly Aluminum	£120		[RGCAS007]	[RGCAS011]	
	1" Pneumatic	£120				[RGCAS017]
	1.5" Soft Roll	N/C		[RGCAS032]	[RGCAS025]	[RGCAS026]
	1.5" Soft Roll Aluminum	£120	[RGCAS003]	[RGCAS009]	[RGCAS013]	[RGCAS016]

Caster Position

See reference L on page 7

Optimized [RGCST015]	N/C
<i>Caster Placement minimizes the footprint of the chair</i>	
Expanded Width [RGCST016]	N/C
<i>Caster arm is positioned approximately .75" wider than Optimized position</i>	

Fork Options

Standard Fork [RGFRK001]	N/C
Single Sided Fork [RGFRK003]	£265
Frog Legs II Suspension System [RGCST014]	£596
<i>Not included in Colored Anodizing Package</i>	

Footrest

Footplate

Tubular "Open" Footplate [RGFPL004]	N/C
<i>Not available with V-Taper</i>	
Tubular Footplate with ABS Cover [RGFPL005]	£120
<i>Not available w/footrest widths greater than 15.5". See Reference G on page 7. Not available with V-Taper.</i>	
Tubular Footplate with Carbon Fiber Cover [RGFPL027]	£230
<i>Not available with footrest widths greater than 15.5". See Reference G on Page 7. Not available with V-Taper.</i>	
Aluminum Angle Adjustable [RGFPL006]	£238
Aluminum Angle Adjustable with Riser [RGFPL007]	£238
High Mount Aluminum Angle Adjustable [RGFPL008]	£238
<i>Not available with V-Taper</i>	
Angle Adjustable Flip Under [RGFPL012]	£265
<i>Not available with footrest widths less than 9.5". Not available with V-Taper. See Reference G on page 7.</i>	
High Mount Angle Adjustable Flip Under [RGFPL011]	£331
<i>Not available w/footrest widths greater than 15.5". See Reference G on page 7. Not available with V-Taper.</i>	
Hybrid Angle Adjustable [RGFPL015]	£132
Hybrid Angle Adjustable with Wings [RGFPL016]	£132

Footrest Protector

Footrest Protector [RGACC020]	£26
<i>Not available with Angle Adjustable Flip Under, High Mount Angle Adjustable Flip Under or High Mount Aluminum Angle Adjustable Footplates</i>	

Seat to Footrest Length

See reference H on p. 7. Should be at least 2.5" shorter than Front Seat Height.

8"	8.5"	9"	9.5"	10"	10.5"
11"	11.5"	12"	12.5"	13"	13.5"
14"	14.5"	15"	15.5"	16"	16.5"
17"	17.5"	18"	18.5"	19"	19.5"

Rear Seat Height and Wheels

Wheel Size / Rear Seat Height

Select Rear Seat Height (Reference I, p. 7) in row corresponding to desired Wheel Size. Selection is required.

Wheel Size	Rear Seat Height															
20"	12.5" ¹	13"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"
22"	13.5" ¹	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"		
24"	14.5" ¹	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"				
25"	15" ¹	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"					
26"	15.5" ¹	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"						

¹ Available only with Low Profile tires

One Arm Drive

One Arm Drive - Quick Release [RGDRV007]	£1323
<i>Available only with 20", 22" and 24" spoke wheels and quick release axles. Spoke wheel style provided is exclusive to OAD. Limitations exist based on rear wheel spacing, camber and armrest selections.</i>	

Left Side Drive [RGDRV002]	N/C
Right Side Drive [RGDRV003]	N/C
Aluminum Drive Handrim [RGDRV004]	N/C
Poly Coated Drive Handrim [RGDRV005]	£265

Wheels

No selection needed with One Arm Drive

		Rear Wheel Size					
		Price	20"	22"	24"	25"	26"
Rear Wheel Type	MAXX Spoke	N/C	[RGWH1120]	[RGWH1122]	[RGWH1124]	[RGWH1125]	[RGWH1126]
	Mag	£331	[RGWH1220]	[RGWH1222]	[RGWH1224]		
	Mag (Color) ²	£331	[RGWH1320]	[RGWH1322]	[RGWH1324]		
	Superlight Spoke	£265			[RGWHE224]	[RGWHE225] ¹	
	Spinergy Spox	£480		[RGWHE422]	[RGWHE424]	[RGWHE425]	[RGWHE426]
	Spinergy LX	£550		[RGWHE522]	[RGWHE524]	[RGWHE525]	[RGWHE526]

¹ Available only with Superlight and Plastic Coated Handrims

² Color selection on page 6

Spinergy Options

Select spoke color for Spinergy Wheels

Black Spokes [RGSSC001] Red Spokes [RGSSC002]
 Blue Spokes [RGSSC005] White Spokes [RGSSC003] _____ N/C

Rear Tire Type

Full Profile

Street Pneumatic 1 3/8" [RGTI001] _____ N/C
Not available on 25" wheel size
 Full Poly 1 3/8" [RGTI002] _____ £127
Not available on Superlight wheel or 25" or 26" wheel sizes
 Pneumatic with Airless Insert 1 3/8" [RGTI004] _____ £127
Not available on Superlight wheel or 25" wheel size
 Schwalbe HS-127 1 3/8" [RGTI017] _____ £127
Available only on 24" wheel size. Not available on Mag wheel
 Mountain 2" Black [RGTI009] _____ £127
Available only on 22", 24" and 25" MAXX wheels and Spinergy wheels

Low Profile

Low Poly 1" [RGTI003] _____ N/C
Not available on Superlight wheel, 25" or 26" wheel sizes
 Sentinel Solid Tire 1" [RGTI005] _____ £127
Not available on Superlight Wheels
 High Pressure 1" [RGTI006] _____ N/C
Not available on Mag wheel
 Schwalbe One 1" [RGTI018] _____ £127
Available only on 24" and 25" wheel sizes. Not available on Mag wheel
 Schwalbe Marathon Plus Evolution 1" [RGTI010] _____ £127
Not available on Mag wheel, 20" or 22" wheel sizes

Handrims

Standard Handrims

Aluminum Anodized [RGHRM001] _____ N/C
 Superlight Aluminum Anodized [RGHRM010] _____ N/C
Available only on 24" and 25" wheel sizes. Available only on MAXX Spokes, Superlight or Spinergy wheels. Not available with One Arm Drive.
 Plastic Coated [RGHRM002] _____ £146
 Projection (8 Vertical Projections) [RGHRM003] _____ £397
Available only with full profile tires in combination with 22", 24", and 26" MAXX Spoke wheels, or 22" and 24" Mag wheels. Not available with One Arm Drive.
 Omit Handrim [RGHRM012] _____ N/C

Ergonomic Handrims

Not available with 20" or 26" wheels

Ergo Lite Regular Grip [RGHRM005] _____ £317
 Ergo Standard Regular Grip [RGHRM008] _____ £317
 Ergo Lite Extra Grip [RGHRM006] _____ £317
 Ergo Standard Extra Grip [RGHRM009] _____ £317
 Ergo Lite Omit Grip [RGHRM004] _____ £317
 Ergo Standard Omit Grip [RGHRM007] _____ £317

Axles

No selection needed with One Arm Drive

Quick Release [RGAXO003] _____ N/C
 Quad Quick Release [RGAXO001] _____ £225
Not available with Mag or Spinergy wheels

Handrim Options

Handrim Mount

If no selection is made, Standard Mount will be used

Close Mount [RGTAB001] _____ N/C
Reduces overall width by .75"

Micro-Grip

3M Micro Grip [RGACC006] _____ £120
Not available on Plastic Coated or Projection Handrims

Center of Gravity Presets

See reference J on page 7

Amputee Positions				
-1.5" [RGCGA150]	-1" [RGCGA100]	-0.5" [RGCGA050]	0" [RGCGS000]	.25" [RGCGS025]
Standard Positions				
.5" [RGCGS050]	.75" [RGCGS075]	1" [RGCGS100]	1.25" [RGCGS125]	1.5" [RGCGS150]
1.75" [RGCGS175]	2" [RGCGS200]	2.25" [RGCGS225]	2.5" [RGCGS250]	2.75" [RGCGS275]
3" [RGCGS300]	3.25" [RGCGS325]	3.5" [RGCGS350]	3.75" [RGCGS375]	4" [RGCGS400]
4.25" [RGCGS425]	4.5" [RGCGS450]	4.75" [RGCGS475]	5" [RGCGS500]	

Rear Wheel Spacing

1.5" minimum with T-Arms. 1.25" minimum with Spinergy Wheels. 1.75" minimum with One Arm Drive and T-Arms. See Reference K on page 7.

0.75" [RGWS075]	1" [RGWS100]	1.25" [RGWS125]	
1.5" [RGWS150]	1.75" [RGWS175]		N/C

Rear Wheel Camber

The following apply if One Arm Drive is selected: 6° and 8° not available. 4° not available with T-Arms.

0° [RGWC00]	2° [RGWC02]	4° [RGWC04]	6° [RGWC06]	
8° [RGWC08]				N/C

Wheel Locks

Wheel Lock

Push to Lock [RGWLK002]	N/C
Push to Lock Flush Mount [RGWLK001]	£79
Pull to Lock [RGWLK003]	N/C
Under Seat Scissor Lock [RGWLK007]	£79
Not available with User Activated Anti-Tips	
Low Profile Scissor Lock [RGWLK012]	£67
Not Available with Full Poly tires	
Omit [RGWLK008]	N/C

Wheel Lock Options

Extension Handles [RGWLK004]	£79
Available only with Push to Lock or Pull to Lock Wheel Locks	
Grade Aids [RGWLK009]	£199
Available only with Push to Lock Wheel Locks and Pneumatic or Pneumatic with Airless Insert tires	

Armrests

Armrest Type	Length	Price
Height Adjustable T-Arm Tall (11.5"-15")	Desk [RGARM039]	£265
	Full [RGARM040]	
Height Adjustable T-Arm (8.5"-13.5")	Desk [RGARM003]	£265
	Full [RGARM004]	
Height Adjustable T-Arm Low (6.5"-10.5") ¹	Desk [RGARM022]	£265
	Full [RGARM023]	

¹ If requested configuration is unavailable, standard height T-Arm will be used

² Includes direct mount receiver

Armrest Type		Price
Swing Away (8.5"-12.5")	[RGARM002]	£265
Swing Away with Side Guard (8.5"-12.5") ²	[RGARM018]	£331
Omit Armrests	[RGARM007]	N/C

Side Guards

Direct Mount Side Guards

Not available with T-Arms or Swing Away with Side Guard Armrests

Composite Side Guards [RGSDG002]	£67
Aluminum Straight - Black Matte [RGSDG024]	£265
Aluminum Straight - Match Frame Color [RGSDG025]	£331
Aluminum Adjustable Fender w/Foam Pad - Black Matte [RGSDG014]	£265
Not available with Adjustable Depth greater than 1/2"	
Aluminum Adjustable Fender w/Foam Pad - Match Frame Color [RGSDG015]	£331
Not available with Adjustable Depth greater than 1/2"	
Carbon Fiber Adjustable Fender [RGSDG013]	£331
Not available with Adjustable Depth greater than 1/2"	

Clamp-On Mount Side Guards

Not available with T-Arms or Swing Away with Side Guard Armrests

Composite Side Guards [RGSDG004]	£67
Aluminum Straight - Black Matte [RGSDG020]	£265
Aluminum Straight - Match Frame Color [RGSDG023]	£331
Aluminum Adjustable Fender w/Foam Pad - Black Matte [RGSDG017]	£265
Aluminum Adjustable Fender w/Foam Pad - Match Frame Color [RGSDG018]	£331
Carbon Fiber Adjustable Fender [RGSDG016]	£331

Side Guard Removal Option

Option must be selected when ordering Side Guards

Removable [RGSGR001]	N/C
----------------------	-----

Accessories

Anti-Tips

User Activated not available with One Arm Drive

Rear Anti-Tips [RGATP001]	£132
User Activated - Pair [RGATP012]	£397
User Activated - Left [RGATP010]	£199
User Activated - Right [RGATP011]	£199
Omit [RGATP000]	N/C

Calf Strap

Velcro Adjustable [RGACC002]	£47
Padded Velcro Adjustable [RGACC003]	£86
Padded Airmesh Calf Strap [RGACC010]	£86

Pelvic Positioning Belt

1 1/2" Auto Buckle Pelvic Positioning Belt [RGPOB001]	£67
1 1/2" Padded Auto Buckle Pelvic Positioning Belt [RGPOB002]	£199
Small Flex-Mount Positioning Belt (16-24") [RGPOB007]	£132
Medium Flex-Mount Positioning Belt (19-29") [RGPOB008]	£132
Large Flex-Mount Positioning Belt (25-37") [RGPOB009]	£132

Belt Mounting Kit

Ki Mobility Belt Mounting Clamp [RGACC023]	N/C
Belt Mounting Bracket [RGACC013]	£132

Other Accessories

Tool Kit [RGACC005]	£23
Removable Underseat Pouch [RGACC015]	£35
Ki Mobility Backpack [RGACC009]	£115
Luggage Carrier [RGACC025]	£106
Black Neoprene Impact Guards [RGIMG001]	£67
Under Chair Carrier and Removable Bag [RGACC001]	£46
<i>Not available with Seat Widths less than 14" or scissor locks</i>	
Cane and Crutch Holder [RGACC007]	£132

Color

Options	Price	Colors																	
		Gloss												Matte					
		Black	Ruby Red	Radiant Orange	Yellow	Electric Green	Rich Teal	Glacier Blue	Blue Steel	Deep Sapphire Blue	Purple Plum	Opalescent Violet	Dark Pink	Light Pink	Champagne	Shadow Black	Iridescent Navy	Bright Red	Tactical Green
Frame	N/C																		
Color Accent Package ¹	N/C																		
Backrest Release Bar	N/C	Black Anodized																	
	£67																		
Mag Color																			
Color Anodizing Package ²	Black	Blue	BrightGreen	Orange	Pewter	Pink	Purple	Red	Gold										
	N/C	£276	£276	£276	£276	£276	£276	£276	£276										

¹ Includes backplates, towers, tower clamps, and camber tube

² Extended lead-time may apply. Select desired color. If no selection is made, black will be used. Includes back plates (not available with Transit Option), Camber Tube (available only with Standard or Single Sided), Towers, Side Guard Receiver, and Caster Fork (available only with Standard or Single Sided).

References

A. Seat Width See Diagram 1

Measured from outside of frame tube on one side to outside of frame tube on other side.

B. Seat Depth See Diagram 3

Measured from front of back posts to front edge of seat sling. Seat sling starts at beginning of bend at front of frame.

C. Sling Position See Diagram 2

In Performance Position (0°), sling is at front of frame to keep chair shorter and more maneuverable. The 1° or 2° seat sling position extends the frame in front of the sling by that amount. Adding more frame can improve stability and provide support to aid in transfers.

D. Front Frame Bend See Diagram 3

Angle between front seat tube and ground.

E. Footrest Taper See Diagram 1

Indicates bend of front frame creating footrest. Taper is measured from outside of seat frame to outside of front tube.

F. Front Seat Height See Diagram 1

Measured from floor to top of seat tube at front of seat sling.

G. Footrest Width See Diagram 1

Measured from inside of front tube to inside of front tube on other side. Footrest width is listed below for each seat width and taper.

Seat Width	Straight	1" Y Taper	2" Y Taper	3.5° V Taper	7° V Taper
Outside Measurement	2" Narrower than Seat Width	4" Narrower than Seat Width	6" Narrower than Seat Width	4" Narrower than Seat Width	6" Narrower than Seat Width
12"	9.5"	7.5"		7.5"	
13"	10.5"	8.5"		8.5"	
14"	11.5"	9.5"		9.5"	
15"	12.5"	10.5"		10.5"	
16"	13.5"	11.5"	9.5"	11.5"	9.5"
17"	14.5"	12.5"	10.5"	12.5"	10.5"
18"	15.5"	13.5"	11.5"	13.5"	11.5"
19"	16.5"	14.5"	12.5"	14.5"	12.5"
20"	17.5"	15.5"	13.5"	15.5"	13.5"

H. Seat to Footrest Length See Diagram 3

Measured from front edge of seat sling to top rear of footrest. Footrest length of at least 2.5" shorter than front seat height recommended.

I. Rear Seat Height See Diagram 3

Measured from floor to top of seat tube at front of back post. Rear seat height is custom to needs.

J. Center of Gravity Preset See Diagram 3

Measured from front of back post to center of rear axle. 0° indicates axle will be directly under back post.

K. Rear Wheel Spacing See Diagram 1

Measured from outside of seat back to inside of rear tire. Adjustable out .5" from setting.

L. Caster Position See Diagram 4

The Optimized Position keeps the casters tighter to the frame for enhanced maneuverability. Expanded Position pushes the casters out .75" past the Optimized Position for increased stability.

Diagram 1




Diagram 2




Diagram 3




Diagram 4

