



Phone (800) 981-1540 | Fax (715) 254-0996
sales@kimobility.com | www.kimobility.com

ROGUE ALX

Company:

Ship To:

Account Number:

Date:

Address:

Quote: PO Number:

City:

State:

ATP:

Zip:

Phone:

Marked For:

Email/Fax:

Associated Quote/Order#:

Effective: 1/5/2026

Rogue ALX £2100
250 lb Weight Capacity

Frame

Seat Width

See reference A on page 7

14" [R2SWT014]	N/C
15" [R2SWT015]	N/C
16" [R2SWT016]	N/C
17" [R2SWT017]	N/C
18" [R2SWT018]	N/C
19" [R2SWT019]	N/C
20" [R2SWT020]	N/C
21" [R2SWT021]	N/C
22" [R2SWT022]	N/C

Seat Depth

See reference B on page 7

14" [R2SDE014]	N/C
15" [R2SDE015]	N/C
16" [R2SDE016]	N/C
17" [R2SDE017]	N/C
18" [R2SDE018]	N/C
19" [R2SDE019]	N/C
20" [R2SDE020]	N/C

Weight Capacity

250 lbs [R2STD001]	N/C
350 lb (Heavy Duty) [R2HVD001]	£348
Requires 6" casters	

Transit Option

Transit System [R2TRNOPT]	N/C
125 lb maximum weight capacity	
Omit [R2TRNOP2]	N/C

Sling Position

See reference C on page 7

0" (Performance) [R2SP01]	N/C
1" [R2SP03]	N/C
2" (Classic) [R2SP02]	N/C

Adjustable Depth

Adds the capability to grow seat in Depth

No Rear Adjustment [R2AD05]	N/C
1/2" [R2AD06]	N/C
1" [R2AD01]	N/C
2" [R2AD02]	£189
3" [R2AD03]	£189

Long Sling

Available only with 1", 2" and 3" Adjustable Depth

Long Sling [R2AD04]	N/C
Sling will be maximum 2" longer than seat depth	

Seat Option

Standard Seat Sling [R2SSS001]	N/C
Aluminum Solid Seat Pan [R2ACC004]	£299
Seat Pan is 1" longer when Long Sling option is selected	

Front Frame Bend

See reference D on page 7

90° [R2FA01]	N/C
85° [R2FA03]	N/C
80° [R2FA02]	N/C
75° [R2FA04]	£161
70° [R2FA05]	£161

Backrest

Back Post / Height Range / Back Height

Back Post	Price	Height Range	Back Height				
Height Adjustable	N/C	Short [R2BOP025]	11" ²	12"	13"	14"	
		Medium [R2BOP026]	13"	14"	15"	16"	17"
		Tall [R2BOP027]	17"	18"	19"	20"	
Fixed Height ¹	N/C	Fixed Straight [R2BOP011]	9" ²	10" ²	11" ²	12" ³	13"
			14"	15"	16"	17"	18"

¹ Not available with back upholstery² Not available with Fold Down Push Handle³ Fold Down Push Handle requires Height Adjustable Rigidizer Bar

Locking Backrest

 Locking Fold Down Back [R2BCK011] £49
 Not available with 350 lb Weight Capacity or Seat Widths greater than 19"

Seat Back Angle

 Standard is 90° (perpendicular to floor). Minus (-°) closes back angle. Plus (+°) opens back angle.
 -12° Requires Locking Fold Down Back.

Standard [R2SBA001]	+3° [R2SBA002]	+6° [R2SBA003]
+9° [R2SBA004]	-3° [R2SBA005]	-6° [R2SBA006]
-9° [R2SBA007]	-12° [R2SBA008]	N/C

Push Handles

Omit Push Handle [R2BCK008]	N/C
Standard Push Handle [R2BCK004]	N/C
Low Profile Push Handle [R2BCK007]	£154
<i>2" shorter than standard push handles</i>	
Bolt-On Push Handle [R2BOP005]	£209
<i>Handles will be 1" - 2" above back height</i>	
Fold Down Push Handle [R2BCK006]	£182
<i>Not available with 350 lb Weight Capacity</i>	

Rigidizer Bar

Adjustable Height Rigidizer Bar [R2BCK001]	N/C
Non-Adjustable Height Rigidizer Bar [R2BCK010]	N/C
<i>Not available with Fixed Height Back Post and Locking Fold Down Back</i>	

Back Upholstery Options

Available only with Height Adjustable Back Posts. If selecting both upholstery and Axiom Back, the upholstery will be installed.

Padded Velcro Adjustable with Standard Cover [R2BUP001]	N/C
<i>Not available with 350 lb Weight Capacity</i>	
Padded Velcro Adjustable with Air Mesh Breathable Cover [R2BUP006]	£84
<i>Not available with 350 lb Weight Capacity</i>	
Tension Adjustable with Standard Cover [R2BUP002]	N/C
Tension Adjustable with Air Mesh Cover [R2BUP007]	£209
Omit [R2BUP003]	N/C

Front Seat Height and Casters

Caster Size / Footrest Taper / Front Seat Height

Select Footrest Taper (reference E, p.7), Caster Size then Front Seat Height (reference F, p.7) in the corresponding row. 2" Taper not available with 75° Front Frame Bend. 6" Casters not available with 85° and 90° Front Frame Bend. Straight Taper required with 70° Front Frame Bend.

Footrest Taper	Caster Size	Front Seat Height														
Straight [R2TXFT00]	3"	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"
	4"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"	
	5"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"		
	6"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"			
1" [R2TXFT01]	3"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"						
	4"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"							
	5"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"								
	6"	18"	18.5"	19"	19.5"	20"	20.5"									
2" [R2TXFT02]	3"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"						
	4"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"							
	5"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"								
	6"	18"	18.5"	19"	19.5"	20"	20.5"									

Casters

		Caster Size				
		Price	3"	4"	5"	6"
Caster Type	.75" Rollerblade	N/C	[R2CAS002]	[R2CAS004]		
	.75" Lighted Rollerblade	£93	[R2CAS001]	[R2CAS005]		
	1.25" Soft Roll	N/C		[R2CAS006]	[R2CAS010]	[R2CAS014]
	1" Poly Aluminum	£110		[R2CAS007]	[R2CAS011]	
	1" Pneumatic	£118				[R2CAS017]
	1.5" Soft Roll	N/C		[R2CAS032]	[R2CAS025]	[R2CAS026]
	1.5" Soft Roll Aluminum	£110	[R2CAS003]	[R2CAS009]	[R2CAS013]	[R2CAS016]

Fork Options

Standard Fork [R2CST001]	N/C
Slotted Fork [R2FRK001]	N/C
Single Sided Fork [R2FRK002]	£237
<i>Not available with 6" Caster Size</i>	
Frog Legs II Suspension System [R2CST014]	£488
<i>Not available with 350 lb Weight Capacity</i>	

Caster Pin Locks

Caster Pin Locks [R2CST005]	£223
<i>Available only with Standard Fork or Slotted Fork</i>	

Footrest

Footplate

Tubular "Open" Footplate [R2FPL004]	N/C
<i>Not available w/footrest widths greater than 17.5". See Reference G on page 7.</i>	
Tubular Footplate with ABS Cover [R2FPL005]	£99
<i>Not available w/footrest widths greater than 15.5". See Reference G on page 7.</i>	
Aluminum Angle Adjustable [R2FPL006]	£209
Aluminum Angle Adjustable with Riser [R2FPL007]	£209
<i>Not available with 350 lb Weight Capacity</i>	
High Mount Aluminum Angle Adjustable [R2FPL008]	£209
<i>Not available with 350 lb Weight Capacity</i>	
Angle Adjustable Flip Under [R2FPL012]	£258
<i>Not available with footrest widths less than 9.5". Not available with 350 lb Weight Capacity.</i>	
High Mount Angle Adjustable Flip Under [R2FPL011]	£313
<i>Not available with footrest widths greater than 15.5" or 350 lb Weight Capacity. See Reference G on page 7.</i>	

Footrest Protector

Footrest Protector [R2ACC020]	N/C
<i>Available only with Tubular footplates</i>	

Seat to Footrest Length

See reference H on page 7. Should be at least 2.5" shorter than Front Seat Height.

8"	8.5"	9"	9.5"	10"	10.5"
11"	11.5"	12"	12.5"	13"	13.5"
14"	14.5"	15"	15.5"	16"	16.5"
17"	17.5"	18"	18.5"	19"	19.5"

Rear Seat Height and Wheels

Wheel Size / Rear Seat Height

Select Rear Seat Height (reference I, p. 7) in row corresponding to desired Wheel Size. Selection is required.

Wheel Size	Rear Seat Height													
22"	13.5" ¹	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"
24"	14.5" ¹	15"	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"		
25"	15" ¹	15.5"	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"			
26"	15.5" ¹	16"	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"				

¹ Available only with Low Profile tires

Camber Bar Tower

Standard Tower [R2CM01]	N/C
Mx Tower [R2CM02]	N/C

Standard Tower allows rear seat height adjustment up or down in 1/4" increments. 1" adjustment available; 1/2" in lowest end of range. Mx Tower required with select low seat heights or when large rear seat height adjustment range is required. Provides 3" adjustment range in 1/4" increments.

Rear Wheel

		Rear Wheel Size				
		Price	22"	24"	25"	26"
Rear Wheel Type	Spoke	N/C	[R2WHE022]	[R2WHE024]		
	Mag	N/C	[R2WHE122]	[R2WHE124]		
	Maxx Spoke	N/C	[R2WH1122]	[R2WH1124]	[R2WH1125]	[R2WH1126]
	Spinergy Spox	£480	[R2WHE422]	[R2WHE424]	[R2WHE425]	[R2WHE426]
	Spinergy LX	£550	[R2WHE522]	[R2WHE524]	[R2WHE525]	[R2WHE526]

Spinergy Options

Select spoke color for Spinergy wheels

Black Spokes [R2SSC001]	N/C
Red Spokes [R2SSC002]	Blue Spokes [R2SSC005]
White Spokes [R2SSC003]	£105

Handrims

Standard Handrims

Aluminum Anodized [R2HRM001]	N/C
Plastic Coated [R2HRM002]	£139
Projection (8 Vertical Projections) [R2HRM003]	£383
Available only with full profile tires in combination with 22", 24", and 26" MAXX Spoke wheels, or 22" and 24" Mag wheels	

Ergonomic Handrims

Not available with 26" wheels

Ergo Lite Regular Grip [R2HRM005]	£313
Ergo Standard Regular Grip [R2HRM008]	£313
Ergo Lite Extra Grip [R2HRM006]	£313
Ergo Standard Extra Grip [R2HRM009]	£313
Ergo Lite Omit Grip [R2HRM004]	£313
Ergo Standard Omit Grip [R2HRM007]	£313

Handrim Options

Handrim Mount

If no selection is made, Standard Mount will be used

Close Mount [R2TAB001]	N/C
Reduces overall width by .75"	

Micro-Grip

3M Micro Grip [R2ACC006]	£105
Not available on Plastic Coated or Projection Handrims	

Rear Tire Type

Full Poly 1 3/8" [R2TIR002]	N/C
Not available on 25" or 26" wheel sizes	
Low Poly 1" [R2TIR003]	N/C
Not available on 25" or 26" wheel sizes or 350 lb Weight Capacity	
Pneumatic with Airless Insert 1 3/8" [R2TIR004]	£127
Not available on 25" wheel size	
Sentinel Solid tire 1" [R2TIR005]	£127
Not available on Superlight Wheels	
Street Pneumatic 1 3/8" [R2TIR001]	£127
Not available on 25" wheel size	
High Pressure 1" [R2TIR006]	N/C
Not available on Mag wheel	
Schwalbe Marathon Plus Evolution 1" [R2TIR010]	£127
Not available on Mag wheel or 22" wheel size	
Mountain 2" Black [R2TIR009]	£174
Available only on 22", 24" and 25" MAXX Spoke and Spinergy wheels	
Schwalbe HS-127 1 3/8" [R2TIR017]	£127
Available only on 24" wheel size	

Axle

Quick Release [R2AXO003]	N/C
Quad Quick Release [R2AXO001]	£209
Not available with Mag or Spinergy wheels	

Center of Gravity Presets

See reference J on page 7

Amputee Positions				
-1.5" [R2CGA150]	-1" [R2CGA100]	-0.5" [R2CGA050]	0" [R2CGS000]	.25" [R2CGS025]
Standard Positions				
.5" [R2CGS050]	.75" [R2CGS075]	1" [R2CGS100]	1.25" [R2CGS125]	1.5" [R2CGS150]
1.75" [R2CGS175]	2" [R2CGS200]	2.25" [R2CGS225]	2.5" [R2CGS250]	2.75" [R2CGS275]
3" [R2CGS300]	3.25" [R2CGS325]	3.5" [R2CGS350]	3.75" [R2CGS375]	4" [R2CGS400]
4.25" [R2CGS425]				

Rear Wheel Spacing

1.5" minimum with T-Arms. 1.25" minimum with Spinergy Wheels. See reference K on page 7.

0.75" [R2WS075]	1" [R2WS100]	1.25" [R2WS125]	
1.5" [R2WS150]	1.75" [R2WS175]		N/C

Rear Wheel Camber

0° [R2WC00]	2° [R2WC02]	4° [R2WC04]	6° [R2WC06]	
8° [R2WC08]				N/C

Wheel Locks

Wheel Lock

Push to Lock [R2WLK002]	N/C
Push to Lock Flush Mount [R2WLK001]	£77
Pull to Lock [R2WLK003]	N/C
Under Seat Scissor Lock [R2WLK007]	N/C
Low Profile Scissor Lock [R2WLK012]	N/C
Not available with Full Poly Tires	
Omit [R2WLK008]	N/C

Wheel Lock Options

Extension Handles [R2WLK004]	£56
Available only with Push to Lock or Pull to Lock Wheel Locks	
Grade Aids [R2WLK009]	£167
Available only with Push to Lock Wheel Locks and Pneumatic or Pneumatic with Airless Insert tires	

Armrests

Armrest Type	Length	Price
Height Adjustable T-Arm Tall (11.5"-15")	Desk [R2ARM039]	£244
	Full [R2ARM040]	
Height Adjustable T-Arm (8.5"-13.5")	Desk [R2ARM003]	£244
	Full [R2ARM004]	
Height Adjustable T-Arm Low (6.5"-10.5") ¹	Desk [R2ARM022]	£244
	Full [R2ARM023]	

¹ If requested configuration is unavailable, standard height T-Arm will be used
² Includes direct mount receiver

Armrest Type		Price
Swing Away (8.5"-12.5")	[R2ARM002]	£161
Swing Away with Side Guard (8.5"-12.5") ²	[R2ARM018]	£161
Omit Armrests	[R2ARM007]	N/C

Side Guards

Direct Mount Side Guards

Not available with T-Arms or Swing Away with Side Guard Armrests

Composite Side Guards [R2SDG002]	N/C
Aluminum Straight - Black Matte [R2SDG024]	£244
Aluminum Straight - Match Frame Color [R2SDG025]	£313
Aluminum Adjustable Fender with Foam Pad - Black Matte [R2SDG014]	£340
Not available with Adjustable Depth greater than 1/2"	
Aluminum Adjustable Fender with Foam Pad - Match Frame Color [R2SDG015]	£411
Not available with Adjustable Depth greater than 1/2"	
Carbon Fiber Adjustable Fender [R2SDG013]	£452
Not available with Adjustable Depth greater than 1/2"	

Side Guard Removal Option

Option must be selected when ordering Side Guards

Removable [R2SGR001]	N/C
----------------------	-----

Clamp-On Mount Side Guards

Not available with T-Arms or Swing Away with Side Guard Armrests

Composite Side Guards [R2SDG004]	N/C
Aluminum Straight - Black Matte [R2SDG020]	£244
Aluminum Straight - Match Frame Color [R2SDG023]	£313
Aluminum Adjustable Fender with Foam Pad - Black Matte [R2SDG017]	£340
Aluminum Adjustable Fender w/Foam Pad - Match Frame Color [R2SDG018]	£411
Carbon Fiber Adjustable Fender [R2SDG016]	£452

Accessories

Anti - Tips

Rear Anti-Tips [R2ATP001]	£105
User Activated - Pair [R2ATP012]	£368
User Activated - Left [R2ATP010]	£189
User Activated - Right [R2ATP011]	£189
Omit [R2ATP000]	N/C

Pelvic Positioning Belt

1 1/2" Auto Buckle Pelvic Positioning Belt [R2POB001]	£63
1 1/2" Padded Auto Buckle Pelvic Positioning Belt [R2POB002]	£174
Small Flex-Mount Positioning Belt (16-24") [R2POB007]	£216
Medium Flex-Mount Positioning Belt (19-29") [R2POB008]	£216
Large Flex-Mount Positioning Belt (25-37") [R2POB009]	£216

Belt Mounting Kit

Ki Mobility Belt Mounting Clamp [R2ACC023]	£43
Belt Mounting Bracket [R2ACC013]	£118

Calf Strap

Velcro Adjustable [R2ACC002]	N/C
Padded Velcro Adjustable [R2ACC003]	£77
Padded AirMesh Calf Strap [R2ACC010]	£118

Other Accessories

Tool Kit [R2ACC005]	£23
Removable Underseat Pouch [R2ACC015]	£35
Ki Mobility Backpack [R2ACC009]	£115
Luggage Carrier [R2ACC025]	£84
Black Neoprene Impact Guards [R2IMG001]	£99
Cane and Crutch Holder [R2ACC007]	£105

Upper Extremity Support Tray

3/8" Polycarbonate with ABS ribs. Hardware ordered separately. BC = Body Cut Out. Armrest assembly is required for tray mounting.

Tray	Fits Chair	Retail
Tray, Small 22" x 20" (BC 13" x 8") [R2TRY002]	10" - 14"	N/C
Tray, Medium 24" x 22" (BC 15" x 9") [R2TRY003]	12" - 16"	N/C
Tray, Large 26" x 24" (BC 17" x 10") [R2TRY004]	14" - 18"	N/C
Tray, X-Large 28" x 26" (BC 18" x 10") [R2TRY005]	16" - 20"	N/C
Tray Hardware Assy, Knob Release - Pair [R2123534]		N/C

Frame Color

Touch-up paint available for purchase in the parts manual

Options	Price	Colors																	
		Gloss												Matte					
		Black	Ruby Red	Radiant Orange	Yellow	Electric Green	Rich Teal	Glacier Blue	Blue Steel	Deep Sapphire Blue	Purple Plum	Opalescent Violet	Dark Pink	Light Pink	Champagne	Shadow Black	Iridescent Navy	Bright Red	Tactical Green
Frame	N/C																		
Color Accent Package ¹	N/C																		

¹ Includes backplates, forks, and camber tube. Available only with Locking Fold Down Back and Slotted Forks. Not available with Heavy Duty.

References

A. Seat Width See Diagram 1

Measured from outside of frame tube on one side to outside of frame tube on other side.

B. Seat Depth See Diagram 3

Measured from front of back posts to front edge of seat sling. Seat sling starts at beginning of bend at front of frame.

C. Sling Position See Diagram 2

In Performance Position (0°), sling is at front of frame to keep chair shorter and more maneuverable. The 1" or 2" seat sling position extends the frame in front of the sling by that amount. Adding more frame can improve stability and provide support to aid in transfers.

D. Front Frame Bend See Diagram 3

Angle between front seat tube and ground.

E. Footrest Taper See Diagram 1

Indicates bend of front frame creating footrest. Taper is measured from outside of seat frame to outside of front tube.

F. Front Seat Height See Diagram 1

Measured from floor to top of seat tube at front of seat sling.

G. Footrest Width See Diagram 1

Measured from inside of front tube to inside of front tube on other side. Footrest width is listed below for each seat width and taper.

Seat Width	Straight	1" Taper	2" Taper
Outside Measurement	2" Narrower than Seat Width	4" Narrower than Seat Width	6" Narrower than Seat Width
14"	11.5"	9.5"	
15"	12.5"	10.5"	
16"	13.5"	11.5"	
17"	14.5"	12.5"	10.5"
18"	15.5"	13.5"	11.5"
19"	16.5"	14.5"	12.5"
20"	17.5"	15.5"	13.5"
21"	18.5"	16.5"	14.5"
22"	19.5"	17.5"	15.5"

H. Seat to Footrest Length See Diagram 3

Measured from front edge of seat sling to top rear of footrest. Footrest length of at least 2.5" shorter than front seat height recommended.

I. Rear Seat Height See Diagram 3

Measured from floor to top of seat tube at front of back post. Rear seat height is custom to needs.

J. Center of Gravity Preset See Diagram 3

Measured from front of back post to center of rear axle. 0° indicates axle will be directly under back post.

K. Rear Wheel Spacing See Diagram 1

Measured from outside of seat back to inside of rear tire. Adjustable out .5" from setting.

Diagram 1




Diagram 2




Diagram 3

