

Adjusted by:

Tel:

Save the form to the desktop and
open it with Adobe Reader.

E-mail:

Date:

The price changes depending on
the choices made in the form £:

Standard configuration includes chassis, seat, calfstrap, backrest lock, standard colour option, backrest, carbon rear axle, castor and fork, swing away foot rest with foldable footplates, push to lock S3 brake, Panthera crosslaced steel spoke rear wheel, titanium pushrims and Schwalbe right Run tires.

Choice required:

Max. user weights : Seat width 33-42 cm 100 kg, Seat width 45-50 cm 150 kg,

Optional

Upcharge /Add-price

Marked yellow

Click on "blue underlined text" for more info or image

Original design

Alternative options

Other options

1 Chassis

[S3 Swing](#)

[S3 Swing Short](#)

[S3 Swing Low 0°](#)

[S3 Swing Long](#)

Seat width 36-50 cm, Seat depth 40 cm

Seat width 33-39 cm, Seat depth 35 cm

Seat width 36-50 cm, Seat depth 35,37.5,40 cm (seat width 45 cm) 37.5,40 cm (seat width 50 cm)

Seat width 36-50 cm, Seat depth 37.5,40,42.5, 45 cm

Clear

2 Chassis colour

Black- Anodic black

Gray- Metallic gray

Clear

Optional colour - A delivery time of 20 days
for optional colour. Fill in art.no. in the square

3 Seat width

33 cm 36 cm 39 cm 42 cm 45 cm 50 cm

Clear

Check allowed seat width at "1 Chassis"

4 Seat depth

35 cm 37.5 cm 40 cm 42.5 cm 45 cm

Clear

Option only needed for Swing Low and
Swing Long

5) Back rest Height (HH) [INFO](#)

[Standard](#)

20 cm

35 cm

523BBHH VER2

25 cm

40 cm

30 cm

45 cm

Clear

Clear

[Tapered](#) 525BBHH VER2

[Curved](#) 524BBHH VER2 [For](#)

[Frame from solid backrest](#)

[INFO](#)

[Tapered 6 cm](#)

[Flared 3 cm](#)

[Curved/Tapered](#)

6) Rear axle

[Carbon std](#)

33023BB

Clear

[Carbon +15 mm](#)

33023BC*

Use this rear axle when chosing,arm support at
Accessories and/or increased seat height

* seat width BB+1

[Other](#) rear axle or seat height

[Increase the seat height](#)

7) Castor and fork

[art.no.](#)

[90 mm](#)

[120 mm](#)

Clear

8) Footrest

[art.no.](#)

[Foldable](#)

Clear

[Foldable large](#), extended 80 mm forward

[Foldable extended. \(40 mm\)](#)

[Heel strap for footplates](#)

9) Brake

[Brake S3](#)

4630000

Clear

Art.no.

[Assistant brake *](#)

* Not for short / low chassis

All prices for rearwheels are for pair

10) Rear wheel - without pushrim

[Rear wheel sizes](#)

[24" std](#)

[art.no.](#)

22" [standard](#)

[One arm drive](#)

Clear

24" [Spinergy X](#) black spokes

25" [Spinergy X](#) black spokes

26" [Spinergy X](#) black spokes

24" [Spinergy X](#) white spokes

25" [Spinergy X](#) white spokes

26" [Spinergy X](#) white spokes

11) Tyre - choose tyre

All prices for tyres are for pair

[Schwalbe Right Run](#) 22", 24", 25", 26"

Clear

[Rugged 24"](#)

[Schwalbe Marathon Plus](#), 24", 25", 26"

[Schwalbe One](#) 24", 25"

[PU 24" \(massive\)](#)

reTyre does not fit PU tyres

[reTyre skins 24"](#)

[reTyre skins 25"](#)

[reTyre skins 26"](#)

Clear

12) Pushrim

All prices for pushrims are for pair

[Aluminium](#)

1902430 (x2 / wheelchair)

Clear

[Paragrip](#)

19051DDBT x 2

[Tetragrip](#)

19052DDBT x 2

[Maxgrip 22", 24"](#)

1903060 x 2 (60=24", 80=22"
(contains latex)

[Titanium](#)

190DD11 (x2 / wheelchair)

Accessories

Side guard [art.no.](#)

[Side guard S3](#)

[video](#)

Clear

Arm support [art.no.](#)

[Arm rest S3](#) *

[video](#)

* 26" std for 24" wheels for Short Low
26" std for Assistant brake

Side guard Carbon [art.no.](#)

[Without fender](#)

[Small fender](#)

[Large fender](#)

Push handles [Video](#)

[Height adjustable S3](#)

4252060 VER2

[Height adjustable S3 +10 cm](#)

4252063 VER2

Max. userweight 100 kg

Clear

Push handle foldable

[Foldable S3](#)

4245000

[Video](#)

Push bar

[Push bar S3](#)

42400BB VER2

Max. userweight 100 kg

Anti-Tip [Video](#)

[Anti-tip](#) std seat height

4353000

[Anti-tip](#) short low

4355000

[Anti-tip](#) Large

4353080

Clear

[Other seat height](#)

Art.no.

Other

[Tube protection, front](#)

9900251

[Tube protection, rear](#)

9900251

[Crutch holder S3](#)

9900301 (x1/ crutch)

[Backrest wedge](#)

4710012

Cushion Wedge cushion

[2,5 cm](#)

572BB40

[Wedge cushion](#)

57710BB

[5 cm](#)

575BB40

Clear

Spoke protectors

[24" logo](#)

4500000

[22" logo](#)

4500100

[24" no logo](#)

4500011

[22" no logo](#)

4500111

Clear

Spoke protectors with theme

[22" Splash](#)

4500322

[24" Splash](#)

4500324

[22" Car rim](#)

4500122

[24" Car rim](#)

4500124

[22" Wild animals](#)

4500422

[24" Wild animals](#)

4500424

[22" Smiley](#)

4500222

[24" Smiley](#)

4500224

Clear

SPLASH

CAR RIM

WILD ANIMALS

SMILEY

Set-up adjustments

Back rest angle

Note measure (A) for desired back rest angle.
14-28 mm. Standard = 20 mm

A= _____mm

Footrest height

Note measure (A) and (B) for desired height

A= _____mm B= _____mm

Rear axle adjustment

Note measure (A) for desired balance
Standard = 40 mm.
Standard = 25 mm S3 Swing short

A= _____mm

Extra