



Deliver to:		Deliver to:	
Name:		Name:	
Street:		Street:	
Town:	Postal code:	Town:	Postal code:
E-Mail:		E-Mail:	
Tel:	Fax:	Tel:	Fax:
Order date:		Marked for:	
Purchase order:			
Number required:		Sunrise order no	D:
All Queries Medice	I wheelchairs and powerchairs	• = Standard	$\Box$ = Cost option $\bigcirc$ = No cost option
	h JAY cushions and backrests,	Customer Service	es fax number <b>0845 605 66 89</b>
	JAT	Customer Service	es email orders@sunmed.co.uk
		Max. user wei	ight: 125kg // 140 kg (2)
		USER WEIGH	-
Transportation	Approved	Mandatory information	n to ensure correct configuration
Details of options	s can be found in the Quickie Manual Whee	lchair	
Accessory Guide	•		Base Price

## Part no.: 65100001 PQR01

Please consult our colour catalogue, to review your colour choice at the end of the order form

£1,800 5% Surcharge will be added to the total value of the order

				C	LIENT	MEASU	REMEN	ITS				
					Seat	Width i	n cm					
	30 cm	32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm	
32 cm	0	0	0	0	0	0	0	0	0	0	0	
34 cm	0	0	0	0	0	0	0	0	0	0	0	
36 cm	0	0	0	0	0	0	0	0	0	0	0	
38 cm	0	0	0	0	0	0	0	0	0	0	0	
40 cm	0	0	0	0	0	0	0	0	0	0	0	
42 cm	0	0	0	0	0	0	0	0	0	0	0	
44 cm	0	0	0	0	0	0	0	0	0	0	0	
46 cm	0	0	0	0	0	0	0	0	0	0	0	
48 cm	0	0	0	0	0	0	0	0	0	0	0	
50 cm	0	0	0	0	0	0	0	0	0	0	0	All measurements are in c
52 cm	0	0	0	0	0	0	0	0	0	0	0	and without a cushion

		Front Seat Height in cm								
		Fork type	45	46	47	48	49	50	51	52
	3"	111mm	0	0	0					
or	3	123mm (1)			0	0	0			
Front Castor		111mm	0	0	0	0	0			
Ü	4"	123mm (1)			0	0	0	0		
oni		Frog leg (1)					0	0	0	
Ъ		111mm				0	0	0		
	5"	123mm (1)				0	0	0	0	
		Frog leg (1)							0	0
		123mm <b>(1)</b>						0	0	0

Your rear seat height can only be between 0cm and 13cm below your front seat height: i.e. rear seat height CANNOT be above front seat height. i.e. rear seat height CANNOT be more than 13cm below front seat height. More info, see page 2

## Rear seat height in cm Rear Wheels 34 35 36 37 38 39 40 41 42 43 48 49 50 51 52 22" 24" Ο Ο Ο 25" Ο 26"

(1) compatible with power add on devices

(2) 136kg in combination with AGN090100 "Crash Test Option"

				£
	SEAT UPHOLSTERYS AND CUSHIONS			
Seat Slings:				
GN020002 C	Seat sling with 1 utility bag		(Std default option)	
AGN020003	Seat sling with 2 utility bag		(only from SW 34 cm)	46
AGN020004 C	Seat sling with utility bag and catheter bag		(only from SW 34 cm)	105
AGN020000 C	D Without seat sling			
Seat cushio	n black cover:			
Foam compos	ite: (medium soft) Thickness: AGN020101	AGN020102	□ 5 cm	66
Latex: (very so	Dift) Thickness: $AGN020103$ $\Box$ 5 cm	AGN020104	□ 8 cm	66
Seat cushio	n with water resistant / breathable cover:			
Foam compos	tite: (medium soft) Thickness: AGN020105	AGN020106	□ 5 cm	123
Latex: (very so	oft) Thickness: AGN020107	AGN020108	□ 8 cm	123
AGN020150	Spare cushion cover	-		44
JAY Cushio	ns - for complete product range see Jay order forms:			
JAY020002	□ Jay Basic			55
JAY020003 C	Jay Soft Combi P			77
JAY020001	□ Jay Easy Visco			132
JAY020007 [	□ JAY Easy Fluid			308
JAY020004	□ JAY Lite			215
Seat access	ories			
AGN090018 [	Positioning belt			38
В	ACKREST			
В	<b>_</b>	30 - 40	40 - 45	
В	Back height range 25 - 30	<b>30 - 40</b> 0 30 0 37 5	<b>40 - 45</b>	
В	Back height range25 - 30Choose back height factory setting (cm).O	O 30 O 37.5	O 40	
В	Back height range25 - 30Choose back height factory setting (cm).0Height adjustments possible in the027.5	O     30     O     37.5       O     32.5     O     40	<ul><li>○ 40</li><li>○ 42.5</li></ul>	
В	Back height range25 - 30Choose back height factory setting (cm).0Height adjustments possible in the027.5	O 30 O 37.5	O 40	
	Back height range25 - 30Choose back height factory setting (cm).OHeight adjustments possible in theOrange 25-30 cm; 30-40 cm; 40-45 cm.O	O     30     O     37.5       O     32.5     O     40	<ul> <li>○ 40</li> <li>○ 42.5</li> <li>○ 45</li> </ul>	
AGN030015 C	Back height range25 - 30Choose back height factory setting (cm).025Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.030OAngle adj. Back (fold down)(-31° to +15°)	O     30     O     37.5       O     32.5     O     40	<ul><li>○ 40</li><li>○ 42.5</li></ul>	25
AGN030015 C AGN030102	Back height range       25 - 30         Choose back height factory setting (cm).       0       25         Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.       0       27.5         O       Angle adj. Back (fold down)       (-31° to +15°)         O       Double locking	O     30     O     37.5       O     32.5     O     40	O       40         O       42.5         O       45	35
4GN030015 C 4GN030102	Back height range       25 - 30         Choose back height factory setting (cm).       0       25         Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.       0       27.5         O       Angle adj. Back (fold down)       (-31° to +15°)         O       Double locking	O     30     O     37.5       O     32.5     O     40	<ul> <li>○ 40</li> <li>○ 42.5</li> <li>○ 45</li> </ul>	35
AGN030015 C AGN0300102 AGN030012 C	Back height range       25 - 30         Choose back height factory setting (cm).       0         Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.       0       27.5         O       Angle adj. Back (fold down)       (-31° to +15°)         □       Double locking         O       Angle adj. Back (fixed)       (-31° to +15°)	O     30     O     37.5       O     32.5     O     40	O       40         O       42.5         O       45	35
AGN030015 C AGN030102 AGN030012 C Push handle	Back height range       25 - 30         Choose back height factory setting (cm).       0         Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.       0       27.5         O       Angle adj. Back (fold down)       (-31° to +15°)         O       Double locking         O       Angle adj. Back (fixed)       (-31° to +15°)         Es: Choose only one option       Choose only one option	O     30     O     37.5       O     32.5     O     40	O       40         O       42.5         O       45	35
AGN030015 C AGN030102 AGN030012 C <b>Push handle</b> AGN030200 C	Back height range       25 - 30         Choose back height factory setting (cm).       0         Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.       0       27.5         O       Angle adj. Back (fold down)       (-31° to +15°)         O       Double locking         O       Angle adj. Back (fixed)       (-31° to +15°)         Es: Choose only one option       O         O       Without push handles	O     30     O     37.5       O     32.5     O     40	O       40         O       42.5         O       45	35
AGN030015 C AGN030012 AGN030012 C <b>Push handle</b> AGN030200 C AGN030200 C	Back height range       25 - 30         Choose back height factory setting (cm).       0         Height adjustments possible in the       0         range 25-30 cm; 30-40 cm; 40-45 cm.       0         O       Angle adj. Back (fold down)       (-31° to +15°)         □       Double locking         O       Angle adj. Back (fixed)       (-31° to +15°)         es:       Choose only one option         O       Without push handles         O       Integral push handles long	O     30     O     37.5       O     32.5     O     40	O       40         O       42.5         O       45    (only available black anodized style package) (only available black anodized style package)	
AGN030015 C AGN030102 AGN030012 C Push handle AGN030200 C AGN030201 C AGN030203 C	Back height range       25 - 30         Choose back height factory setting (cm).       0       25         Height adjustments possible in the       0       27.5         range 25-30 cm; 30-40 cm; 40-45 cm.       0       30         D       Angle adj. Back (fold down)       (-31° to +15°)         D       Double locking         D       Angle adj. Back (fixed)       (-31° to +15°)         Es: Choose only one option       0         Without push handles       0       Integral push handles         D       Integral push handles       0	O     30     O     37.5       O     32.5     O     40	O       40         O       42.5         O       45    (only available black anodized style package)	129
AGN030015 C AGN030102 AGN030012 C Push handle AGN030200 C AGN030201 C AGN030203 C AGN030203 C	Back height range       25 - 30         Choose back height factory setting (cm).       0         Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.       0       27.5         O       Angle adj. Back (fold down)       (-31° to +15°)         O       Double locking         O       Angle adj. Back (fixed)       (-31° to +15°)         es: Choose only one option       0         Without push handles       0         Integral push handles       1         Height adj push handles       1	O     30     O     37.5       O     32.5     O     40	O       40         O       42.5         O       45    (only available black anodized style package)	129 171
AGN030015 C AGN030102 AGN030012 C Push handle AGN030200 C AGN030201 C AGN030203 C	Back height range       25 - 30         Choose back height factory setting (cm).       0         Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.       0       27.5         O       Angle adj. Back (fold down)       (-31° to +15°)         O       Double locking         O       Angle adj. Back (fixed)       (-31° to +15°)         Est: Choose only one option       Vithout push handles         O       Integral push handles         O       Integral push handles         Height adj push handles       Height adj push handles	O     30     O     37.5       O     32.5     O     40	O       40         O       42.5         O       45    (only available black anodized style package)	129
AGN030015 C AGN030102 AGN030012 C Push handle AGN030200 C AGN030201 C AGN030203 C AGN030204 C AGN030205 C	Back height range       25 - 30         Choose back height factory setting (cm).       0         Height adjustments possible in the       0         range 25-30 cm; 30-40 cm; 40-45 cm.       0         Angle adj. Back (fold down)       (-31° to +15°)         Double locking       0         Angle adj. Back (fixed)       (-31° to +15°)         Back conse only one option       0         Without push handles       0         Integral push handles       0         Height adj push handles       0         Height adj push handles       0	O     30     O     37.5       O     32.5     O     40	O       40         O       42.5         O       45    (only available black anodized style package)	129 171
AGN030015 C AGN030102 AGN030012 C Push handle AGN030200 C AGN030201 C AGN030203 C AGN030203 C AGN030205 C Backrest up	Back height range       25 - 30         Choose back height factory setting (cm).       0       25         Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.       0       27.5         O       Angle adj. Back (fold down)       (-31° to +15°)       0       30         O       Angle adj. Back (fold down)       (-31° to +15°)       0       30         O       Angle adj. Back (fixed)       (-31° to +15°)       0       30         O       Angle adj. Back (fixed)       (-31° to +15°)       0       30         O       Angle adj. Back (fixed)       (-31° to +15°)       0       0         O       Ses: Choose only one option       0       0       0       0         O       Without push handles       0 <td< td=""><td>0       30       0       37.5         0       32.5       0       40         0       35       -</td><td>O       40         O       42.5         O       45    (only available black anodized style package) (only available from back height 32.5 cm) (only available from back height 32.5 cm) (only available from back height 32.5 cm)</td><td>129 171</td></td<>	0       30       0       37.5         0       32.5       0       40         0       35       -	O       40         O       42.5         O       45    (only available black anodized style package) (only available from back height 32.5 cm) (only available from back height 32.5 cm) (only available from back height 32.5 cm)	129 171
AGN030015 C AGN030102 AGN030012 C Push handle AGN030200 C AGN030201 C AGN030203 C AGN030203 C AGN030205 C Backrest up	Back height range       25 - 30         Choose back height factory setting (cm).       0         Height adjustments possible in the range 25-30 cm; 30-40 cm; 40-45 cm.       0       27.5         O       Angle adj. Back (fold down)       (-31° to +15°)       0       30         O       Angle adj. Back (fold down)       (-31° to +15°)       0       30         O       Angle adj. Back (fixed)       (-31° to +15°)       0       30         O       Angle adj. Back (fixed)       (-31° to +15°)       0       30         O       Angle adj. Back (fixed)       (-31° to +15°)       0       0         Double locking       0       Integral push handles       0       0         O       Mithout push handles       0       10       0       0         D       Without push handles       0       10       0       0         D       Height adj push handles       0       10       0       0         Height adj push handles for Jay backs       0       EXO Backrest sling, synthetic fibre, padded, adjustable, 1 action       0	<ul> <li>○ 30</li> <li>○ 37.5</li> <li>○ 32.5</li> <li>○ 40</li> <li>○ 35</li> </ul>	O       40         O       42.5         O       45    (only available black anodized style package) (only available black anodized style package) (only available black anodized style package) (only available from back height 32.5 cm) (only available from back height 32.5 cm) (only available from back height 32.5 cm) Evo Version)	129 171
AGN030015 C AGN030102 AGN030012 C Push handle AGN030200 C AGN030201 C AGN030203 C AGN030204 C AGN030205 C Backrest up AGN030316 C	Back height range       25 - 30         Choose back height factory setting (cm).       0       25         Height adjustments possible in the       0       27.5         range 25-30 cm; 30-40 cm; 40-45 cm.       0       30         O       Angle adj. Back (fold down)       (-31° to +15°)         Double locking       0       Angle adj. Back (fixed)       (-31° to +15°)         O       Angle adj. Back (fixed)       (-31° to +15°)         Ses: Choose only one option       0       Vithout push handles         O       Integral push handles       1         Height adj push handles       1       1         Height adj push handles       1       1         Height adj push handles       1       1         Dexto Backrest sling, synthetic fibre, padded, adjustable, 1 ac       Colour, binding tape:       Black       0	O 30 O 37.5 O 32.5 O 40 O 35 	O       40         O       42.5         O       45    (only available black anodized style package) (only available black anodized style package) (only available black anodized style package) (only available from back height 32.5 cm) (only available from back height	129 171 171
AGN030015 C AGN030102 AGN030012 C Push handle AGN030200 C AGN030201 C AGN030203 C AGN030203 C AGN030205 C Backrest up	Back height range       25 - 30         Choose back height factory setting (cm).       0       25         Height adjustments possible in the       0       27.5         range 25-30 cm; 30-40 cm; 40-45 cm.       0       30         O       Angle adj. Back (fold down)       (-31° to +15°)         Double locking       0       Angle adj. Back (fixed)       (-31° to +15°)         O       Angle adj. Back (fixed)       (-31° to +15°)         Double locking       0       Angle adj. Back (fixed)       (-31° to +15°)         Dest Choose only one option       0       Without push handles       0         Difference       Integral push handles       1       1         Height adj push handles       1       1       1         Height adj push handles       1       1       1         Height adj push handles       1       1       1       1         Dex Colour, binding tape:       Black       0       0       5	O 30 O 37.5 O 32.5 O 40 O 35	O       40         O       42.5         O       45    (only available black anodized style package)          (only available black anodized style package)    (only available from back height 32.5 cm) ory bag, black (Exo Evo Version)	129 171

Jpper Thoracic Jay 3 Back - M Mid Thoracic: Jpper Thoracic JAY 3 Carbon Low Thoracic: JAY 3 Accesso JAY090058 JAY 3 Back Hei JAY030004	iid Con :: - Shall ory bag	Conto tour cow Co cow Co	AY030012 AY030013	Short Short Short	t - 42 ( - 17 c	cm :m			JAY0300 JAY0300 JAY0300			ım - 34 ım - 46			JAY030033 JAY030025	Tall - 3 Tall - 5	• • • • •	506 572
Jay 3 Back - M Mid Thoracic: Jpper Thoracic JAY 3 Carbon Low Thoracic: Mid Thoracic: JAY 3 Accesso JAY090058 Jay 3 Back Hei JAY030004	lid Con :: - Shall ory bag	tour	AY030013 ntour AY060001 AY060003	Short Short Short	t - 42 ( - 17 c	cm :m			JAY0300								• • • • •	
Mid Thoracic: Jpper Thoracic: JAY 3 Carbon ow Thoracic: Mid Thoracic: JAY 3 Accesso JAY090058 Jay 3 Back Hei JAY030004	lid Con :: - Shall ory bag	tour	AY030013 ntour AY060001 AY060003	Short Short Short	t - 42 ( - 17 c	cm :m				19	Mediu	ım - 46	cm		JAY030025	Tall - 5	0 cm	572
Upper Thoracic JAY 3 Carbon Low Thoracic: Mid Thoracic: JAY 3 Accesso JAY090058 JAY030004	: - Shall ory bag	ow Co	ntour AY060001 AY060003	Short Short	- 17 c	m			JAY0300									
JAY 3 Carbon Low Thoracic: Mid Thoracic: JAY 3 Accesso JAY090058 JAY030004	- Shallo	ow Co	ntour AY060001 AY060003	Short Short	- 17 c	m			JAY0300									
Upper Thoracic JAY 3 Carbon Low Thoracic: Mid Thoracic: JAY 3 Accesso JAY090058 JAY03 Back Hei JAY030004	- Shallo	ow Co	ntour AY060001 AY060003	Short Short	- 17 c	m				11	Mediu	ım - 34	cm		JAY030018	Tall - 3	88 cm	506
JAY 3 Carbon Low Thoracic: Mid Thoracic: JAY 3 Accesso JAY090058 JAY030004	- Shallo	J   J   .	AY060001 AY060003	Short					JAY0300	20	Mediu	ım - 46	cm		JAY030026	Tall - 5	0 cm	572
Mid Thoracic: JAY 3 Accesso JAY090058 JAY 3 Back Hei JAY030004		] ] ] ]	AY060003	Short			I											
JAY 3 Accesso JAY090058 Jay 3 Back Hea JAY030004		J □ 、 S			- 30 c	m									JAY060002	Tall - 2	4 cm	605
JAY 3 Accesso JAY090058 Jay 3 Back Hea JAY030004		s .	JAY J3 Ac	cessor											JAY060004	Tall - 3	8 cm	605
JAY090058 Jay 3 Back Hea JAY030004 JAY030006		s .	JAY J3 Ac	cessor														
JAY030004	adrests				y bag													46
JAY030004	adrests																	
			Jay Flip B	ack Ha	adract	120		18 13		2D)						(only with Ja	y 2 backs)	255
JA 1030006										57)								
		□,	Jay Std. H	leaures	i (J3⊏		VLI & J	SEURL	JL3P)							(only with Ja	ay 3 Dacks)	174
		SIDE	GUARE	)S & /	ARM	RES	TS											
AGN040107	0		c detacha															
			ht alumini		-													176
		-	ht alumini		-		fender									min seat hei	ight 39 cm)	242
		-	ht carbon		-					(1)								202
			ht carbon							(-)	(mi	n seat h	eight 39	cm. noi	in combina	ion with han	dbike axle)	316
		-	ed tubular	-							(		5	-		ion with han	,	104
			post arm											,,,,,,,			iickie style)	.0-
Δ	GN04005	0	□ shor			cm)			AGN04	40051		long a	mnad	(36 cm	n)	140		176
			eight adj.			,	ona arm	nad - I				.ony a	mpau	,00 01	•)			198
	0		ut Sidegu		21 (0110		ang ani	ipuu - I	iongui at	J.∕								190
	-																	
		LEG	REST &	FOO	TPL/		S											
AGN050029	0		ar footres				-								(lower leg	length 36 c	m - 50 cm)	
AGN050030			ar footres			vith fl	at cover	r							(lower lea	length 36 c	m - 50 cm)	73
AGN050025			rm footres		•											length 36 c		149
AGN050024			rm footres	<u> </u>	0											length 36 c		149
			rm footres	-	-											length 36 c		305
			rm footres	<u> </u>	0											(LLL 2		149
			mance fo		-	-										length 36 c		222
			ositioning			9.0 a.	~J·				(only w	ith platfo	rm footi	olates lic		gle & depth a		21
			osite foot		vided							(2)		inate e ing	-	50cm; LLL 3		119
			otplate div		viaca							( <u>2)</u> (2)	(5	W 34 -	,	length 38 c	,	119
401000022		Alu IO		naca								(2)	(C	W 04		icingin 50 c	<i>in 66 cm</i>	110
	-		er leg le													urements	are in cm	
	0	22	O 23			0	25	C	-	0	27	0	28		29			
	0	30	0 31	0	32	0	33	C	-	0	35	0	36		37			
	0	38	O 39		40	0	41	C		0	43	0	44	0	45			
	0	46	O 47 y with high n	O		O for al	49 Lother for	C stracts fr		S _ EO -	<b>.</b>							
LL	∟∟ ∠∠ - 35	on oni	y with high f	nounted	oonest	, iui al		กเธรเร ที่		5 - 50 0	лн. -							
	-		ME VER			st cho	oose fra	me an	gle then	frame	e inset	)						
	0		Neight ma		<u> </u>													
	0		Neight ma		0													
	0		frame 88°		-	,												
AGN010012	0	Fixed	frame 80°	° (EU 1	00 de(	gree)												
AGN010100	0	Frame	e inset: 0c	m														
AGN010103	0	Frame	e inset: 3c	m														
AGN090015		Prepa	ration for	add on	devic	es <b>(4</b>	)								(max. 1.	20 kg; only	0° camber)	171
AGN010500		Hand	oike axle	(	(3)				(max	100kg;	not in c	ombinat	ion with	ampute	e axle and p	added tubula	ar armrest)	281
AGN070500		Ampu	tee axle								(not in c	ombinati	on with	handbik	e axle and p	added tubul	ar armrest)	171
(1) W	Vith 24"		heel minin	num rea	r seat	heig	ht 41 cm	; with 2	25" rear v	wheel	minim	um rea	r seat	height	43 cm			
			divided fo			-								-				

		AXLE PLATE & CENTRE OF GRAVITY (COG) (measured from front of back post; choose only one option)	
COG32	0	3.2 cm COG80 O 8.0 cm (Sport or pair of anti tip tubes only)	
COG44	0	4.4 cm         COG92         O         9.2 cm (Sport or pair of anti tip tubes only)	
COG56	0	5.6 cm COG104 O 10.4 cm (Sport or pair of anti tip tubes only)	
COG68	0	6.8 cm	
		FRAME ACCESSORIES (choose either tip assist or anti- tip tubes, not both)	
	-	Tip assist (step tube)	
GN090001		Left AGN090002	28
GN090003		Pair	54
GN090009		Crutch holder (only in combination with tip assist)	67
		Anti-tip tubes swing-away	-
GN090004		Left AGN090005	87
GN090006		Pair	176
		Anti-tip tubes pluggable	
GN090007		Anti-tip tubes pluggable (Pair)	73
		Anti tip flip up (user operated)	
GN090033		Left AGN090008   Right	134
GN090035		Sport anti-tip	270
GN090010		Transit wheels (3")	194
GN090016		Frame protection (impact guard)	67
		EMPULSE F55 BUNDLING	
MO000101	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.)	
MO000102	0	With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.)	
		PREPARATION FOR ATTITUDE ADD-ON BIKE	
GN090211		Preparation for ATTITUDE, w/o ATTITUDE order (3) (docking pins assembled)	97
GN090212	0	Preparation for ATTITUDE, with ATTITUDE order (3) (docking pins assembled; ATTITUDE order separately)	
		FORKS         (compare with your choice on the first page)	
GN080013	٠	Carbotecture fork (111mm forks only) (colours: see Stylepackage on last page)	
GN080029	•	Aluminium fork (123mm forks only) (1) (colours: see Stylepackage on last page)	
	•	Aluminium fork (123mm forks only) (1)(colours: see Stylepackage on last page)FROG LEG fork(not in combination with 3" & all ALU casters; only black, max user weight 125 kg)	283
		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)	283
GN080007		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)	283
GN080029 GN080007 GN080301 GN080302	0	FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       Image: Compare with your choice on the first page)	283
GN080007 GN080301 GN080302	□ 0 0	FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")	
GN080007 GN080301 GN080302 GN080303	□ 0 0	FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")	67
GN080007 GN080301 GN080302 GN080303 GN080304	□ 0 0	FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")	67 79
GN080007 GN080301 GN080302 GN080303 GN080304	□ 0 0	FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")	67
GN080007 GN080301 GN080302 GN080303 GN080304	□ 0 0	FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")	67 79
GN080007 GN080301 GN080302 GN080303 GN080304	□ 0 0	FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")	67 79
GN080007 GN080301 GN080302 GN080303 GN080304 GN080306	□ 0 0	FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)	67 79
GN080007 GN080301 GN080302 GN080303 GN080304 GN080306 GN080306 GN070001		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       Image: choose only one wheel type)	67 79
GN080007 GN080301 GN080302 GN080303 GN080306 GN080306 GN070001 GN070002		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       Soft         Soft       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       (not with 25")	67 79
GN080007 GN080301 GN080302 GN080303 GN080304 GN080306 GN080306 GN070001 GN070002 GN070002 GN070003		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       Soft         Soft       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       (not with 25")         Design wheel       (not with 22" or 25")	67 79
GN080007 GN080301 GN080302 GN080303 GN080304 GN080306 GN080306 GN070001 GN070002 GN070003 GN070003 GN070004		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       [not with 25")         Design wheel       (not with 22" or 25")         Light weight wheel       (not with 26"; max user weight: 125 kg)	67 79 79
GN080007 GN080301		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       Soft         Soft       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       (not with 25")         Design wheel       (not with 22" or 25")         Light weight wheel       (not with 26"; max user weight: 125 kg)         Proton Wheels       (not with 26"; max user weight: 100 kg)	67 79 79 483
GN080007 GN080301 GN080302 GN080303 GN080304 GN080306 GN070001 GN070001 GN070002 GN070003 GN070005 GN070005		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       Solid         Soft       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       Iniversal Cross spoked         Universal Cross spoked       (not with 25")         Design wheel       (not with 26"; max user weight: 125 kg)         Proton Wheels       (not with 26"; max user weight: 100 kg)         Spinergy wheels 18 spokes       (not with 22"; black spokes; other colours available via B4M)	67 79 79 483 437
GN080007 GN080301 GN080302 GN080303 GN080304 GN080306 GN070001 GN070002 GN070002 GN070004 GN070005 GN070006 GN070006		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       Soft         Soft       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       (not with 25")         Design wheel       (not with 22" or 25")         Light weight wheel       (not with 26"; max user weight: 100 kg)         Proton Wheels       (not with 22"; black spokes; other colours available via B4M)         Spinergy wheels 12 spokes       (not with 22" or 26"; black spokes; other colours available via B4M)	67 79 79 483 437 674
SN080007 SN080301 SN080302 SN080303 SN080304 SN080306 SN070001 SN070002 SN070004 SN070005 SN070006 SN070009 SN070010		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       [not with 22" or 25"]         Light weight wheel       (not with 22" or 25"]         Light weight wheel       (not with 22", black spokes; other colours available via B4M)         Spinergy wheels 12 spokes       (not with 22" or 26"; black spokes; other colours available via B4M)         Mountainbike Rear wheel       (only with 24", mountain bike tyres & aluminium rim, black coated)	67 79 79 483 437 674 297
GN080007 GN080301 GN080302 GN080303 GN080304 GN080306 GN070001 GN070002 GN070004 GN070005 GN070006 GN070009 GN070009		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       Solt         Soft       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       [not with 22" or 25"]         Light weight wheel       (not with 26"; max user weight: 125 kg)         Proton Wheels       (not with 22" or 25")         Light weight wheel       (not with 26"; max user weight: 100 kg)         Spinergy wheels 18 spokes       (not with 22"; black spokes; other colours available via B4M)         Mountainbike Rear wheel       (only with 24", mountain bike tyres & aluminium rim, black coated)         Additional Mountain Bike wheels       (only with 24"; comes always with mountainbike tyres )	67 79 79 483 437 674 297
GN080007 GN080301 GN080302 GN080303 GN080304 GN080306 GN080306 GN070001 GN070002 GN070002 GN070005 GN070006 GN070009 GN070000 GN070010 GN070000		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       Soft         Soft       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       [not with 22" or 25"]         Universal Cross spoked       (not with 22" or 25"]         Light weight wheel       (not with 22"; black spokes; other colours available via B4M)         Spinergy wheels 18 spokes       (not with 22" or 26"; black spokes; other colours available via B4M)         Spinergy wheels 12 spokes       (not with 22" or 26"; black spokes; other colours available via B4M)         Mountainbike Rear wheel       (only with 24"; comes always with mountainbike tyres )         Without wheels       (only with 24"; comes always with mountainbike tyres )         Without wheels       (only with 24"; comes always with mountainbike tyres )	67 79 79 483 437 674 297
GN080007 GN080301 GN080302 GN080303 GN080304 GN080306 GN070001 GN070002 GN070002 GN070005 GN070006 GN070006 GN070009 GN070000 GN070000		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       [not with 22" or 25"]         Universal Cross spoked       (not with 26"; max user weight: 125 kg)         Proton Wheel       (not with 26"; max user weight: 100 kg)         Spinergy wheels 18 spokes       (not with 22" or 26"; black spokes; other colours available via B4M)         Spinergy wheels 12 spokes       (not with 22", comes always with mountainbike tyres )         Without wheels       (only with 24", comes always with mountainbike tyres )         Without wheels       (only with 24", comes always with mountainbike tyres )         Rear Wheel       (only with 24", comes always with mountainbike tyres )         Spinergy wheels 12 spokes       (not with 22", comes always with mountainbike tyres )         Without wheels       (only with 24", comes always with mountainbike tyres )         Without wheels	67 79 79 483 437 674 297
GN080007 GN080301 GN080302 GN080303 GN080304 GN080306 GN080306 GN070001 GN070002 GN070004 GN070005 GN070006 GN070009 GN070000 GN070010 GN070101 GN070102		FROG LEG fork       (not in combination with 3* & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5* & 6*)         Light ups (solid)       (not available for 6*)         Solid with aluminium rim       (only for 5* & 6*)         Light ups (solid)       (not available for 6*)         Solid with aluminium rim       (only for 4* and 5*)         Soft with aluminium rim (wide)       (only for 4* and 5*)         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       [not with 22* or 25*]         Light weight wheel       (not with 22*; nax user weight: 125 kg)         Proton Wheels       (not with 22*; black spokes; other colours available via B4M)         Spinergy wheels 18 spokes       (not with 22*; black spokes; other colours available via B4M)         Mountainbike Rear wheel       (only with 24*; comes always with mountainbike tyres )         Without wheels       (only with 24*; comes always with mountainbike tyres )         Without wheels       (not with 25*;         Spinergy wheels 10; Spinergy	67 79 79 483 437 674 297 453
GN080007 GN080301 GN080302 GN080302 GN080303 GN080304 GN080306 GN070001 GN070002 GN070002 GN070004 GN070005 GN070006 GN070000 GN070000 GN070000 GN070010 GN070101 GN070102 GN070107		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       [not with 22" or 25"]         Universal Cross spoked       (not with 26"; max user weight: 125 kg]         Proton Wheels       (not with 22" or 26"; black spokes; other colours available via B4MI         Spinergy wheels 18 spokes       (not with 22" or 26"; black spokes; other colours available via B4MI         Mountainbike Rear wheel       (only with 24"; comes always with mountainbike tyres )         Without wheels       (not with 22" or 26"; black spokes; other colours available via B4MI         Spinergy wheels 12 spokes       (not with 22" or 26"; black spokes; other colours available via B4MI         Mountainbike Rear wheel       (only with 24"; comes always with mountainbike tyres )         Without wheels       (not with 22" or 26"; black spokes; other colours available via	67 79 79 483 437 674 297 453 90
GN080007 GN080301 GN080302 GN080302 GN080303 GN080304 GN080306 GN070001 GN070002 GN070002 GN070005 GN070005 GN070006 GN070000 GN070000 GN070000 GN070101 GN070102 GN070107 GN070106		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       (not with 22" or 25")         Light weight wheel       (not with 26"; max user weight: 125 kg)         Proton Wheels       (not with 22", iback spokes; other colours available via B4M)         Spinergy wheels 18 spokes       (not with 22" or 26"; black spokes; other colours available via B4M)         Mountainbike Rear wheel       (only with 24"; comes always with mountainbike tyres)         Without wheels       (not with 24"; comes always with mountainbike tyres)         Without wheels       (not with 24"; comes always with mountainbike tyres)         Weish Run (standard slick)       (not with 22")         Solid tyres (puncture proof)       (2)         Kynes (puncture proof)       (2)         Kynes (puncture protection)       (only 24")         Two Grip Down Town <td< td=""><td>67 79 79 483 437 674 297 453 90 90</td></td<>	67 79 79 483 437 674 297 453 90 90
SN080007 SN080301 SN080302 SN080303 SN080304 SN080304 SN080306 SN070001 SN070002 SN070004 SN070004 SN070005 SN070006 SN070006 SN070000 SN070000 SN070000 SN070010 SN070101 SN070102 SN070107		FROG LEG fork       (not in combination with 3" & all ALU casters; only black, max user weight 125 kg)         STANDARD CASTOR       (compare with your choice on the first page)         Solid       (only for 5" & 6")         Light ups (solid)       (not available for 6")         Solid with aluminium rim       (only for 4" and 5")         Soft with aluminium rim       (only for 4" and 5")         Soft with aluminium rim (wide)       (only for 4" and 5")         REAR WHEELS       (compare with your choice on the first page; choose only one wheel type)         NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels       [not with 22" or 25"]         Universal Cross spoked       (not with 26"; max user weight: 125 kg]         Proton Wheels       (not with 22" or 26"; black spokes; other colours available via B4MI         Spinergy wheels 18 spokes       (not with 22" or 26"; black spokes; other colours available via B4MI         Mountainbike Rear wheel       (only with 24"; comes always with mountainbike tyres )         Without wheels       (not with 22" or 26"; black spokes; other colours available via B4MI         Spinergy wheels 12 spokes       (not with 22" or 26"; black spokes; other colours available via B4MI         Mountainbike Rear wheel       (only with 24"; comes always with mountainbike tyres )         Without wheels       (not with 22" or 26"; black spokes; other colours available via	67 79 79 483 437 674 297 453 90

£


(3): Max front frame width 46cm, max 100kg user weight OF\_QUICKIE\_ARGON<sup>2</sup>\_RETAIL\_01-11-20\_REV2

					£
		HANDRIM			
AGN070202	0	Aluminium silver anodized	(1)		
AGN070201	0	Aluminium silver powder coated	(1) (not with 26	" and Spinergy wheels)	
AGN070204	0	Stainless steel	(not with 25" wheels; no	t with Spinergy wheels)	
AGN070203		Aluminium colour powder coated	Colour Code: (no	t with Spinergy wheels)	60
AGN070205		Titanium	(only 24"; 26" wheels; no	t with Spinergy wheels)	185
AGN070206		Titanium clear powdercoated	(only 24" wheels; no	t with Spinergy wheels)	185
AGN070207		Supergrip	( Not with	mountain bike wheels)	222
AGN070208		Max Grepp	(only 22", 24"wheels; not	t with Spinergy wheels)	222
AGN070212		Handrims, Ellipse 3R, black	(ergonomic handrims with rubber-	-strip; only 24" and 25")	177
AGN070250		Handrim cover		(only 22" & 24"wheels)	90
Handrim mount	ting	AGN070317 O Close =	17mm (12,5 mm with lightw	veight & Proton wheels)	
		AGN070327 O Wide =	7mm (not with lightweight & spinergy w	wheel and alu handrim)	
		AGN070307 O Extra c	se = 7mm (o	only with stainless steel)	
		WHEEL CAMBER	(C	choose only one option)	
AGN070600	0	0°			
AGN070603	0	3°			
AGN070606	0	6°			
AGN070609	0	9°	(	(not with handbike axle)	
		SPOKE GUARDS (only ava	able in 22" & 24")		
		SPOKE GUARDS (only ava Spoke guards Number:	able in 22" & 24") Description:		122
					122
Please consult the		Spoke guards Number:		mail literaturerequest@sur	
	followin	Spoke guards Number: g page of this order form to choose your s	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r		
	followin	Spoke guards Number: g page of this order form to choose your s chure online by visiting www.sunrisemedic	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu		
You can also view t	followin	Spoke guards Number: g page of this order form to choose your s chure online by visiting www.sunrisemedic WHEEL LOCKS (Choose c	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r		
You can also view t AGN060001	followin the broo	Spoke guards Number: g page of this order form to choose your s thure online by visiting www.sunrisemedic WHEEL LOCKS (Choose of Standard wheel lock	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option)	ultimedia & Downloads".	
You can also view t AGN060001 AGN060003	followin the broo	Spoke guards Number: g page of this order form to choose your schure online by visiting www.sunrisemedic WHEEL LOCKS (Choose of Standard wheel lock Compact wheel lock	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option)		nmed.co.uk.
You can also view t AGN060001 AGN060003 AGN060002	followin the broo	Spoke guards Number: g page of this order form to choose your s thure online by visiting www.sunrisemedic WHEEL LOCKS (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option)	ultimedia & Downloads".	nmed.co.uk.
You can also view t AGN060001 AGN060003 AGN060002 AGN060010	followin the broo O O	Spoke guards       Number:         g page of this order form to choose your schure online by visiting www.sunrisemedic         WHEEL LOCKS       (Choose of Standard wheel lock         Compact wheel lock         Knee lever wheel lock         Wheel lock extension knee lever	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Me ly one option) (a) prake lock (only on	ultimedia & Downloads".	nmed.co.uk. 56 38
You can also view t AGN060001 AGN060003 AGN060002 AGN060010 AGN060006	followin the broo O O C	Spoke guards Number: g page of this order form to choose your s chure online by visiting www.sunrisemedic WHEEL LOCKS (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u)	ultimedia & Downloads".	nmed.co.uk. 56 38 151
You can also view t AGN060001 AGN060003 AGN060002 AGN060010	followin the broo O O	Spoke guards       Number:         g page of this order form to choose your schure online by visiting www.sunrisemedic         WHEEL LOCKS       (Choose of Standard wheel lock         Compact wheel lock         Knee lever wheel lock         Wheel lock extension knee lever	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u)	ultimedia & Downloads".	nmed.co.uk. 56 38
You can also view t AGN060001 AGN060003 AGN060002 AGN060010 AGN060006	followin the broo O O C	Spoke guards Number: g page of this order form to choose your sectore online by visiting www.sunrisemedic WHEEL LOCKS (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left One arm wheel lock right	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u)	ultimedia & Downloads".	nmed.co.uk. 56 38 151
You can also view t AGN060001 AGN060003 AGN060002 AGN060006 AGN060007	followin the broo	Spoke guards Number: g page of this order form to choose your so thure online by visiting www.sunrisemedic WHEEL LOCKS (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left One arm wheel lock right ACCESSORIES	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u)	ultimedia & Downloads".	nmed.co.uk. 56 38 151
You can also view t AGN060001 AGN060003 AGN060002 AGN060006 AGN060007 AGN090000	followin the broo	Spoke guards Number: g page of this order form to choose your sectore online by visiting www.sunrisemedic WHEEL LOCKS (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left One arm wheel lock right ACCESSORIES Tool kit	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u)	ultimedia & Downloads".	56 38 151 151
You can also view t AGN060001 AGN060003 AGN060002 AGN060006 AGN060007 AGN090000 AGN090100	followir the broo	Spoke guards Number: g page of this order form to choose your sector online by visiting www.sunrisemedice WHEEL LOCKS (Choose of Standard wheel lock (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left One arm wheel lock right ACCESSORIES Tool kit Transportation brackets - Crash	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u)	ultimedia & Downloads".	56 38 151 151 Std.
You can also view t AGN060001 AGN060003 AGN060002 AGN060006 AGN060007 AGN090000 AGN090100 AGN090100 AGN090024	followin the brown O O O O O O O O O O O O O O O O O O O	Spoke guards Number: g page of this order form to choose your so thure online by visiting www.sunrisemedic WHEEL LOCKS (Choose of Standard wheel lock (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left One arm wheel lock right ACCESSORIES Tool kit Transportation brackets - Crash High pressure pump	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u)	ultimedia & Downloads".	nmed.co.uk. 56 38 151 151 Std. 73
You can also view t AGN060001 AGN060003 AGN060002 AGN060006 AGN060007 AGN090000 AGN090000 AGN090000 AGN090024 AGN090025	followin the brown O O O O O O O O O O O O O O O O O O O	Spoke guards Number: g page of this order form to choose your sectore online by visiting www.sunrisemedice WHEEL LOCKS (Choose of Standard wheel lock (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left One arm wheel lock right ACCESSORIES Tool kit Transportation brackets - Crash High pressure pump Air pump	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u)	ultimedia & Downloads".	56 38 151 151 Std. 73 15
You can also view t AGN060001 AGN060003 AGN060002 AGN060006 AGN060007 AGN090000 AGN090100 AGN090100 AGN090024 AGN090025 AGN090030	followin the brown O O O O O O O O O O O O O O O O O O O	Spoke guards Number: g page of this order form to choose your sector online by visiting www.sunrisemedice WHEEL LOCKS (Choose of Standard wheel lock (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left One arm wheel lock right ACCESSORIES Tool kit Transportation brackets - Crash High pressure pump Air pump Back pack	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u)	ultimedia & Downloads".	56 38 151 151 Std. 73 15 59
You can also view t AGN060001 AGN060003 AGN060002 AGN060006 AGN060006 AGN060007 AGN090000 AGN090000 AGN090024 AGN090025 AGN090030 AGN090020		Spoke guards Number: g page of this order form to choose your so thure online by visiting www.sunrisemedic WHEEL LOCKS (Choose of Standard wheel lock (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left One arm wheel lock right ACCESSORIES Tool kit Transportation brackets - Crash High pressure pump Air pump Back pack Net back bag	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u est Option (3)	ultimedia & Downloads".	nmed.co.uk. 56 38 151 151 51 51 59 22
You can also view t AGN060001 AGN060003 AGN060002 AGN060006 AGN060007 AGN090000 AGN090000 AGN090000 AGN090024 AGN090025 AGN090020 AGN090019		Spoke guards Number: g page of this order form to choose your sectore online by visiting www.sunrisemedice WHEEL LOCKS (Choose of Standard wheel lock (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left One arm wheel lock right ACCESSORIES Tool kit Transportation brackets - Crash High pressure pump Air pump Back pack Net back bag Bag Caddy	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (u prake lock (only on (u)	ultimedia & Downloads".	56 38 151 151 51 51 59 22 59
You can also view t AGN060001 AGN060003 AGN060002 AGN060006 AGN060006 AGN060007 AGN090000 AGN090000 AGN090024 AGN090025 AGN090030 AGN090020		Spoke guards Number: g page of this order form to choose your so thure online by visiting www.sunrisemedic WHEEL LOCKS (Choose of Standard wheel lock (Choose of Standard wheel lock Compact wheel lock Knee lever wheel lock Wheel lock extension knee lever One arm wheel lock left One arm wheel lock right ACCESSORIES Tool kit Transportation brackets - Crash High pressure pump Air pump Back pack Net back bag	Description: ection or to order a copy of our brochure please call 0845 605 66 88 or e-r com and navigating to Quickie Argon. You will find the brochure under "Mu ly one option) (a) prake lock (only on (a) est Option (3) (not with platform footrest alu high n	ultimedia & Downloads".	nmed.co.uk. 56 38 151 151 51 51 59 22

(2) Not in combination with performance footrest and high mounted footrest

(3) max. user weight 136kg

<ul> <li>= Standard</li> </ul>	O = N	o cost option	n		= Cost option				
COLOURS	Please c	onsult our c	olour catalo	gue, to revi	ew your colour choice at th	e end of the	order form	l .	
	Frame	Handrim	Hub/rim	(1)		Frame	Handrim	Hub/rim	(1)
	(Matt £91)	£60	£171			(Matt £91)	£60	£171	
01 White RAL 9010	0				26 Silver Texture	0			
02 Brilliant Silver	0				27 Graphite metallic	0			
03 Silver matt					28 Platinum metallic	0			
04 Silver	0				29 Black	0			
06 Sun Yellow	0				31 Matt black				
07 Brilliant Lime	0				32 Signal white	0			
08 Matt Lime					33 Pink	0			
14 Blue	0				34 Dark chocolate metallic	0			
15 Brilliant Marine	0				35 Skyblue	0			
16 Matt Marine					36 Cyan-Metallic	0			
19 Brilliant Purple	0				37 Mars Red (Orange)	0			
20 Matt Purple					39 Cappuccino	0			
21 Red Ruby	0				40 Kiwi	0			
22 Brilliant Red	0				41 Flamingo-Glitter	0			
23 Matt Red					42 Matt-Anthracite				
24 Tutti Frutti Orange	0				43 Azure Blue	0			
		• (O - l	for Forke)						
St	yle Packag	e (Colours	IOI FUIKS)						
AGN100502 • Black	yle Packag	e (Colours							
AGN100502 ● Black AGN100503 □ Silver	yle Packag			£84				_	
AGN100502   Black				£84 £84					
AGN100502         Black           AGN100503         Silver           AGN100501         Orange								_	
AGN100502         Black           AGN100503         Silver           AGN100501         Orange	spoked rear wl					bui	lt	me	
AGN100502 ● Black AGN100503 □ Silver AGN100501 □ Orange (1) only with universal cross s	spoked rear wl					bui	It	me	
AGN100502 • Black AGN100503 □ Silver AGN100501 □ Orange (1) only with universal cross s Comments for special Argon <sup>2</sup> - Base Price	spoked rear wi					bui		£1,800	
AGN100502 • Black AGN100503 □ Silver AGN100501 □ Orange (1) only with universal cross s Comments for special Argon <sup>2</sup> - Base Price Option price	spoked rear wl					bui		£1,800 £	
AGN100502 • Black AGN100503 □ Silver AGN100501 □ Orange (1) only with universal cross s Comments for special Argon <sup>2</sup> - Base Price Option price Packaging and transpor	spoked rear wl					bui		£1,800 £ £	
AGN100502 • Black AGN100503 □ Silver AGN100501 □ Orange (1) only with universal cross s Comments for special Argon <sup>2</sup> - Base Price Option price	spoked rear wl					bui		£1,800 £	
AGN100502 • Black AGN100503 □ Silver AGN100501 □ Orange (1) only with universal cross s Comments for special Argon <sup>2</sup> - Base Price Option price Packaging and transpor	spoked rear wl					bui		£1,800 £ £	



OF\_QUICKIE\_ARGON2\_RETAIL\_01-11-20\_REV2

## Please follow this measuring method:

## The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

	Seat width
Seat width (SW):	
a) For the user:	Allow space between sideguard and hip on each side of the chair (approx. 1 - 2cm altogether)
b) On the wheelchair:	From outside frame tube to outside frame tube.
Seat depth (SD):	
a) For the user:	When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee
b) On the wheelchair:	(approx. 3 - 6 cm). Care must be taken with adj. upholstery. From back tube to front of seat upholstery.
Front seat height:	
a) For the user:	When sitting with 90° knee angle:
	From back of knee to bottom of shoe sole.
b) On the wheelchair:	From front of seat tube to the ground . (min. 3cm longer than user measurement)
	Remember to include the cushion height.
Rear seat height:	
b) On the wheelchair:	From back of seat tube to the ground. <b>Note:</b> Max. seat height difference rear to front is 13 cm
Back height:	
a) For the user:	From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.
b) On the wheelchair:	<ul><li>From back of seat tube to upper edge of backrest upholstery.</li><li>Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably</li></ul>
Back angle:	<b>Important:</b> The back height depends on the degree of disability. 0° is the angle 90° to the ground. Negative angles are <90° and positive angles are >90°.
	Ported the philone and the phi
Technical Data Ove	erview:

Overall dimensions	5:	Overall width with:	24" rear wheel	25" rear wheel
Max overall height:	90 cm	For 0° camber:	SW + 20 cm	SW + 20 cm
Max overall length:	91 cm	For 3° camber:	SW + 22 cm	SW + 26 cm
		For 6° camber:	SW + 28 cm	SW + 32 cm
		For 9° camber:	SW + 34 cm	SW + 38 cm

Please note that the matrix is based on a std configuration: Std chair 40 x 40 cm; 3° camber; 5,60 cm CoG; Seat angle of 8° All changes in the configuration might change the seat heights. Manufacturing tolerances of +/- 1 cm





AGN090018 Positioning Belt

AGN020002 Seat sling with 1 utility bag



JAY020002 JAY Basic (picture shown without upholstery)



JAY020001 JAY Easy Visco (picture shown without upholstery)



JAY020003 JAY Soft Combi P (picture shown without upholstery)



JAY020004 JAY Lite (picture shown without upholstery)

AGN030317

EXO PRO backrest sling



AGN030201 Integral push handles long



AGN030316 EXO backrest sling



AGN030203 Fold down push handles



AGN030205 Height adjustable push handles for Jay





AGN090001 Tip assist left



AGN090010 Transit wheels



AGN070001 Universal Cross spoked



AGN090004 Anti-tip tubes SA



AGN090016 Frame protection



AGN070002 Design Wheel



AGN090007 Anti tip tubes pluggable



AGN090035 Sport anti-tip



AGN090008 Anti tip flip up User operated



AGN080007 FROG LEG fork



AGN070005 Spinergy Wheel - 18 spoke



AGN070101 Right Run



AGN070106 Two Grip Down Town



AGN070003 Light weight wheel

AGN070107 Schwalbe One



AGN070004 Proton Wheel

AGN070102 Solid Tyres

AGN080013

Carbotecture fork



AGN070104 Marathon Plus (puncture proof)



AGN070009 Mountain bike rear wheel


				Seat Depth		-	-
COG	380	400	420	440	460	480	500
40	×	×	×	<b>~</b>	~	~	<b>~</b>
60	×	×	×	×	~	~	~
70	×	×	×	×	~	~	~
80	×	×	×	×	×	~	~
90	×	×	×	×	×	~	~
100	×	×	×	×	×	×	~
110	×	×	×	×	×	×	~
120	×	×	×	×	×	×	×
130	×	×	×	×	×	×	×



AGN070208 Max Grepp



AGN070207 Supergrip



Ellipse 3R



AGN060001 Standard Wheel lock



AGN060003 Compact wheel lock

AGN090024

High pressure pump



AGN060002 Knee lever wheel lock



AGN060007 One arm wheel lock right



AGN090000 Tool kit



AGN090026 Mobile phone pocket



AGN090025 Air pump



AGN090030

Back pack



AGN090019 Caddy