

Fax number: +44 (0)845 605 66 89



| Invoice to: | | Deliver to: | |
|-------------|------------|-------------|------------|
| Name | | Name | |
| Street | | Street | |
| Town: | Post code: | Town | Post code: |
| E-Mail: | | E-Mail: | |
| Tel: | | Tel: | Fax: |
| | | | |

Email: orders@sunmed.co.uk

Marked for:

Order date
Purchase order:

| | Base Price |
|----------|------------|
| | £999 |
| Quantity | |

Maximum user weight limit 170kg

STANDARD FEATURES

Standard padded or depth adjustable seat
Tension adjustable backrest upholstery
Height adjustable backrest: 41cm - 46cm (43cm Std)
Flip back removable depth & height adjustable arms
Seat height adjustable from 42.5cm to 50.5cm
6", 7" or 8" castors
12", 22" or 24" rear wheels
Angle and reversible footplates
Seat belt

Crash tested and passed without tie down brackets

CLIENT MEASUREMENT

| | | | Seat Width | | | | |
|---------|---------------------|------|------------|------|--|--|--|
| | | 52cm | 56cm | 60cm | | | |
| | 41cm | 0 | 0 | 0 | | | |
| Depth | 43.5cm | 0 | 0 | 0 | | | |
| Seat De | 46cm | 0* | 0* | 0* | | | |
| | 48.5cm [†] | 0* | 0* | 0* | | | |
| | 51cm [†] | 0* | 0* | O* | | | |

* Indicates seat size is available with JAY cushion. Choose below

[†] Seat depth 48.5cm and 51cm only possible with single post height adjustable armrest

| Front seat height in cm | (SX) | ⁷¹⁵ 651 | s ^s (sti | o rest | r' resti | is rest | x ^A (SH | is ish | les lesty | x ⁸ (St | is text | ob feth | St FEXTS |
|----------------------------|------|--------------------|---------------------|--------|----------|---------|--------------------|--------|-----------|--------------------|---------|---------|----------|
| Castor & Wheel size | 37.5 | 39 | 40 | 41 | 42.5 | 44 | 45 | 46.5 | 48 | 49 | 50.5 | 52* | 53* |
| 6" Castor / 12" rear wheel | | | | | | | 0 | | | | | | |
| 7" Castor / 12" rear wheel | | | | | | | 0 | | | | | | |
| 8" Castor / 12" rear wheel | | | | | | | 0 | | | | | | |
| 6" Castor / 22" rear wheel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| 7" Castor / 22" rear wheel | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 8" Castor / 22" rear wheel | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 5" Castor / 24" rear wheel | | | | 0 | 0 | 0 | 0 | 0 | | | | | |
| 6" Castor / 24" rear wheel | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | |
| 7" Castor / 24" rear wheel | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | |
| 8" Castor / 24" rear wheel | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

| | SEAT | UPHOLSTERY | | £ |
|-----------|------|--|--|-----|
| RUB020001 | 0 | Standard padded nylon | | |
| RUB020003 | | Nylon depth adjustable | | 35 |
| | | Cushions | | |
| RUB020004 | | Cushion 5cm | | 28 |
| JAY020002 | | Jay Basic - Max user weight 150Kg | (* available in selected sizes as above) | 55 |
| JAY020003 | | Jay Soft Combi P - Max user weight 150Kg | (* available in selected sizes as above) | 77 |
| JAY020001 | | Jay Easy Visco - Max user weight 150Kg | (* available in selected sizes as above) | 132 |

| | BAC | KREST UPHOLSTERY | | £ |
|--|-----|--|--|-----|
| RUB030003 | 0 | Tension adjustable back (7 strap) | (not with J3 backs) | 0 |
| 102000000 | | Torrision adjustable back (Fishap) | (not war oo backey | |
| | BAC | KREST | | |
| RUB030017 | • | Fixed push handles | | |
| RUB030019 | 0 | Half folding back | (not with drum brake) | |
| RUB030017 | 0 | Fixed backrest - non folding | | |
| RUB030018 | | Integrated height adjustable push handles | (not with half folding back or extension back) | 93 |
| RUB030020 | | | h 51cm or rear wheel extension. Only with single post armrest) | 523 |
| RUB030021 | | Angle adjustable back with integrated height adjustable push har | | 168 |
| RUB030023 | | Auto folding stabiliser bar (HeliX style) | (and with folding back, headrest; recommended with recliner) | 108 |
| .02000020 | | rate relating etablicer ball (Freinx etyre) | (not man rotating sacity rotatinos) | 100 |
| | HEA | DREST | | |
| RUB030025 | | Standard headrest | (includes swing-away stabiliser bar) | 234 |
| RUB030133 | | Extension back (domed headrest) | (not with int. height adjustable push handles and SW 38-52) | 121 |
| | | | , | |
| | ARM | REST | | |
| RUB040002 | 0 | Flip back std. short & long armpad position (sliding) | (not with recliner; not with SD 48.5cm or 51cm) | |
| RUB040003 | | Flip back, height adjustable (T-Post) short & long armpad position | on (sliding) (not with recliner; not with SD 48.5cm or 51cm) | 76 |
| RUB040004 | | Single post, height adjustable with short & long armpad position | (sliding) (compulsory with reclining back) | 85 |
| RUB040107 | | Sideguard, composite, removable, 210 mm high (310 mm long), | black | 76 |
| RUB040005 | | Hemi arm pad RelaX 2 style 1 unit (left & right usable) | (n/a with tray; only with height adj. armrest) | 50 |
| RUB040006 | | Hemi arm pad RelaX 2 style 2 units (left & right usable) | (n/a with tray; only with height adj. armrest) | 97 |
| RUB040007 | | Hemi arm pad large RelaX 2 style 1 unit (left & right usable) | (n/a with tray; only with height adj. armrest) | 50 |
| RUB040008 | | Hemi arm pad large RelaX 2 style 2 units (left & right usable) | (n/a with tray; only with height adj. armrest) | 97 |
| | | | <u> </u> | |
| | LEG | REST & FOOTPLATES | | |
| RUB050107 | • | 70° hanger | | |
| RUB050108 | 0 | 80° hanger | (not in combination with 7" and 8" castors) | |
| | | | | |
| RUB050001 | 0 | Angle adjustable footplate | | |
| RUB050022 | | Footboard, divided, aluminium, angle-adjustable, flip-up (sidewa | ys), heel loop, blk | 97 |
| RUB050002 | | Footboard | | 167 |
| RUB050003 | | Elevating Legrest - PAIR | (curved calf pad) | 254 |
| RUB050004 | | Elevating Legrest - LH only | | 127 |
| RUB050005 | | Elevating Legrest - RH only | | 127 |
| RUB050006 | 0 | Comfort calf pad (pair) | | |
| RUB050008 | | Amputee Support - PAIR | (Depth, Angle, Height adjustable / Swing-away) | 219 |
| RUB050009 | | Amputee Support - LH only | (Depth, Angle, Height adjustable / Swing-away) | 121 |
| RUB050010 | | Amputee Support - RH only | (Depth, Angle, Height adjustable / Swing-away) | 121 |
| RUB050300 | | Footboard mounting high mount | | 140 |
| | | 5 0 | | |
| | CAS | TOR | | |
| RUB080101 | 0 | 8" x 1 1/4" solid | | |
| RUB080102 | 0 | 8" x 50 solid | | |
| RUB080103 | 0 | 8" x 1 1/4 pneumatic | | |
| PUB080104 | 0 | 7" solid | | |
| RUB080105 | 0 | 6" soft solid | | |
| RUB080006 | 0 | 6" solid | | |
| RUB080057 | 0 | 5" soft solid | | |
| | | J SOIL SUIIU | | |
| | RFA | R WHEELS | | |
| RUB070001 | O | 24" x 1" solid (spoked wheels) | | |
| | 0 | 24" x 1" solid (spoked wheels) 24" x 1" pneumatic (spoked wheels) | (not with drive heales) | |
| 2UB070002 | | | (not with drum brake) | 070 |
| 2UB070083 | | 24"X 1", pneumatic Right Run, 24 spokes, straight, 125kg max u | | 270 |
| | 0 | 22" x 1 3/8" solid (spoked wheels) | (also for drum brake) | |
| | | Handrim cover | | 92 |
| RUB070004 | | | | |
| PUB070004 | 0 | 12" solid (fixed axle) | (not with drum brake, unilateral wheel lock) | |
| 2UB070004 2UB070005 2UB070006 | 0 | Rear wheel extension 2.5 cm (behind back tube) (3) | (not with drum brake, unilateral wheel lock) (n/a with angle adj. or reclining back; 22/24" only) | |
| RUB070003 RUB070004 RUB070005 RUB070006 | 0 | | · · · · · · · · · · · · · · · · · · · | 420 |

| | | | Į. |
|------------------|--------------|--|----------|
| | WHE | EL LOCKS | |
| RUB060001 | 0 | Push to lock | |
| RUB060002 | | Lever extension (pair) | 58 |
| RUB060003 | | Drum brake (24"/22" only spoked wheel solid, not with folding back) | 328 |
| RUB060005 | | Unilateral wheel lock - RH | 127 |
| RUB060004 | | Unilateral wheel lock - LH | 127 |
| | | | |
| | ACC | ESSORIES | |
| | Cruto | h holder (5) | |
| RUB090102 | | LH Mounted | 48 |
| RUB090103 | | RH Mounted | 48 |
| | Spok | e guards (transparent) | |
| RUB090004 | | 22" Rear Wheel | 122 |
| RUB090105 | | 24" Rear Wheel | 122 |
| | Swin | g-away tray (1,2) | |
| RUB090111 | | LH Mounted (n/a with hemi armrests; all seat widths) | 203 |
| RUB090112 | | RH Mounted (n/a with hemi armrests; all seat widths) | 203 |
| RUB090110 | | Slide-on tray (2) (n/a with hemi armrests; n/a with 52cm seat width) | 121 |
| | Anti-1 | ips (4,5) | |
| RUB090113 | | Pair (pair, recommended with recliner) | 52 |
| RUB090114 | | Left (not compatible with step tubes) | 26 |
| RUB090115 | | Right (not compatible with step tubes) | 26 |
| | Step | | |
| RUB090117 | | Left (not compatible with anti-tips) | 28 |
| RUB090118 | | Right (not compatible with anti-tips) | 28 |
| | | (| |
| RUB090020 | | Hemi frame - (Front caster outrigged for stability or foot propelling) | 70 |
| RUB090109 | 0 | Tool kit | |
| RUB090019 | • | Positioning belt | |
| | | 1 containing box | |
| | COL | OURS | |
| RUB090023 | 0 | Brilliant Silver | |
| RUB090024 | 0 | Matt Blue | |
| RUB090025 | 0 | Brilliant Red | |
| | | | |
| NON COMPATI | BILITIES | | |
| | | | |
| | | table armrests. (2) NA with hemi armrests (3) NA with 48.5 or 51cm seat depth and anti-tips | |
| (4) Not possible | with rear | wheel extension and 48.5 or 51cm seat depth (5) Crutch holder with anti-tips not available on seat depth 51cm | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Nata: Cum | via a Marti | | -di |
| Note: Suni | rise ivieali | cal strongly recommends the use of a step tube on all transit wheeled models, the XL model and also where attendant push is the pre intended use. | dominant |
| | 1 0 5= - | " | |
| Breezy Ru | ıbίΧ² λ | (L- Base Price £999 | |
| Option pric | e | £ | |
| Total price | | £ | |
| | - | | |