



Helio A6

ORDER FORM - UK_2025-2026

1- Purchasing information

P.O. number:* _____ Date: _____

Company Name:* _____

Purchasing contact:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

Marked for: _____

3- Shipping information

Ship to:* _____

Name: _____

Address: _____

City: _____ State: _____

Zip Code: _____

Phone: _____

2- ATP/Clinician information

ATP/Clinician:* _____

Phone:* _____

Email:* _____

Contact preference:* Phone ☐ Email ☐

MA083 ☐ English Manual (STD) MA084 ☐ German Manual MA085 ☐ Italian Manual MA086 ☐ Dutch Manual MA087 ☐ Spanish Manual MA088 ☐ French Manual MA089 ☐ Portuguese Manual

MODEL										
WC19	☐	Ultralight folding Helio A6 Wheelchair - 6000 series aluminum (120 kg /265lb weight capacity)								£1,795
WC09	☐	HD Heavy duty kit (159 kg/350 lb weight capacity)								£395
Frame										
SEAT WIDTH ³ - cm (inches)										
SW	☐	35.56 (14") ☐	38.10 (15") ☐	40.64 (16") ☐	43.18 (17") ☐	45.72 (18") ¹ ☐	48.26 (19") ¹ ☐			NC
	☐	50.80 (20") ¹ ☐			53.34 (21") ² ☐	55.88 (22") ² ☐			£235	
SEAT DEPTH - cm (inches)										
SD	☐	35.56 (14") ☐	38.10 (15") ☐	40.64 (16") ☐	43.18 (17") ☐	45.72 (18") ☐	48.26 (19") ☐			NC
	☐	50.80 (20") ☐								£185
TRANSIT TIE DOWN										
AC04	☐	Transit Tie Down (Unoccupied)								NC
AC05-S	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴		Short belt 50-104 cm (20" - 41")						£285
AC05-L	☐	WC-19 Transit Tie Down w/Q'straint belt ⁴		Long belt 50-116 cm (20" - 46")						£285
AC35	☐	WC-19 Transit Tie Down without belt ⁴								£279

1- Available with HD Kit (350 lb)

2- Only available with HD option

[3. Width calculator](#)

4- May interfere with swing away armrest and Clamp on height adjustable push handle; Not available with HD option



PACKAGES			
VP01	☐	Vision Package: Orange accent added to point of contact accessories including: footrest latches, "T" armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates ¹	£79

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; To know the compatible parts, look for this logo *VP01; Recommended with black chair; See picture of the product on page 7.

A6 FRONT Seat-to-floor Height - Please select your choice

Fork/Position		7.62cm (3") caster			10.16cm (4") caster			12.7cm (5") caster			15.24cm (6") caster			17.78cm (7") caster			20.32cm (8") caster		
		Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length			Stem bolt Length		
		STD	+ 2.54 cm 1"	+ 5.08cm 2"	STD	+ 2.54 cm 1"	+ 5.08cm 2"	STD	+ 2.54 cm 1"	+ 5.08cm 2"	STD	+ 2.54 cm 1"	+ 5.08cm 2"	STD	+ 2.54 cm 1"	+ 5.08cm 2"	STD	+ 2.54 cm 1"	+ 5.08cm 2"
4 in 10.2cm	P1	30.48cm 12"	33.02cm 13"	35.56cm 14"	31.75cm 12.5"	34.29cm 13.5"	36.83cm 14.5"												
	P2	31.75cm 12.5"	34.29cm 13.5"	36.83cm 14.5"	33.02cm 13"	35.56cm 14"	38.10cm 15"	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"									
5 in 12.7cm	P1																		
	P2				33.02cm 13"	35.56cm 14"	38.10cm 15"	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"									
	P3	33.02cm 13"	35.56cm 14"	38.10cm 15"	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"						
	P4	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"			
7 in 17.8cm	P1										39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"			
	P2							39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"			
	P3							40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"
	P4	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"
	P5	40.64cm 16"	43.18cm 17"	45.72cm 18"	41.91cm 16.5"	44.45cm 17.5"	46.99cm 18.5"	43.18cm 17"	45.72cm 18"	48.26cm 19"	44.45cm 17.5"	46.99cm 18.5"	49.53cm 19.5"	45.72cm 18"	48.26cm 19"	50.80cm 20"	46.99cm 18.5"	49.53cm 19.5"	52.07cm 20.5"
Froglegs	P1				34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"												
	P2	34.29cm 13.5"	36.83cm 14.5"	39.37cm 15.5"	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"									
	P3	35.56cm 14"	38.10cm 15"	40.64cm 16"	36.83cm 14.5"	39.37cm 15.5"	41.91cm 16.5"	38.10cm 15"	40.64cm 16"	43.18cm 17"	39.37cm 15.5"	41.91cm 16.5"	44.45cm 17.5"						

Height available +- 0,65cm (1/4") (see stem bolt and fork combination at the end of the order form)

CASTERS				Availability	
CA01-03 to CA01-08	☐	Composite wheel w/ PU tire (1")		3", 4", 5", 6", 7", 8"	NC
CA10 to CA11	☐	Pneumatic casters (1 ¼")		6", 8"	£140
CA14 to CA16	☐	Newton UltraCaster Composite (1 ½ ")		4", 5", 6"	£81
CA17 to CA19	☐	Newton UltraCaster Aluminum (1 ½ ")		4", 5", 6"	£140
CASTER OPTIONS					
CA12	☐	Caster Pin Locks (Available with +1" or +2" Stem bolt ONLY) ¹			£250
CA13	☐	Carbon fiber Frog Legs suspension forks (Not available with caster pin locks)			£395

1- Not available with WC-19

Helio A6 - REAR Seat-to-floor Height - Please select your choice

20" (451)	22" (501)	24" (540)	25" (559)	26" (590)
30.48cm/12"	33.02cm/13"	34.92cm/13.75" ¹	36.19cm/14.25"	37.46cm/14.75"
31.75cm/12.5"	34.29cm/13.5"	36.19cm/14.25"	37.46cm/14.75"	38.73cm/15.25"
33.02cm/13"	35.56cm/14"	37.46cm/14.75"	38.73cm/15.25"	40cm/15.75"
34.29cm/13.5"	36.83cm/14.5"	38.73cm/15.25"	40cm/15.75"	41.27cm/16.25"
35.56cm/14"	38.10cm/15"	40cm/15.75"	41.27cm/16.25"	42.54cm/16.75"
36.83cm/14.5"	39.37cm/15.5"	41.27cm/16.25"	42.54cm/16.75"	43.81cm/17.25"
38.10cm/15"	40.64cm/16"	42.54cm/16.75"	43.81cm/17.25"	45.08cm/17.75"
39.37cm/15.5"	41.91cm/16.5"	43.81cm/17.25"	45.08cm/17.75"	46.35cm/18.25"
40.64cm/16"	43.18cm/17"	45.08cm/17.75"	46.35cm/18.25"	46.99.6cm/18.75"
41.91cm/16.5"	44.45cm/17.5"	46.35cm/18.25"	46.99.6cm/18.75"	48.89cm/19.25"
43.18cm/17"	45.72cm/18"	46.99.6cm/18.75"	48.89cm/19.25"	50.16cm/19.75"
44.45cm/17.5"	46.99cm/18.5"	48.89cm/19.25" ¹	50.16cm/19.75"	51.43cm/20.25"

Configuration used: 2,54 cm (1") seat slope with a center of gravity at 5,08 cm (2") ¹- Not available with One Arm Drive

Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- ½" of selected seat to floor height"

Footrest						
SWING-IN/SWING-OUT FOOTREST						
FR03-01	☐	60° Swing-in/swing-out footrest - 34.29 - 43.18cm (13.5" - 17")		Set at*:		NC
FR03-02	☐	60° Swing-in/swing-out footrest - 36.83 - 49.53cm (14.5" - 19.5")		Set at*:		NC
FR03-03	☐	60° Swing-in/swing-out footrest - 39.29 - 52.07cm (15.5" - 20.5")		Set at*:		NC
FR04-01	☐	70° Swing-in/swing-out footrest - 34.29 - 43.18cm (13.5" - 17")		Set at*:		NC
FR04-02	☐	70° Swing-in/swing-out footrest - 36.83 - 49.53cm (14.5" - 19.5")		Set at*:		NC
FR04-03	☐	70° Swing-in/swing-out footrest - 39.37 - 52.07cm (15.5" - 20.5")		Set at*:		NC
FR15-01	☐	80° Swing-in/swing-out footrest - 34.29 - 40.64cm (13.5" - 16") ⁵		Set at*:		NC
FR15-02	☐	80° Swing-in/swing-out footrest - 36.83 - 49.53cm (14.5" - 19.5") ⁵		Set at*:		NC
FR15-03	☐	80° Swing-in/swing-out footrest - 39.37 - 52.07cm (15.5" - 20.5") ⁵		Set at*:		NC
FR06	☐	90° swing-in/swing-out with front mount - Standard (no extension) ¹	19.05 - 27.94cm (7.5" - 11")	Set at*:		NC
FR07	☐	90° swing-in/swing-out with front mount - Short extension 2" ^{1,2}	24.13 - 33.02cm (9.5" - 13")	Set at*:		NC
FR08	☐	90° swing-in/swing-out with front mount - Medium extension 4" ^{1,2}	24.13 - 36.83cm (9.5" - 14.5")	Set at*:		NC
FOOTREST OPTIONS						
FR09	☐	High mount (footplate attached to the hanger with clamps) ³		12.70 - 34.29cm (5" - 13.5")	Set at*:	£70
FR10	☐	Elevating legrest with calf pad, length adjustable ⁴	Left ☐ Right ☐	35.56 - 55.88 cm (14"-22")	Set at:	INDIVIDUAL PRICE £206
FR99	☐	Omit Footrest				NC

1- only available with two piece adj. footplates; 2- May interfere with front casters; 3- Not available with front mount and the elevating legrest; * +/- 1.27cm (1/2")
4- The elevating legrest replace the footrest side selected; Not available with one piece footplate; 5- Not available with 8" caster


FOOTPLATES					
FP01	☐	Standard - Composite ¹			NC
FP02	☐	Newton adjustable angle - Composite ^{*VP01}			£180
FP03	☐	Newton adjustable angle - Aluminum			£212
FP23	☐	Newton adjustable angle extra deep - Aluminum			£212
FP06	☐	One piece adjustable angle flip-up - Aluminum			£170
FOOTPLATE ACCESSORIES					
FP08	☐	Length adjustable heel loop ²			£35
FP09	☐	Calf strap			£33
FP30	☐	Bodypoint Aeromesh Padded calf strap			£95

1- Not available with front mount; 2- not available with one piece footplate

SWING AWAY RESIDUAL LIMB SUPPORT				INDIVIDUAL PRICE £355		PAIR
FR27	☐	Residual limb support - flat 15.24x20.32cm (6"x8")	Left ☐ Right ☐			£710
FR28	☐	Residual limb support - flat 20.32x24.4cm (8"x10")	Left ☐ Right ☐			£710
FR29	☐	Residual limb support - flat 25.4x25.4cm (10"x10")	Left ☐ Right ☐			£710
FR30	☐	Residual limb support - flat 25.4x35.56cm (10"x14")	Left ☐ Right ☐			£710
FR32	☐	Residual limb support - contour 15.24x20.32cm (6"x8")	Left ☐ Right ☐			£710
FR33	☐	Residual limb support - contour 20.32x24.4cm (8"x10")	Left ☐ Right ☐			£710

Backrest								
FIXED ANGLE BACK CANES WITH INTEGRATED PUSH HANDLE <i>(push handle included - no further selection needed)</i>								
BC58-915	☐	Straight aluminum back cane	22.86 - 38.10cm (9" - 15")	<i>increment of 1/2"</i>	Set at ² :		NC	
BC58-1521	☐	Straight aluminum back cane	38.10 - 53.34cm (15" - 21")	<i>increment of 1/2"</i>	Set at ² :		NC	
BC60	☐	Straight aluminum back cane	53.34 - 60.96cm (21" - 24")	<i>increment of 1"</i>	Set at ² :		£65	
BC01-16	☐	8° bend aluminum back cane	40.64cm (16")				NC	
BC01-18	☐	8° bend aluminum back cane	45.72cm (18")				NC	
BC01-20	☐	8° bend aluminum back cane	50.08cm (20")				NC	
BC59	☐	8° bend aluminum back cane	53.34 - 60.96cm (21" - 24")	<i>increment of 1"</i>	Set at ² :		£65	
FIXED ANGLE, HEIGHT ADJUSTABLE BACK CANES WITH PUSH HANDLE OPTIONS <i>(MUST select ONE push handle options)</i>								
BC11-912	☐	Straight aluminum back cane	22.86 - 30.48cm (9" - 12")	<i>increment of 1/2"</i>	Set at ² :		NC	
BC11-1215	☐	Straight aluminum back cane	30.48 - 38.10cm (12" - 15")	<i>increment of 1/2"</i>	Set at ² :		NC	
BC11-1518	☐	Straight aluminum back cane	38.10 - 45.72cm (15" - 18")	<i>increment of 1/2"</i>	Set at ² :		NC	
BC11-1821	☐	Straight aluminum back cane	45.72 - 53.34cm (18" - 21")	<i>increment of 1/2"</i>	Set at ² :		NC	
BC12-1315	☐	8° bend aluminum back cane	33.02 - 38.10cm (13.5" - 15")	<i>increment of 1/2"</i>	Set at ² :		NC	
BC12-1518	☐	8° bend aluminum back cane	38.10 - 45.72cm (15" - 18")	<i>increment of 1/2"</i>	Set at ² :		NC	
BC12-1821	☐	8° bend aluminum back cane	45.72 - 53.34cm (18" - 21")	<i>increment of 1/2"</i>	Set at ² :		NC	
ANGLE AND HEIGHT ADJUSTABLE BACK CANE WITH PUSH HANDLE OPTIONS <i>(MUST select ONE push handle options)</i>								
BC13-1518	☐	Straight aluminum back cane	38.10 - 45.72cm (15" - 18")	<i>increment of 1/2"</i>	Set at ² :		£229	
BC13-1821	☐	Straight aluminum back cane	45.72 - 53.34cm (18" - 21")	<i>increment of 1/2"</i>	Set at ² :		£229	
BC14-1518	☐	8° bend aluminum back cane	38.10 - 45.72cm (15" - 18")	<i>increment of 1/2"</i>	Set at ² :		£229	
BC14-1821	☐	8° bend aluminum back cane	45.72 - 53.34cm (18" - 21")	<i>increment of 1/2"</i>	Set at ² :		£229	
		Select back cane angle:	85° ¹ ☐	90° STD ☐	95° ☐	100° ☐	105° ☐	110° ☐
PUSH HANDLES OPTIONS <i>(ONE option at a time)</i>								
PH01	☐	Push handles						STD
PH05	☐	Fold down push handles ^{3, 5}						£140
PH06-920	☐	clamp on height adjustable push handles 22.86 -50.8cm (9" - 20") ^{3,4, 5}						£260
PH06-923	☐	clamp on height adjustable push handles 22.86 - 58.4cm (9" - 23") ^{3,4, 5}						£260
PH02	☐	Omit push handles						NC
STROLLER HANDLE AND STABILIZER BAR <i>(only available with push handle)</i>								
PH04	☐	Stroller handle <i>(not available with the HD option)</i>						£140
PH03	☐	Newton folding stabilizer bar <i>(not available with stroller handle)</i>						£229
1- Not compatible with 8 degree bent back; 2- If not indicated, default height setting is at the lowest position; measured from seat sling to top of back upholstery; 3- 265 lb weight limit 4- Not compatible with swing away armrests, 8° bend back canes, 21-24" back canes and amputee axle plates; 5- Not compatible with stroller handle, stabilizer bar, headrest and attendant lock								
BACK UPHOLSTERY								
BH05	☐	Slip-on Nylon back upholstery						NC
BH06	☐	Adjustable tension Nylon back upholstery						£150
BH99	☐	Omit Back upholstery						STD
SEAT CUSHION								
SC01	☐	2" Cushion						£150
SC02	☐	3" Cushion						£166
SC99	☐	Omit seat cushion						STD

Rear wheels						
ONE ARM DRIVE ¹					Only available with Newton One rear wheel, permanent axles and 0° camber	
HR22	☐	One arm drive - aluminum inner handrim ²	Left ☐	Right ☐		£1,200
HR60	☐	One arm drive - plastic coated inner handrim ²	Left ☐	Right ☐		£1,200
HR98	☐	Omit handrim on opposite side of the One Arm Drive (OAD)				NC
REAR WHEELS					Available	
RW01	☐	Mag ³			20", 22" 24"	£47
RW02	☐	Newton One - spoke wheel ⁴			20", 22" 24"	NC
RW03	☐	Newton Gravity - ultralight wheel			20", 22", 24", 25", 26"	£295
RW04	☐	Spinergy Spox Blk STD ☐ Wht ⁵ ☐ Blue ⁵ ☐ Red ⁵ ☐ Yel ⁵ ☐			22", 24", 25", 26"	£625
RW05	☐	Spinergy LX Blk STD ☐ Pur ⁵ ☐ Wht ⁵ ☐ Blue ⁵ ☐ Red ⁵ ☐ Yel ⁵ ☐ Pink ⁵ ☐ Grn ⁵ ☐ Org ⁵ ☐			22", 24", 25", 26"	£825
RW07	☐	Spinergy CLX ⁶ Blk STD ☐ Pur ⁵ ☐ Wht ⁵ ☐ Blue ⁵ ☐ Red ⁵ ☐ Yel ⁵ ☐ Pink ⁵ ☐ Grn ⁵ ☐ Org ⁵ ☐			24", 25"	£1,200
TIRES					Available	
AIRLESS						
TI01	☐	Soft Urethane 3.49cm (1 3/8") - Low Tread, black			20", 22" 24"	STD
TI02	☐	Soft Urethane 3.49cm (1 3/8") - Medium Tread, black ⁷			22", 24", 25", 26"	£85
TI04	☐	Soft Urethane 2.54cm (1") - No tread, black - <i>Shox</i>			22", 24", 25", 26"	£99
TI08	☐	Pneumatic Airless insert 3.49cm (1 3/8") - Medium Tread ⁸			22", 24", 26"	£75
PNEUMATIC						
TI05	☐	Pneumatic 3.49cm (1 3/8") Medium Tread			20", 22", 24", 25", 26"	NC
TI06	☐	Pneumatic HP 2.54cm (1") - Low Tread, Puncture resistant, black - <i>SpeedLite</i>			20", 22", 24", 25", 26"	£85
TI07	☐	Pneumatic HP 2.54cm (1") - Medium Tread, Puncture resistant, black - <i>TrailBlazer</i>			24", 25", 26"	£99
TI03	☐	Pneumatic 5.08cm (2") - Large Tread, black ⁹			22", 24", 25"	£95
1- Offered with handrims on each side of the wheelchair; select the outer handrim in the handrims section; Only available with 24" wheel size; Not available with 21" and 22" wide; 2- Only standard handrim position available; 3- Not compatible with HP tires ; Only available with aluminum or plastic coated handrim, standard position; 4- Not compatible with Shox tires; 5- color spokes require an additionnal 10 days lead-time; 6- Only available with 1" tires; 7- 22" is only available with Mags and Newton One rear wheels; 8- Not available with Spinergy CLX, Spinergy LX 25", 26" and Spox 25", 26" rear wheels; 9- Not available with armrests when 3° camber is selected.						
Handrims						
HANDRIM					Available	
HR01	☐	Aluminum anodized			20", 22", 24", 25", 26"	STD
HR61	☐	Aluminum black hard anodized ²			20", 22", 24", 25"	£55
HR02	☐	Plastic coated ¹			20", 22", 24", 25", 26"	£85
HR03	☐	High friction coated ^{1,2,3}			22", 24", 25", 26"	£295
HR07-HR18 and HR65-HR71	☐	Newton Air Grip ² <i>See page 6 for the color selection and price</i>			20", 22", 24", 25", 26"	
HR28	☐	Surge ^{1,2,3} (1 1/2" Oval handrim w/ Gripton high friction strip)			22", 24", 25", 26"	£354
HR05	☐	Surge LT ^{1,2,3} (1 1/8" Oval handrim w/ Gripton high friction strip)			22", 24", 25", 26"	£354
HR04	☐	Natural Fit ^{1,2,3}			22", 24", 25", 26"	£279
HR62	☐	Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)			22", 24", 25", 26"	£329
HR63	☐	Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)			22", 24", 25", 26"	£354
HR64	☐	Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)			22", 24", 25", 26"	£270
HR99	☐	Omit handrim				NC
1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;						
Handrims option						
ASSEMBLY POSITION						
HR29	☐	Standard Handrim position	Full tab			STD
HR030	☐	Narrow Handrim position no cut	Full tab			NC
HR30	☐	Narrow Handrim position with cut ³	Short tab 2 positions			£22
HR31	☐	Super Narrow Handrim ³	Short tab 2 positions STD ☐ Short tab 1 position ☐			£22
THUMB PIECE SELECTION FOR NATURAL FIT, SURGE, SURGE LT HANDRIMS						
HR23	☐	Standard grip				£79
HR27	☐	Super grip				£125
HR099	☐	Omit thumb piece				NC
3- Only available with Aluminum and Air Grip handrims;						
AXLE						
AX01	☐	Quick release axle ¹				STD
AX02	☐	Permanent axle				NC
AX03	☐	Quad release axle ¹				£112
AXLE PLATE						
AX04	☐	Amputee adjustable axle plate ²				£175
1- Not required with one arm drive; 2 - May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down						
REAR WHEEL CAMBER						
CM00	☐	0° camber				STD
CM03	☐	3° camber				NC

**Choose position of rear wheel axle plate:**

Measure distance from front of back post to center of axle receiver.

Default setting is at 3,8 cm (1" 1/4)

Most stable						Most responsive
AMPUTEE ¹	1,9 cm (3/4")	3,8 cm (1" 1/4)	4,4 cm (1" 3/4)	5,7 cm (2" 1/4)	7 cm (2" 3/4)	
☐	☐	☐	☐	☐	☐	

Motion Composites will select the closest possible center of gravity (COG) if an issue arises with the COG

1- Only available with amputee axle plate

WHEEL LOCK

WL08	☐	Newton Wheel lock - push to lock			STD
WL16	☐	Aluminum push to lock with extensions			£69
WL02	☐	Pull to lock			NC
WL04	☐	Newton grade aid push to lock (<i>works best with pneumatic or high pressure tire</i>)			£135
WL13 WL14	☐	6" removable extension handle ¹ *VP01			£69
WL05	☐	Scissors Lock			£129
WL06	☐	Attendant Lock (<i>additional set of wheel lock mounted to the back</i>)			£179
WL15	☐	Unilateral wheel lock - pull to lock ²	Left ☐	Right ☐	£279
WL99	☐	Omit wheel locks			NC

1- Only available with Newton push to lock (WL08), pull to lock (WL02) and Newton Grade aid (WL04); Only the extension for the Newton push to lock is available with the vision package (VP01)

2- For more information about incompatibilities and restriction, refer to the table at page 7 and the "How-to documents" page of our website:

https://www.motioncomposites.com/en_ca/support-and-education/how-to-documents**Armrests**

HEIGHT ADJUSTABLE "T" ARMREST ¹ *VP01					
AR13-610	☐	25.4cm (10") Desk length armpad ⁴	15.25 - 25.40cm (6" - 10")		£285
AR13-812	☐	25.4cm (10") Desk length armpad	20.32 - 30.48cm (8" - 12")		£285
AR13-1014	☐	25.4cm (10") Desk length armpad	25.40 - 35.56cm (10" - 14")		£285
AR14-610	☐	35.56cm (14") Full length armpad ⁴	15.25 - 25.40cm (6" - 10")		£285
AR14-812	☐	35.56cm (14") Full length armpad	20.32 - 30.48cm (8" - 12")		£285
AR14-1014	☐	35.56cm (14") Full length armpad	25.40 - 35.56cm (10" - 14")		£285
HEIGHT ADJUSTABLE SWING AWAY ARMREST ²					
AR05	☐	Tubular armrest - Short pad	20.32 - 27.94cm (8 - 11")		£200
AR23	☐	Tubular armrest - Long pad	20.32 - 27.94cm (8 - 11")		£200
AR06	☐	25.4cm (10") Desk Length flat armpad	20.32 - 27.94cm (8 - 11")		£200
AR17	☐	35.56cm (14") Full Length flat armpad	20.32 - 27.94cm (8 - 11")		£200
ARMREST OPTIONS					
AR12	☐	35.56cm (14") Full Length Armpad - Gel Ovation (pair) ³			£137
AR99	☐	Omit armrest			NC

1- May have 1/2" adjustment restriction on both limits of the range; 2- Could interfere with some rigid backrests; Not available with attendant lock and fixed carbon update side guards;

3- Only available with full length armrest; Not available with swing away and desk length armrests; 4- May have some restriction with seat-to-floor height and rear wheel

SIDE GUARDS (not available with Flip Back and "T" Armrest)					
SG01	☐	Plastic side guards (removable)	Straight bracket - STD	Offset bracket ¹	£175
SG02	☐	Carbon fiber side guards (fixed)			£235
SG03	☐	Carbon fiber side guards (removable)	Straight bracket - STD	Offset bracket ¹	£255
SG06	☐	Plastic fender side guards (removable)	Straight bracket - STD	Offset bracket ¹	£245
SG04	☐	Carbon fiber fender side guards (removable)	Straight bracket - STD	Offset bracket ¹	£445
SG99	☐	Omit side guard			NC
SIDE GUARDS OPTION					
SG07	☐	Side guards clip (pair) ²			NC

1- only compatible with 0° camber; Increase width by 1/2" per side for a total of 1" ; 2- Not available with fixed carbon fiber side guard

POSITIONING BELT							
SB01-S	☐	Velcro adjustable - Small 88.9cm (35") ¹					£40
SB01-L	☐	Velcro adjustable - Long 152.40cm (60")					£40
SB02-S	☐	Auto buckle - Small 88.9cm (35") ¹					£79
SB02-M	☐	Auto buckle - Medium 121.92cm (48")					£79
SB02-L	☐	Auto buckle - Long 152.40cm (60")					£79
SB04-M	☐	BodyPoint Hip Belt - 2 point not padded - Medium 142.24cm (56")					£79
SB04-L	☐	BodyPoint Hip Belt - 2 point not padded - Long 154.94cm (61")					£79
SB05-S	☐	BodyPoint Hip Belt - 2 point padded - Small 129.54cm (51")					£154
SB05-M	☐	BodyPoint Hip Belt - 2 point padded - Medium 142.24cm (56")					£154
SB05-L	☐	BodyPoint Hip Belt - 2 point padded - Long 154.94cm (61")					£154
SB06-S	☐	BodyPoint Hip Belt - 4 point padded - Small 129.54cm (51")					£165
SB06-M	☐	BodyPoint Hip Belt - 4 point padded - Medium 142.24cm (56")					£165
SB06-L	☐	BodyPoint Hip Belt - 4 point padded - Long 154.94cm (61")					£165
SB03	☐	Hardware attachment for 2 extra points (1 pair)					£15
SB08-M	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 73.66 (18")					£258
SB08-L	☐	BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 93.98cm (24")					£258
SB99	☐	Omit positioning belt					STD

1- Not recommended for seat width of 45.72cm (18") and more

HEADREST							
AC01-S	☐	Profiled Headrest - Small 8.8x15.2cm (3.5"X6")					£162
AC01-M	☐	Profiled Headrest - Medium 11.4x17.8cm (4.5"X7")					£162
AC01-L	☐	Profiled Headrest - Large 14x2.3cm(5.5"X8")					£162
AC28	☐	Headrest mounting hardware with removable non folding stabilizer bar ¹					£266

1- Only available with push handles - Not available with a stroller handle or a folding stabilizer bar

ACCESSORIES							
AC03	☐	Anti-tippers					£125
AC29	☐	Swing-away anti-tipper ¹ Left ☐ Right ☐			INDIVIDUAL PRICE		£137
AC27	☐	Tip assist ²					£55
AC06	☐	Cane and crutch holder Left ☐ Right ☐			INDIVIDUAL PRICE		£108
AC07	☐	Oxygen tank holder ⁴ - D and E Type - <i>Installed to the left</i>					£279
AC08	☐	Spoke guards ³ Available: 20", 22", 24", 26"					£104
AC09	☐	Footrest neoprene impact guard (<i>pair</i>) - Black					£83
AC10	☐	Seat pouch					£65
AC30	☐	Newton multi-purpose pouch					£51
AC26	☐	BodyPoint Mobility Bag					£112
AC23	☐	Newton Backpack					£100
AC12	☐	Velcro Closing Strap					£47
AC13	☐	Tool kit					£41
AC16	☐	Motion Composites Polo Shirt W/S ☐ W/M ☐ W/L ☐ M/S ☐ M/M ☐ M/L ☐ M/XL ☐ M/XXL ☐ M/XXXL ☐			DEALER ONLY NO DISCOUNT		£15

1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 34.3cm (13 1/2") and 50.2cm (19 3/4"); 2- Cannot be combined with Anti Tippers


3- Not available with Mag wheels and Spinergy; 4- Not compatible with swing away armrest, amputee axle plate and WC-19 transit tie-down

Colors																			
Options ¹																			
	Black	Sunkissed Orange	Burgundy	Sapphire Blue	Monster Green	Charcoal	Fuchsia	Steel Blue	Ferrari Red	Acid Green	Electric Purple	Caribbean Blue	White	Pink Pearl	Plum Purple	Sky Blue	Black Cherry	Khaki Green (matte)	Desert Sand (matte)
																			
AirGrip	☐ £90	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Frame ²	☐ STD	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
FC99	☐	Custom Color	Specify PPG Paintit color:														additional 10 days lead-time		£325

1- Color representation may vary from one monitor to another. Therefore, the actual paint color on your wheelchair might differ slightly from what you see on your screen.; Finish between Airgrip and frame might be different;

2- with black hydroformed aluminum crossbrace

Fork and Stem bolt combinations



Vision Package Accents



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility Range (in)
20 in	16+	1.25 to 2.75
22 in	16	0.75 to 2.25
	17+	0.75 to 2.75
24 in	16	0.75 to 1.75
	17	0.75 to 2.25
	18+	0.75 to 2.75

Notes :

COMPANY _____ SHIP TO _____

DATE _____ NAME _____ PHONE _____

CONTACT NAME _____ ADDRESS _____

EMAIL _____ CITY _____ STATE _____ ZIP _____



Optima™ THORACIC BACK SUPPORT

CARBON FIBRE SHELL = WEIGHT SAVINGS UP TO 2.4 LBS
WITH FIXED MICRO-MOUNT HARDWARE OPTION

Has a 3" (7.6 cm) mild thoracic contour. Weight capacity for backs up to 20" (50.8 cm) is 300lbs (136 kg), for 22" (55.9 cm) and larger is 400lbs (181.5 kg). When using 4-Point Fixed Mount Hardware, 23" (58.4 cm) and larger have a weight capacity of 550lbs.



Optima™ DEEP THORACIC BACK SUPPORT

CARBON FIBRE SHELL = WEIGHT SAVINGS UP TO 2.4 LBS
WITH FIXED MICRO-MOUNT HARDWARE OPTION

Has a depth adjustable deep thoracic contour of 5.5" – 7" (14-17.8 cm). Weight capacity for backs up to 20" (50.8 cm) is 300lbs (136 kg), for 22" (55.9 cm) and larger is 400lbs (181.5 kg). When using four point fixed mount hardware, 23" (58.4 cm) and larger have a weight capacity of 550lbs.

THORACIC SHAPE

MODEL NO. CARBON FIBRE	MODEL NO. ALUMINUM	WIDTH	HEIGHT	£ CARBON	QTY	£ ALUMINUM	QTY
	NOACB1307	13"	7"			515	
	NOACB1309	13"	9"			515	
	NOACB1313	13"	13"			515	
	NOACB1316	13"	16"			515	
	NOACB1407	14"	7"			515	
NOCFACB1409	NOACB1409	14"	9"	639		515	
NOCFACB1413	NOACB1413	14"	13"	657		515	
NOCFACB1416	NOACB1416	14"	16"	679		515	
	NOACB1507	15"	7"			515	
NOCFACB1509	NOACB1509	15"	9"	639		515	
NOCFACB1513	NOACB1513	15"	13"	657		515	
NOCFACB1516	NOACB1516	15"	16"	679		515	
	NOACB1607	16"	7"			515	
NOCFACB1609	NOACB1609	16"	9"	639		515	
NOCFACB1613	NOACB1613	16"	13"	657		515	
NOCFACB1616	NOACB1616	16"	16"	679		515	
	NOACB1619	16"	19"			515	
	NOACB1707	17"	7"			515	
NOCFACB1709	NOACB1709	17"	9"	639		515	
NOCFACB1713	NOACB1713	17"	13"	657		515	
NOCFACB1716	NOACB1716	17"	16"	679		515	
	NOACB1719	17"	19"			515	
	NOACB1807	18"	7"			515	
NOCFACB1809	NOACB1809	18"	9"	639		515	
NOCFACB1813	NOACB1813	18"	13"	657		515	
NOCFACB1816	NOACB1816	18"	16"	679		515	
	NOACB1819	18"	19"			515	
	NOACB1916	19"	16"			515	
	NOACB1919	19"	19"			515	

MODEL NO. CARBON FIBRE	MODEL NO. ALUMINUM	WIDTH	HEIGHT	£ CARBON	QTY	£ ALUMINUM	QTY
	NOPCB1307	13"	7"			579	
	NOPCB1309	13"	9"			579	
	NOPCB1313	13"	13"			579	
	NOPCB1316	13"	16"			579	
	NOPCB1407	14"	7"			579	
NOCFPCB1409	NOPCB1409	14"	9"	725		579	
NOCFPCB1413	NOPCB1413	14"	13"	750		579	
NOCFPCB1416	NOPCB1416	14"	16"	775		579	
	NOPCB1507	15"	7"			579	
NOCFPCB1509	NOPCB1509	15"	9"	725		579	
NOCFPCB1513	NOPCB1513	15"	13"	750		579	
NOCFPCB1516	NOPCB1516	15"	16"	775		579	
	NOPCB1607	16"	7"			579	
NOCFPCB1609	NOPCB1609	16"	9"	725		579	
NOCFPCB1613	NOPCB1613	16"	13"	750		579	
NOCFPCB1616	NOPCB1616	16"	16"	775		579	
	NOPCB1619	16"	19"			579	
	NOPCB1707	17"	7"			579	
NOCFPCB1709	NOPCB1709	17"	9"	725		579	
NOCFPCB1713	NOPCB1713	17"	13"	750		579	
NOCFPCB1716	NOPCB1716	17"	16"	775		579	
	NOPCB1719	17"	19"			579	
	NOPCB1807	18"	7"			579	
NOCFPCB1809	NOPCB1809	18"	9"	725		579	
NOCFPCB1813	NOPCB1813	18"	13"	750		579	
NOCFPCB1816	NOPCB1816	18"	16"	775		579	
	NOPCB1819	18"	19"			579	
	NOPCB1916	19"	16"			579	
	NOPCB1919	19"	19"			579	

ITEM	WIDTH X DEPTH	£	QTY
Replacement cover & foam	___ X ___	160	

ITEM	WIDTH X DEPTH	£	QTY
Replacement cover & foam	___ X ___	160	

PLEASE NOTE: Each back will fit widths up to 2" wider.

Optima™ THORACIC BACK SUPPORT

Optima™ DEEP THORACIC BACK SUPPORT

MODEL NO. CARBON FIBRE	MODEL NO. ALUMINUM	WIDTH	HEIGHT	£ CARBON	QTY	£ ALUMINUM	QTY
	NOACB2007	20"	7"			515	
NOCFACB2009	NOACB2009	20"	9"	639		515	
NOCFACB2013	NOACB2013	20"	13"	657		515	
NOCFACB2016	NOACB2016	20"	16"	679		515	
	NOACB2019	20"	19"			515	
N/A	NOACB2116	21"	16"	N/A		515	
N/A	NOACB2119	21"	19"	N/A		515	
N/A	NOACB2213	22"	13"	N/A		545	
N/A	NOACB2216	22"	16"	N/A		545	
N/A	NOACB2219	22"	19"	N/A		545	
N/A	NOACB2316	23"	16"	N/A		545	
N/A	NOACB2319	23"	19"	N/A		545	
N/A	NOACB2416	24"	16"	N/A		545	
N/A	NOACB2419	24"	19"	N/A		545	
N/A	NOACB2516	25"	16"	N/A		545	
N/A	NOACB2519	25"	19"	N/A		545	
N/A	NOACB2616	26"	16"	N/A		545	
N/A	NOACB2619	26"	19"	N/A		545	
N/A	NOACB2716	27"	16"	N/A		545	
N/A	NOACB2719	27"	19"	N/A		545	
N/A	NOACB2816	28"	16"	N/A		545	
N/A	NOACB2819	28"	19"	N/A		545	
N/A	NOACB2916	29"	16"	N/A		545	
N/A	NOACB2919	29"	19"	N/A		545	

MODEL NO. CARBON FIBRE	MODEL NO. ALUMINUM	WIDTH	HEIGHT	£ CARBON	QTY	£ ALUMINUM	QTY
	NOPCB2007	20"	7"			579	
NOCFPCB2009	NOPCB2009	20"	9"	725		579	
NOCFPCB2013	NOPCB2013	20"	13"	750		579	
NOCFPCB2016	NOPCB2016	20"	16"	775		579	
	NOPCB2019	20"	19"			579	
N/A	NOPCB2116	21"	16"	N/A		579	
N/A	NOPCB2119	21"	19"	N/A		579	
N/A	NOPCB2213	22"	13"	N/A		609	
N/A	NOPCB2216	22"	16"	N/A		609	
N/A	NOPCB2219	22"	19"	N/A		609	
N/A	NOPCB2316	23"	16"	N/A		609	
N/A	NOPCB2319	23"	19"	N/A		609	
N/A	NOPCB2416	24"	16"	N/A		609	
N/A	NOPCB2419	24"	19"	N/A		609	
N/A	NOPCB2516	25"	16"	N/A		609	
N/A	NOPCB2519	25"	19"	N/A		609	
N/A	NOPCB2616	26"	16"	N/A		609	
N/A	NOPCB2619	26"	19"	N/A		609	
N/A	NOPCB2716	27"	16"	N/A		609	
N/A	NOPCB2719	27"	19"	N/A		609	
N/A	NOPCB2816	28"	16"	N/A		609	
N/A	NOPCB2819	28"	19"	N/A		609	
N/A	NOPCB2916	29"	16"	N/A		609	
N/A	NOPCB2919	29"	19"	N/A		609	

ITEM	WIDTH X DEPTH	£	QTY
Replacement cover & foam	__ X __	160	

ITEM	WIDTH X DEPTH	£	QTY
Replacement cover & foam	__ X __	160	

PLEASE NOTE: Each back will fit widths up to 2" wider.

Xtend™ HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

- Step-less height adjustable range from 16"-20" (40.6-50.8 cm) with a mild, 3.5" (8.9 cm) thoracic lateral contour.
- Weight capacity for backs up to 20" (40.6 cm) is 300lbs (136 kg), for 22" (55.9 cm) and larger is 400lbs (181.5 kg).

	MODEL NO.	WIDTH	HEIGHT	£	QTY
	NHAACB1616/20	16"	16"-20"	515	
	NHAACB1816/20	18"	16"-20"	515	
	NHAACB2016/20	20"	16"-20"	515	
	NHAACB2216/20	22"	16"-20"	545	
	NHAACB2416/20	24"	16"-20"	545	
Optional: Change cover for incontinent/infection control cover					

ITEM	WIDTH X DEPTH	£	QTY
Replacement Cover & Foam	__ X __	160	

Xtend™ DEEP HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

- Step-less height adjustable range from 16"-20" (40.6-50.8 cm) with a 5.5"-7" (14-17.8 cm) depth adjustable thoracic lateral contour.
- Weight capacity for backs up to 20" (40.6 cm) is 300lbs (136 kg), for 22" (55.9 cm) and larger is 400lbs (181.5 kg).

	MODEL NO.	WIDTH	HEIGHT	£	QTY
	NHAPCB1616/20	16"	16"-20"	515	
	NHAPCB1816/20	18"	16"-20"	515	
	NHAPCB2016/20	20"	16"-20"	515	
	NHAPCB2216/20	22"	16"-20"	545	
	NHAPCB2416/20	24"	16"-20"	545	
Optional: Change cover for incontinent/infection control cover					

ITEM	WIDTH X DEPTH	£	QTY
Replacement Cover & Foam	__ X __	160	

Xtend™ LOW HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

- Step-less height adjustable range from 13"-17" (33-43.2 cm) with a mild, 3.5" (8.9 cm) thoracic lateral contour.
- Weight capacity for backs up to 20" (50.8 cm) is 300lbs (136 kg), for 22" (55.9 cm) and larger is 400lbs (181.5 kg).

	MODEL NO.	WIDTH	HEIGHT	£	QTY
	NHAACB (L) 1213/17	12"	13"-17"	515	
	NHAACB (L) 1413/17	14"	13"-17"	515	
	NHAACB (L) 1613/17	16"	13"-17"	515	
	NHAACB (L) 1813/17	18"	13"-17"	515	
	NHAACB (L) 2013/17	20"	13"-17"	545	
	NHAACB (L) 2213/17	22"	13"-17"	545	
	Optional: Change cover for incontinent/infection control cover				

ITEM	WIDTH X DEPTH	£	QTY
Replacement Cover & Foam	___ x ___	160	

** 12" Wide Xtend LOW does not come with one hand release

Xtend™ LOW DEEP HEIGHT ADJUSTABLE THORACIC BACK SUPPORT

- Step-less height adjustable range from 13"-17" (33-43.2 cm) with a 5.5"-7" (14- 17.8 cm) depth adjustable thoracic lateral contour.
- Weight capacity for backs up to 20" (40.6 cm) is 300lbs (136 kg), for 22" (55.9 cm) and larger is 400lbs (181.5 kg).

	MODEL NO.	WIDTH	HEIGHT	£	QTY
	NHAPCB (L) 1213/17	12"	13"-17"	515	
	NHAPCB (L) 1413/17	14"	13"-17"	515	
	NHAPCB (L) 1613/17	16"	13"-17"	515	
	NHAPCB (L) 1813/17	18"	13"-17"	515	
	NHAPCB (L) 2013/17	20"	13"-17"	545	
	NHAPCB (L) 2213/17	22"	13"-17"	545	
	Optional: Change cover for incontinent/infection control cover				

ITEM	WIDTH X DEPTH	£	QTY
Replacement Cover & Foam	___ x ___	160	

Armadillo™ BACK SUPPORT

- Three-section modular shell designed to adjust to fit the unique contour of the user's spine
- Designed for users with kyphosis or other spinal deformities
- Weight capacity for backs up to 20" (50.8 cm) is 300lbs (136 kg), for 22" (55.9 cm) and larger is 400lbs (181.5 kg)
- Armadillo does not come with the One Hand Quick Release

	MODEL NO.	WIDTH	HEIGHT	£	QTY
	NMAPSB14	14"-16"	16"	695	
	NMAPSB16	16"-18"	16"	695	
	NMAPSB18	18"-20"	18"	695	
	NMAPSB18-TALL	18"-20"	20"	695	
	NMAPSB20	20"-22"	18"	695	
	NMAPSB20-TALL	20"-22"	20"	695	
	NMAPSB22	22"-24"	18"	795	
	NMAPSB22-TALL	22"-24"	20"	795	
	NMAPSB24	24"-26"	18"	795	
	NMAPSB24-TALL	24"-26"	20"	795	

BACK SUPPORT HARDWARE OPTIONS

- All Backs come standard with NIB-1004 Right and NIB-1178 Left, Quick Release Mounting Hardware Below are fixed hardware options available at no charge.
- Both the 2-point and 4-point fixed hardware have 1" depth adjustment. The 2-point fixed mount has 25 degrees of posterior & anterior angle adjustment, the 4-point hardware has an average of 15 degrees of posterior & anterior angle adjustment (varies, depending on spacing between the brackets).

DESCRIPTION	MODEL NO.	DESCRIPTION	OPTIMA™	OPTIMA™ CARBON	XTEND™	XTEND™ LOW	CLASSIC™	ARMADILLO	QTY
2-Point Fixed Hardware 	NIB-1207	2 Point fixed hardware	Optional 1	Optional	N/A	N/A	Optional 1	N/A	
2-Point Fixed Micro Mount Hardware 	NIB-1642*	Micro Mount 2 Point fixed hardware	Optional 2 & 3	Optional 2 & 3	N/A	N/A	N/A	N/A	
4-Point Fixed Hardware 	NIB-1969	4 Point fixed hardware	Optional 3	Optional 3	Optional 3 & 4	Optional 3 & 4	Optional 3	N/A	

NOTE: * Must be ordered 2x to get the pair

1 – Use only on back supports with 16" (40.6cm) back height or lower. 2 – Use only on back supports with 13" (33cm) back height or lower.

3 – Not width adjustable - fits one back/chair width. 4 – Limits height adjustment to 3"

BACK SUPPORT OPTIONS AND ACCESSORIES

MODEL	DESCRIPTION	FITS BACK WIDTH	£	QTY
Custom - Visco	Custom Visco Gel Foam Option (Dual density 0.5" (1.3 cm) Polyurethane foam backing and 1" (2.5 cm) top layer of Visco gel foam)	Specify back model # when ordering	179	
Custom - Cover	Optional Infection Control Wipe Down Back Support Cover	Specify back model # when ordering	207	
NIB-0190	Pelvic-Lumbar Support Pads (PAIR)	All	99	
NIB-XXXXXX	Back Support Inner Incontinent Cover. PLEASE NOTE: Specify model and size in part number when ordering: i.e. For a Classic DEEP Back 1820 the part number is - NIB-CD1820		124	
NIB-0191	Small Lateral Support Pads (PAIR)	14"-16" (35.6-40.6 cm)	99	
NIB-0192	Large Lateral Support Pads (PAIR)	17"-22" (43.2-55.9 cm)	99	
NIB-1004	Mounting Hardware Clamp Kit, right	N/A	142	
NIB-1178	Mounting Hardware Clamp Kit, left	N/A	142	
NIB-1207	2-Point Fixed Mounting Hardware (PAIR). Use only on back supports with 16" (40.6 cm) back height or lower	14"-20" (35.5-50.8 cm)	142	
NIB-1642	2-Point Micro Mount Fixed Hardware (Kit of 4). Use only on back supports with 13" (33 cm) back height or lower. 2 each required when ordering for a complete back support.	14"-20" (35.5-50.8 cm)	110	
NIB-1969	4-Point Mount Fixed Hardware	N/A	142	
NIB-1077	Mounting Hardware Clamp Kit, right for Armadillo	N/A	142	
NIB-1189	Mounting Hardware Clamp Kit, left for Armadillo	N/A	142	
NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	11" - 13" (27.9 - 33.0)	124	
NIB-1078	Small Privacy Flap for 14"-16" wide back supports	14"-16" (35.6-40.6 cm)	124	
NIB-1079	Medium Flap for 17"-19" wide back supports	17"-19" (43.2-48.3 cm)	124	
NIB-1080	Large Privacy Flap for 20"-22" wide back supports	20"-22" (50.8-55.9 cm)	124	
NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	23" - 26" (58.4 - 66.0 cm)	124	
NIB-1174	Replacement One Hand Release Kit	14"-16" (35.6-40.6 cm)	107	
NIB-1051	Replacement One Hand Release Kit	16"-22" (40.6-55.9 cm)	109	
NIB-1053	Replacement One Hand Release Kit	22"-24" (55.9-61cm)	109	

MultiFit™ HEAD SUPPORT


 Contoured (NIB-0785) Large (NIB-0784) Extra large (NIB-0818)	MODEL NO.	MULTI-ADJUSTABLE PADS	£	QTY
	NIB-0785	9" x 5" CONTOURED	227	
	NIB-0784	10" x 5" LARGE RECTANGULAR	227	
	NIB-0818	14" x 5" EXTRA-LARGE RECTANGULAR	227	
	MODEL NO.	FEATURES	£	QTY
	NIB-0747	MULTI-AXIS HARDWARE	180	
	NIB-0823	HEAD SUPPORT RECEIVER BRACKET	97	
	NIB-1306	FLIP BACK MULTI-AXIS HARDWARE	247	
	NIB-1210	FLIP BACK KIT	134	
	NIB-1200	UNIVERSAL HEAD SUPPORT ADAPTER	104	

PRIVACY FLAP

	MODEL NO.	DESCRIPTION	£	QTY
	NIB-1938	Extra Small Privacy Flap for 11" - 13" wide back supports	124	
	NIB-1078	Small Privacy Flap for 14"-16" wide back supports	124	
	NIB-1079	Medium Flap for 17"-19" wide back supports	124	
	NIB-1080	Large Privacy Flap for 20"-22" wide back supports	124	
	NIB-1081	Extra Large Privacy Flap for 23" - 26" wide back supports	124	

BioFit™

- Multi-layer Cushions that utilize Dynamic's smartGEL™ technology
- Multi-layer design provides deep immersion and support for medium to high skin protection
- Includes smartx3D outer cover and fluid proof inner cover.
- Weight capacity for 10"-20" (25.4-50.8 cm) cushions is 300lbs (136 kg), 22"-26" (55.9-61 cm) cushions is 400lbs (181.5 kg).
- Optional Incontinent / Infection Control Cover is a no charge alternative option when ordered with a cushion or back support. Specify model number when ordering.



BIOFIT™	WIDTH	DEPTH	£	QTY	BIOFIT™	WIDTH	DEPTH	£	QTY
NXCABF1010	10"	10"	357		NXCABF1818	18"	18"	357	
NXCABF1012	10"	12"	357		NXCABF1820	18"	20"	379	
NXCABF1014	10"	14"	357		NXCABF1822	18"	22"	379	
NXCABF1210	12"	10"	357		NXCABF1916	19"	16"	379	
NXCABF1212	12"	12"	357		NXCABF1917	19"	17"	379	
NXCABF1214	12"	14"	357		NXCABF1918	19"	18"	379	
NXCABF1312	13"	12"	357		NXCABF1919	19"	19"	379	
NXCABF1314	13"	14"	357		NXCABF1920	19"	20"	379	
NXCABF1315	13"	15"	357		NXCABF2016	20"	16"	379	
NXCABF1316	13"	16"	357		NXCABF2017	20"	17"	379	
NXCABF1412	14"	12"	357		NXCABF2018	20"	18"	379	
NXCABF1414	14"	14"	357		NXCABF2020	20"	20"	379	
NXCABF1415	14"	15"	357		NXCABF2022	20"	22"	379	
NXCABF1416	14"	16"	357		NXCABF2116	21"	16"	379	
NXCABF1515	15"	15"	357		NXCABF2118	21"	18"	379	
NXCABF1516	15"	16"	357		NXCABF2120	21"	20"	379	
NXCABF1517	15"	17"	357		NXCABF2216	22"	16"	379	
NXCABF1518	15"	18"	357		NXCABF2218	22"	18"	379	
NXCABF1519	15"	19"	357		NXCABF2220	22"	20"	379	
NXCABF1520	15"	20"	357		NXCABF2222	22"	22"	379	
NXCABF1615	16"	15"	357		NXCABF2316	23"	16"	379	
NXCABF1616	16"	16"	357		NXCABF2318	23"	18"	379	
NXCABF1617	16"	17"	357		NXCABF2320	23"	20"	379	
NXCABF1618	16"	18"	357		NXCABF2416	24"	16"	379	
NXCABF1619	16"	19"	357		NXCABF2418	24"	18"	379	
NXCABF1620	16"	20"	357		NXCABF2420	24"	20"	379	
NXCABF1716	17"	16"	357		NXCABF2422	24"	22"	379	
NXCABF1717	17"	17"	357		NXCABF2616	26"	16"	404	
NXCABF1718	17"	18"	357		NXCABF2618	26"	18"	404	
NXCABF1719	17"	19"	357		NXCABF2620	26"	20"	404	
NXCABF1720	17"	20"	357		NXCABF2622	26"	22"	404	
NXCABF1816	18"	16"	357		Optional: Change cover for incontinent/infection control cover				
NXCABF1817	18"	17"	357						

ITEM	WIDTH X DEPTH	£		QTY
Replacement Incontinent Cover	___ x ___	160	For a cover up to 18" x 19"	
		174	For a cover 18" x 20" and above	
Replacement smartx3D Cover	___ X ___	160	For a cover up to 18" x 19"	
		174	For a cover 18" x 20" and above	



Solid Seat Insert



Pelvic Obliquity Wedges

SEATING AND CUSHION ACCESSORIES

MODEL NO.	DESCRIPTION	FITS BACK WIDTH	£	QTY
NIB-0711	Pair of 0.5" (1.2 cm) pelvic build up wedges	All Sizes	129	
RSSI 1600	Solid Seat Insert	Fits cushions 16" & 17" wide (40.6 & 43.2 cm) and 14"-18" deep (35.6-45.7 cm)	129	
RSSI 1800	Solid Seat Insert	Fits cushions 18" & 19" wide (45.7 & 48.3 cm) and 14"-18" deep (35.6-45.7 cm)	129	
RSSI 2000	Solid Seat Insert	Fits cushions 20"-22" wide (50.8-55.9 cm) and 18"-20" deep (45.7-50.8 cm)	129	

BIOFIT SEAT CUSHIONS CUSTOMIZATION

- › When ordering custom cushions: Please specify which cushion model you wish to purchase and then the modification.
- › Note: The modification will be made to the specific cushion size selected. i.e. "NXCABF1818 with NSDR2."

MODEL NO.	DESCRIPTION	DIMENSIONS OF CHANGE	£	QTY
NSDR1	Seat depth reduction	Cushion depth less 1"	75	
NSDR2	Seat depth reduction	Cushion depth less 2"	75	
NSDR3	Seat depth reduction	Cushion depth less 3"	75	
NLLDR1	Right leg length discrepancy	Cushion depth users right less 1"	75	
NLLDR2	Right leg length discrepancy	Cushion depth users right less 2"	75	
NLLDL1	Left leg length discrepancy	Cushion depth users left less 1"	75	
NLLDL2	Left leg length discrepancy	Cushion depth users left less 2"	75	
NCWR	Cushion width reduction	Special request – requires approval	75	