

Fitting / Order form

Dealer information

Customer (name / code)

/

Contact

Address

Post code / City

/

Phone / Fax

/

Delivery address

Name

/

Address

Post code / City

/

Phone

E-mail

Your reference

Your order number

Fitting date

Fitting date (dd-mm-yyyy)

User weight

kg

Prices valid from: 04-11-2025

TiLite TR



☒ Required choice

☐ / ☐ Optional choice

☒ / ☐ Default required option

code

Price

excl VAT

incl VAT

FRAME STYLE

TRFS1

☐

TILITE TR SERIES 3

(Minimal Adjustability. 265 Pound (120 kg)Weight Limit)

3745,00

TRRRFR1

☐

FRAME, REINFORCED

(No charge when 20" Rear Seat Width and 20" Seat Depth or Heavy Duty is selected.)

0,00

LANGUAGE USER MANUAL

Language

Choose

FRAME FINISHES

TRFF1

☐

TITANIUM - SATIN FINISH

(Available with Titanium Frame only.)

0,00

TRSCBT1

☐

BUFFING PADS SATIN FINISH

TRFF3

☐

TATTOO ON TITANIUM AND ALUMINIUM FRAME

(Tattoos on front frame tubes. Titanium frame finished in Satin. Tattoos will be trimmed and adjusted to fit your frame.)

313,00

TRFF44

☐

TATTOO FLOWER GARDEN



0,00

TRFF45

☐

TATTOO NEED FOR SPEED



0,00

TRFF43

☐

TATTOO MOSAIC



0,00

COLOR

☐ TRFF61

SEAFOAM GREEN

☐ TRFF62

BLUE MIST

☐ TRFF63

LAVENDER DUSK

☐ TRFF8

HIGH GLOSS BLACK

☐ TRFF10

RED PEPPER

☐ TRFF29

NEON PINK

☐ TRFF14

OCEAN BLUE METALLIC

☐ TRFF15

TANGERINE METALLIC

☐ TRFF30

ACID GREEN METALLIC

☐ TRFF17

MIDNIGHT BLUE PEARL

☐ TRFF18

WHITE PEARL

☐ TRFF59

POMEGRANITE RED

☐ TRFF19

BLACK LAVA

☐ TRFF27

TITANIUM GRAY

☐ TRFF60

SILVER STREAK

☐ TRFF57

INDIGO PURPLE

☐ TRFF58

BLACK GALAXY

☐ TRFF64

DAFFODIL YELLOW

☐ TRFF40

HYPER BLUE

☐ TRFF41

FLAME ORANGE

☐ TRFF42

OD GREEN

COLOR ANODIZE PACKAGE

TRANO1

☐

COLOR ANODIZE PACKAGE- BLACK

0,00

(Color Anodize Package includes: Caster Mount, Caster Fork, and Caster Caps. If no anodize color is selected, the default will be black.)

09-07-2025

page 1 of 9

TRANO12	☐	COLOR ANODIZE PACKAGE- GOLD	49,00
TRANO15	☐	COLOR ANODIZE PACKAGE- GREEN	49,00
TRANO13	☐	COLOR ANODIZE PACKAGE- PURPLE	49,00
TRANO14	☐	COLOR ANODIZE PACKAGE- ORANGE	49,00
TRANO10	☐	COLOR ANODIZE PACKAGE- BLUE	48,00
TRANO11	☐	COLOR ANODIZE PACKAGE- RED	49,00

TiFit: TAILORED INDIVIDUALIZED FRAME

REAR SEAT WIDTH (A)


Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post to the outside of the opposite seat tube at back post.

TRSW1-12	☐	SEAT WIDTH 12"	☐	13"	☐	14"	☐	15"	☐	16"	☐	17"	☐	18"	☐	19"	0,00
TRSW2	☐	SEAT WIDTH 20"															447,00
(> 20" size available through CMD)																	

FRONT SEAT WIDTH (SEAT TAPER) (T)

Measure from inside of front frame tube to inside of opposite front frame tube. (Required with V-Front End (V). Not Available with Standard Front End (I))

TRFSW1	☐	FRONT SEAT WIDTH- NO TAPER	0,00
TRFSW2	☐	FRONT SEAT WIDTH- 1" TAPER (3" Narrower than Rear Seat Width A. Includes Tension Adjustable by Straps Seat Upholstery.) Bolt On Adjustable Sling available through our Creative Mobility Division #20	254,00
TRFSW4	☐	FRONT SEAT WIDTH- 2" TAPER (4" Narrower than Rear Seat Width A. Includes Tension Adjustable by Straps Seat Upholstery.) Bolt On Adjustable Sling available through our Creative Mobility Division #20	254,00



SEAT DEPTH (B)

Measure from front of back post to the front edge of seat sling. Frame bend will start .5" in front of seat sling unless Custom Frame Depth is specified, or the combination of specifications affect the rolling dynamics of the chair.

TRSD1-12	☐	SEAT DEPTH 12"	☐	13"	☐	14"	☐	15"	☐	16"	☐	17"	☐	18"	☐	19"	0,00
TRSD2	☐	SEAT DEPTH 20"															471,00
(Custom seat depth available through CMD)																	

ERGONOMIC SEAT (U)

Measure from front of back post to beginning of upward bend of seat tube.

TRERG1-5	☐	ERGONOMIC SEAT 5"	☐	6"	☐	7"	☐	8"	☐	9"	372,00
Bolt On Adjustable Sling available through our Creative Mobility Division #20. Solid Seat available through Creative Mobility Division #16.)											

FRONT SEAT HEIGHT (C)

Measure from floor to top of seat tube at front edge of seat sling

TRFSH1-15	☐	FRONT SEAT HIGHT 15"	☐	15.5"	☐	16"	☐	16.5"	☐	17"	☐	17.5"	☐	18"	0,00

REAR SEAT HEIGHT (D)

Measure from floor to top of seat tube at back post.

TRRSH1-12.5

12.5"

14.5"

16.5"

18.5"

13"

15"

17."

19"

13.5"

15.5"

17.5"

19.5"

14"

16"

18."

20"

Rear wheel size

Rear seat height

20"

12.5"-20"

22"

13.5"-20"

24"

14.5"-20"

25"

15.0"-20"

26"

15.5"-20"

TRFA1-85

☐ FRONT ANGLE 85°
(L) Measure from frame front to floor. (Not available with 6" Front Wheels.)

0,00

TRFA1-90

☐ FRONT ANGLE 90°
(Not available with 5" or 6" Front Wheels.)

0,00

TRFA2

☐ OVERALL FRAME LENGTH
(Measure from front of backrest to Front Edge of Footrest.)

M= mm

0,00

SEAT TO FOOTREST (E)

Measure from front edge of seat sling to top rear of footrest.

STFR-xxx

☐ STANDARD FOOTREST
Measurement must be at least 2" shorter than Front Seat Height (C).

0,00

☐ 13.5"

☐ 14"

☐ 14.5"

☐ 15"

☐ 15.5"

☐ 16"

☐ 16.5"

☐ 17."

☐ 17.5"

☐ 18."

☐ 18.5"

☐ 19"

TRFTR3

☐ FOOTREST ANGLE ADJUSTABLE

0,00

TRFTR1

☐ FOOTREST TITANIUM WITH FLAT ABS COVER

176,00

TRFTR2

☐ FOOTREST TITANIUM OPEN LOOP

226,00

TRFTR12

☐ FOOTREST FLIP-BACK

194,00

STFR-xxx

☐ HIGH MOUNTED FOOTREST
Measurement must be at least 2" shorter than Front Seat Height (C).

0,00

STFR-S

☐ 7" - 9"

Set at: mm

☐ 9"- 11"

Set at: mm

☐ 11"- 13"

Set at: mm

0,00


STFR-M

STFR-L

TRFTR4

☐ FOOTREST ANGLE ADJUSTABLE HIGH MOUNT

92,00



FOOTREST WIDTH (I) or (V)

Select either a Standard Front End (I) if no Seat Taper (T) is selected or a V-Front End (V) if a Seat Taper (T) is selected

STANDARD FRONT END (I)

Find your Rear Seat Width (A) in the Chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube.

TRFE1-0

☐ STANDARD FRONT END NO TAPER

0,00

REAR SEAT WIDTH (Outside measurement)	No Taper (2" Narrower than rear seat width)	2" Taper (4" Narrower than rear seat width)	4" Taper (6" Narrower than rear seat width)
12"	☐ 10"	☐ 8"	
13"	☐ 11"	☐ 9"	
14"	☐ 12"	☐ 10"	☐ 8"
15"	☐ 13"	☐ 11"	☐ 9"
16"	☐ 14"	☐ 12"	☐ 10"
17"	☐ 15"	☐ 13"	☐ 11"
18"	☐ 16"	☐ 14"	☐ 12"
19"	☐ 17"	☐ 15"	☐ 13"
20	☐ 18"	☐ 16"	☐ 14"

V-FRONT END (V)

Measure from inside of front frame tube to inside of opposite front frame tube 2-1/2" above footrest. (Titanium Footrests have 1" of adjustment up and down. Not available with Ergonomic Seat frames.)

TRFE2-9

☐ FOOTREST FRONT END WIDTH-V 9"

104,00

☐ 10"

☐ 11"

☐ 12"

☐ 13"

☐ 14"

☐ 15"

BACKREST UPHOLSTERY

(Want more seating options? Click here to view the new TiLite Seating Order Form.)

TRBUP2	☐	BACK UPHOLSTERY VELCRO ADJUSTABLE (Not available with Fold-Down Push Handles.)	0,00
Tension Adjustable by Straps (Required with Fold-Down Push Handles.)			
TRBUP3	☐	BACK UPHOLSTERY STRAPS TENSION ADJUSTABLE	100,00
TRBUP5	☐	UPHOLSTERY AIR BREATHABLE (Not available with Ultrasuede Backrest Stripe.)	176,00
TRUPC3-BL	☐	UPHOLSTERY BACKREST STRIPE ULTRASUEDE BLACK	95,00
TRBUP0	☐	WITHOUT BACK UPHOLSTERY	0,00

SEAT BACK TYPE/PUSH HANDLES/SEAT BACK HEIGHT (F)

Measure from top of back post to top of seat tube at rear of frame.

TRSB1	☐	FOLDING ALUMINUM ADJUSTABLE HEIGHT SEAT BACK (Required for Heavy Duty Frame)	0,00
TRSB2	☐	FOLDING TITANIUM ADJUSTABLE HEIGHT SEAT BACK (Titanium back will match Frame Finish. Not available with Bolt-On Push Handles.)	176,00
TRSB15	☐	SEAT BACK, NON-FOLDING, FIXED-HEIGHT TITANIUM (Titanium back will match Frame Finish. Not available with Push Handles.)	254,00

TISHAFT™ BACK RELEASE BARS

(Not available with Non-Folding, Fixed Height Titanium Back.)


TRSB3	☐	BACK RELEASE BAR ALUMINUM TISHAFT	0,00
TRSB5	☐	BACK RELEASE BAR CARBON FIBER	63,00

PUSH HANDLES (select above)

TRSB6	☐	PUSH HANDLES INTEGRATED	0,00
TRSB7	☐	PUSH HANDLES INTEGRATED FOLD-DOWN (Requires Tension Adjustable by Straps Back Upholstery.)	104,00
TRSB8	☐	PUSH HANDLES BOLT ON (Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.)	176,00
TRSB9	☐	PUSH HANDLES BOLT ON HEIGHT ADJUSTABLE (Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.)	303,00

FOLDING SEAT BACK HEIGHT (F) (TRSB1 and TRSB2)

PUSH HANDLES (select above)	Short	Medium	Tall	use 0.5" increments
None/Bolt on	9.5"-12.5"	13.5"-17.5"	17"-21.5"	Set at:
Integrated	11.5"-13.5"	14.5"-17.5"	18.5"-21.5"	Set at:
Intergated fold down	14"-16.5"	15"-19.5"	19.5"-22"	Set at:



NON-FOLDING, FIXED-HEIGHT (F) TITANIUM SEAT BACK

with New Rounded Rigidizer Bar

(Titanium back will match Frame Finish. Required for fixed Side Guards. Not available with Swing Away Tubular or Swing Away - Flip Back Tubular Armrests and Integrated Push Handles, Integrated Fold-Down Push Handles or Bolt-On Height Adjustable Push Handles.)

Height 5" to 20" in 0.5"steps

Set at:

AVAILABLE ON ALL BACKS

TRSB11	☐	BACKREST THAT LOCKS IN FOLDED POSITION (Requires Tension Adjustable by Straps Back Upholstery.)	0,00
TRSB19	☐	4" DEEP BACKREST RIGIDIZER BAR (Requires Tension Adjustable by Straps Back Upholstery.)	0,00

SEAT BACK ANGLE (G)

Measure angle from front of back post to floor.

TRSB3-80	☐	SEAT BACK ANGLE FOR NON-FOLDING BACK 80°				0,00		
	☐	83°	☐	89°	☐	95°	☐	101°

(Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)				
TRFW28	☐	5"X1.4" LITESPEED-7 PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with 90° Front Angle L or Power Adaptable Frame.)	95,00	
TRFW30	☐	5"X1.4" LITESPEED-7 BILLETALU WHEEL W/SOFT ROLLTIRE ☐ SILVER HUB ☐ BLACK HUB (Not available with 90° Front Angle L.)	165,00	
TRFW9	☐	6"X1" PLASTIC WHEEL W/POLY TIRE (Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	0,00	
TRFW32	☐	6"X1.4" LITESPEED-7 PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	95,00	
TRFW33	☐	6"X1.4" LITESPEED-7 BILLETALU WHEEL W/SOFT ROLLTIRE ☐ SILVER HUB ☐ BLACK HUB (Not available with 85° or 90° Front Angle L or Slipstream Fork.)	165,00	
PRECISION LOCK FRONT FORKS				
TRFK1	☐	FORK, STANDARD TILITE	0,00	
TRFK2	☐	FORK, SLIPSTREAM SINGLE-SIDED TILITE (Not available with Power Adaptable Frame.)	176,00	
TRGL1	☐	OUT-FRONT GLIDE® SUSPENSION FORKS USER WEIGHT ☐ > 56kg ☐ 56kg-81kg ☐ 81kg-120kg (Black anodize only. Not available with Heavy Duty Frame.)	435,00	
TRTFS1	☐	FORK STEMS TITANIUM	48,00	
STANDARD REAR WHEELS				
TRRW14-20	☐ WHEELS REAR 20" TILITE SHADOW ☐ 22" ☐ 24" ☐ 25" ☐ 26" 25" and 26" require 15" minimum Seat depth (B)			0,00
PERFORMANCE REAR WHEELS				
(See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)				
TRRW7-22	☐ WHEELS REAR SPINERGY SPOX 22" ☐ 24" ☐ 25" ☐ 26" Spinergy SPOX ☐ RED ☐ BLACK ☐ BLUE ☐ WHITE 25" and 26" require 15" minimum Seat depth (B)			495,00
TRRW8-22	☐ WHEELS REAR SPINERGY LX 22" ☐ 24" ☐ 25" ☐ 26" 25" and 26" require 15" minimum Seat depth (B) ☐ BLACK ☐ RED ☐ BLUE ☐ WHITE ☐ BRIGHT ORANGE ☐ FLAMINGO PINK ☐ PURPLE			695,00
TRRW9-22	☐ 22" (501) SPINERGY DESIGN LAB LX ☐ 24" ☐ 25" ☐ 26" 25" and 26" require 15" minimum Seat depth (B) ☐ BLACK ☐ RED ☐ BLUE ☐ WHITE ☐ BRIGHT ORANGE ☐ FLAMINGO PINK ☐ PURPLE (If same color is selected, anodized hubs and rims match color anodized package on page 1. Available with black spokes only.)			695,00
TRRW16-24	☐ WHEELS REAR 24" CARBON BLADE ☐ 25" (Not available with Heavy Duty Frame, 25" requires 15" minimum Seat depth (B))			1150,00
TRRW17-20	☐ WHEELS REAR 20" SKYWAY® MAGS ☐ 22" ☐ 24" (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Silver Anodized Handrims.)			100,00
AXLES				
TRAXL1	☐	AXLE QUICK RELEASE STAINLESS	0,00	
TRAXL2	☐	AXLE QUICK RELEASE TITANIUM	226,00	
TRAXL3	☐	AXLE QUAD RELEASE (Not available with Mag or 26"(590) Spinergy Spox or LX Rear Wheels.)	139,00	
PNEUMATIC REAR TIRES				

TRRTR1	☐	TIRES REAR 22", 24" OR 26" TREADED	0,00
TRRTR2	☐	TIRES REAR 22", 24" OR 26" TREADED, AIRLESS INSERT (Not available with Spinergy Carbon Blade Rear Wheels.)	85,00
TRRTR31	☐	MBL SPEEDLITE (PNEUMATIC)	0,00
TRRTR30	☐	TIRES REAR 24",25" OR 26" PRIMO SENTINEL PNEUMATIC	95,00
TRRTR8	☐	TIRES REAR 24" 25"OR 26"SCHWALBE MARATHON+ EVOL.	95,00
TRRTR24	☐	TIRES REAR, KENDA KOBRA KNOBBY	95,00

SOLID REAR TIRES

(Not available with Spinergy Carbon Blade Rear Wheels.)

TRRTR22	☐	TIRES REAR, SOLID, PRIMOEXPRESS	95,00
TRRTR23	☐	TIRES REAR, SOLID, PRIMOACTIVE	95,00

HANDRIMS

Handrims by OUT-FRONT®

TRRIM1	☐	ALUMINUM- SILVER ANODIZED	0,00
TRRIM21	☐	ALUMINUM- BLACK ANODIZED (Not available with 20"(451) Rear Wheels.)	49,00
TRRIM12	☐	TITANIUM- SATIN FINISH (Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.)	290,00
TRRIM10	☐	THE SURGE™ BY OUT-FRONT,ALL-IN-1 OVAL, L PROFILE (Not available with 20"(451) Rear Wheels.)	290,00
TRRIM11	☐	THE SURGE™ LT BY OUT-FRONT ALL-IN-1 OVAL S PROFILE (Not available with 20"(451) Rear Wheels.)	290,00
TRRIM20	☐	Q-GRIP HANDRIM (Not available with 20"(451)Rear Wheels.)	290,00

The Natural-Fit® (Original, Larger Profile)

(Not available with 20"(451) Rear Wheels.)

TRRIM14	☐	NATURAL-FIT® BY OUT-FRONT - STANDARD GRIP (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels	290,00
TRRIM15	☐	NATURAL-FIT® BY OUT-FRONT - SUPER GRIP (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	290,00
TRRIM16	☐	NATURAL-FIT® BY OUT-FRONT - WITHOUT THUMB GRIP	290,00

The Natural-Fit® LT (Reduced Weight, Smaller Profile)

(Not available with 20"(451) Rear Wheels.)

TRRIM17	☐	NATURAL-FIT® LT BY OUT-FRONT - STANDARD GRIP (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	290,00
TRRIM18	☐	NATURAL-FIT® LT BY OUT-FRONT - SUPER GRIP (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	290,00
TRRIM19	☐	NATURAL-FIT® LT BY OUT-FRONT - WITHOUT THUMB GRIP	290,00

Additional handrim options

TRRIM5	☐	PLASTIC COATED- BLACK	117,00
--------	--------------------------	-----------------------	--------

Tab length

TRRIM7	☐	HANDRIM TAB LENGTH- LONGTABS	0,00
TRRIM8	☐	HANDRIM TAB LENGTH- SHORT TABS (Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)	19,00

WHEEL LOCKS

Wheel locks by OUT FRONT

TRWLK7	☐	COMPACT COMPOSITE PUSH TO LOCK WHEEL BY OUT-FRONT (Available with .75" to 1.5" Rear Wheel Spacing J only.)	0,00
TRWLK8	☐	COMPACT COMPOSITE PULL TO LOCK WHEEL BY OUT-FRONT (Available with .75" to 1.5" Rear Wheel Spacing J only.)	0,00

TRWLK10	☐	EXTENSION HANDLES FOR COMPACT COMPOSITE PUSH/PULL	80,00		
Additional wheel locks					
TRWLK11	☐	MBL COMPOSITE SCISSOR LOCK	132,00		
TRWLK3	☐	WHEEL LOCK UNI-LOCK	148,00		
	☐	Push	☐	Pull	
TRWLK4	☐	EXTENSION HANDLES FOR UNI-LOCK	80,00		
TRWLK15	☐	GRADE AIDS PUSH TO LOCK	164,00		
		(Not available with solid rear tires)			
SIDE GUARDS					
Aluminium					
TRSDG2-S	☐	SIDE GUARDS ALUMINUM, RIGID, REMOVABLE, SMALL	176,00		
	☐	Small	☐	Std	
TRSDG3-S	☐	SIDE GUARDS ALU, QUAD REMOVABLE W/ HOLE SMALL	184,00		
	☐	Small	☐	Std	
TRSDG4-S	☐	SIDE GUARDS ALUMINUM, FOLD DOWN RIGID, SMALL	303,00		
	☐	Small	☐	Std	
		(Not available with Ergonomic Seat.)			
TRSDG6	☐	SIDE GUARDS ALUMINUM, FENDERED ADJUSTABLE	303,00		
		(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5")			
New 3k Weave Carbon Fiber					
TRSDG7-S	☐	SIDE GUARDS CARBON FIBER, RIGID REMOVABLE SMALL	276,00		
	☐	Small	☐	Large	
TRSDG8-S	☐	SIDE GUARDS CARBON, QUADREMOVABLE WITH HOLE SMALL	284,00		
	☐	Small	☐	Large	
TRSDG9-S	☐	SIDE GUARDS CARBON FIBER, FOLD DOWN RIGID, SMALL	412,00		
	☐	Small	☐	Large	
		(Not available with Ergonomic Seat or Carbon Edition.)			
TRSDG11	☐	CARBON FIBER FENDERED ADJUSTABLE	362,00		
		(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5")			
Available on Aluminum and Carbon Fiber Non-Fendered Side Guards					
TRSDG13	☐	SIDE GUARDS CUSTOM CUT TO PROFILE OF REAR WHEELS	280,00		
ARMRESTS					
(Desk Arms come with built-in Side Guards.)					
Tubular Armrests					
TRARM1-9	☐	SWING AWAY TUBULAR 6.5"-9.5"	☐	9.5"- 12.5"	194,00
		(Not Available with Non-Folding, Fixed Height Titanium Seat Back or Height Adjustable Push Handles.)			
TRARM4-9	☐	SWING AWAY FLIP BACK TUBULAR 8.3"-11.5"	280,00		
		(Not Available with Non-Folding, Fixed Height Titanium Seat Back.)			
Single Post Desk Arms					
TRARM2-9-S	☐	REMOV. ADJ. DESK ARM RIGID GUARD 9"-12"/S	☐	12"-15"	303,00
	☐	armrest pad length STD (10")	Full length (12")		
		(Requires 14" minimum Seat Depth B. Not available with Ergonomic Seat.)			
TRARM3-9-S	☐	REMOV. ADJ. DESK ARM RIGID GUARD+TRANSF. 9"-12"/S	☐	12"-15"	331,00
	☐	armrest pad length STD (10")	☐	Full length (12")	
		(Requires 15" minimum Seat Depth B. Not Available with Ergonomic Seat.)			
TRARM5	☐	ARMRESTS COVERED IN BLACK ULTRASUEDE	100,00		
		(Not available with Desk Arms)			
SEAT BELTS					
TRBLT1	☐	VELCRO ADJUSTABLE, BLACKNYLON WEBBING	40,00		
TRBLT2	☐	BODYPOINT AUTO-STYLE RELEASE BUCKLE	92,00		

TRBLT4	☐	BODYPOINT 1" PUSH-BUTTONBUCKLE PADDED -AUTO STYLE <i>(Not available with 19" or 20" Rear Seat Widths A.)</i>	167,00
TRBLT5	☐	BODYPOINT 1.5" PUSH BUTTON BUCKLE PADDED AUTOSTYLE <i>(Not available with 19" or 20" Rear Seat Widths A.)</i>	167,00
TRBLT10	☐	BODYPOINT OPTIONAL BAND CLAMP MOUNTING HARDWARE	19,00
TRBLT16	☐	BODYPOINT 1" WIDE EVOFLEX, PUSH-BUTTON BUCKLE	172,00

CALFSTRAPS

TRCLF2-S	☐	CALFSTRAP VELCRO ADJUSTABLE S <i>(Recommended for 9" - 12" Footrest Widths.)</i>	32,00
TRCLF2-M	☐	CALFSTRAP VELCRO ADJUSTABLE M <i>(Recommended for 11" - 15" Footrest Widths.)</i>	32,00
TRCLF2-L	☐	CALFSTRAP VELCRO ADJUSTABLE L <i>(Recommended for 14" - 17" Footrest Widths.)</i>	32,00
TRCLF2-XL	☐	CALFSTRAP VELCRO ADJUSTABLE XL <i>(Recommended for 16" - 19" Footrest Widths.)</i>	32,00
TRCLF3-M	☐	BODYPOINT PADDED VELCRO ADJUSTABLE M <i>(Recommended for 11" - 15" Footrest Widths.)</i>	95,00
TRCLF3-L	☐	BODYPOINT PADDED VELCRO ADJUSTABLE L <i>(Recommended for 16" - 19" Footrest Widths.)</i>	95,00
TRCLF1	☐	BUCKLE ADJUSTABLE, BLACKNYLON WEBBING	22,00

BACKPACK

TRBCK3	☐	BACK PACK, BLACK NYLON	85,00
--------	--------------------------	------------------------	-------

SEAT POUCH

TRPCH3	☐	SEAT POUCH BLACK NYLON	49,00
TRPCH5	☐	BODYPOINT MOBILITY BAG	96,00

SPOKE GUARDS

TRGRD1	☐	CLEAR LEXAN WITH TIMOTION LOGO <i>(Not available with Mag Rear Wheels.)</i>	117,00
--------	--------------------------	--	--------

ANTI-TIP

TRTIP1	☐	ANTI TIP REAR ALUMINUM- BLACK	145,00
TRTIP2	☐	ANTI TIP REAR FLIP-UP USER FRIENDLY	298,00

ACCESSORIES

TRUEST1-12	☐	UPPER EXTREMITY SUPPORT TRAY 12-14"	☐ 13-15"	258,00
		<i>(Requires Armrests.)</i>		
TRLUG1	☐	LUGGAGE CARRIERS		132,00
TRMPCT2-BL	☐	IMPACT GUARDS NEOPRENE BLACK		95,00
TRCH1	☐	CRUTCH HOLDER		132,00