

Fitting / Order form

Prices valid from: dd-mm-yyyy

Dealer information

Customer (name / code)	/
Contact	
Address	
Post code / City	/
Phone / Fax	/

Delivery address

Name	/
Address	
Post code / City	/
Phone	
E-mail	
Your reference	
Your order number	

TiLite TRA



- ☒ Required choice
☐ / ☐ Optional choice
☒ / ☐ Default required option

Fitting date

User weight

Fitting date (dd-mm-yyyy)		kg
Article code	Price	
	excl VAT	incl VAT

FRAME STYLE

TAFS1	☐	TILITE TRA (Full Adjustability. 265 Pound (120 kg) Weight Limit)	3510,00
TAHDR1	☐	FRAME, HEAVY DUTY (350 Pound (158 kg) Weight Limit. No charge when 20" Rear Seat Width A and 20" Seat Depth B are selected. Includes Tension Adjustable by Straps Back Upholstery. Requires Folding Aluminum Adjustable Height Backrest, Billet Aluminum Front Wheels, Shadow or Spinergy SPOX Rear Wheels. LX Rear Wheels only available with 0 or 2 degree camber. Not available with Slipstream Fork, Velcro Adjustable Upholstery, Open Loop Footrest, V-Front Taper or Glide™ Forks)	0,00
TAQST1	☐	Q'STRAIT ADAPTABLE FRAME (350 Pound (158 kg) Weight Limit. No charge when 20" Rear Seat Width A and 20" Seat Depth B are selected. Includes Tension Adjustable by Straps Back Upholstery. Requires Folding Aluminum Adjustable Height Backrest, Billet Aluminum Front Wheels, Shadow or Spinergy SPOX Rear Wheels. LX Rear Wheels only available with 0 or 2 degree camber. Not available with Slipstream Fork, Velcro Adjustable Upholstery, Open Loop Footrest, V-Front Taper or Glide™ Forks.)	0,00
TARFR1	☐	FRAME, REINFORCED (No charge when 20" Rear Seat Width and 20" Seat Depth or Heavy Duty is selected.)	0,00

LANGUAGE USER MANUAL

Language	Choose	
----------	--------	--

FRAME FINISHES

TAFF1	☐	TITANIUM - SATIN FINISH (Available with Titanium Frame only.)	0,00
TASCBT1	☐	BUFFING PADS SATIN FINISH	14,00
TAFF3	☐	TATTOO ON TITANIUM AND ALUMINIUM FRAME (Tattoos on front frame tubes. Titanium frame finished in Satin. Tattoos will be trimmed and adjusted to fit your frame.)	313,00
TAFF44	☐	TATTOO FLOWER GARDEN	0,00
TAFF45	☐	TATTOO NEED FOR SPEED	0,00
TAFF43	☐	TATTOO MOSAIC	0,00



COLOR

- ☐ TAFF61 SEAFOAM GREEN
 ☐ TAFF62 BLUE MIST
 ☐ TAFF63 LAVENDER DUSK

☐ TAFF8	HIGH GLOSS BLACK	☐ TAFF10	RED PEPPER	☐ TAFF29	NEON PINK
☐ TAFF14	OCEAN BLUE METALLIC	☐ TAFF15	TANGERINE METALLIC	☐ TAFF30	ACID GREEN METALLIC
☐ TAFF17	MIDNIGHT BLUE PEARL	☐ TAFF18	WHITE PEARL	☐ TAFF59	POMEGRANITE RED
☐ TAFF19	BLACK LAVA	☐ TAFF27	TITANIUM GRAY	☐ TAFF60	SILVER STREAK
☐ TAFF57	INDIGO PURPLE	☐ TAFF58	BLACK GALAXY	☐ TAFF64	DAFFODIL YELLOW
☐ TAFF40	HYPER BLUE	☐ TAFF41	FLAME ORANGE	☐ TAFF42	OD GREEN

COLOR ANODIZE PACKAGE

(Color Anodize Package includes: Caster Mount, Caster Fork, and Caster Caps. If no anodize color is selected, the default will be black.)

TAANO1	☐ COLOR ANODIZE PACKAGE- BLACK	0,00
TAANO12	☐ COLOR ANODIZE PACKAGE- GOLD	49,00
TAANO15	☐ COLOR ANODIZE PACKAGE- GREEN	49,00
TAANO13	☐ COLOR ANODIZE PACKAGE- PURPLE	49,00
TAANO14	☐ COLOR ANODIZE PACKAGE- ORANGE	49,00
TAANO10	☐ COLOR ANODIZE PACKAGE- BLUE	48,00
TAANO11	☐ COLOR ANODIZE PACKAGE- RED	49,00

TiFit: TAILORED INDIVIDUALIZED FRAME

REAR SEAT WIDTH (A)


Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post to the outside of the opposite seat tube at back post.

TARSW1-12	☐ REAR SEAT WIDTH 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19" ☐ 20"	0,00
TARSW2	☐ REAR SEAT WIDTH 20" (> 20" size available through CMD)	447,00

FRONT SEAT WIDTH (SEAT TAPER) (T)

Measure from inside of front frame tube to inside of opposite front frame tube. (Required with V-Front End (V). Not Available with Standard Front End (I))


TAFSW1	☐ FRONT SEAT WIDTH- NO TAPER	0,00
TAFSW2	☐ FRONT SEAT WIDTH- 1" TAPER (3" Narrower than Rear Seat Width A. Includes Tension Adjustable by Straps Seat Upholstery.) Bolt On Adjustable Sling available through our Creative Mobility Division #20	254,00
TAFSW4	☐ FRONT SEAT WIDTH- 2" TAPER (4" Narrower than Rear Seat Width A. Includes Tension Adjustable by Straps Seat Upholstery.) Bolt On Adjustable Sling available through our Creative Mobility Division #20	254,00



SEAT DEPTH (B)

Measure from front of back post to the front edge of seat sling. Frame bend will start .5" in front of seat sling unless Custom Frame Depth is specified, or the combination of specifications affect the rolling dynamics of the chair.

TASD1-12	☐ SEAT DEPTH 12" ☐ 13" ☐ 14" ☐ 15" ☐ 16" ☐ 17" ☐ 18" ☐ 19"	0,00
TASD2	☐ SEAT DEPTH 20" (Custom seat depth available through CMD)	471,00



ERGONOMIC SEAT (U)

Measure from front of back post to beginning of upward bend of seat tube.

TAERG2-6	☐ AERO T AND TRA ERGONOMICSEAT ☐ 6" (B)=12"+ ☐ 7" (B)=12"+ ☐ 8" (B)=13"+ (Not available with V-Front or Seat Taper, Desk Arms, Depth Adjustable Backrests, Fold Down Rigid Sideguards, Fendered Adjustable Sideguards, Solid Seat.) Bolt On Adjustable Sling available through our Creative Mobility Division #20. Solid Seat available through Creative Mobility Division #16.)	372,00
----------	---	--------

FRONT SEAT HEIGHT (C)

Measure from floor to top of seat tube at front edge of seat sling


TAFSH1-15	☐ FRONT SEAT HIGHT 15" ☐ 15.5" ☐ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18" ☐ 18.5" ☐ 19" ☐ 19.5" ☐ 20" ☐ 20.5" ☐ 21"	0,00
-----------	--	------

REAR SEAT HEIGHT (D)

Measure from floor to top of seat tube at back post.

☐ 12.5"	☐ 14.5"	☐ 16.5"	☐ 18.5"
☐ 13"	☐ 15"	☐ 17."	☐ 19"
☐ 13.5"	☐ 15.5"	☐ 17.5"	☐ 19.5"
☐ 14"	☐ 16"	☐ 18."	☐ 20"

Rear wheel size	Rear seat height
20"	12.5"-20"
22"	13.5"-20"
24"	14.5"-20"
25"	15.0"-20"
26"	15.5"-20"



0,00

FRONT ANGLE or OVERALL FRAME LENGTH

Select one. If Overall Frame Length is selected, front angle will be bent to achieve requested length.

TAF1-70

☐ FRONT ANGLE 70°

0,00

TAF1-75

☐ FRONT ANGLE 75°

0,00

TAF1-80

☐ FRONT ANGLE 80°

0,00

TAF1-85

☐ FRONT ANGLE 85° (L) Measure from frame front to floor. (Not available with 6" Front Wheels.)

0,00

TAF1-90

☐ FRONT ANGLE 90° (Not available with 5" or 6" Front Wheels.)

0,00

TAF2

☐ OVERALL FRAME LENGTH M= mm
 (Measure from front of backrest to Front Edge of Footrest.)

0,00

SEAT TO FOOTREST (E)

Measure from front edge of seat sling to top rear of footrest.

STFR-xxx

☐ STANDARD FOOTREST

0,00

Measurement must be at least 2" shorter than Front Seat Height (C).

☐ 13.5"	☐ 15"	☐ 16.5"	☐ 18."
☐ 14"	☐ 15.5"	☐ 17."	☐ 18.5"
☐ 14.5"	☐ 16"	☐ 17.5"	☐ 19"

TAFTR3

☐ FOOTREST ANGLE ADJUSTABLE

0,00

TAFTR1

☐ FOOTREST TITANIUM WITH FLAT ABS COVER

176,00

TAFTR2

☐ FOOTREST TITANIUM OPEN LOOP

226,00

TAFTR12

☐ FOOTREST FLIP-BACK

194,00

STFR-xxx

☐ HIGH MOUNTED FOOTREST

0,00

Measurement must be at least 2" shorter than Front Seat Height (C).

STFR-S

☐ 7" - 9" Set at: mm

STFR-M

☐ 9" - 11" Set at: mm


STFR-L

☐ 11" - 13" Set at: mm

TRFTR4

☐ FOOTREST ANGLE ADJUSTABLE HIGH MOUNT

92,00

**FOOTREST WIDTH (I) or (V)**

Select either a Standard Front End (I) if no Seat Taper (T) is selected or a V-Front End (V) if a Seat Taper (T) is selected

STANDARD FRONT END (I)


Find your Rear Seat Width (A) in the Chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube.

TAFE1-0

☐ STANDARD FRONT END NO TAPER

0,00

REAR SEAT WIDTH (Outside measurement)	No Taper (2" Narrower than rear seat width)	2" Taper (4" Narrower than rear seat width)	4" Taper (6" Narrower than rear seat width)
12"	☐ 10"	☐ 8"	
13"	☐ 11"	☐ 9"	
14"	☐ 12"	☐ 10"	☐ 8"
15"	☐ 13"	☐ 11"	☐ 9"
16"	☐ 14"	☐ 12"	☐ 10"
17"	☐ 15"	☐ 13"	☐ 11"
18"	☐ 16"	☐ 14"	☐ 12"



19"



17"



15"



13"

20



18"



16"



14"

**V-FRONT END (V)**

Measure from inside of front frame tube to inside of opposite front frame tube 2-1/2" above footrest. (Titanium Footrests have 1" of adjustment up and down. Not available with Ergonomic Seat frames.)

TAFE2-9



FOOTREST FRONT END WIDTH--V 9"



10"



11"



12"



13"





14"



15"

104,00

**BACKREST UPHOLSTERY**

(Want more seating options? Click here to view the new TiLite Seating Order Form.)

TABUP2



BACK UPHOLSTERY VELCRO ADJUSTABLE

(Not available with Fold-Down Push Handles.)

0,00

Tension Adjustable by Straps

(Required with Fold-Down Push Handles.)

TABUP3



BACK UPHOLSTERY STRAPS TENSION ADJUSTABLE

100,00

TABUP5



UPHOLSTERY AIR BREATHABLE

(Not available with Ultrasuede Backrest Stripe.)

176,00

TAUPC3-BL



UPHOLSTERY BACKREST STRIPE ULTRASUEDE BLACK

95,00

TABUP0



WITHOUT BACK UPHOLSTERY

0,00

SEAT BACK TYPE/PUSH HANDLES/SEAT BACK HEIGHT (F)

Measure from top of back post to top of seat tube at rear of frame.

TASB1



FOLDING ALUMINUM ADJUSTABLE HEIGHT SEAT BACK

(Required for Heavy Duty Frame)

0,00

TASB2



FOLDING TITANIUM ADJUSTABLE HEIGHT

(Titanium back will match Frame Finish. Not available with Bolt-On Push Handles.)

176,00

TISHAFT™ BACK RELEASE BARS

(Not available with Non-Folding, Fixed Height Titanium Back.)

TASB3



BACK RELEASE BAR ALUMINUM

0,00

TASB5



BACK RELEASE BAR CARBON FIBER

63,00

PUSH HANDLES (select above)

TASB6



PUSH HANDLES INTEGRATED

0,00

TASB7



PUSH HANDLES INTEGRATED FOLD-DOWN

(Requires Tension Adjustable by Straps Back Upholstery.)

104,00

TASB8



PUSH HANDLES BOLT ON

(Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.)

176,00

TASB9




PUSH HANDLES BOLT ON HEIGHT ADJUSTABLE

(Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.)

303,00

FOLDING SEAT BACK HEIGHT (F) (TASB1 and TASB2)


PUSH HANDLES (select above)	Short	Medium	Tall	use 0.5" increments
None/Bolt on	9.5"-12.5"	13.5"-17.5"	17"-21.5"	Set at:
Integrated	11.5"-13.5"	14.5"-17.5"	18.5"-21.5"	Set at:
Integrated fold down	14"-16.5"	15"-19.5"	19.5"-22"	Set at:



NON-FOLDING, FIXED-HEIGHT (F) TITANIUM SEAT BACK

with New Rounded Rigidizer Bar

(Titanium back will match Frame Finish. Required for fixed Side Guards. Not available with Swing Away Tubular or Swing Away - Flip Back Tubular Armrests and Integrated Push Handles, Integrated Fold-Down Push Handles or Bolt-On Height Adjustable Push Handles.)



Height 5" to 20" in 0.5" steps

Set at: "

AVAILABLE ON ALL BACKS

TASB11	☐	BACKREST THAT LOCKS IN FOLDED POSITION (Requires Tension Adjustable by Straps Back Upholstery.)	0,00
TASB19	☐	4" DEEP BACKREST RIGIDIZER BAR (Requires Tension Adjustable by Straps Back Upholstery.)	0,00

SEAT BACK ANGLE (G)

Measure angle from front of back post to floor.

TRSBA3-80	☐ SEAT BACK ANGLE FOR NON-FOLDING BACK 80° ☐ 83° ☐ 89° ☐ 95° ☐ 101° ☐ 86° ☐ 92° ☐ 98°	0,00
TRSBA3-80	☐ SEAT BACK ANGLE FOR NON-FOLDING BACK 80° ☐ 81° ☐ 85° ☐ 89° ☐ 93° ☐ 97° ☐ 101° ☐ 82° ☐ 86° ☐ 90° ☐ 94° ☐ 98° ☐ 83° ☐ 87° ☐ 91° ☐ 95° ☐ 99° ☐ 84° ☐ 88° ☐ 92° ☐ 96° ☐ 100°	0,00

CENTER OF GRAVITY (H)

Measure from front of back post at the seat tube to the center of the rear axle. If no center of gravity is selected, chair will ship with the center of gravity in the rearward-most position.

TRCOG1-1	☐ CENTER OF GRAVITY 1" ☐ 1.25" ☐ 2.25" ☐ 3.25" ☐ 4.25" ☐ 1.5" ☐ 2.5" ☐ 3.5" ☐ 4.5" ☐ 1.75" ☐ 2.75" ☐ 3.75" ☐ 4.75" ☐ 2" ☐ 3" ☐ 4" ☐ 5"	0,00
----------	--	------

REAR WHEEL SPACING (J) / PLUGS

Measure from outside of seat back post to inside of rear tire. TRA 0.75" Rear Wheel Spacing not available with 0° or 2° Camber K. Ergonomic Seat selection may limit available center of gravity.

TARWS1-0.75	☐ REAR WHEEL SPACING 0.75" ☐ 1" ☐ 1.25"	0,00
TACBR12	☐ CAMBER PLUGS - ADJ REAR WHEEL	0,00
TACBR9	☐ SPACERS TO INCREASE REARWHEEL SPACING, ADDITIONAL	0,00
TACBR11	☐ CAMBER PLUGS 2°, 4°, OR 6° ZERO PLAY ALUMINUM (Not available with Power Adaptable Frame or more than 6° of Camber K.)	0,00

SEAT UPHOLSTERY

TASUP1	☐ TENSION ADJUSTABLE BOLT ON SEAT UPHOLSTERY (Not available with Ergonomic Seat or Tapered Seat T. Black only.)	0,00
TASUP2	☐ TENSION ADJUSTABLE BY STRAPS SEAT UPHOLSTERY (Standard with Ergonomic Seat and Front Seat Width (Seat Taper) T of 1", 2" or 3". Black upholstery only.)	153,00
TASUP8	☐ SOLID SEAT, ALUMINUM (Not available with 10" or 11" Rear Seat Width A, Ergonomic Seat U requires CMD 016)	254,00
TASUP0	☐ WITHOUT SEAT UPHOLSTERY	0,00

CAMBER (K) / CAMBER TUBES

TACBR1-0	☐ 0° CAMBER <i>(8° of Camber K may be available through our Creative Mobility Division.)</i> ☐ 2° ☐ 4° ☐ 6°	0,00
TACBR15	☐ CAMBER TUBE ALUMINIUM	0,00
TACBR3	☐ CAMBER TUBE TITANIUM <i>(Not available with Power Adaptable Frame.)</i>	176,00

CUSTOM CONFIGURATION OPTIONS

FRONT WHEELS

TAFW24	☐ 3"X1.4" LITESPEED-7 BILLETALU WHEEL W/SOFT ROLLTIRE ☐ SILVER HUB ☐ BLACK HUB	165,00
TAFW14	☐ 4"X.75" PLASTIC WHEEL W/POLY TIRE <i>(Not available with Slipstream Fork or Power Adaptable Frame.)</i>	0,00
TAFW3	☐ 4"X.75" LIGHT-UP MICRO-CASTER <i>(Not available with Slipstream Fork or Power Adaptable Frame.)</i>	74,00
TAFW26	☐ 4"X1.4" LITESPEED-7 PLASTIC WHEEL W/SOFT ROLL TIRE <i>(Not available with Power Assist, Power Add-on System or Heavy Duty Frame.)</i>	95,00
TAFW27	☐ 4"X1.4" LITESPEED-7 BILLETALU WHEEL W/SOFT ROLLTIRE ☐ SILVER HUB ☐ BLACK HUB	165,00
TAFW6	☐ 5"X1" PLASTIC WHEEL W/POLY TIRE <i>(Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)</i>	0,00
TAFW28	☐ 5"X1.4" LITESPEED-7 PLASTIC WHEEL W/SOFT ROLL TIRE <i>(Not available with 90° Front Angle L or Power Adaptable Frame.)</i>	95,00
TAFW30	☐ 5"X1.4" LITESPEED-7 BILLETALU WHEEL W/SOFT ROLLTIRE ☐ SILVER HUB ☐ BLACK HUB <i>(Not available with 90° Front Angle L.)</i>	165,00
TAFW9	☐ 6"X1" PLASTIC WHEEL W/POLY TIRE <i>(Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)</i>	0,00
TAFW32	☐ 6"X1.4" LITESPEED-7 PLASTIC WHEEL W/SOFT ROLL TIRE <i>(Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)</i>	95,00
TAFW33	☐ 6"X1.4" LITESPEED-7 BILLETALU WHEEL W/SOFT ROLLTIRE ☐ SILVER HUB ☐ BLACK HUB <i>(Not available with 85° or 90° Front Angle L or Slipstream Fork.)</i>	165,00

PRECISION LOCK FRONT FORKS

TAFK1	☐ FORK, STANDARD TILITE	0,00
TAFK2	☐ FORK, SLIPSTREAM SINGLE-SIDED TILITE <i>(Not available with Power Adaptable Frame.)</i>	176,00
TAGL1	☐ OUT-FRONT GLIDE® SUSPENSION FORKS USER WEIGHT ☐ > 56kg ☐ 56kg-81kg ☐ 81kg-120kg <i>(Black anodize only. Not available with Heavy Duty Frame.)</i>	435,00
TATS1	☐ FORK STEMS TITANIUM	48,00

STANDARD REAR WHEELS

TARW14-20	☐ WHEELS REAR 20" TILITE SHADOW <i>25" and 26" require 15" minimum Seat depth (B)</i> ☐ 22" ☐ 24" ☐ 25" ☐ 26"	0,00
-----------	--	------

PERFORMANCE REAR WHEELS

(See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)

TARW7-22	☐ WHEELS REAR SPINERGY SPOX 22" Spinergy SPOX ☐ RED ☐ BLACK ☐ BLUE ☐ WHITE <i>25" and 26" require 15" minimum Seat depth (B)</i> ☐ 24" ☐ 25" ☐ 26"	495,00
TARW8-22	☐ WHEELS REAR SPINERGY LX 22" ☐ 24" ☐ 25" ☐ 26"	695,00

	25" and 26" require 15" minimum Seat depth (B)				
	☐ BLACK ☐ RED ☐ BLUE ☐ WHITE ☐ BRIGHT ORANGE ☐ FLAMINGO PINK ☐ PURPLE				
TARW9-22	☐ 22" (501) SPINERGY DESIGN LAB LX ☐ 24" ☐ 25" ☐ 26" 25" and 26" require 15" minimum Seat depth (B) ☐ GOLD ANODIZE ☐ GREEN ANODIZE ☐ BLUE ANODIZE ☐ RED ANODIZE ☐ PURPLE ANODIZE ☐ ORANGE ANODIZE				695,00
TARW16-24	☐ WHEELS REAR 24" CARBON BLADE ☐ 25" (Not available with Heavy Duty Frame, 25" requires 15" minimum Seat depth (B))				1150,00
TARW17-20	☐ WHEELS REAR 20" SKYWAY® MAGS ☐ 22" ☐ 24" (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Sliver Anodized Handrims.)				100,00
AXLES					
TAAXL1	☐	AXLE QUICK RELEASE STAINLESS		0,00	
TAAXL2	☐	AXLE QUICK RELEASE TITANIUM		226,00	
TAAXL3	☐	AXLE QUAD RELEASE		139,00	
		(Not available with Mag or 26"(590) Spinergy Spox or LX Rear Wheels.)			
PNEUMATIC REAR TIRES					
TARTR1	☐	TIRES REAR 20", 22", 24"OR 26" TREADED		0,00	
TARTR2	☐	TIRES REAR 20",22",24",26" TREADED, AIRLESS INSERT		85,00	
		(Not available with Spinergy Carbon Blade Rear Wheels.)			
TARTR31	☐	MBL SPEEDLITE (PNEUMATIC)		0,00	
TARTR30	☐	TIRES REAR 24",25" OR 26" PRIMO SENTINEL PNEUMATIC		95,00	
TARTR8	☐	TIRES REAR 24" 25"OR 26"SCHWALBE MARATHON+ EVOL.		95,00	
TARTR24	☐	TIRES REAR, KENDA KOBRA KNOBBY		95,00	
SOLID REAR TIRES					
		(Not available with Spinergy Carbon Blade Rear Wheels.)			
TARTR22	☐	TIRES REAR, SOLID, PRIMOEEXPRESS		95,00	
TARTR23	☐	TIRES REAR, SOLID, PRIMOACTIVE		95,00	
HANDRIMS					
Handrims by OUT-FRONT®					
TARIM1	☐	ALUMINUM- SILVER ANODIZED		0,00	
TARIM21	☐	ALUMINUM- BLACK ANODIZED		49,00	
		(Not available with 20"(451) Rear Wheels.)			
TARIM12	☐	TITANIUM- SATIN FINISH		290,00	
		(Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.)			
TARIM10	☐	THE SURGE™ BY OUT-FRONT,ALL-IN-1 OVAL, L PROFILE		290,00	
		(Not available with 20"(451) Rear Wheels.)			
TARIM11	☐	THE SURGE™ LT BY OUT-FRONT ALL-IN-1 OVAL S PROFILE		290,00	
		(Not available with 20"(451) Rear Wheels.)			
TARIM20	☐	Q-GRIP (EXCL. HIGH-FRICTION, ANTI-SLIP COATING)		290,00	
		(Not available with 20"(451)Rear Wheels.)			
The Natural-Fit® (Original, Larger Profile)					
		(Not available with 20"(451) Rear Wheels.)			
TARIM14	☐	NATURAL-FIT® BY OUT-FRONT - STANDARD GRIP		290,00	
		(Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels)			
TARIM15	☐	NATURAL-FIT® BY OUT-FRONT - SUPER GRIP		290,00	

(Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)

TARIM16	☐	NATURAL-FIT® BY OUT-FRONT - WITHOUT THUMB GRIP	290,00
---------	--------------------------	--	--------

The Natural-Fit® LT (Reduced Weight, Smaller Profile)

(Not available with 20"(451) Rear Wheels.)

TARIM17	☐	NATURAL-FIT® LT BY OUT-FRONT - STANDARD GRIP (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	290,00
TARIM18	☐	NATURAL-FIT® LT BY OUT-FRONT - SUPER GRIP (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	290,00
TARIM19	☐	NATURAL-FIT® LT BY OUT-FRONT - WITHOUT THUMB GRIP	290,00

Additional handrim options

TARIM5	☐	PLASTIC COATED- BLACK	117,00
--------	--------------------------	-----------------------	--------

Tab length

TARIM7	☐	HANDRIM TAB LENGTH- LONGTABS	0,00
TARIM8	☐	HANDRIM TAB LENGTH- SHORT TABS (Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)	19,00

WHEEL LOCKS

Wheel locks by OUT FRONT

TRWLK7	☐	COMPACT COMPOSITE PUSH TO LOCK WHEEL BY OUT-FRONT (Available with .75" to 1.5" Rear Wheel Spacing J only.)	0,00
TRWLK8	☐	COMPACT COMPOSITE PULL TO LOCK WHEEL BY OUT-FRONT (Available with .75" to 1.5" Rear Wheel Spacing J only.)	0,00
TRWLK10	☐	EXTENSION HANDLES FOR COMPACT COMPOSITE PUSH/PULL	80,00

Additional wheel locks

TAWLK11	☐	MBL COMPOSITE SCISSOR LOCK	132,00
TAWLK3	☐	WHEEL LOCK UNI-LOCK ☐ Push ☐ Pull	148,00
TAWLK4	☐	EXTENSION HANDLES FOR UNI-LOCK	80,00
TAWLK15	☐	GRADE AIDS PUSH TO LOCK (Not available with solid rear tires)	164,00

SIDE GUARDS

Aluminium

TASDG2-S	☐	SIDE GUARDS ALUMINUM, RIGID, REMOVABLE, SMALL ☐ Small ☐ Std	176,00
TASDG3-S	☐	SIDE GUARDS ALU, QUAD REMOVABLE W/ HOLE SMALL ☐ Small ☐ Std	184,00
TASDG4-S	☐	SIDE GUARDS ALUMINUM, FOLD DOWN RIGID, SMALL ☐ Small ☐ Std (Not available with Ergonomic Seat.)	303,00
TASDG6	☐	SIDE GUARDS ALUMINUM, FENDERED ADJUSTABLE (Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5")	303,00

New 3k Weave Carbon Fiber

TASDG7-S	☐	SIDE GUARDS CARBON FIBER, RIGID REMOVABLE SMALL ☐ Small ☐ Large	276,00
TASDG8-S	☐	SIDE GUARDS CARBON, QUADREMOVABLE WITH HOLE SMALL ☐ Small ☐ Large	284,00
TASDG9-S	☐	SIDE GUARDS CARBON FIBER, FOLD DOWN RIGID, SMALL ☐ Small ☐ Large	412,00

(Not available with Ergonomic Seat or Carbon Edition.)

TASDG11	☐	CARBON FIBER FENDERED FIXED AND ADJUSTABLE	362,00
(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5".)			

Available on Aluminum and Carbon Fiber Non-Fendered Side Guards

TRSDG13	☐	SIDE GUARDS CUSTOM CUT TO PROFILE OF REAR WHEELS	280,00
---------	--------------------------	--	--------

ARMRESTS

(Desk Arms come with built-in Side Guards.)

Tubular Armrests

TAARM1-9	☐	SWING AWAY TUBULAR 6.5"-9.5"	☐ 9.5"- 12.5"	194,00
(Not Available with Non-Folding, Fixed Height Titanium Seat Back or Height Adjustable Push Handles.)				
TAARM4-9	☐	SWING AWAY FLIP BACK TUBULAR 8.3"-11.5"		280,00
(Not Available with Non-Folding, Fixed Height Titanium Seat Back.)				

Single Post Desk Arms

TAARM2-9-S	☐	REMOV. ADJ. DESK ARM RIGID GUARD 9"-12"/S	☐ 12"-15"	303,00
	☐	armrest pad length STD (10")	Full length (12")	
(Requires 14" minimum Seat Depth B. Not available with Ergonomic Seat.)				
TAARM3-9-S	☐	REMOV. ADJ. DESK ARM RIGID GUARD+TRANSF. 9"-12"/S	☐ 12"-15"	331,00
	☐	armrest pad length STD (10")	☐ Full length (12")	
(Requires 15" minimum Seat Depth B. Not Available with Ergonomic Seat.)				
TAARM5	☐	ARMRESTS COVERED IN BLACK ULTRASUEDE		100,00
(Not available with Desk Arms)				

SEAT BELTS

TABLT1	☐	VELCRO ADJUSTABLE, BLACKNYLON WEBBING	40,00
TABLT2	☐	BODYPOINT 2" PUSH-BUTTONAUTO-STYLE	92,00
TABLT4	☐	BODYPOINT 1" PUSH-BUTTONBUCKLE PADDED -AUTO STYLE	167,00
(Not available with 19" or 20" Rear Seat Widths A.)			
TABLT5	☐	BODYPOINT 1.5" PUSH BUTTON BUCKLE PADDED AUTOSTYLE	167,00
(Not available with 19" or 20" Rear Seat Widths A.)			
TABLT10	☐	BODYPOINT OPTIONAL BAND CLAMP MOUNTING HARDWARE	19,00
TABLT16	☐	BODYPOINT 1" WIDE EVOFLEX, PUSH-BUTTON BUCKLE	172,00

CALFSTRAPS

TACLF2-S	☐	CALFSTRAP VELCRO ADJUSTABLE S	32,00
(Recommended for 9" - 12" Footrest Widths.)			
TACLF2-M	☐	CALFSTRAP VELCRO ADJUSTABLE M	32,00
(Recommended for 11" - 15" Footrest Widths.)			
TACLF2-L	☐	CALFSTRAP VELCRO ADJUSTABLE L	32,00
(Recommended for 14" - 17" Footrest Widths.)			
TACLF2-XL	☐	CALFSTRAP VELCRO ADJUSTABLE XL	32,00
(Recommended for 16" - 19" Footrest Widths.)			
TACLF3-M	☐	BODYPOINT PADDED VELCRO ADJUSTABLE M	95,00
(Recommended for 11" - 15" Footrest Widths.)			
TACLF3-L	☐	BODYPOINT PADDED VELCRO ADJUSTABLE L	95,00
(Recommended for 16" - 19" Footrest Widths.)			
TACLF1	☐	BUCKLE ADJUSTABLE, BLACKNYLON WEBBING	22,00

BACKPACK

TABCK3	☐	BACK PACK, BLACK NYLON	85,00
--------	--------------------------	------------------------	-------

SEAT POUCH

TAPCH3	☐	SEAT POUCH BLACK NYLON	49,00
TAPCH5	☐	BODYPOINT MOBILITY BAG	96,00

SPOKE GUARDS

TAGRD1	☐	CLEAR LEXAN WITH TIMOTION LOGO <i>(Not available with Mag Rear Wheels.)</i>	117,00
--------	--------------------------	--	--------

ANTI-TIP

TATIP1	☐	ANTI TIP REAR ALUMINUM- BLACK	145,00
TATIP2	☐	ANTI TIP REAR FLIP-UP USER FRIENDLY	298,00

ACCESSORIES

TAUEST1-12	☐	UPPER EXTREMITY SUPPORT TRAY 12-14" <i>(Requires Armrests.)</i>	☐ 13-15"	258,00
TALUG1	☐	LUGGAGE CARRIERS		132,00
TAMPCT2-BL	☐	IMPACT GUARDS NEOPRENE BLACK		95,00
TACH1	☐	CRUTCH HOLDER		132,00