

Fitting / Order form

Prices valid from: dd-mm-yyyy

Dealer information

Customer (name / code)	/
Contact	
Address	
Post code / City	/
Phone / Fax	/

Delivery address

Name	/
Address	
Post code / City	/
Phone	
E-mail	

Your reference	
Your order number	

Fitting date

User weight

Fitting date (dd-mm-yyyy)	
---------------------------	--

TiLite ZRA



☒	Required choice
☐ / ☐	Optional choice
☒ / ☐	Default required option

Price

code

excl VAT

incl VAT

FRAME STYLE

Z2FS2	☐	TILITE ZRA SERIES 2	3285,00
(Full Adjustability. 265 Pound (120 kg) Weight Limit. 150 Pound (68 kg) Weight Limit for Rear Seat Width A and Seat Depth B of 10"x10" to 1:			
Z2HDR1	☐	FRAME, HEAVY DUTY	0,00
(300 Pound (136 kg) Weight Limit. No charge when 20" Rear Seat Width A and 20" Seat Depth B are selected. Includes Tension Adjustable by Straps Back Upholstery. Requires Folding Aluminum Adjustable Height Backrest, Billet Aluminum Front Wheels, Shadow or Spinergy SPOX Rear Wheels. LX Rear Wheels only available with 0 or 2 degree camber. Not available with Slipstream Fork, Velcro Adjustable Upholstery, Swing Away Tubular Armrest or Swing Away Flip Back Tubular Armrest.)			
Z2RFR1	☐	FRAME, REINFORCED	0,00
(No charge when 20" Rear Seat Width and 20" Seat Depth or Heavy Duty is selected.)			

LANGUAGE USER MANUAL

Language	Choose		
----------	--------	--	--

TRANSPORT OPTIONS

Z2WTB	☐	TRANSPORT BRACKETS	313,00
(Consists of four Tie-Down Brackets. Unoccupied use only. Please refer to the ZR Transport Bracket Supplement for important information regarding the Transit Options)			

FRAME FINISHES

Z2FF1	☐	TITANIUM - SATIN FINISH	0,00
(Available with Titanium Frame only.)			
Z2SCBT1	☐	BUFFING PADS SATIN FINISH	
Z2FF3	☐	TATTOO ON TITANIUM AND ALUMINIUM FRAME	313,00
(Tattoos on front frame tubes. Titanium frame finished in Satin. Aluminum frame is tattooed on blasted aluminum with a clear coat. Tattoos will be trimmed and adjusted to fit your frame.)			
Z2FF44	☐	TATTOO FLOWER GARDEN	0,00
Z2FF45	☐	TATTOO NEED FOR SPEED	0,00
Z2FF43	☐	TATTOO MOSAIC	0,00
  			
COLOR	☐	Z2FF61 SEAFOAM GREEN	☐
	☐	Z2FF62 BLUE MIST	☐
	☐	Z2FF63 LAVENDER DUSK	☐
	☐	Z2FF8 HIGH GLOSS BLACK	☐
	☐	Z2FF10 RED PEPPER	☐
	☐	Z2FF29 NEON PINK	☐

☐ Z2FF14	OCEAN BLUE METALLIC	☐ Z2FF15	TANGERINE METALLIC	☐ Z2FF30	ACID GREEN METALLIC
☐ Z2FF17	MIDNIGHT BLUE PEARL	☐ Z2FF18	WHITE PEARL	☐ Z2FF59	POMEGRANITE RED
☐ Z2FF19	BLACK LAVA	☐ Z2FF27	TITANIUM GRAY	☐ Z2FF60	SILVER STREAK
☐ Z2FF57	INDIGO PURPLE	☐ Z2FF58	BLACK GALAXY	☐ Z2FF64	DAFFODIL YELLOW
☐ Z2FF40	HYPER BLUE	☐ Z2FF41	FLAME ORANGE	☐ Z2FF42	OD GREEN

COLOR ANODIZE PACKAGE

(Color Anodize Package includes: Caster Mount, Caster Fork, and Caster Caps. If no anodize color is selected, the default will be black.)

Z2ANO1	☐ COLOR ANODIZE PACKAGE- BLACK	0,00
Z2ANO12	☐ COLOR ANODIZE PACKAGE- GOLD	49,00
Z2ANO15	☐ COLOR ANODIZE PACKAGE- GREEN	49,00
Z2ANO13	☐ COLOR ANODIZE PACKAGE- PURPLE	49,00
Z2ANO14	☐ COLOR ANODIZE PACKAGE- ORANGE	49,00
Z2ANO10	☐ COLOR ANODIZE PACKAGE- BLUE	48,00
Z2ANO11	☐ COLOR ANODIZE PACKAGE- RED	49,00

TiFit: TAILORED INDIVIDUALIZED FRAME

REAR SEAT WIDTH (A)


Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post to the outside of the opposite seat tube at back post.

Z2RSW4-10	☐ REAR SEAT WIDTH 10"	☐ 11" ☐ 12" ☐ 13" ☐ 14"	0,00
		☐ 16" ☐ 17" ☐ 18" ☐ 19"	
Z2RSW2	☐ REAR SEAT WIDTH 20"		447,00

FRONT SEAT WIDTH (SEAT TAPER) (T)

Measure from inside of front frame tube to inside of opposite front frame tube. (Required with V-Front End (V). Not Available with Standard Front End (I))


Z2FSW1	☐ FRONT SEAT WIDTH WITH NOTAPER (2.5" Narrower than Rear Seat Width A.)	0,00
Z2FSW3	☐ FRONT SEAT WIDTH WITH 1.5" TAPER (4" Narrower than Rear Seat Width A. Includes Tension Adjustable by Straps Seat Upholstery.) Bolt On Adjustable Sling available through our Creative Mobility Division #20	254,00



SEAT DEPTH (B)

Measure from front of back post to the front edge of seat sling. Frame bend will start .5" in front of seat sling unless Custom Frame Depth is specified, or the combination of specifications affect the rolling dynamics of the chair.

Z2SD1-10	☐ SEAT DEPTH 10"	☐ 11" ☐ 12" ☐ 13" ☐ 14"	0,00
		☐ 16" ☐ 17" ☐ 18" ☐ 19"	
Z2SD2	☐ SEAT DEPTH 20" (Custom seat depth available through CMD)		471,00



ERGONOMIC SEAT (U)

Measure from front of back post to beginning of upward bend of seat tube.

Z2ERG2-6	☐ AERO T AND TRA ERGONOMICSEAT	372,00
	☐ 6" (B)=12"+ ☐ 7" (B)=12"+ ☐ 8" (B)=13"+	
(Not available with V-Front or Seat Taper, Desk Arms, Depth Adjustable Backrests, Fold Down Rigid Sideguards, Fendered Adjustable Sideguards, Solid Seat.) Bolt On Adjustable Sling available through our Creative Mobility Division #20. Solid Seat available through Creative Mobility Division #16.)		

FRONT SEAT HEIGHT (C)


Measure from floor to top of seat tube at front edge of seat sling

Z2FSH1-16	☐ FRONT SEAT HIGHT 16" ☐ 15.5" ☒ 16" ☐ 16.5" ☐ 17" ☐ 17.5" ☐ 18"	0,00
	☐ 18.5" ☐ 19" ☐ 19.5" ☐ 20" ☐ 20.5" ☐ 21"	

REAR SEAT HEIGHT (D)

Measure from floor to top of seat tube at back post.



Z2RSH1-12.5	☐ 12.5"	☐ 14.5"	☐ 16.5"	☐ 18.5"	Rear wheel size	Rear seat height		0,00		
	☐ 13"	☐ 15"	☐ 17."	☐ 19"					20"	12.5"-20"
	☐ 13.5"	☐ 15.5"	☐ 17.5"	☐ 19.5"					22"	13.5"-20"
	☐ 14"	☐ 16"	☐ 18."	☐ 20"					24"	14.5"-20"
	☐ 14"	☐ 16"	☐ 18."	☐ 20"					25"	15.0"-20"
					26"	15.5"-20"				

FRONT ANGLE or OVERALL FRAME LENGTH

Select one. If Overall Frame Length is selected, front angle will be bent to achieve requested length.


Z2FA1-70	☐ FRONT ANGLE 70°	0,00
Z2FA1-75	☐ FRONT ANGLE 75°	0,00
Z2FA1-80	☐ FRONT ANGLE 80°	0,00
Z2FA1-85	☐ FRONT ANGLE 85° (L) Measure from frame front to floor. (Not available with 6" Front Wheels.)	0,00
Z2FA1-90	☐ FRONT ANGLE 90° (Not available with 5" or 6" Front Wheels.)	0,00
Z2FA2	☐ OVERALL FRAME LENGTH M= "	NCO

Measure from front of backrest to Front Edge of Footrest.

SEAT TO FOOTREST (E)

Measure from front edge of seat sling to top rear of footrest.

STFR-xxx	☐ STANDARD FOOTREST Measurement must be at least 2" shorter than Front Seat Height (C).	0,00												
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: center;">☐ 13.5"</td> <td style="text-align: center;">☐ 15"</td> <td style="text-align: center;">☐ 16.5"</td> <td style="text-align: center;">☐ 18."</td> </tr> <tr> <td style="text-align: center;">☐ 14"</td> <td style="text-align: center;">☐ 15.5"</td> <td style="text-align: center;">☐ 17."</td> <td style="text-align: center;">☐ 18.5"</td> </tr> <tr> <td style="text-align: center;">☐ 14.5"</td> <td style="text-align: center;">☐ 16"</td> <td style="text-align: center;">☐ 17.5"</td> <td style="text-align: center;">☐ 19"</td> </tr> </table>	☐ 13.5"	☐ 15"	☐ 16.5"	☐ 18."	☐ 14"	☐ 15.5"	☐ 17."	☐ 18.5"	☐ 14.5"	☐ 16"	☐ 17.5"	☐ 19"	
☐ 13.5"	☐ 15"	☐ 16.5"	☐ 18."											
☐ 14"	☐ 15.5"	☐ 17."	☐ 18.5"											
☐ 14.5"	☐ 16"	☐ 17.5"	☐ 19"											
Z2FTR3	☐ FOOTREST ANGLE ADJUSTABLE	0,00												
Z2FTR1	☐ FOOTREST TITANIUM WITH FLAT ABS COVER	176,00												
Z2FTR2	☐ FOOTREST TITANIUM OPEN LOOP	237,00												
Z2FTR12	☐ FOOTREST FLIP-BACK (Not available with 10" or 11" Rear Seat Width A or Heavy Duty Frame.)	194,00												
STFR-xxx	☐ HIGH MOUNTED FOOTREST	0,00												
STFR-S	☐ 7" - 9" Set at: "													
STFR-M	☐ 9" - 11" Set at: "													
STFR-L	☐ 11" - 13" Set at: "													
Z2FTR4	☐ FOOTREST ANGLE ADJUSTABLE HIGH MOUNT	92,00												



FOOTREST WIDTH (I) or (V)


Select either a Standard Front End (I) if no Seat Taper (T) is selected or a V-Front End (V) if a Seat Taper (T) is selected

STANDARD FRONT END (I)

Find your Rear Seat Width A in the Chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube. (Not available with Front Seat Width (Seat Taper) T.)


Z2FE1-0	☐ STANDARD FRONT END NO TAPER (Required when both Heavy Duty Frame and Seat Taper T are selected.)	0,00
---------	--	------

REAR SEAT WIDTH (Outside measurement)	No Taper (2.5" Narrower than rear seat width)	1.5" Taper (4" Narrower than rear seat width)	3.5" Taper (6" Narrower than rear seat width)
10	☐ 7.5"		
11"	☐ 8.5"		
12"	☐ 9.5"	☐ 8"	
13"	☐ 10.5"	☐ 9"	
14"	☐ 11.5"	☐ 10"	
15"	☐ 12.5"	☐ 11"	☐ 9"
16"	☐ 13.5"	☐ 12"	☐ 10"



2.5" above

17"	☐	14.5"	☐	13"	☐	11"
18"	☐	15.5"	☐	14"	☐	12"
19"	☐	16.5"	☐	15"	☐	13"
20"	☐	17.5"	☐	16"	☐	14"

**V-FRONT END (V)**

Measure from inside of front frame tube to inside of opposite front frame tube 2-1/2" above footrest. (Required with Front Seat Taper T. Titanium Footrests have 1" of adjustment up and down. Not available with Ergonomic Seat frames.)

Z2FE2-9

☐	FOOTREST FRONT END WIDTH--V 9"
☐	10"
☐	11"
☐	12"
☐	13"
☐	14"
☐	15"

104,00

BACKREST UPHOLSTERY

(Want more seating options? Click here to view the new TiLite Seating Order Form.)

Z2BUP2

☐ BACK UPHOLSTERY VELCRO ADJUSTABLE
(Not available with Fold-Down Push Handles.)

0,00

Tension Adjustable by Straps

(Required with Fold-Down Push Handles.)

Z2BUP3

☐ BACK UPHOLSTERY STRAPS TENSION ADJUSTABLE

100,00

Z2BUP5

☐ UPHOLSTERY AIR BREATHABLE
(Not available with Ultrasuede Backrest Stripe.)

176,00

Z2UPC3-BL

☐ UPHOLSTERY BACKREST STRIPE ULTRASUEDE BLACK

95,00

Z2BUP0

☐ WITHOUT BACK UPHOLSTERY

0,00

SEAT BACK TYPE/PUSH HANDLES/SEAT BACK HEIGHT (F)

Measure from top of back post to top of seat tube at rear of frame.

Z2SB1

☐ FOLDING ALUMINUM ADJUSTABLE HEIGHT SEAT BACK
(Required for Heavy Duty Frame.)

0,00

Z2SB2

☐ FOLDING TITANIUM ADJUSTABLE HEIGHT
(Titanium back will match Frame Finish. Not available with Bolt-On Push Handles.)

176,00

Z2SB15

☐ SEAT BACK, NON-FOLDING, FIXED-HEIGHT TITANIUM
(Titanium back will match Frame Finish. Not available with Push Handles.)

254,00

TISHAFT™ BACK RELEASE BARS

(Not available with Non-Folding, Fixed Height Titanium Back.)

Z2SB3

☐ BACK RELEASE BAR ALUMINUM TISHAFT

0,00

Z2SB5

☐ BACK RELEASE BAR CARBON FIBER TISHAFT

63,00

PUSH HANDLES (select above)

Z2SB6

☐ PUSH HANDLES INTEGRATED

0,00

Z2SB7

☐ PUSH HANDLES INTEGRATED FOLD-DOWN
(Requires Tension Adjustable by Straps Back Upholstery.)

104,00

Z2SB8

☐ PUSH HANDLES BOLT-ON
(Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.)

176,00


Z2SB9

☐ PUSH HANDLES BOLT-ON HEIGHT ADJUSTABLE
(Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.)

303,00

FOLDING SEAT BACK HEIGHT (F) (Z2SB1 and Z2SB2)

PUSH HANDLES (select above)	Short	Medium	Tall	use 0.5" increments
None/Bolt on	9.5"-12.5"	13.5"-17.5"	17"-21.5"	Set at:
Integrated	11.5"-13.5"	14.5"-17.5"	18.5"-21.5"	Set at:
Intergated fold down	14"-16.5"	15"-19.5"	19.5"-22"	Set at:



NON-FOLDING, FIXED-HEIGHT (F) TITANIUM SEAT BACK

with New Rounded Rigidizer Bar

(Titanium back will match Frame Finish. Required for fixed Side Guards. Not available with Swing Away Tubular or Swing Away - Flip Back Tubular Armrests and Integrated Push Handles, Integrated Fold-Down Push Handles or Bolt-On Height Adjustable Push Handles.)

Height 8" to 20" in 0.5" steps

Set at: "

AVAILABLE ON ALL BACKS

Z2SB11	☐	BACKREST THAT LOCKS IN FOLDED POSITION (Not available with Ergonomic Seat.)	0,00
Z2SB19	☐	4" DEEP BACKREST RIGIDIZER BAR (Required with Heavy Duty Frame. Not available with a Non-Folding, Fixed Height Titanium Seat Back Type. 4" Deep Rigidizer Bar is NOT a rounded style rigidizer bar.)	0,00
Z2SB16	☐	BACK/FRAME DEPTH ADJUSTABLE (Seat Depths B of 10"-18" allow 2" of rearward adjustment. Height Adjustable Push Handles have a limited height range with Depth Adjustable Back. Not Available with 19" or 20" Seat Depths B, Heavy Duty Frame, Tension Adjustable By Straps Seat Upholstery or Carbon Fiber Side Guards.)	184,00

SEAT BACK ANGLE (G)

Measure angle from front of back post to floor.

Z2SBA3-80	☐ SEAT BACK ANGLE FOR NON-FOLDING BACK 80° ☐ 83° ☐ 89° ☐ 95° ☐ 101° ☐ 86° ☐ 92° ☐ 98°	0,00
Z2SBA3-80	☐ SEAT BACK ANGLE FOR NON-FOLDING BACK 80° ☐ 81° ☐ 85° ☐ 89° ☐ 93° ☐ 97° ☐ 101° ☐ 82° ☐ 86° ☐ 90° ☐ 94° ☐ 98° ☐ 83° ☐ 87° ☐ 91° ☐ 95° ☐ 99° ☐ 84° ☐ 88° ☐ 92° ☐ 96° ☐ 100°	0,00

CENTER OF GRAVITY (H)

Measure from front of back post at the seat tube to the center of the rear axle. If no center of gravity is selected, chair will ship with the center of gravity in the rearward-most position.

Z2COG1-0	☐ CENTER OF GRAVITY 0" ☐ 1.25" ☐ 2.25" ☐ 3.25" ☐ 4.25" ☐ 1.5" ☐ 2.5" ☐ 3.5" ☐ 4.5" ☐ 1.75" ☐ 2.75" ☐ 3.75" ☐ 4.75" ☐ 2" ☐ 3" ☐ 4" ☐ 5"	0,00
----------	--	------

REAR WHEEL SPACING (J) / PLUGS

Measure from outside of seat back post to inside of rear tire. TRA 0.75" Rear Wheel Spacing not available with 0° or 2° Camber K. Ergonomic Seat selection may limit available center of gravity.

Z2RWS1-0.75	☐ REAR WHEEL SPACING 0.75" ☐ 1" ☐ 1.25"	0,00
Z2CBR12	☐ CAMBER PLUGS - ADJ REAR WHEEL	0,00
Z2CBR9	☐ SPACERS TO INCREASE REARWHEEL SPACING, ADDITIONAL	0,00
Z2CBR11	☐ CAMBER PLUGS 2°, 4°, OR 6° ZERO PLAY ALUMINUM (Not available with Power Adaptable Frame or more than 6° of Camber K.)	0,00

SEAT UPHOLSTERY

Z2SUP1	☐ TENSION ADJ. BOLT ON SEAT UPHOLST. W/ PHONE SLEEVE (Not available with 10" or 11" Rear Seat Width A)	0,00
Z2SUP2	☐ TENSION ADJUSTABLE BY STRAPS SEAT UPHOLSTERY (Not available with 10" or 11" Rear Seat Width A or Ergonomic Seat)	191,00
Z2SUP8	☐ SOLID SEAT, ALUMINUM	254,00

(Not available with 10" or 11" Rear Seat Width A or Ergonomic Seat)

Z2SUP0	☐	WITHOUT SEAT UPHOLSTERY	0,00
--------	--------------------------	-------------------------	------

CAMBER (K) / CAMBER TUBES

Z2CBR1-0	☐ 0° CAMBER	☐ 2°	☐ 4°	☐ 6°	0,00
(More than 0° of Camber K is not available with the Power Adaptable Frame. 8° of Camber may be available through our Creative Mobility Division.)					
Z2CBR15	☐	CAMBER TUBE ALUMINIUM			0,00
Z2CBR3	☐	CAMBER TUBE TITANIUM			176,00
(Not available with Power Adaptable Frame.)					

CUSTOM CONFIGURATION OPTIONS**FRONT WHEELS**

Z2FW24	☐	3"X1.4" LITESPEED-7 BILLETALU WHEEL W/SOFT ROLLTIRE	165,00		
	☐	SILVER HUB	☐	BLACK HUB	
Z2FW14	☐	4"X.75" PLASTIC WHEEL W/POLY TIRE	0,00		
	(Not available with Slipstream Fork or Power Adaptable Frame.)				
Z2FW3	☐	4"X.75" LIGHT-UP MICRO-CASTER	74,00		
	(Not available with Slipstream Fork or Power Adaptable Frame.)				
Z2FW26	☐	4"X1.4" LITESPEED-7 PLASTIC WHEEL W/SOFT ROLL TIRE	95,00		
	(Not available with Power Assist, Power Add-on System or Heavy Duty Frame.)				
Z2FW27	☐	4"X1.4" LITESPEED-7 BILLETALU WHEEL W/SOFT ROLLTIRE	165,00		
	☐	SILVER HUB	☐	BLACK HUB	
Z2FW6	☐	5"X1" PLASTIC WHEEL W/POLY TIRE	0,00		
	(Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)				
Z2FW28	☐	5"X1.4" LITESPEED-7 PLASTIC WHEEL W/SOFT ROLL TIRE	95,00		
	(Not available with 90° Front Angle L or Power Adaptable Frame.)				
Z2FW30	☐	5"X1.4" LITESPEED-7 BILLETALU WHEEL W/SOFT ROLLTIRE	165,00		
	☐	SILVER HUB	☐	BLACK HUB	
	(Not available with 90° Front Angle L.)				
Z2FW9	☐	6"X1" PLASTIC WHEEL W/POLY TIRE	0,00		
	(Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)				
Z2FW32	☐	6"X1.4" LITESPEED-7 PLASTIC WHEEL W/SOFT ROLL TIRE	95,00		
	(Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)				
Z2FW33	☐	6"X1.4" LITESPEED-7 BILLETALU WHEEL W/SOFT ROLLTIRE	165,00		
	☐	SILVER HUB	☐	BLACK HUB	
	(Not available with 85° or 90° Front Angle L.)				

PRECISION LOCK FRONT FORKS

Z2FK1	☐	FORK, STANDARD TILITE	0,00	
Z2FK2	☐	FORK, SLIPSTREAM SINGLE-SIDED TILITE	176,00	
(Not available with Heavy Duty Frame or Power Adaptable Frame.)				
Z2GL1	☐	OUT-FRONT GLIDE® SUSPENSION FORKS	435,00	
	USER WEIGHT	☐ > 56kg	☐ 56kg-81kg	☐ 81kg-120kg
(Black anodize only.)				
Z2TS1	☐	FORK STEMS TITANIUM	48,00	

STANDARD REAR WHEELS

Z2RW14-20	☐ WHEELS REAR 20" TILITE SHADOW	☐ 22"	☐ 24"	☐ 25"	☐ 26"	0,00
25" and 26" require 15" minimum Seat depth (B)						

PERFORMANCE REAR WHEELS

(See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)

Z2RW7-22	☐ WHEELS REAR SPINERGY SPOX 22" ☐ 24" ☐ 25" ☐ 26" Spinergy SPOX ☐ RED ☐ BLACK ☐ BLUE ☐ WHITE					495,00
----------	---	--	--	--	--	--------

		25" and 26" require 15" minimum Seat depth (B)				
Z2RW8-22	☐ WHEELS REAR SPINERGY LX 22" ☐ 24" ☐ 25" ☐ 26" 25" and 26" require 15" minimum Seat depth (B) ☐ BLACK ☐ RED ☐ BLUE ☐ WHITE ☐ BRIGHT ORANGE ☐ FLAMINGO PINK ☐ PURPLE					695,00
Z2RW9-22	☐ 22" (501) SPINERGY DESIGN LAB LX ☐ 24" ☐ 25" ☐ 26" 25" and 26" require 15" minimum Seat depth (B) ☐ BLACK ☐ RED ☐ BLUE ☐ WHITE ☐ BRIGHT ORANGE ☐ FLAMINGO PINK ☐ PURPLE (If same color is selected, anodized hubs and rims match color anodized package on page 1. Available with black spokes only.)					695,00
Z2RW16-24	☐ WHEELS REAR 24" CARBON BLADE ☐ 25" (Not available with Heavy Duty Frame, 25" requires 15" minimum Seat depth (B))					1150,00
Z2RW17-20	☐ WHEELS REAR 20" SKYWAY® MAGS ☐ 22" ☐ 24" (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Sliver Anodized Handrims.)					100,00
AXLES						
Z2AXL1	☐	AXLE QUICK RELEASE STAINLESS			0,00	
Z2AXL2	☐	AXLE QUICK RELEASE TITANIUM			237,00	
Z2AXL3	☐	AXLE QUAD RELEASE			139,00	
(Not available with Mag or 26"(590) Spinergy Spox or LX Rear Wheels.)						
PNEUMATIC REAR TIRES						
Z2RTR1	☐	TIRES REAR 20", 22", 24"OR 26" TREADED			0,00	
Z2RTR2	☐	TIRES REAR 20",22",24",26" TREADED, AIRLESS INSERT			85,00	
(Not available with Spinergy Carbon Blade Rear Wheels.)						
Z2RTR31	☐	MBL SPEEDLITE (PNEUMATIC)			0,00	
Z2RTR30	☐	TIRES REAR 24",25" OR 26" PRIMO SENTINEL PNEUMATIC			95,00	
Z2RTR8	☐	TIRES REAR 24" 25"OR 26"SCHWALBE MARATHON+ EVOL.			95,00	
Z2RTR24	☐	TIRES REAR, KENDA KOBRA KNOBBY			95,00	
SOLID REAR TIRES						
(Not available with Spinergy Carbon Blade Rear Wheels.)						
Z2RTR22	☐	TIRES REAR, SOLID, PRIMOEXPRESS			95,00	
Z2RTR23	☐	TIRES REAR, SOLID, PRIMOACTIVE			95,00	
HANDRIMS						
Handrims by OUT-FRONT®						
Z2RIM1	☐	ALUMINUM- SILVER ANODIZED			0,00	
Z2RIM21	☐	ALUMINUM- BLACK ANODIZED			49,00	
(Not available with 20"(451) Rear Wheels.)						
Z2RIM12	☐	TITANIUM- SATIN FINISH			290,00	
(Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.)						
Z2RIM10	☐	THE SURGE™ BY OUT-FRONT,ALL-IN-1 OVAL, L PROFILE			290,00	
(Not available with 20"(451) Rear Wheels.)						
Z2RIM11	☐	THE SURGE™ LT BY OUT-FRONT ALL-IN-1 OVAL S PROFILE			290,00	
(Not available with 20"(451) Rear Wheels.)						
Z2RIM20	☐	Q-GRIP (TETRA GRIPP BY TETRA EQUIPMENT)			290,00	
(Not available with 20"(451)Rear Wheels.)						
The Natural-Fit® (Original, Larger Profile)						
(Not available with 20"(451) Rear Wheels.)						

Z2RIM14	☐	NATURAL-FIT® BY OUT-FRONT - STANDARD GRIP <i>(Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels)</i>	290,00
Z2RIM15	☐	NATURAL-FIT® BY OUT-FRONT - SUPER GRIP <i>(Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)</i>	290,00
Z2RIM16	☐	NATURAL-FIT® BY OUT-FRONT - WITHOUT THUMB GRIP	290,00

The Natural-Fit® LT (Reduced Weight, Smaller Profile)

(Not available with 20" (451) Rear Wheels.)

Z2RIM17	☐	NATURAL-FIT® LT BY OUT-FRONT - STANDARD GRIP <i>(Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)</i>	290,00
Z2RIM18	☐	NATURAL-FIT® LT BY OUT-FRONT - SUPER GRIP <i>(Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)</i>	290,00
Z2RIM19	☐	NATURAL-FIT® LT BY OUT-FRONT - WITHOUT THUMB GRIP	290,00

Additional handrim options

Z2RIM5	☐	PLASTIC COATED- BLACK	117,00
--------	--------------------------	-----------------------	--------

Tab length

Z2RIM7	☐	HANDRIM TAB LENGTH- LONGTABS	0,00
Z2RIM8	☐	HANDRIM TAB LENGTH- SHORT TABS <i>(Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)</i>	19,00

WHEEL LOCKS

Wheel locks by OUT FRONT

Z2WLK7	☐	COMPACT COMPOSITE PUSH TO LOCK WHEEL BY OUT-FRONT <i>(Available with .75" to 1.5" Rear Wheel Spacing J only.)</i>	0,00
Z2WLK8	☐	COMPACT COMPOSITE PULL TO LOCK WHEEL BY OUT-FRONT <i>(Available with .75" to 1.5" Rear Wheel Spacing J only.)</i>	0,00
Z2WLK10	☐	EXTENSION HANDLES FOR COMPACT COMPOSITE PUSH/PULL	80,00

Additional wheel locks

Z2WLK11	☐	MBL COMPOSITE SCISSOR LOCK	132,00
Z2WLK3	☐	WHEEL LOCK UNI-LOCK ☐ Push ☐ Pull	148,00
Z2WLK4	☐	EXTENSION HANDLES FOR UNI-LOCK	80,00
Z2WLK15	☐	GRADE AIDS PUSH TO LOCK <i>(Not available with solid rear tires)</i>	164,00

SIDE GUARDS

Aluminium

Z2SDG2-S	☐	SIDE GUARDS ALUMINUM, RIGID, REMOVABLE, SMALL ☐ Small ☐ Std	176,00
Z2SDG3-S	☐	SIDE GUARDS ALU, QUAD REMOVABLE W/ HOLE SMALL ☐ Small ☐ Std	184,00
Z2SDG4-S	☐	SIDE GUARDS ALUMINUM, FOLD DOWN RIGID, SMALL ☐ Small ☐ Std <i>(Not available with Ergonomic Seat.)</i>	303,00
Z2SDG6	☐	SIDE GUARDS ALUMINUM, FENDERED ADJUSTABLE <i>(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5".)</i>	303,00

New 3k Weave Carbon Fiber

Z2SDG7-S	☐	SIDE GUARDS CARBON FIBER, RIGID REMOVABLE SMALL ☐ Small ☐ Large	276,00
Z2SDG8-S	☐	SIDE GUARDS CARBON, QUADREMOVABLE WITH HOLE SMALL	284,00

	☐ Small	☐ Large		
Z2SDG9-S	☐	SIDE GUARDS CARBON FIBER, FOLD DOWN RIGID, SMALL		412,00
	☐ Small	☐ Large		
		(Not available with Ergonomic Seat or Carbon Edition.)		
Z2SDG11	☐	CARBON FIBER FENDERED ADJUSTABLE		362,00
		(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5")		
Available on Aluminum and Carbon Fiber Non-Fendered Side Guards				
Z2SDG13	☐	SIDE GUARDS CUSTOM CUT TO PROFILE OF REAR WHEELS		280,00
ARMRESTS				
(Desk Arms come with built-in Side Guards.)				
Tubular Armrests				
Z2ARM1-9	☐	SWING AWAY TUBULAR 6.5"-9.5"	☐ 9.5"- 12.5"	194,00
		(Not Available with Heavy Duty Frame or Height Adjustable Push Handles.)		
Z2ARM4-9	☐	SWING AWAY FLIP BACK TUBULAR 8.3"-11.5"		280,00
		(Not Available with Heavy Duty Frame.)		
Single Post Desk Arms				
Z2ARM2-9-S	☐	REMOV. ADJ. DESK ARM RIGID GUARD 9"-12"/S	☐ 12"-15"	303,00
	☐	armrest pad length STD (10")	☐ Full length (12")	
		(Requires 14" minimum Seat Depth B. Not available with Ergonomic Seat.)		
Z2ARM3-9-S	☐	REMOV. ADJ. DESK ARM RIGID GUARD+TRANSF. 9"-12"/S	☐ 12"-15"	331,00
	☐	armrest pad length STD (10")	☐ Full length (12")	
		(Requires 15" minimum Seat Depth B. Not Available with Ergonomic Seat.)		
Available Armrest Options				
Z2ARM5	☐	ARMRESTS COVERED IN BLACK ULTRASUEDE		100,00
		(Not available with Desk Arms)		
SEAT BELTS				
Z2BLT1	☐	VELCRO ADJUSTABLE, BLACKNYLON WEBBING		40,00
Z2BLT2	☐	BODYPOINT AUTO-STYLE RELEASE BUCKLE		92,00
Z2BLT4	☐	BODYPOINT 1" PUSH-BUTTONBUCKLE PADDED -AUTO STYLE		167,00
		(Not available with 19" or 20" Rear Seat Widths A.)		
Z2BLT5	☐	BODYPOINT 1.5" PUSH BUTTON BUCKLE PADDED AUTOSTYLE		167,00
		(Not available with 19" or 20" Rear Seat Widths A.)		
Z2BLT8	☐	Q'STRAIT WC-19 WHEELCHAIR-ANCHORED PELVIC BELT		176,00
		(Recommended for use with Transit Tie Down. Not Available with ZR.)		
Z2BLT10	☐	BODYPOINT OPTIONAL BAND CLAMP MOUNTING HARDWARE		19,00
Z2BLT16	☐	BODYPOINT 1" WIDE EVOFLEX, PUSH-BUTTON BUCKLE		172,00
CALFSTRAPS				
Z2CLF2-S	☐	CALFSTRAP VELCRO ADJUSTABLE S		32,00
		(Recommended for 9" - 12" Footrest Widths.)		
Z2CLF2-M	☐	CALFSTRAP VELCRO ADJUSTABLE M		32,00
		(Recommended for 11" - 15" Footrest Widths.)		
Z2CLF2-L	☐	CALFSTRAP VELCRO ADJUSTABLE L		32,00
		(Recommended for 14" - 17" Footrest Widths.)		
Z2CLF2-XL	☐	CALFSTRAP VELCRO ADJUSTABLE XL		32,00
		(Recommended for 16" - 19" Footrest Widths.)		
Z2CLF3-S	☐	BODYPOINT PADDED VELCRO ADJUSTABLE S		95,00
		(Recommended for 8" - 11" Footrest Widths.)		
Z2CLF3-M	☐	BODYPOINT PADDED VELCRO ADJUSTABLE M		95,00
		(Recommended for 11" - 15" Footrest Widths.)		

Z2CLF3-L	☐	BODYPOINT PADDED VELCRO ADJUSTABLE L (Recommended for 16" - 19" Footrest Widths.)	95,00
Z2CLF1	☐	BUCKLE ADJUSTABLE, BLACKNYLON WEBBING	22,00
RESIDUAL LIMB SUPPORT			
Z2RSL1-L	☐	RESIDUAL LIMB SUPPORT, LEFT	318,00
Z2RSL1-R	☐	RESIDUAL LIMB SUPPORT, RIGHT	318,00
Z2RSL2	☐	RESIDUAL LIMB SUPPORT, PAIR	641,00
BACKPACK			
Z2BCK3	☐	BACK PACK, BLACK NYLON	85,00
SEAT POUCH			
Z2PCH3	☐	SEAT POUCH BLACK NYLON	49,00
Z2PCH5	☐	BODYPOINT MOBILITY BAG	96,00
SPOKE GUARDS			
Z2GRD1	☐	CLEAR LEXAN WITH TIMOTION LOGO (Not available with Mag Rear Wheels.)	117,00
ANTI-TIP			
Z2TIP1	☐	ANTI TIP REAR ALUMINUM- BLACK	145,00
Z2TIP2	☐	ANTI TIP REAR FLIP-UP USER FRIENDLY	298,00
ACCESSORIES			
Z2UEST1-12	☐	UPPER EXTREMITY SUPPORT TRAY 12-14" (Requires Armrests.)	258,00
	☐	13-15"	
Z2LUG1	☐	LUGGAGE CARRIERS	132,00
Z2MPCT2-BL	☐	IMPACT GUARDS NEOPRENE BLACK	95,00
Z2CH1	☐	CRUTCH HOLDER	132,00