

				Fitting / C	order form		
		Dealer inform				Prices valid from:	1/apr/25
Customer (name / cod	le)		1				
Contact					TiLit	te ZR	
Address							
Post code / City			ı				
Phone / Fax			1				
		Delivery ad	dress				
Name			1				
Address							
Post code / City			ı				
Phone							
E-mail							
					-		
Your reference							
Your order number						✓ Req	uired choice
		Fitting d	ate		User weight	/ Optio	onal choice
Fitting date (dd-mm-yy	ууу)				kg	✓ / ● Defa	ault required option
							Price
code							excl VAT incl VAT
FRAME STYLE							
Z2FS1	TIL	ITE ZR SERIES 2					3615.00
	(Mi	nimal Adjustability. 2	265 Pound (120 kg)Weig	tht Limit. 150 Pound (68	kg) Weight Limit for Rear Seat Wid	Ith A and Seat Depth B of 10"x10	
Z2HDR1] FR	AME, HEAVY DUTY	•				0.00
	Adj Spi	iustable by Straps B inergy SPOX Rear V	Back Upholstery. Requires Wheels. LX Rear Wheels	s Folding Aluminum Adj only available with 0 o	th A and 20" Seat Depth B are seled ustable Height Backrest, Billet Alum 2 degree camber. Not available wit ip Back Tubular Armrest.)	ninum Front Wheels, Shadow or	
Z2RFR1	_	AME, REINFORCEI					0.00
	-	•	Rear Seat Width and 20"	Seat Depth or Heavy D	uty is selected.)		0.00
LANGUAGE USE	D MA	NIIAI]	
	-IX IVIA	INUAL					
Language				Choose	V		
TRANSPORT C							
Z2WTB		ANSPORT BRACKE		ad usa only. Please refe	er to the ZR Transport Bracket Supp	element for important	313.00
		ormation regarding t		ed use only. Flease left	i to the ZN Transport Bracket Supp	nement for important	
FRAME FINISH	IES						
Z2FF1] TIT	ANIUM - SATIN FIN	IISH				0.00
	(Av	ailable with Titaniur	m Frame only.)				
Z2SCBT1		BUFFING PADS	SATIN FINISH				14.00
Z2FF3] TA	TTOO ON TITANIUI	M AND ALUMINIUM FRA	AME			313.00
			e tubes. Titanium frame fil d and adjusted to fit your		ım frame is tattooed on blasted alur	minum with a clear coat.	
Z2FF44		☐ TATTOO FL	LOWER GARDEN		~~\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	38 88 8030	0.00
Z2FF45		☐ TATTOO NI	EED FOR SPEED		De manage	W. WHILLIAM.	0.00
Z2FF43		☐ TATTOO M	OSAIC				0.00

3/24/2025 page 1 of 11



COLOR													
High Gloss Paint			Z2FF8	HIGH GLOSS BLACK		z	Z2FF10	TILITE RED			Z2FF29	NEON PINK	
Metallin Paint			Z2FF14	OCEAN BLUE METALLI	c \Box	z	Z2FF15	TANGERINE	METALLIC		Z2FF29	ACID GREEN MET	ALLIC
Pearlescent Paint			Z2FF17	MIDNIGHT BLUE PEAR] z	Z2FF18	WHITE PEAF	RL				
Matte Paint			Z2FF19	BLACK LAVA		Z	Z2FF27	TITANIUM GI	RAY				
Candy Paint			Z2FF22	RUBY RED		z	Z2FF23	AZURE BLUE			Z2FF29	ELECTRIC PLUM	
Matte texture Paint			Z2FF40	HYPER BLUE		z	Z2FF41	FLAME ORAI	NGE		Z2FF29	OD GREEN	
COLOR ANOD	IZE F	PACKAG	EΕ										
(Color Anodize Pack	kage in	cludes: Ca	ster Mount	Caster Fork, and Caster	Caps. If no anodi	ze c	olor is sele	cted, the defau	ılt will be blad	ck.)			
Z2ANO1	0	COLOR A	ANODIZE F	ACKAGE- BLACK									0.00
Z2ANO12	0	COLOR A	ANODIZE F	ACKAGE- GOLD									49.00
Z2ANO15	0	COLOR A	ANODIZE F	ACKAGE- GREEN									49.00
Z2ANO13	0	COLOR A	ANODIZE F	ACKAGE- PURPLE									49.00
Z2ANO14	0	COLOR A	ANODIZE F	ACKAGE- ORANGE									49.00
Z2ANO10	0	COLOR A	ANODIZE F	ACKAGE- BLUE									48.00
Z2ANO11	0	COLOR A	ANODIZE F	ACKAGE- RED									49.00
		_											
TiFit: TAILORE	ED IN	IDIVIDU	ALIZED	FRAME									
REAR SEAT V	VIDT	H (A)											
Measure from outsid	de of se	eat tube at	back post t	o the outsid of the opposit	e seat tube at ba	ck p	ost to the	outside of the o	pposite seat	tube	at back post.		
Z2RSW4-10		REAR SE	AT WIDTH	110"		l 1	12"	13" 🔲 1	14"				0.00
ZZKOW4 10	ľ	ILL/III OL	JAT WILL	. 10	☐ 16" ☐		17" 🗆	_	19"				0.00
Z2RSW2		REAR SE	AT WIDTH	120"			_						447.00
	_									П			
FRONT SEAT	WIDT	TH (SEA	T TAPEI	R) (T)								0	
				of opposite front frame tu	be. (Required wit	h V-	-Front End	(V). Not					
Available with Stand Z2FSW1				'H WITH NOTAPER					1		o		0.00
221 SW 1				Rear Seat Width A.)						1			0.00
Z2FSW3				'H WITH 1.5" TAPER ear Seat Width A. Includes	Tonsion Adjusts	blo i	hy Strans	Pont	9				254.00
				lable with 10" and 11" Sea		DIC I	by Suaps s	Seal		กัโ			
									, (
SEAT DEPTH	٠,												
				e of seat sling. Frame bene ation of specifications affe									
700D4 40	_	SEAT DE	DTUAN			1 4		13"	141		1		0.00
Z2SD1-10		SEAT DE	PIHIU		☐ 11" ☐ ☐ 16" ☐		12" 17"	_	14"				0.00
Z2SD2	П	SEAT DE	DTH 20"			'	''	10 🔟	15		4"-10" ► Erge	onomic seat	471.00
22302	ľ			available through CMD)					//				471.00
									- //				
												5	
ERGONOMIC												// 3	
Measure from front	of back	post to be	ginning of	upward bend of seat tube.									
Z2ERG1-5	0	ERGONO	MIC SEAT	5" 0 6" 0 7"	O 8" O	9)"						372.00
		(Not avail	lable with 7	ension Adjustable Bolt On	Seat Upholstery)							

3/24/2025 page 2 of 11



Z2FSH1-16	0	FRONT SEAT	HIGHT 16"	O 15.5"	16	. 0	16.5" 🔾	17"	0	17.5"	18"					
				0 18.5"	_	_	19.5" 🔾		_	_	21"					
REAR SEAT	L	HT (D)		0 10.0	0 10		10.0	- 20		20.0		<u> </u>	-			-
Measure from floo			ack post.									1	0 0			
							\neg	Pear	wheel	Rear sea	.	9		@		
Z2RSH1-12.5	0	12.5"	14.5"	O 16.5"	0	18.5	"		ize	height				0	1-1	
	0	13"	15"	O 17."	0	19"		2	20"	12.5"-20"		* //	800	J. II	HM	
	0	13.5"	15.5"	O 17.5"	0	19.5		2	22"	13.5"-20"		Ī [[
	0	14"	16"	O 18."	0	20"		2	24"	14.5"-20"		• //			9	
								2	25"	15.0"-20"			- - 0 -	U		
								2	26"	15.5"-20"				\mathcal{N}		1
FRONT ANG	LE or	OVERALL F	RAME LE	NGTH												
Select one. If Ove	rall Fran	ne Length is sele	cted, front ar	ngle will be	bent to a	achieve	requeste	d length								
Z2FA1-70	0	FRONT ANGL	E 70°													
Z2FA1-75	0	FRONT ANGL														
Z2FA1-80	0	FRONT ANGL														
72FA1-85		FRONT ANGL	= 85°	(I.) M	easure fi	rom fra	me front to	o floor (Not ava	ilahle with	6" Fron	nt Wheels				
Z2FA1-85	0	FRONT ANGL								ilable with	6" Fron	nt Wheels.)				
Z2FA1-85 Z2FA1-90	0	FRONT ANGL					me front to			ilable with	6" Fron	nt Wheels.)				
Z2FA1-90	0	FRONT ANGL	E 90°	(Not			or 6" Fro	nt Whee		ilable with	6" Fron	nt Wheels.)				
		FRONT ANGLI	E 90°	(Not a	available	with 5'	or 6" Fro. M=	nt Whee		ilable with	6" Fron	nt Wheels.)				
Z2FA1-90 Z2FA2	0	OVERALL FRA	E 90°	(Not a	available	with 5'	or 6" Fro. M=	nt Whee		ilable with	6" Fron	nt Wheels.,				
Z2FA1-90 Z2FA2 SEAT TO FO	OTRE	OVERALL FRA Measure from	E 90° AME LENGTI	(Not a	available	with 5'	or 6" Fro. M=	nt Whee		ilable with	6" Fron	nt Wheels.			2	
Z2FA1-90 Z2FA2 SEAT TO FO	OTRE	OVERALL FRA Measure from SST (E) of seat sling to to	E 90° AME LENGTI front of back	(Not a	available	with 5'	or 6" Fro. M=	nt Whee		ilable with	6" Fron	nt Wheels.,			7	ı
Z2FA1-90 Z2FA2 SEAT TO FO	OTRE	OVERALL FRA Measure from SST (E) of seat sling to to	E 90° AME LENGTI front of backs p rear of fool	(Not a	available t Edge c	with 5	or 6" Fro. M=	nt Whee		ilable with	6" Fron	nt Wheels.				ı
Z2FA1-90 Z2FA2 SEAT TO FO	OTRE	OVERALL FRA Measure from SST (E) of seat sling to to STANDARD FO Measurement in	E 90° AME LENGTI front of back p rear of fool DOTREST must be at le	(Not a	er than I	with 5	or 6" Fro. M=	nt Whee		ilable with	6" Fron	nt Wheels.,				ı
Z2FA1-90 Z2FA2 SEAT TO FO	OTRE at edge	OVERALL FRA Measure from: ST (E) of seat sling to to, STANDARD FO Measurement i	E 90° AME LENGTI front of back p rear of fool DOTREST must be at le	(Not all the rest to From trest.	er than I	with 5	or 6" Fro. M=	nt Whee		allable with	6" Fron	Sci	A at taper s	iarts 1		ı
Z2FA1-90 Z2FA2 SEAT TO FO	OTRE at edge	OVERALL FRA Measure from EST (E) of seat sling to to STANDARD Fo Measurement I 13.5" 14"	E 90° AME LENGTI front of back p rear of fool DOTREST must be at le	H rest to Fron trest. asst 2" short 16.5" 17."	er than I	with 5' Front Se 18."	M=est.	nt Whee		"	6" Fron	Sciappi	at taper s roximately seat bao	8.5"		١
Z2FA1-90 Z2FA2 SEAT TO FO	OTRE at edge	OVERALL FRA Measure from ST (E) of seat sling to to STANDARD FO Measurement if	E 90° AME LENGTI front of back p rear of foot DOTREST must be at le	(Not all the rest to From trest.	er than I	with 5' Front Se 18."	M=est.	nt Whee		"	6" Fron	Sciappi	roximately	8.5"		ı
Z2FA1-90 Z2FA2 SEAT TO FO	OTRE at edge	OVERALL FRA Measure from SST (E) of seat sling to to STANDARD FO Measurement I 13.5" 14" O	E 90° AME LENGTI front of back p rear of fool DOTREST must be at le 15" 15.5"	(Not all the rest to From trest.	er than I	Front So	M=est.	nt Whee		ilable with	6" Fron	Sciappi	roximately	8.5"		,
Z2FA1-90 Z2FA2 SEAT TO FO Measure from fror STFR-xxx	OTRE at edge	OVERALL FRA Measure from: SST (E) of seat sling to to STANDARD FO Measurement I 13.5" 14" 14.5"	E 90° AME LENGTI front of back p rear of foot DOTREST must be at le 15" 15.5"	H rest to Fron trest. asst 2" short 16.5" 17.5" STABLE	er than I	with 5' Front Si 18." 18.5	M=est.	nt Whee		"	6" Fron	Sciappi	roximately	8.5"		1
Z2FA1-90 Z2FA2 SEAT TO FO Measure from from STFR-xxx	OTRE ott edge	OVERALL FRA Measure from ST (E) of seat sling to to STANDARD FO Measurement II 13.5" 14" 14.5" FOOTREST AL	AME LENGTI front of back p rear of fool DOTREST must be at le 15" 15.5" 16" NGLE ADJU: TANIUM WI	H rest to Fron trest. asst 2" short 16.5" 17." 17.5" STABLE TH FLAT Al	er than I	with 5' Front Si 18." 18.5	M=est.	nt Whee		"	6" Fron	Sciappi	roximately	8.5"		17:
Z2FA1-90 Z2FA2 SEAT TO FO Measure from from STFR-xxx Z2FTR3 Z2FTR1	OTRE ot tedge	OVERALL FRA Measure from: SST (E) of seat sling to to, STANDARD FO, Measurement I 13.5" 14" FOOTREST TI FOOTREST FI FOOTREST FI	E 90° AME LENGTI front of back p rear of fool DOTREST must be at le 15" 16" NGLE ADJU: TANIUM WI TANIUM OP IP-BACK	H rest to Fron trest. 16.5" 17.5" STABLE TH FLAT AI EN LOOP	er than I	with 5" Front Si 18." 18.5 19"	or 6" Fro. M= eat Heigh	nt Whee	els.)	"	6° From	Sciappi	roximately	8.5"		17/ 17/ 233 19/
Z2FA1-90 Z2FA2 SEAT TO FO Measure from from STFR-xxx Z2FTR3 Z2FTR1 Z2FTR2	OTRE OTRE	OVERALL FRA Measure from: SST (E) of seat sling to to, STANDARD FO, Measurement I 13.5" 14" FOOTREST TI FOOTREST TI	E 90° AME LENGTI front of back p rear of fool DOTREST must be at le 15" 16" NGLE ADJU: TANIUM WI TANIUM OP IP-BACK	H rest to Fron trest. 16.5" 17.5" STABLE TH FLAT AI EN LOOP	er than I	with 5" Front Si 18." 18.5 19"	or 6" Fro. M= eat Heigh	nt Whee	els.)	"	6° From	Sciappi	roximately seat bac	8.5"		17 ⁷ 23
Z2FA1-90 Z2FA2 SEAT TO FO Measure from from STFR-xxx Z2FTR3 Z2FTR1 Z2FTR2	OTRE OTRE	OVERALL FRA Measure from: SST (E) of seat sling to to, STANDARD FO, Measurement I 13.5" 14" FOOTREST TI FOOTREST FI FOOTREST FI	E 90° AME LENGTI front of back p rear of foot DOTREST must be at le 15" 16" NGLE ADJU: TANIUM WI TANIUM OP LIP-BACK with 10" or 1	H rest to Fron trest. 16.5" 17.5" STABLE TH FLAT AI EN LOOP	er than I	with 5" Front Si 18." 18.5 19"	or 6" Fro. M= eat Heigh	nt Whee	els.)	"	6" From	Sciappi	roximately seat bac	8.5"		177 23
Z2FA1-90 Z2FA2 SEAT TO FO Measure from from STFR-xxx Z2FTR3 Z2FTR1 Z2FTR2 Z2FTR12	OTRE ott edge	OVERALL FRAMEASURE from STANDARD FOR Measurement In 13.5" 14" 14.5" FOOTREST TI FOOTREST TI FOOTREST TI (Not available in 19.5")	E 90° AME LENGTI front of back p rear of foot DOTREST must be at le 15" 16" NGLE ADJU: TANIUM WI TANIUM OP LIP-BACK with 10" or 1	H rest to Fron trest. 16.5" 17.5" STABLE TH FLAT AI EN LOOP	er than I	with 5" Front Si 18." 18.5 19"	or 6" Fro. M= eat Heigh	nt Whee	els.)	ilable with	6" From	Sciappi	roximately seat bac	8.5"		177 23
Z2FA1-90 Z2FA2 SEAT TO FO Measure from from STFR-xxx Z2FTR3 Z2FTR1 Z2FTR2 Z2FTR12 STFR-xxx	OTRE of the edge	OVERALL FRAMeasure from STANDARD FOMEASUREMENT IN 14.5" FOOTREST ALT FOOTREST TI FOOTREST FI (Not available In HIGH MOUNTI)	E 90° AME LENGTI front of back p rear of foot DOTREST must be at le 15" 15.5" 16" NGLE ADJU: TANIUM WI' TANIUM OP LIP-BACK with 10" or 1 ED FOOTRE	H rest to Fron trest. 16.5" 17.5" STABLE TH FLAT AI EN LOOP	er than I	with 5" Front Si 18." 18.5 19"	or 6" Fro. M= eat Heigh	nt Whee	els.)	ilable with	6" From	Sciappi	roximately seat bac	8.5"		17 23 19
Z2FA1-90 Z2FA2 SEAT TO FO Measure from from STFR-xxx Z2FTR3 Z2FTR1 Z2FTR2 Z2FTR12 STFR-xxx STFR-xxx	O O O O O O O O O O O O O O O O O O O	OVERALL FRAMEASURE from ST (E) of seat sling to to STANDARD FO Measurement in 13.5" 14" 14.5" FOOTREST TI FOOTREST TI FOOTREST TI (Not available in HIGH MOUNT!	E 90° AME LENGTI front of back D rear of foot DOTREST must be at le 15" 16" NGLE ADJU: TANIUM OP LIP-BACK with 10" or 1 ED FOOTRE Set at:	H rest to Fron trest. 16.5" 17.5" STABLE TH FLAT AI EN LOOP	er than I	with 5" Front Si 18." 18.5 19"	or 6" Fro. M= eat Heigh	nt Whee	els.)	"	6" From	Sciappi	roximately seat bac	8.5"		17 23 19

3/24/2025 page 3 of 11



		A in the Chart below a posite front frame tube.							t
Z2FE1-0		STANDARD FRONT (Required when both			nd Se	at Taper T are	selecte	ed.)	0.00
	R	EAR SEAT WIDTH		No Taper		1.5" Taper		3.5" Taper	
	(0	utside measurement)		" Narrower than ear seat width)		" Narrower tha ear seat width)		" Narrower than rear seat width)	
		10	0	7.5"					
		11"	0	8.5"					
		12"	0	9.5"	0	8"			
		13"	0	10.5"	0	9"			
		14"	0	11.5"	0	10"			
		15"	0	12.5"	0	11"	0	9"	
		16"	0	13.5"	0	12"	0	10"	2.5" above
		17"	0	14.5"	0	13"	0	11"	Footrest
		18"	0	15.5"	0	14"	0	12"	
		19"	0	16.5"	0	15"	0	13"	
		20"	0	17.5"	0	16"	0	14"	
frames.) Z2FE2-9		FOOTREST FRONT	END	WIDTHV 9"					104.00
		<u> </u>		□ 11"		12"] 13"	<u> </u>	☐ 15"
Z2BUP2		BACK UPHOLSTER (Not available with Fig.	Y VEI	LCRO ADJUSTA	BLE	. Giii.,			0.00
	Ten	sion Adjustable	by S	Straps					
		uired with Fold-Down F	-	-					
Z2BUP3		BACK UPHOLSTER	Y STI	RAPS TENSION .	ADJU	ISTABLE			100.00
Z2BUP5		UPHOLSTERY AIR E							176.00
		(Not available with U	ltrasu	ede Backrest Str	ipe.)				
Z2UPC3-BL		UPHOLSTERY BAC	KRES	T STRIPE ULTR	ASU	EDE BLACK			95.00
Z2BUP0		WITHOUT BACK UP	HOL	STERY					0.00
		PUSH HANDLES			EIGI	HT (F)			
Z2SB1		FOLDING ALUMINU (Required for Heavy			SHT S	EAT BACK			0.00
Z2SB2		FOLDING TITANIUM (Titanium back will m	I ADJ	USTABLE HEIGH		ilable with Bolt	t-On Pu	sh Handles.)	176.00
Z2SB15		SEAT BACK, NON-F	OLDI	NG, FIXED-HEIG	нт т	TTANIUM			254.00
TIQUAET™ F	3 V C F 1				_			•	
		RELEASE BARS olding, Fixed Height Tita		Back.)					
	_				-				
Z2SB3		BACK RELEASE BA				-			0.00
Z2SB5		BACK RELEASE BA	K CA	KRON FIBER TI	SHAF	ı			63.00

3/24/2025 page 4 of 11



Z2SB7		I COLLINATE	ILES INTEGR	RATED					0.00
		PUSH HAND	LES INTEGR	RATED FOLD-	DOWN				104.00
		(Requires Te	nsion Adjust	able by Straps	Back Upholster	y.)			
Z2SB8		PUSH HAND	LES BOLT-C	ON					176.00
		(Includes 4" l	Deep Backre	st Rigidizer Ba	r. Not available	with Ti Back.)			
Z2SB9		PUSH HAND	LES BOLT-C	ON HEIGHT AL	DJUSTABLE				303.00
		(Includes 4" l	Deep Backre	st Rigidizer Ba	r. Not available	with Ti Back.)			
FOLDING SEA	ΔT RΔ(CK HEIGH	IT (F) (72	SR1 and 7	2SB2)			П	
PUSH HANDLES (select above)	1	Short	Medium	Tall		use 0.5" incre	ements		
None/Bolt on		9.5"-12.5"	13.5"-17.5	" 17"-21	.5" Se	et at:		6	
ntegrated	1	1.5"-13.5"	14.5"-17.5	" 18.5"-21	.5" Se	et at:			
ntergated fold down		14"-16.5"	15"-19.5	" 19.5"-:	22" Se	et at:		-0-	
NON-FOLDING	G. FIYI	ED-HEIGI	IT (F) TIT	ANIUM SE	AT BACK				
with New Rounded			(1) 111	OE.	DAON				
Titanium back will i									
Swing Away - Flip E On Height Adjustab			and Integra	ted Push Hand	iies, Integrated F	⊦old-Down Push	n Handles or Bolt-		
	Height	8" to 20" in 0	.5"steps		Set at:				
AVAILABLE O	N ALL	BACKS							
Z2SB11		BACKREST	THAT LOCK	S IN FOLDED	POSITION				0.00
		(Not available	e with Ergon	omic Seat.)					
Z2SB19		4" DEEP BAG	CKREST RIG	SIDIZER BAR					0.00
		(Required wit a rounded st			available with a l	Non-Folding, Fix	ed Height Titaniu	ım Seat Back Type.4" Deep Rigidizer Bar is NOT	
Z2SB16	П	BACK/FRAM	IE DEDTU A	NILIOTADI E					
	_								184 00
2= 1.4			B of 10"-18'	allow 2" of rea				lles have a limited height range with Depth	184.00
2=1-			B of 10"-18' ack. Not Ava	allow 2" of rea				lles have a limited height range with Depth on Adjustable By Straps Seat Upholstery or	184.00
SEAT BACK A	NGLE	Adjustable Ba Carbon Fiber	s B of 10"-18' ack. Not Ava r Side Guard	allow 2" of rea					184.00
SEAT BACK A	NGLE	Adjustable Ba Carbon Fiber	s B of 10"-18' ack. Not Ava r Side Guard	allow 2" of rea					184.00
SEAT BACK A Measure angle from 72SBA3-80	ANGLE	Adjustable Back Carbon Fiber (G) back post to	s B of 10"-18' ack. Not Ava r Side Guard: floor.	allow 2" of rea	or 20" Seat Dep				184.00
SEAT BACK A	ANGLE of front of	Adjustable Back Carbon Fiber (G) back post to	B of 10"-18' ack. Not Ava r Side Guard: floor.	allow 2" of rea ilable with 19" s.)	or 20" Seat Dep				
SEAT BACK A	ANGLE of front of	Adjustable B. Carbon Fiber (G) back post to	s B of 10"-18' ack. Not Ava r Side Guard. floor. ANGLE FOF	allow 2" of realilable with 19". R NON-FOLDIN	or 20" Seat Dep				
SEAT BACK A Measure angle from Z2SBA3-80	ANGLE	Adjustable Bacarbon Fiber (G) back post to SEAT BACK 83° (286°	s B of 10"-18' ack. Not Ava r Side Guard: floor. ANGLE FOF) 89°	allow 2" of ree ilable with 19" s.) R NON-FOLDIN 95° 98°	or 20" Seat Dep				
SEAT BACK A	ANGLE on front of	Adjustable Bacarbon Fiber (G) back post to SEAT BACK 83° (286°	B of 10"-18" ack. Not Ava r Side Guard: floor. ANGLE FOR) 89") 92"	allow 2" of rec ilable with 19" s.) R NON-FOLDIN 95° 98°	or 20" Seat Dep		uty Frame, Tensic		
SEAT BACK A Measure angle from Z2SBA3-80	ANGLE of front of	Adjustable Bacarbon Fiber E (G) back post to SEAT BACK 83° C SEAT BACK 81° C	s B of 10"-18' ack. Not Ava r Side Guards floor. ANGLE FOF) 89°) 92° ANGLE FOF	allow 2" of ree ilable with 19" s.) R NON-FOLDIN 95° 98° R NON-FOLDIN 89°	IG BACK 80° O 93°	O 97°			0.00
SEAT BACK A Measure angle from Z2SBA3-80	ANGLE front of	Adjustable Bacarbon Fiber E (G) back post to SEAT BACK 83° C SEAT BACK 81° C S	s B of 10"-18' ack. Not Ava r Side Guard: floor. ANGLE FOF) 89°) 92° ANGLE FOF) 85°) 86°	' allow 2" of readilable with 19" s.) R NON-FOLDIN 95° 98° R NON-FOLDIN 89° 90°	Or 20" Seat Dep	O 97° O 98°	uty Frame, Tensic		0.00
SEAT BACK A Measure angle from Z2SBA3-80	ANGLE of front of	Adjustable Bacarbon Fiber E (G) back post to SEAT BACK 83° C SEAT BACK 81° C	B of 10"-18" ack. Not Ava Side Guard floor. ANGLE FOF) 89°) 92° ANGLE FOF) 85°) 86°) 87°	allow 2" of ree ilable with 19" s.) R NON-FOLDIN 95° 98° R NON-FOLDIN 89°	IG BACK 80° O 93°	O 97°	uty Frame, Tensic		0.00

3/24/2025 page 5 of 11



RWS1-0.75		at selection may limit available center of gravity.	
	0	REAR WHEEL SPACING 0.75" 0 1" 1.25"	0.00
Z2CBR12		CAMBER PLUGS - ADJ REAR WHEEL	0.00
Z2CBR9		SPACERS TO INCREASE REARWHEEL SPACING, ADDITIONAL	0.00
Z2CBR11		CAMBER PLUGS 2°, 4°, OR 6° ZERO PLAY ALUMINUM	0.00
		(Not available with Power Adaptable Frame or more than 6° of Camber K.)	
SEAT UPHOL	STEF	RY	
Z2SUP1		TENSION ADJ. BOLT ON SEAT UPHOLST. W/ PHONE SLEEVE	0.00
		(Not available with 10" or 11" Rear Seat Width A)	
7001100		TENSION ADJUSTABLE BY STRAPS SEAT UPHOLSTERY	101.00
Z2SUP2		(Not available with 10" or 11" Rear Seat Width A or Ergonomic Seat	191.00
Z2SUP8		SOLID SEAT, ALUMINUM	254.00
	_	(Not available with 10" or 11" Rear Seat Width A or Ergonomic Seat)	
Z2SUP0		WITHOUT SEAT UPHOLSTERY	0.00
CAMBER (K)	/ CAN	MBER TUBES	
Z2CBR1-0	0	0° CAMBER	0.00
		(More than 0° of Camber K is not available with the Power Adaptable Frame. 8° of Camber may be available through our Creative Mobility Division.)	
Z2CBR15		CAMBER TUBE ALUMINIUM	0.00
Z2CBR3		CAMBER TUBE TITANIUM	176.00
		(Not available with Power Adaptable Frame.)	
CUSTOM CO	NFIG	JRATION OPTIONS	
FRONT WHE	ELS		
Z2FW24		3"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE	165.00
		☐ SILVER HUB ☐ BLACK HUB	
Z2FW14		4"X.75" PLASTIC WHEEL W/POLY TIRE	0.00
		(Not available with Slipstream Fork or Power Adaptable Frame.)	
Z2FW3	П		
		4"X.75" LIGHT-UP MICRO-CASTER	74.00
		4"X.75" LIGHT-UP MICRO-CASTER (Not available with Slipstream Fork or Power Adaptable Frame.)	74.00
Z2FW26			74.00 95.00
Z2FW26	_	(Not available with Slipstream Fork or Power Adaptable Frame.)	
Z2FW26 Z2FW27	_	(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE	
		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.)	95.00
		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE	95.00
Z2FW27		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE BLACK HUB	95.00 165.00
Z2FW27		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB BLACK HUB 5"X1" PLASTIC WHEEL W/POLY TIRE	95.00 165.00
Z2FW27 Z2FW6		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB BLACK HUB 5"X1" PLASTIC WHEEL W/POLY TIRE (Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	95.00 165.00 0.00
Z2FW27 Z2FW6		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB BLACK HUB 5"X1" PLASTIC WHEEL W/POLY TIRE (Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.) 5"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE	95.00 165.00 0.00
Z2FW27 Z2FW6 Z2FW28		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB BLACK HUB 5"X1" PLASTIC WHEEL W/POLY TIRE (Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.) 5"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with 90° Front Angle L or Power Adaptable Frame.)	95.00 165.00 0.00 95.00
Z2FW27 Z2FW6 Z2FW28		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB	95.00 165.00 0.00 95.00
Z2FW27 Z2FW6 Z2FW28		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB	95.00 165.00 0.00 95.00
Z2FW27 Z2FW6 Z2FW28 Z2FW30		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB BLACK HUB 5"X1" PLASTIC WHEEL W/POLY TIRE (Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.) 5"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with 90° Front Angle L or Power Adaptable Frame.) 5"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB BLACK HUB (Not available with 90° Front Angle L.)	95.00 165.00 0.00 95.00
Z2FW27 Z2FW6 Z2FW28 Z2FW30		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB BLACK HUB 5"X1" PLASTIC WHEEL W/POLY TIRE (Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.) 5"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with 90° Front Angle L or Power Adaptable Frame.) 5"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB BLACK HUB (Not available with 90° Front Angle L.) 6"X1" PLASTIC WHEEL W/POLY TIRE	95.00 165.00 0.00 95.00
Z2FW27 Z2FW6 Z2FW28 Z2FW30 Z2FW9		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB	95.00 165.00 0.00 95.00 165.00
Z2FW27 Z2FW6 Z2FW28 Z2FW30 Z2FW9		(Not available with Slipstream Fork or Power Adaptable Frame.) 4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE (Not available with Power Assist, Power Add-on System or Heavy Duty Frame.) 4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE SILVER HUB	95.00 165.00 0.00 95.00 165.00

3/24/2025 page 6 of 11



PRECISION LO	OCK	FRONT FORKS	
Z2FK1		FORK, STANDARD TILITE	0.00
Z2FK2		FORK, SLIPSTREAM SINGLE-SIDED TILITE	176.00
		(Not available with Heavy Duty Frame or Power Adaptable Frame.)	
Z2GL1		OUT-FRONT GLIDE® SUSPENSION FORKS	435.00
		USER WEIGHT	
		(Black anodize only.)	
Z2TS1		FORK STEMS TITANIUM	48.00
STANDARD R	EAR \	WHEELS	
Z2RW14-20	0	WHEELS REAR 20" TILITE SHADOW ○ 22" ○ 24" ○ 25" ○ 26"	0.00
		25" and 26" require 15" minimum Seat depth (B)	
PERFORMANO	CE RI	EAR WHEELS	
(See Rear Seat Hei	ght Rar	nges Chart for Rear Seat Height D limitations.)	
Z2RW7-22	0	WHEELS REAR SPINERGY SPOX 22" O 24" O 25" O 26"	495.00
		Spinergy SPOX RED BLACK BLUE WHITE	
		25" and 26" require 15" minimum Seat depth (B)	
Z2RW8-22	0	WHEELS REAR SPINERGY LX 22" O 24" O 25" O 26"	695.00
		25" and 26" require 15" minimum Seat depth (B)	
	0	BLACK O RED O BLUE O WHITE	
	0	BRIGHT ORANGE O FLAMINGO PINK O PURPLE	
Z2RW9-22	0	22" (501) SPINERGY DESIGN LAB LX	695.00
		25" and 26" require 15" minimum Seat depth (B)	
	0	BLACK O RED O BLUE O WHITE	
	0	BRIGHT ORANGE O FLAMINGO PINK O PURPLE	
		(If same color is selected, anodized hubs and rims match color anodized package on page 1. Available with black spokes only.)	
Z2RW16-24	0	WHEELS REAR 24" CARBON BLADE 0 25"	1150.00
		(Not available with Heavy Duty Frame, 25" requires 15" minimum Seat depth (B))	
Z2RW17-20	0	WHEELS REAR 20" SKYWAY® MAGS 0 22" 0 24"	100.00
		(Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Sliver Anodized Handrims.)	
AXLES		National Circle Articles and Articles	
Z2AXL1	П	AXLE QUICK RELEASE STAINLESS	0.00
Z2AXL2	П	AXLE QUICK RELEASE TITANIUM	237.00
Z2AXL3	П	AXLE QUAD RELEASE	139.00
LET UNEO	_	(Not available with Mag or 26"(590) Spinergy Spox or LX Rear Wheels.)	100.00
PNEUMATIC R	_		
Z2RTR1		TIRES REAR 20", 22", 24"OR 26" TREADED	0.00
Z2RTR2		TIRES REAR 20",22",24",26" TREADED, AIRLESS INSERT (Not available with Spinergy Carbon Blade Rear Wheels.)	85.00
Z2RTR31		MBL SPEEDLITE (PNEUMATIC)	0.00
Z2RTR30		TIRES REAR 24",25" OR 26" PRIMO SENTINEL PNEUMATIC	95.00
Z2RTR8		TIRES REAR 24" 25"OR 26"SCHWALBE MARATHON+ EVOL.	95.00
Z2RTR24		TIRES REAR, KENDA KOBRA KNOBBY	95.00
(Not available with S		S y Carbon Blade Rear Wheels.)	
	_		
Z2RTR22		TIRES REAR, SOLID, PRIMOEXPRESS	95.00

3/24/2025 page 7 of 11

Z2RTR23 TIRES REAR, SOLID, PRIMOACTIVE 95.00

3/24/2025 page 8 of 11



HANDRIMS			
Handrims by C	OUT-F	FRONT®	
Z2RIM1		ALUMINUM- SILVER ANODIZED	0.00
Z2RIM21		ALUMINUM- BLACK ANODIZED	49.00
		(Not available with 20"(451) Rear Wheels.)	
Z2RIM12		TITANIUM- SATIN FINISH	290.00
		(Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.)	
Z2RIM10		THE SURGE™ BY OUT-FRONT,ALL-IN-1 OVAL, L PROFILE	290.00
		(Not available with 20"(451) Rear Wheels.)	
Z2RIM11		THE SURGE™ LT BY OUT-FRONT ALL-IN-1 OVAL S PROFILE	290.00
		(Not available with 20"(451) Rear Wheels.)	
Z2RIM20		Q-GRIP (TETRA GRIPP BY TETRA EQUIPMENT)	290.00
		(Not available with 20"(451)Rear Wheels.)	
The Natural-Fi	t® (O	riginal, Larger Profile)	
(Not available with 2	20"(451) Rear Wheels.)	
Z2RIM14		NATURAL-FIT® BY OUT-FRONT - STANDARD GRIP	290.00
		(Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels	
Z2RIM15		NATURAL-FIT® BY OUT-FRONT - SUPER GRIP	290.00
		(Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	
Z2RIM16		NATURAL-FIT® BY OUT-FRONT - WITHOUT THUMB GRIP	290.00
The Natural-Fi	t® L1	(Reduced Weight, Smaller Profile)	
(Not available with 2	20"(451) Rear Wheels.)	
Z2RIM17		NATURAL-FIT® LT BY OUT-FRONT - STANDARD GRIP	290.00
		(Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	
Z2RIM18		NATURAL-FIT® LT BY OUT-FRONT - SUPER GRIP	290.00
		(Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	
Z2RIM19		NATURAL-FIT® LT BY OUT-FRONT - WITHOUT THUMB GRIP	290.00
Additional han	drim	options	
Z2RIM5		PLASTIC COATED- BLACK	117.00
Tab length			
Z2RIM7		HANDRIM TAB LENGTH- LONGTABS	0.00
Z2RIM8		HANDRIM TAB LENGTH- SHORT TABS	19.00
		(Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)	
WHEEL LOCK	S		
Wheel locks b	y OU	T FRONT	
Z2WLK7		COMPACT COMPOSITE PUSH TO LOCK WHEEL BY OUT-FRONT	0.00
		(Available with .75" to 1.5" Rear Wheel Spacing J only.)	
Z2WLK8		COMPACT COMPOSITE PULL TO LOCK WHEEL BY OUT-FRONT	0.00
		(Available with .75" to 1.5" Rear Wheel Spacing J only.)	
Z2WLK10		EXTENSION HANDLES FOR COMPACT COMPOSITE PUSH/PULL	80.00
Additional who	eel lo	cks	
Z2WLK11		MBL COMPOSITE SCISSOR LOCK	132.00
Z2WLK3		WHEEL LOCK UNI-LOCK	148.00
		☐ Push ☐ Pull	
Z2WLK4		EXTENSION HANDLES FOR UNI-LOCK	80.00
Z2WLK15		GRADE AIDS PUSH TO LOCK	164.00
		(Not available with solid rear tires)	

3/24/2025 page 9 of 11



SIDE GUARI	os			
Aluminium				
Z2SDG2-S		SIDE GUARDS ALUMINUM, RIGID, REMOVABLE, SMALL		176.00
		☐ Small ☐ Std		
Z2SDG3-S		SIDE GUARDS ALU, QUAD REMOVABLE W/ HOLE SMALL		184.00
		☐ Small ☐ Std		
Z2SDG4-S		SIDE GUARDS ALUMINUM, FOLD DOWN RIGID, SMALL		303.00
		☐ Small ☐ Std		
		(Not available with Ergonomic Seat.)		
Z2SDG6		SIDE GUARDS ALUMINUM, FENDERED ADJUSTABLE		303.00
		(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5".)		
New 3k Wea	ve Ca	rbon Fiber		
Z2SDG7-S		SIDE GUARDS CARBON FIBER, RIGID REMOVABLE SMALL		276.00
		☐ Small ☐ Large		
Z2SDG8-S		SIDE GUARDS CARBON, QUADREMOVABLE WITH HOLE SMALL		284.00
		☐ Small ☐ Large		
Z2SDG9-S		SIDE GUARDS CARBON FIBER, FOLD DOWN RIGID, SMALL		412.00
		☐ Small ☐ Large		
		(Not available with Ergonomic Seat or Carbon Edition.)		
Z2SDG11		CARBON FIBER FENDERED ADJUSTABLE		362.00
		(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5".)		
Available on	Alum	inum and Carbon Fiber Non-Fendered Side Guards		
Z2SDG13		SIDE GUARDS CUSTOM CUT TO PROFILE OF REAR WHEELS		280.00
ARMRESTS				
(Desk Arms come	with bu	ilt-in Side Guards.)		
Tubular Armrest	s			
Z2ARM1-9		SWING AWAY TUBULAR 6.5"-9.5"	9.5"- 12.5"	194.00
		(Not Available with Heavy Duty Frame or Height Adjustable Push Handles.)		
Z2ARM4-9		SWING AWAY FLIP BACK TUBULAR 8.3*-11.5*		280.00
		(Not Available with Heavy Duty Frame.)		
Single Post Desi	(Arms			
Z2ARM2-9-S		REMOV. ADJ. DESK ARM RIGID GUARD 9"-12"/S	12"-15"	303.00
		armrest pad length STD (10")	Full length (12")	
		(Requires 14" minimum Seat Depth B. Not available with Ergonomic Seat.)		
Z2ARM3-9-S		REMOV. ADJ. DESK ARM RIGID GUARD+TRANSF. 9"-12"/S	12-15"	331.00
		armrest pad length STD (10")	Full length (12")	
		(Requires 15" minimum Seat Depth B. Not Available with Ergonomic Seat.)		
Available Armres	st Option	ns		
Z2ARM5		ARMRESTS COVERED IN BLACK ULTRASUEDE		100.00
		(Not available with Desk Arms)		
SEAT BELTS	6			
Z2BLT1		VELCRO ADJUSTABLE, BLACKNYLON WEBBING		40.00
Z2BLT2		BODYPOINT AUTO-STYLE RELEASE BUCKLE		92.00
Z2BLT4		BODYPOINT 1" PUSH-BUTTONBUCKLE PADDED -AUTO STYLE		167.00
		(Not available with 19" or 20" Rear Seat Widths A.)		
Z2BLT5		BODYPOINT 1.5" PUSH BUTTON BUCKLE PADDED AUTOSTYLE		167.00
		(Not available with 19" or 20" Rear Seat Widths A.)		
Z2BLT10		BODYPOINT OPTIONAL BAND CLAMP MOUNTING HARDWARE		19.00
Z2BLT16		BODYPOINT 1" WIDE EVOFLEX, PUSH-BUTTON BUCKLE		172.00

3/24/2025 page 10 of 11



CALFSTRAF	PS			
Z2CLF2-S		CALFSTRAP VELCRO ADJUSTABLE S (Recommended for 9" - 12" Footrest Widths.)		32.00
Z2CLF2-M	П	CALFSTRAP VELCRO ADJUSTABLE M		32.00
		(Recommended for 11" - 15" Footrest Widths.)		
Z2CLF2-L		CALFSTRAP VELCRO ADJUSTABLE L		32.00
		(Recommended for 14" - 17" Footrest Widths.)		
Z2CLF2-XL		CALFSTRAP VELCRO ADJUSTABLE XL		32.00
		(Recommended for 16" - 19" Footrest Widths.)		
Z2CLF3-S		BODYPOINT PADDED VELCRO ADJUSTABLE S		95.00
		(Recommended for 8"- 11" Footrest Widths.)		
Z2CLF3-M		BODYPOINT PADDED VELCRO ADJUSTABLE M		95.00
	_	(Recommended for 11" - 15" Footrest Widths.)		
Z2CLF3-L		BODYPOINT PADDED VELCRO ADJUSTABLE L (Recommended for 16" - 19" Footrest Widths.)		95.00
Z2CLF1 RESIDUAL L	IMP 6	BUCKLE ADJUSTABLE, BLACKNYLON WEBBING		22.00
Z2RSL1-L		RESIDUAL LIMB SUPPORT, LEFT		318.00
Z2RSL1-R		RESIDUAL LIMB SUPPORT, RIGHT		318.00
Z2RSL2		RESIDUAL LIMB SUPPORT, PAIR		641.00
BACKPACK				
Z2BCK3		BACK PACK, BLACK NYLON		85.00
SEAT POUC	Н			
Z2PCH3		SEAT POUCH BLACK NYLON		49.00
Z2PCH5		BODYPOINT MOBILITY BAG		96.00
SPOKE GUA	ARDS			
Z2GRD1		CLEAR LEXAN WITH TIMOTION LOGO		117.00
		(Not available with Mag Rear Wheels.)		
ANTI-TIP				
Z2TIP1		ANTI TIP REAR ALUMINUM- BLACK		145.00
Z2TIP2		ANTI TIP REAR FLIP-UP USER FRIENDLY		298.00
ACCESSOR	_		_	
Z2UEST1-12		UPPER EXTREMITY SUPPORT TRAY 12-14" (Requires Armrests.)	13-15"	258.00
Z2LUG1		LUGGAGE CARRIERS		132.00
Z2MPCT2-BL		IMPACT GUARDS NEOPRENE BLACK		95.00
Z2CH1		CRUTCH HOLDER		132.00

3/24/2025 page 11 of 11