

				Fitting	/ Order	form				
		Dealer infor	rmation					Prices valid fro	m: 1/apr/25	
Customer (name / code	e)		1							
Contact						TiLi	ite ZR	Α		
Address										
Post code / City			1							
Phone / Fax			,							
		Delivery ac	ddress			No.				
Name			1							
Address										
Post code / City			1							
Phone										
E-mail										
						6				
Your reference										
Your order number								✓ R	Required choice	
		Fitting c	date		Us	er weight		_ / O c	Optional choice	
Fitting date (dd-mm-yy	уу)					kg		✓ / • D	Default required opti	ion
									Price	Э
code									excl VAT	incl VAT
FRAME STYLE										
Z2FS2		E ZRA SERIES							3285.00	
	(Full	Adjustability. 265	5 Pound (120 kg)V	Veight Limit. 150 Pound	(68 kg) Weight Lim	it for Rear Seat Width	A and Seat Depth	B of 10"x10" to 1		
Z2HDR1		ME, HEAVY DUT							0.00	
	Adju: Spin	stable by Straps i ergy SPOX Rear	Back Upholstery. I Wheels. LX Rear	charge when 20" Rear S Requires Folding Alumir Wheels only available v bular Armrest or Swing a	num Adjustable He with 0 or 2 degree o	ight Backrest, Billet Al camber. Not available	uminum Front Whe	eels, Shadow or		
				bular Anniest of Swing /	Away Filp Back Ful	oulai Allillest.)				
Z2RFR1	•	ME, REINFORCE charge when 20"		and 20" Seat Depth or F	Heavy Duty is selec	ted.)			0.00	
							_			
LANGUAGE USE	R MAN	UAL				1				
Language				Choose	•					
TRANSPORT C	PTIO	NS								
Z2WTB		NSPORT BRACK							313.00	
			Down Brackets. Ui the Transit Optior	noccupied use only. Ple ns)	ase refer to the ∠H	Transport Bracket Su	ipplement for impo	rtant		
FRAME FINISH	ES									
Z2FF1] TITA	NIUM - SATIN FI	INISH						0.00	
	(Ava	ilable with Titaniu	ım Frame only.)							
Z2SCBT1		BUFFING PADS	SATIN FINISH							
Z2FF3	TAT	TOO ON TITANIL	UM AND ALUMINI	UM FRAME					313.00	
			ne tubes. Titanium ed and adjusted to	frame finished in Satin. of it your frame.)	Aluminum frame is	tattooed on blasted a	aluminum with a cle	ear coat.		
Z2FF44		☐ TATTOO F	FLOWER GARDEI	N	000			E	0.00	
Z2FF45		☐ TATTOON	NEED FOR SPEEI	D	∌ %	**************************************			0.00	
Z2FF43		☐ TATTOO N	VIOSAIC						0.00	


3/24/2025 page 1 of 12



•													
COLOR													
High Gloss Paint			Z2FF8	HIGH GLOSS BLACK			Z2FF10	TILITE RED	[Z2FF29	NEON PINK	
Metallin Paint			Z2FF14	OCEAN BLUE METALLIC	;		Z2FF15	TANGERINE META	LLIC [Z2FF29	ACID GREEN META	LLIC
Pearlescent Paint			Z2FF17	MIDNIGHT BLUE PEARL			Z2FF18	WHITE PEARL					
Matte Paint			Z2FF19	BLACK LAVA			Z2FF27	TITANIUM GRAY					
Candy Paint			Z2FF22	RUBY RED			Z2FF23	AZURE BLUE	[Z2FF29	ELECTRIC PLUM	
Matte texture Paint			Z2FF40	HYPER BLUE			Z2FF41	FLAME ORANGE	[Z2FF29	OD GREEN	
COLOR ANOD	IZE F	PACKAG	E										
(Color Anodize Pack	age in	cludes: Ca	ster Mount,	Caster Fork, and Caster C	aps. If no and	odize	e color is sele	ected, the default will b	be black.	.)			
Z2ANO1	0	COLOR A	ANODIZE P	ACKAGE- BLACK									0.00
Z2ANO12	0	COLOR A	ANODIZE P	ACKAGE- GOLD									49.00
Z2ANO15	0	COLOR A	ANODIZE P	ACKAGE- GREEN									49.00
Z2ANO13	0	COLOR A	ANODIZE P	ACKAGE- PURPLE									49.00
Z2ANO14	0	COLOR A	ANODIZE P	ACKAGE- ORANGE									49.00
Z2ANO10	0	COLOR A	ANODIZE P	ACKAGE- BLUE									48.00
Z2ANO11	0	COLOR A	ANODIZE P	ACKAGE- RED									49.00
TiFit: TAILORE	D IN	DIVIDU	ALIZED	FRAME									
REAR SEAT V	VIDT	H (A)											
Measure from outsid	le of se	eat tube at	back post t	o the outsid of the opposite	seat tube at	back	k post to the	outside of the opposit	te seat tu	ube a	at back post	-	
Z2RSW4-10		REAR SE	AT WIDTH	10"	☐ 11"	П	12"	13"					0.00
I					☐ 16"		17"	18"					
Z2RSW2		REAR SE	AT WIDTH	20"		_	_						447.00
										П		П	
FRONT SEAT	WIDT	H (SEA	T TAPE	R) (T)						П			
Measure from inside	of fro	nt frame tub	be to inside	of opposite front frame tub	e. (Required	with	V-Front End	d (V). Not					
Available with Stand	_			LIMITIANOTARER					\perp		<u> </u>		0.00
Z2FSW1				H WITH NOTAPER Rear Seat Width A.)					T	1			0.00
				,								0	
Z2FSW3				H WITH 1.5" TAPER					9				254.00
				ear Seat Width A. Includes lable with 10" and 11" Seat		stab	le by Straps	Seat		ווה	,		
									1 [[]	aU `			
SEAT DEPTH ((B)									-		ω	
				e of seat sling. Frame bend ation of specifications affec									
Successive and Dept.	o op			and of opcomediation and		<i>y</i> a.					I		
Z2SD1-10		SEAT DE	PTH 10"		☐ 11"		12"	13" _ 14"		Д	4"-10"		0.00
					☐ 16"		17"	18" 🗌 19"		:		rgonomic seat	
Z2SD2		SEAT DE		available through CMD)						<u> </u>			471.00
		(Custom	seat deptir	avaliable tillough CiviD)					-//	1000 P		THE	
											9	·)) \\	
ERGONOMIC S	SEAT	· (U)							//				
			ginning of	upward bend of seat tube.						_			
Z2ERG2-6		AERO T	AND TRA E	RGONOMICSEAT					•				372.00
		O 6" (E	B)=12"+	O 7" (B)=12"+	O 8" (B)	=13'	'+						

3/24/2025 page 2 of 12





3/24/2025 page 3 of 12



63.00

Find your Rear S	FRONT END (I) Seat Width A in the Chart below side of opposite front frame tub.				
Z2FE1-0	_	NT END NO TAPER oth Heavy Duty Frame an	0.00		
	REAR SEAT WIDTH	No Taper	1.5" Taper	3.5" Taper	
	(Outside measurement)	(2.5" Narrower than rear seat width)	(4" Narrower than rear seat width)	(6" Narrower than rear seat width)	
	10	7.5"			
	11"	8.5"			
	12"	9.5"	O 8"		U
	13"	0 10.5"	9"		
	14"	11.5"	O 10"		11
	15"	12.5"	O 11"	9"	
	16"	13.5"	O 12"	O 10"	2.5" above
	17"	14.5"	O 13"	O 11"	Footrest
	18"	15.5"	O 14"	O 12"	
	19"	O 16.5"	O 15"	O 13"	
	20"	17.5"	O16"	O 14"	
Z2FE2-9	☐ FOOTREST FROM	NT END WIDTHV 9"	<u> </u>	13"	104.00
	UPHOLSTERY ting options? Click here to view BACK UPHOLSTE	w the new TiLite Seating (0.00
	(Not available with	r Fold-Down Push Handle	os.)		
	Tension Adjustabl	-			
	(Required with Fold-Down				
Z2BUP3		ERY STRAPS TENSION A	ADJUSTABLE		100.00
Z2BUP5	UPHOLSTERY AIR (Not available with	R BREATHABLE O Ultrasuede Backrest Stri	ipe.)		176.00
Z2UPC3-BL	☐ UPHOLSTERY BA	ACKREST STRIPE ULTRA	ASUEDE BLACK		95.00
Z2BUP0	☐ WITHOUT BACK U	UPHOLSTERY			0.00
SEAT BACK	TYPE/PUSH HANDLI	ES/SEAT BACK H	EIGHT (F)		
Measure from top	p of back post to top of seat tu	be at rear of frame.			
Z2SB1	FOLDING ALUMIN (Required for Heav	NUM ADJUSTABLE HEIG	HT SEAT BACK		0.00
Z2SB2		JM ADJUSTABLE HEIGH		n Ruch Handlag)	176.00
Z2SB15	_	I match Frame Finish. Not N-FOLDING, FIXED-HEIG		ii i usii i iandles.)	254.00
	(Titanium back will	l match Frame Finish. No	t available with Push I	Handles.)	
	BACK RELEASE BAR				
(Not available wit	th Non-Folding, Fixed Height 1	ritanium Back.)			
Z2SB3	☐ BACK RELEASE B	BAR ALUMINUM TISHAF	Т		0.00

3/24/2025 page 4 of 12

☐ BACK RELEASE BAR CARBON FIBER TISHAFT

Z2SB5



PUSH HANDL	FS (s	elect abo	VEI									
Z2SB6	_O (3		DLES INTEGR	ATED								0.00
Z2SB7	П		DLES INTEGR		-DOWN							104.00
22001			ension Adjusta			stery.)						104.00
Z2SB8	П	PLISH HAN	DLES BOLT-O	iN								176.00
22366	ш		" Deep Backres		ar. Not availai	ble with Ti Ba	ick.)					176.00
Z2SB9	П	DIISH HAN	DLES BOLT-O	IN HEIGHT A	D II ISTARI E	:						202.00
22309			" Deep Backres				ick.)					303.00
FOLDING SEA	T BA	CK HEIG	HT (F) (Z2S	3B1 and 2	(2SB2)					Д		
PUSH HANDLES (select above)		Short	Medium	Tall		use 0.5	5" incren	ments				
None/Bolt on		9.5"-12.5"	13.5"-17.5"	17"-2	1.5"	Set at:					00	
Integrated		11.5"-13.5"	14.5"-17.5"	18.5"-2	1.5"	Set at:				-0-		
Intergated fold dow	n	14"-16.5"	15"-19.5"	19.5"	-22"	Set at:						
Titanium back will ı Swing Away - Flip E	match F Back Tu le Push	Frame Finish. Ibular Armres n Handles.)	ts and Integrate	ANIUM SE ixed Side Gua ed Push Han	dles, Integrat	uilable with Sv ed Fold-Dowl	ving Awa n Push I	ay Tubu Handles	lar or or Bolt-			
with New Rounded (Titanium back will i Swing Away - Flip E On Height Adjustab	match F Back Tu le Push Heigh	Frame Finish. sbular Armres Handles.) at 8" to 20" in	ts and Integrate 0.5"steps	ixed Side Gu	ards. Not ava dles, Integrat Set a	uilable with Sv ed Fold-Dowl	ving Awan Push I	ay Tubu Handles	lar or or Bolt-			
(Titanium back will i Swing Away - Flip E On Height Adjustab	match F Back Tu le Push Heigh	Frame Finish. Ibular Armres Handles.) Int 8" to 20" in IL BACKS BACKREST	ts and Integrate 0.5"steps	ixed Side Guard Push Han	dles, Integrat	uilable with Sv ed Fold-Dowl	ving Awan Push I	ay Tubu Handles	lar or or Bolt-			0.00
(Titanium back will i Swing Away - Flip E On Height Adjustab	match F Back Tu le Push Heigh	Frame Finish. Ibular Armres Handles.) Int 8" to 20" in IL BACKS BACKREST	ts and Integrate	ixed Side Guard Push Han	dles, Integrat	uilable with Sv ed Fold-Dowl	ving Awan Push I	ay Tubu Handles	lar or or Bolt-			0.00
(Titanium back will i Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11	match F Back Tu le Push Heigh	Frame Finish. sibular Armres in Handles.) at 8" to 20" in L BACKS BACKREST (Not available 4" DEEP BA	ts and Integrate 0.5*steps T THAT LOCKS to ble with Ergono. ACKREST RIGI	ixed Side Guard Push Han S IN FOLDED Partic Seat.)	Set a	ailable with Sv led Fold-Down	n Push I	Handles	or Bolt-			0.00
(Titanium back will i Swing Away - Flip E On Height Adjustab	match F Back Tu Ile Push Heigh	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not available 4" DEEP BackRequired v	ts and Integrate 0.5*steps T THAT LOCKS to ble with Ergono. ACKREST RIGI	ixed Side Guiced Push Han S IN FOLDED mic Seat.) IDIZER BAR / Frame. Not	Set a	ailable with Sv led Fold-Down	n Push I	Handles	or Bolt-	n Seat Back Type.4" Du	eep Rigidizer Bar is	0.00
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11	match F Back Tu le Push Heigh	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not available) (Required valued of a rounded step in the step	ts and Integrate 0.5"steps THAT LOCKS ole with Ergono ACKREST RIGI	ixed Side Gui ed Push Han S IN FOLDED mic Seat.) IDIZER BAR / Frame. Not	Set a	ailable with Sv led Fold-Down	n Push I	Handles	or Bolt-	n Seat Back Type.4" De	eep Rigidizer Bar is	0.00 <i>NOT</i>
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O	match F Back Tu Ile Push Heigh	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in L BACKS BACKREST (Not available 4" DEEP BA (Required v a rounded: BACK/FRA (Seat Depth Adjustable	ts and Integrate 0.5"steps T THAT LOCKS to with Ergono. ACKREST RIGI ACKREST RIGI	ixed Side Gui ed Push Han S IN FOLDED mic Seat.) IDIZER BAR v Frame. Not ar.) UUSTABLE allow 2" of re lable with 19'	Set a D POSITION available with	ailable with Sv led Fold-Down at: h a Non-Foldi	n Push I	Handles ed Heigh	or Bolt- t Titanium	n Seat Back Type.4" Do es have a limited height n Adjustable By Straps	t range with Depth	0.00
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11	match F Back Tu	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not available 4" DEEP BI (Required v a rounded s BACK/FRA (Seat Depth Adjustable Carbon Fib	ts and Integrate 0.5"steps T THAT LOCKS T THAT LOCKS Ole with Ergono ACKREST RIGI with Heavy Duty style rigidizer be ME DEPTH AD as B of 10"-18"	ixed Side Gui ed Push Han S IN FOLDED mic Seat.) IDIZER BAR v Frame. Not ar.) UUSTABLE allow 2" of re lable with 19'	Set a D POSITION available with	ailable with Sv led Fold-Down at: h a Non-Foldi	n Push I	Handles ed Heigh	or Bolt- t Titanium	es have a limited height	t range with Depth	0.00 <i>NOT</i>
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11	match F Back Tu Le Push Heigh	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not availat 4" DEEP Bi (Required v a rounded s BACK/FRA (Seat Deptt Adjustable c Carbon Fib	Is and Integrate 0.5"steps T THAT LOCKS T	ixed Side Gui ed Push Han S IN FOLDED mic Seat.) IDIZER BAR v Frame. Not ar.) UUSTABLE allow 2" of re lable with 19'	Set a D POSITION available with	ailable with Sv led Fold-Down at: h a Non-Foldi	n Push I	Handles ed Heigh	or Bolt- t Titanium	es have a limited height	t range with Depth	0.00 <i>NOT</i>
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11 Z2SB19 Z2SB16 SEAT BACK A Measure angle from	match f hack Tule Push Heigh N AL	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not available 4" DEEP BI (Required v a rounded s BACK/FRA (Seat Depth Adjustable Carbon Fib E (G)	ts and Integrate 0.5"steps T THAT LOCKS to with Ergono ACKREST RIGI with Heavy Duty style rigidizer ba ME DEPTH AD as B of 10"-18". Back, Not Avail er Side Guards. to floor.	ixed Side Gui ed Push Han S IN FOLDED mic Seat.) IDIZER BAR v Frame. Not ar.) IJUSTABLE allow 2" of re lable with 19"	Set a POSITION available with earward adjus or 20" Seat I	h a Non-Foldi	n Push I	Handles ed Heigh	or Bolt- t Titanium	es have a limited height	t range with Depth	0.00 NOT 184.00
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11 Z2SB19 Z2SB16 SEAT BACK A	match f hack Tule Push Heigh N AL	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not availat 4" DEEP B) (Required v a rounded s BACK/FRA (Seat Depth Adjustable Carbon Fib E (G) Interpret Addition of the control of the control SEAT BACK SEAT BACK Interpret Addition of the control SEAT BACK SEAT BACK Interpret Addition of the control SEAT BACK SEAT BACK Interpret Addition of the control SEAT BACK SEAT BACK Interpret Addition of the control SEAT BACK	Is and Integrate 0.5"steps T THAT LOCKS T	ixed Side Guided Push Han Siln FOLDED Siln FOLDED Simic Seat.) IDIZER BAR Frame. Not ar.) JUSTABLE allow 2" of re lable with 19"	Set a POSITION available with parward adjus or 20" Seat I	ailable with Sv led Fold-Down at: h a Non-Foldi strment. Heigh Depths B, He	n Push I	Handles ed Heigh	or Bolt- t Titanium	es have a limited height	t range with Depth	0.00 <i>NOT</i>
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11 Z2SB19 Z2SB16 SEAT BACK A Measure angle from	Height NAL	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not available 4" DEEP By (Required wa rounded staron Fib E (G) Int BACK/FRA (Seat Depth Adjustable (Carbon Fib E (G) Int BACK/FRA (Seat Post t	ts and Integrate 0.5"steps T THAT LOCKS T THAT LOCKS Ole with Ergono ACKREST RIGI with Heavy Duty style rigidizer ba ME DEPTH AD as B of 10"-18", Back. Not Avail er Side Guards o floor. K ANGLE FOR 89°	ixed Side Guarded Push Hand Gu	Set a POSITION available with earward adjus or 20" Seat I	ailable with Sv led Fold-Down at: h a Non-Foldi strment. Heigh Depths B, He	n Push I	Handles ed Heigh	or Bolt- t Titanium	es have a limited height	t range with Depth	0.00 NOT 184.00
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11 Z2SB19 Z2SB16 SEAT BACK A Measure angle from	match f hack Tule Push Heigh N AL	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not available 4" DEEP By (Required wa rounded staron Fib E (G) Int BACK/FRA (Seat Depth Adjustable (Carbon Fib E (G) Int BACK/FRA (Seat Post t	Is and Integrate 0.5"steps T THAT LOCKS T	ixed Side Guided Push Han Siln FOLDED Simic Seat.) IDIZER BAR Frame. Not ar.) JUSTABLE allow 2" of re lable with 19"	Set a POSITION available with parward adjus or 20" Seat I	ailable with Sv led Fold-Down at: h a Non-Foldi strment. Heigh Depths B, He	n Push I	Handles ed Heigh	or Bolt- t Titanium	es have a limited height	t range with Depth	0.00 NOT 184.00
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11 Z2SB19 Z2SB16 SEAT BACK A Measure angle from	Height NAL	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not availat 4" DEEP Bi (Required v a rounded s BACK/FRA (Seat Depti Adjustable Carbon Fib E (G) Interpretation of the control of the control SEAT BACK 83" 86"	ts and Integrate 0.5"steps T THAT LOCKS T THAT LOCKS Ole with Ergono ACKREST RIGI with Heavy Duty style rigidizer ba ME DEPTH AD as B of 10"-18", Back. Not Avail er Side Guards o floor. K ANGLE FOR 89°	ixed Side Guarded Push Han Siln FOLDED Sil	Set a POSITION available with arrward adjus or 20" Seat I	ailable with Sv led Fold-Down at: h a Non-Foldi strment. Heigh Depths B, He	n Push I	Handles ed Heigh	or Bolt- t Titanium	es have a limited height	t range with Depth	0.00 NOT 184.00
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11 Z2SB19 Z2SB16 SEAT BACK A Measure angle from Z2SBA3-80	Mack Tule Push Heigh NAL	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not available 4" DEEP By (Required varounded sarounded saro	Is and Integrate 0.5°steps 1 THAT LOCKS 1	ixed Side Guarded Push Han Siln FOLDED Sil	Set a POSITION available with arrward adjus or 20" Seat I	h a Non-Foldi stment. Heigh Depths B, He	n Push I	Handles ed Heigh	t Titanium	es have a limited height	t range with Depth	0.00 NOT 184.00
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11 Z2SB19 Z2SB16 SEAT BACK A Measure angle from Z2SBA3-80	Height NAL	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in L BACKS BACKREST (Not available 4" DEEP BI (Required v a rounded s BACK/FRA (Seat Deptit Adjustable Carbon Fib E (G) Int BACK SEAT BACE 886" SEAT BACE 81"	Its and Integrate 0.5"steps T THAT LOCKS T THAT LOCKS Ole with Ergono ACKREST RIGI With Heavy Duty style rigidizer be ME DEPTH AD as B of 10"-18" Back. Not Avail er Side Guards. to floor. K ANGLE FOR 92" K ANGLE FOR	ixed Side Guited Push Hand	Set a POSITION available with available with rarward adjus or 20" Seat I	h a Non-Foldi the annihilation of the street of the stree	n Push I	Handles	t Titanium	es have a limited height	t range with Depth	0.00 NOT 184.00
(Titanium back will in Swing Away - Flip E On Height Adjustab AVAILABLE O Z2SB11 Z2SB19 Z2SB16 SEAT BACK A Measure angle from Z2SBA3-80	Match F Back Tu le Push Heigh NALL	Frame Finish. Ibular Armres In Handles.) Int 8" to 20" in IL BACKS BACKREST (Not availat 4" DEEP B. (Required v a rounded s BACK/FRA (Seat Depth Adjustable c Carbon Fib E (G) Int SEAT BACK 83" SEAT BACK 81" SEAT BACK 81" SEAT BACK 82"	ts and Integrate 0.5°steps T THAT LOCKS T THAT LOCKS T THAT LOCKS T THAT LOCKS ACKREST RIGI With Heavy Duty style rigidizer be ME DEPTH AD as B of 10"-18" Back. Not Avail er Side Guards. to floor. K ANGLE FOR 92° K ANGLE FOR 85°	ixed Side Guized Push Hand S IN FOLDED Mic Seat.) IDIZER BAR Frame. Not ar.) IJUSTABLE allow 2" of re lable with 19" NON-FOLDI 95° 98° NON-FOLDI 89°	Set a POSITION available with arrward adjus or 20" Seat I NG BACK 80 0 93	tillable with Sviced Fold-Down at: the a Non-Folding timent. Heigh Depths B, He properties of the state of	n Push I t Adjusta avy Dut,	Handles	t Titanium	es have a limited height	t range with Depth	0.00 NOT 184.00

3/24/2025 page 5 of 12



CENTER OF	GRA	/ITY (H)																	
Measure from fro will ship with the							rear ax	ie. If no d	center of	gravity is	selected	l, chair							
Z2COG1-0	0	CENTER	R OF G	RAVITY	0"													0.00)
	0	1.25"	0	2.25"	0	3.25"	0	4.25"											
	0	1.5"	0	2.5"	0	3.5"	0	4.5"											
	0	1.75"	0	2.75"	0	3.75"	0	4.75"											
	0	2"	0	3"	0	4"	0	5"											
REAR WHEE Measure from out Camber K. Ergon	tside of	seat back p	ost to	inside of r				ır Wheel	Spacing	not availa	able with	0° or 2°							
Z2RWS1-0.75	0			SPACING					0	1"	0	1.25"						0.00)
Z2CBR12		CAMBE	R PLU	GS - ADJ	REAR	WHEEL												0.00)
Z2CBR9			SPA	CERS TO	INCR	EASE RE	ARWH	IEEL SP	ACING,	ADDITION	NAL							0.00)
Z2CBR11		CAMBE	R PLU	GS 2°, 4°,	OR 6°	ZERO PI	LAY AL	.UMINUN	И									0.00)
		(Not ava	ilable ı	with Powe	r Adap	table Frai	me or n	nore thai	n 6° of C	amber K.)									
SEAT UPHO	LSTE	RY																	
Z2SUP1		TENSIO	N ADJ	. BOLT O	N SEA	T UPHOL	ST. W	PHONE	SLEEV	E								0.00)
		(Not ava	ilable v	with 10" or	11" R	ear Seat I	Width A	1)											
Z2SUP2		TENSIO	N ADJ	USTABLE	BY S	TRAPS SI	EAT UF	PHOLST	ERY									191.00)
				with 10" or						eat									
Z2SUP8		SOLID S	SEAT, A	ALUMINU	М													254.00)
				with 10" or		ear Seat I	Width A	or Ergo	nomic S	eat)									
Z2SUP0		WITHOU	JT SEA	AT UPHOI	STER	Y												0.00)
CAMBER (K) / CAI	MBER T	UBES	3															
Z2CBR1-0	0	0° CAM	BER						0	2°		O 4°	() 6	i°			0.00)
				of Camber ty Divisior		ot availab	le with	the Pow	er Adap	table Fran	ne. 8° of	Camber m	ay be a	vailable	through o	our			
Z2CBR15		CAMBE	R TUB	E ALUMIN	IIUM													0.00)
Z2CBR3		CAMBE	R TUB	E TITANIL	JM													176.00)
		(Not ava	ilable ı	with Powe	r Adap	table Fra	me.)												

3/24/2025 page 6 of 12



CUSTOM CON	NFIGU	URATION OPTIONS	
FRONT WHEE	LS		
Z2FW24		3"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE	165.00
		☐ SILVER HUB ☐ BLACK HUB	
Z2FW14		4"X.75" PLASTIC WHEEL W/POLY TIRE	0.00
		(Not available with Slipstream Fork or Power Adaptable Frame.)	
Z2FW3		4"X.75" LIGHT-UP MICRO-CASTER	74.00
		(Not available with Slipstream Fork or Power Adaptable Frame.)	
Z2FW26		4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE	95.00
		(Not available with Power Assist, Power Add-on System or Heavy Duty Frame.)	
Z2FW27		4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE	165.00
		☐ SILVER HUB ☐ BLACK HUB	
Z2FW6		5"X1" PLASTIC WHEEL W/POLY TIRE	0.00
		(Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	
Z2FW28		5"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE	95.00
		(Not available with 90° Front Angle L or Power Adaptable Frame.)	
Z2FW30		5"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE	165.00
		☐ SILVER HUB ☐ BLACK HUB	
		(Not available with 90° Front Angle L.)	
Z2FW9		6"X1" PLASTIC WHEEL W/POLY TIRE	0.00
		(Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	
Z2FW32		6"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE	95.00
		(Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)	
Z2FW33		6"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE	165.00
		☐ SILVER HUB ☐ BLACK HUB	
		(Not available with 85° or 90° Front Angle L.)	
PRECISION L	оск	FRONT FORKS	
Z2FK1		FORK, STANDARD TILITE	0.00
Z2FK2		FORK, SLIPSTREAM SINGLE-SIDED TILITE	176.00
		(Not available with Heavy Duty Frame or Power Adaptable Frame.)	
Z2GL1		OUT-FRONT GLIDE® SUSPENSION FORKS	435.00
		USER WEIGHT	
		(Black anodize only.)	
Z2TS1		FORK STEMS TITANIUM	48.00
STANDARD R	EAR	WHEELS	
Z2RW14-20	0	WHEELS REAR 20" TILITE SHADOW 0 22" 0 24" 0 25" 0 26"	0.00
		25" and 26" require 15" minimum Seat depth (B)	ļ

3/24/2025 page 7 of 12



		IEAR WHEELS anges Chart for Rear Seat Height D limitations.)	
Z2RW7-22	O	WHEELS REAR SPINERGY SPOX 22*	495.00
ZZKWY ZZ		Spinergy SPOX RED BLACK BLUE WHITE 25" and 26" require 15" minimum Seat depth (B)	490.00
Z2RW8-22	0	WHEELS REAR SPINERGY LX 22"	695.00
	0	BLACK O RED O BLUE O WHITE BRIGHT ORANGE O FLAMINGO PINK O PURPLE	
72RW9-22	0	22" (501) SPINERGY DESIGN LAB LX	695.00
	0	BLACK O RED O BLUE O WHITE BRIGHT ORANGE O FLAMINGO PINK O PURPLE (If same color is selected, anodized hubs and rims match color anodized package on page 1. Available with black spokes only.)	
Z2RW16-24	0	WHEELS REAR 24" CARBON BLADE O 25" (Not available with Heavy Duty Frame, 25" requires 15" minimum Seat depth (B))	1150.00
Z2RW17-20	0	WHEELS REAR 20° SKYWAY® MAGS 22° 24° (Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Sliver Anodized Handrims.)	100.00
AXLES			
Z2AXL1		AXLE QUICK RELEASE STAINLESS	0.00
Z2AXL2		AXLE QUICK RELEASE TITANIUM	237.00
Z2AXL3		AXLE QUAD RELEASE (Not available with Mag or 26"(590) Spinergy Spox or LX Rear Wheels.)	139.00
PNEUMATIC	REAF	RTIRES	
Z2RTR1		TIRES REAR 20", 22", 24"OR 26" TREADED	0.00
Z2RTR2		TIRES REAR 20",22",24",26" TREADED, AIRLESS INSERT (Not available with Spinergy Carbon Blade Rear Wheels.)	85.00
Z2RTR31		MBL SPEEDLITE (PNEUMATIC)	0.00
Z2RTR30		TIRES REAR 24",25" OR 26" PRIMO SENTINEL PNEUMATIC	95.00
Z2RTR8		TIRES REAR 24" 25"OR 26"SCHWALBE MARATHON+ EVOL.	95.00
Z2RTR24		TIRES REAR, KENDA KOBRA KNOBBY	95.00
SOLID REAF	RTIRE	s	
(Not available wit	h Spiner	gy Carbon Blade Rear Wheels.)	
Z2RTR22		TIRES REAR, SOLID, PRIMOEXPRESS	95.00
Z2RTR23	П	TIRES REAR, SOLID, PRIMOACTIVE	95.00

3/24/2025 page 8 of 12



HANDRIMS			
Handrims by C	OUT-F	FRONT®	
Z2RIM1		ALUMINUM- SILVER ANODIZED	0.00
Z2RIM21		ALUMINUM- BLACK ANODIZED (Not available with 20"(451) Rear Wheels.)	49.00
Z2RIM12		TITANIUM- SATIN FINISH (Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.)	290.00
Z2RIM10		THE SURGE™ BY OUT-FRONT,ALL-IN-1 OVAL, L PROFILE (Not available with 20"(451) Rear Wheels.)	290.00
Z2RIM11		THE SURGE™ LT BY OUT-FRONT ALL-IN-1 OVAL S PROFILE (Not available with 20"(451) Rear Wheels.)	290.00
Z2RIM20		Q-GRIP (TETRA GRIPP BY TETRA EQUIPMENT) (Not available with 20"(451)Rear Wheels.)	290.00
The Natural-Fi	t® (O	riginal, Larger Profile)	
(Not available with 2	20"(451)	Rear Wheels.)	
Z2RIM14		NATURAL-FIT® BY OUT-FRONT - STANDARD GRIP (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels	290.00
Z2RIM15		NATURAL-FIT® BY OUT-FRONT - SUPER GRIP (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	290.00
Z2RIM16		NATURAL-FIT® BY OUT-FRONT - WITHOUT THUMB GRIP	290.00
The Natural-Fi		Reduced Weight, Smaller Profile)	
Z2RIM17		NATURAL-FIT® LT BY OUT-FRONT - STANDARD GRIP (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	290.00
Z2RIM18		NATURAL-FIT® LT BY OUT-FRONT - SUPER GRIP (Not available with Short Tabs or Spinergy Carbon Blade Rear Wheels.)	290.00
Z2RIM19		NATURAL-FIT® LT BY OUT-FRONT - WITHOUT THUMB GRIP	290.00
Additional han	ndrim	options	
Z2RIM5		PLASTIC COATED- BLACK	117.00
Tab length			
Z2RIM7		HANDRIM TAB LENGTH- LONGTABS	0.00
Z2RIM8		HANDRIM TAB LENGTH- SHORT TABS (Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)	19.00
WHEEL LOCK	S		
Wheel locks b	y OU	T FRONT	
Z2WLK7		COMPACT COMPOSITE PUSH TO LOCK WHEEL BY OUT-FRONT (Available with .75" to 1.5" Rear Wheel Spacing J only.)	0.00
Z2WLK8		COMPACT COMPOSITE PULL TO LOCK WHEEL BY OUT-FRONT (Available with .75" to 1.5" Rear Wheel Spacing J only.)	0.00
Z2WLK10		EXTENSION HANDLES FOR COMPACT COMPOSITE PUSH/PULL	80.00
Additional who	eel lo	cks	
Z2WLK11		MBL COMPOSITE SCISSOR LOCK	132.00
Z2WLK3		WHEEL LOCK UNI-LOCK	148.00
		☐ Push ☐ Pull	
Z2WLK4		EXTENSION HANDLES FOR UNI-LOCK	80.00
Z2WLK15		GRADE AIDS PUSH TO LOCK	164.00
		(Not available with solid rear tires)	

3/24/2025 page 9 of 12



SIDE GUARDS	>			
Aluminium				
Z2SDG2-S		SIDE GUARDS ALUMINUM, RIGID, REMOVABLE, SMALL		176.00
		☐ Small ☐ Std		
Z2SDG3-S		SIDE GUARDS ALU, QUAD REMOVABLE W/ HOLE SMALL		184.00
		☐ Small ☐ Std		
Z2SDG4-S		SIDE GUARDS ALUMINUM, FOLD DOWN RIGID, SMALL		303.00
		☐ Small ☐ Std		
		(Not available with Ergonomic Seat.)		
Z2SDG6		SIDE GUARDS ALUMINUM, FENDERED ADJUSTABLE		303.00
		(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5".)	 	
New 3k Weave	e Car	bon Fiber		
Z2SDG7-S		SIDE GUARDS CARBON FIBER, RIGID REMOVABLE SMALL		276.00
		☐ Small ☐ Large		
Z2SDG8-S		SIDE GUARDS CARBON, QUADREMOVABLE WITH HOLE SMALL		284.00
		☐ Small ☐ Large		
Z2SDG9-S		SIDE GUARDS CARBON FIBER, FOLD DOWN RIGID, SMALL		412.00
		☐ Small ☐ Large		
		(Not available with Ergonomic Seat or Carbon Edition.)		
Z2SDG11		CARBON FIBER FENDERED ADJUSTABLE		362.00
		(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5".)		
Available on A	dumi	num and Carbon Fiber Non-Fendered Side Guards		
Z2SDG13		SIDE GUARDS CUSTOM CUT TO PROFILE OF REAR WHEELS		280.00
ARMRESTS				
(Desk Arms come w	ith buil	t-in Side Guards.)		
Tubular Armrests				
Z2ARM1-9		SWING AWAY TUBULAR 6.5"-9.5"	9.5"- 12.5"	194.00
		(Not Available with Heavy Duty Frame or Height Adjustable Push Handles.)		
Z2ARM4-9		SWING AWAY FLIP BACK TUBULAR 8.3"-11.5"		280.00
		(Not Available with Heavy Duty Frame.)		
Single Post Desk A	ırms			
Z2ARM2-9-S		REMOV. ADJ. DESK ARM RIGID GUARD 9"-12"/S	12"-15"	303.00
		armrest pad length STD (10")	Full length (12")	
		(Requires 14" minimum Seat Depth B. Not available with Ergonomic Seat.)		
Z2ARM3-9-S		REMOV. ADJ. DESK ARM RIGID GUARD+TRANSF. 9"-12"/S	12"-15"	331.00
		armrest pad length STD (10")	Full length (12")	
		(Requires 15" minimum Seat Depth B. Not Available with Ergonomic Seat.)		
Available Armrest	Option	S		
Z2ARM5		ARMRESTS COVERED IN BLACK ULTRASUEDE		100.00
		(Not available with Desk Arms)		

3/24/2025 page 10 of 12



l				
SEAT BELTS				
		VELCRO ADJUSTABLE, BLACKNYLON WEBBING		40.00
		BODYPOINT AUTO-STYLE RELEASE BUCKLE		92.00
Z2BLT4		BODYPOINT 1" PUSH-BUTTONBUCKLE PADDED -AUTO STYLE (Not available with 19" or 20" Rear Seat Widths A.)		167.00
Z2BLT5		BODYPOINT 1.5" PUSH BUTTON BUCKLE PADDED AUTOSTYLE (Not available with 19" or 20" Rear Seat Widths A.)		167.00
Z2BLT8		Q'STRAINT WC-19 WHEELCHAIR-ANCHORED PELVIC BELT (Recommended for use with Transit Tie Down. Not Available with ZR.)		176.00
Z2BLT10		BODYPOINT OPTIONAL BAND CLAMP MOUNTING HARDWARE		19.00
Z2BLT16		BODYPOINT 1" WIDE EVOFLEX, PUSH-BUTTON BUCKLE		172.00
CALFSTRAPS				
Z2CLF2-S		CALFSTRAP VELCRO ADJUSTABLE S (Recommended for 9" - 12" Footrest Widths.)		32.00
Z2CLF2-M		CALFSTRAP VELCRO ADJUSTABLE M (Recommended for 11" - 15" Footrest Widths.)		32.00
Z2CLF2-L		CALFSTRAP VELCRO ADJUSTABLE L (Recommended for 14" - 17" Footrest Widths.)		32.00
Z2CLF2-XL		CALFSTRAP VELCRO ADJUSTABLE XL (Recommended for 16" - 19" Footrest Widths.)		32.00
Z2CLF3-S		BODYPOINT PADDED VELCRO ADJUSTABLE S (Recommended for 8"- 11" Footrest Widths.)		95.00
Z2CLF3-M		BODYPOINT PADDED VELCRO ADJUSTABLE M (Recommended for 11" - 15" Footrest Widths.)		95.00
Z2CLF3-L		BODYPOINT PADDED VELCRO ADJUSTABLE L (Recommended for 16" - 19" Footrest Widths.)		95.00
Z2CLF1		BUCKLE ADJUSTABLE, BLACKNYLON WEBBING		22.00
RESIDUAL LIM	B SI	JPPORT		
Z2RSL1-L		RESIDUAL LIMB SUPPORT, LEFT		318.00
Z2RSL1-R		RESIDUAL LIMB SUPPORT, RIGHT		318.00
		RESIDUAL LIMB SUPPORT, PAIR		641.00
BACKPACK				
Z2BCK3 SEAT POUCH		BACK PACK, BLACK NYLON		85.00
Z2PCH3		SEAT POUCH BLACK NYLON		49.00
Z2PCH5		BODYPOINT MOBILITY BAG		96.00
SPOKE GUARD	os			
Z2GRD1		CLEAR LEXAN WITH TIMOTION LOGO (Not available with Mag Rear Wheels.)		117.00
ANTI-TIP				
		ANTI TIP REAR ALUMINUM- BLACK		145.00
		ANTI TIP REAR FLIP-UP USER FRIENDLY		298.00
ACCESSORIES				-
		UPPER EXTREMITY SUPPORT TRAY 12-14" (Requires Armrests.)	☐ 13-15°	258.00
Z2LUG1	П	LUGGAGE CARRIERS		132.00
		IMPACT GUARDS NEOPRENE BLACK		95.00
	П	CRUTCH HOLDER		132.00
220111	_	S. C. SITIOLDEN		102.00

3/24/2025 page 11 of 12



3/24/2025 page 12 of 12