

Fitting / Order form

Prices valid from: 10/4/2023

Dealer information	
Customer (name / code)	/
Contact	
Address	
Post code / City	/
Phone / Fax	/
Delivery address	
Name	/
Address	
Post code / City	/
Phone	
E-mail	
Your reference	
Your order number	



TiLite Aero Z

Fitting date	User weight
Fitting date (dd-mm-yyyy)	kg

<input checked="" type="checkbox"/>	Required choice
<input type="checkbox"/> / <input type="radio"/>	Optional choice
<input checked="" type="checkbox"/> / <input type="radio"/>	Default required option

code	Price excl VAT
------	-------------------

FRAME STYLE		
AZFS1	<input type="checkbox"/> TILITE AERO Z SERIES 2 <i>Full Adjustability. 265 Pound Weight Limit. 150 Pound Weight Limit for Rear Seat Width A and Seat Depth B of 10"x10" to 12"x12". For Rear Seat Width A and Seat Depth B of 15" or greater, use K0005. For Rear Seat Width A and Seat Depth B of less than 15", use E1235</i>	2189.00
Z2RFR1	<input type="checkbox"/> FRAME, REINFORCED <i>(No charge when 20" Rear Seat Width and 20" Seat Depth or Heavy Duty is selected.)</i>	289.00

LANGUAGE USER MANUAL	
Language	EN/UK: English ▼

TRANSPORT OPTIONS		
Z2WTB	<input type="checkbox"/> TRANSPORT BRACKETS <i>(Consists of four Tie-Down Brackets. Unoccupied use only. Please refer to the ZR Transport Bracket Supplement for important information regarding the Transit Options)</i>	295.00

FRAME FINISHES		
Z2FF1	<input type="checkbox"/> TITANIUM - SATIN FINISH <i>(Available with Titanium Frame only.)</i>	0.00
Z2SCBT1	<input type="checkbox"/> BUFFING PADS SATIN FINISH	
Z2FF3	<input type="checkbox"/> TATTOO ON TITANIUM AND ALUMINIUM FRAME <i>(Tattoos on front frame tubes. Titanium frame finished in Satin. Aluminum frame is tattooed on blasted aluminum with a clear coat. Tattoos will be trimmed and adjusted to fit your frame.)</i>	295.00
Z2FF44	<input type="checkbox"/> TATTOO FLOWER GARDEN	0.00
Z2FF45	<input type="checkbox"/> TATTOO NEED FOR SPEED	0.00
Z2FF43	<input type="checkbox"/> TATTOO MOSAIC	0.00

COLOR	
Color	

COLOR ANODIZE PACKAGE

(Color Anodize Package includes: Caster Mount, Caster Fork, and Caster Caps. If no anodize color is selected, the default will be black.)

Z2ANO1	<input type="radio"/>	COLOR ANODIZE PACKAGE- BLACK	0.00
Z2ANO12	<input type="radio"/>	COLOR ANODIZE PACKAGE- GOLD	46.00
Z2ANO15	<input type="radio"/>	COLOR ANODIZE PACKAGE- GREEN	46.00
Z2ANO13	<input type="radio"/>	COLOR ANODIZE PACKAGE- PURPLE	46.00
Z2ANO14	<input type="radio"/>	COLOR ANODIZE PACKAGE- ORANGE	46.00
Z2ANO10	<input type="radio"/>	COLOR ANODIZE PACKAGE- BLUE	46.00
Z2ANO11	<input type="radio"/>	COLOR ANODIZE PACKAGE- RED	46.00

TiFit: TAILORED INDIVIDUALIZED FRAME

REAR SEAT WIDTH (A)


Measure from outside of seat tube at back post to the outside of the opposite seat tube at back post to the outside of the opposite seat tube at back post.

Z2RSW4-10	<input type="checkbox"/>	REAR SEAT WIDTH 10"	<input type="checkbox"/> 11" <input type="checkbox"/> 12" <input type="checkbox"/> 13" <input type="checkbox"/> 14"	0.00
			<input type="checkbox"/> 16" <input type="checkbox"/> 17" <input type="checkbox"/> 18" <input type="checkbox"/> 19"	
Z2RSW2	<input type="checkbox"/>	REAR SEAT WIDTH 20"		421.00

FRONT SEAT WIDTH (SEAT TAPER) (T)

Measure from inside of front frame tube to inside of opposite front frame tube. (Required with V-Front End (V). Not Available with Standard Front End (I))


Z2FSW1	<input type="checkbox"/>	FRONT SEAT WIDTH WITH NOTAPER (2.5" Narrower than Rear Seat Width A.)	0.00
Z2FSW3	<input type="checkbox"/>	FRONT SEAT WIDTH WITH 1.5" TAPER (4" Narrower than Rear Seat Width A. Includes Tension Adjustable by Straps Seat Upholstery. Not available with 10" and 11" Seat Widths A.)	240.00



SEAT DEPTH (B)

Measure from front of back post to the front edge of seat sling. Frame bend will start .5" in front of seat sling unless Custom Frame Depth is specified, or the combination of specifications affect the rolling dynamics of the chair.

Z2SD1-10	<input type="checkbox"/>	SEAT DEPTH 10"	<input type="checkbox"/> 11" <input type="checkbox"/> 12" <input type="checkbox"/> 13" <input type="checkbox"/> 14"	0.00
			<input type="checkbox"/> 16" <input type="checkbox"/> 17" <input type="checkbox"/> 18" <input type="checkbox"/> 19"	
Z2SD2	<input type="checkbox"/>	SEAT DEPTH 20" (Custom seat depth available through CMD)		444.00



ERGONOMIC SEAT (U)

Measure from front of back post to beginning of upward bend of seat tube.

Z2ERG2-6	<input type="checkbox"/>	Aero Z and ZRA Ergonomic Seat (Center of Gravity adjustment may be affected by this option. Not available with V-Front or Seat Taper, Seat Back that Locks When Folded, Desk Arms, Depth Adjustable Backrests, Fold Down Rigid Sideguards,	350.00
	<input checked="" type="radio"/>	6" (B)=12"+	<input type="radio"/> 7" (B)=12"+ <input type="radio"/> 8" (B)=13"+

FRONT SEAT HEIGHT (C)

Measure from floor to top of seat tube at front edge of seat sling


Z2FSH1-16	<input type="radio"/>	FRONT SEAT HIGHT 16"	<input type="radio"/> 15.5" <input checked="" type="radio"/> 16" <input type="radio"/> 16.5" <input type="radio"/> 17" <input type="radio"/> 17.5" <input type="radio"/> 18"	0.00
			<input type="radio"/> 18.5" <input type="radio"/> 19" <input type="radio"/> 19.5" <input type="radio"/> 20" <input type="radio"/> 20.5" <input type="radio"/> 21"	

REAR SEAT HEIGHT (D)

Measure from floor to top of seat tube at back post.

Z2RSH1-12.5	<input type="radio"/>	12.5"	<input type="radio"/> 14.5"	<input type="radio"/> 16.5"	<input type="radio"/> 18.5"			0.00
		<input type="radio"/> 13"	<input type="radio"/> 15"	<input type="radio"/> 17."	<input type="radio"/> 19"			
		<input type="radio"/> 13.5"	<input type="radio"/> 15.5"	<input type="radio"/> 17.5"	<input type="radio"/> 19.5"			
		<input type="radio"/> 14"	<input type="radio"/> 16"	<input type="radio"/> 18."	<input type="radio"/> 20"			

Rear wheel size	Rear seat height
20"	12.5"-20"
22"	13.5"-20"
24"	14.5"-20"
25"	15.0"-20"



26°	15.5°-20°	
-----	-----------	---

FRONT ANGLE or OVERALL FRAME LENGTH

Select one. If Overall Frame Length is selected, front angle will be bent to achieve requested length.


Z2FA1-70	<input type="radio"/> FRONT ANGLE 70°		0.00
Z2FA1-75	<input type="radio"/> FRONT ANGLE 75°		0.00
Z2FA1-80	<input type="radio"/> FRONT ANGLE 80°		0.00
Z2FA1-85	<input type="radio"/> FRONT ANGLE 85°	(L) Measure from frame front to floor. (Not available with 6" Front Wheels.)	0.00
Z2FA1-90	<input type="radio"/> FRONT ANGLE 90°	(Not available with 5" or 6" Front Wheels.)	0.00
Z2FA2	<input type="radio"/> OVERALL FRAME LENGTH	M= <input type="text"/> "	NCO

Measure from front of backrest to Front Edge of Footrest.

SEAT TO FOOTREST (E)

Measure from front edge of seat sling to top rear of footrest.

STFR-xxx	<input type="checkbox"/> STANDARD FOOTREST		0.00
		Measurement must be at least 2" shorter than Front Seat Height (C).	
	<input type="radio"/> 13.5" <input type="radio"/> 15" <input type="radio"/> 16.5" <input type="radio"/> 18."		
	<input type="radio"/> 14" <input type="radio"/> 15.5" <input type="radio"/> 17." <input type="radio"/> 18.5"		
	<input type="radio"/> 14.5" <input type="radio"/> 16" <input type="radio"/> 17.5" <input type="radio"/> 19"		
Z2FTR3	<input type="checkbox"/> FOOTREST ANGLE ADJUSTABLE		0.00
Z2FTR1	<input type="checkbox"/> FOOTREST TITANIUM WITH FLAT ABS COVER		166.00
Z2FTR3	<input type="checkbox"/> FOOTREST ANGLE ADJUSTABLE		0.00
Z2FTR12	<input type="checkbox"/> FOOTREST FLIP-BACK	(Not available with 10" or 11" Rear Seat Width A or Heavy Duty Frame.)	183.00
STFR-xxx	<input type="checkbox"/> HIGH MOUNTED FOOTREST		0.00
STFR-S	<input type="radio"/> 7" - 9" Set at: <input type="text"/> "		
STFR-M	<input type="radio"/> 9" - 11" Set at: <input type="text"/> "		
STFR-L	<input type="radio"/> 11" - 13" Set at: <input type="text"/> "		
Z2FTR4	<input type="checkbox"/> FOOTREST ANGLE ADJUSTABLE HIGH MOUNT		86.00



FOOTREST WIDTH (I) or (V)



Select either a Standard Front End (I) if no Seat Taper (T) is selected or a V-Front End (V) if a Seat Taper (T) is selected

STANDARD FRONT END (I)

Find your Rear Seat Width A in the Chart below and select one of the options to the right. Measure from inside of front frame tube to inside of opposite front frame tube. (Not available with Front Seat Width (Seat Taper) T.)

Z2FE1-0	<input type="checkbox"/> STANDARD FRONT END NO TAPER		0.00
		(Required when both Heavy Duty Frame and Seat Taper T are selected.)	

REAR SEAT WIDTH (Outside measurement)	No Taper (2.5" Narrower than rear seat width)	1.5" Taper (4" Narrower than rear seat width)	3.5" Taper (6" Narrower than rear seat width)
	10	<input type="radio"/> 7.5"	
11"	<input type="radio"/> 8.5"		
12"	<input type="radio"/> 9.5"	<input type="radio"/> 8"	
13"	<input type="radio"/> 10.5"	<input type="radio"/> 9"	
14"	<input type="radio"/> 11.5"	<input type="radio"/> 10"	
15"	<input type="radio"/> 12.5"	<input type="radio"/> 11"	<input type="radio"/> 9"
16"	<input type="radio"/> 13.5"	<input type="radio"/> 12"	<input type="radio"/> 10"
17"	<input type="radio"/> 14.5"	<input type="radio"/> 13"	<input type="radio"/> 11"
18"	<input type="radio"/> 15.5"	<input type="radio"/> 14"	<input type="radio"/> 12"
19"	<input type="radio"/> 16.5"	<input type="radio"/> 15"	<input type="radio"/> 13"
20"	<input type="radio"/> 17.5"	<input type="radio"/> 16"	<input type="radio"/> 14"



V-FRONT END (V)

Measure from inside of front frame tube to inside of opposite front frame tube 2-1/2" above footrest. (Required with Front Seat Taper T. Titanium Footrests have 1" of adjustment up and down. Not available with Ergonomic Seat frames.)

Z2FE2-9	<input type="checkbox"/> FOOTREST FRONT END WIDTH--V 9"	98.00
	<input type="checkbox"/> 10" <input type="checkbox"/> 11" <input type="checkbox"/> 12" <input type="checkbox"/> 13" <input type="checkbox"/> 14" <input type="checkbox"/> 15"	

BACKREST UPHOLSTERY

(Want more seating options? Click here to view the new TiLite Seating Order Form.)

Z2BUP2	<input type="checkbox"/> BACK UPHOLSTERY VELCRO ADJUSTABLE <i>(Not available with Fold-Down Push Handles.)</i>	0.00
--------	---	------

Tension Adjustable by Straps

(Required with Fold-Down Push Handles.)

Z2BUP3	<input type="checkbox"/> BACK UPHOLSTERY STRAPS TENSION ADJUSTABLE	94.00
Z2BUP5	<input type="checkbox"/> UPHOLSTERY AIR BREATHABLE <i>(Not available with Ultrasuede Backrest Stripe.)</i>	166.00
Z2UPC3-BL	<input type="checkbox"/> UPHOLSTERY BACKREST STRIPE ULTRASUEDE BLACK	89.00
Z2BUP0	<input type="checkbox"/> WITHOUT BACK UPHOLSTERY	0.00

SEAT BACK TYPE/PUSH HANDLES/SEAT BACK HEIGHT (F)

Measure from top of back post to top of seat tube at rear of frame.

Z2SB1	<input type="checkbox"/> FOLDING ALUMINUM ADJUSTABLE HEIGHT SEAT BACK <i>(Required for Heavy Duty Frame.)</i>	0.00
Z2SB2	<input type="checkbox"/> FOLDING TITANIUM ADJUSTABLE HEIGHT <i>(Titanium back will match Frame Finish. Not available with Bolt-On Push Handles.)</i>	166.00
Z2SB15	<input type="checkbox"/> SEAT BACK, NON-FOLDING, FIXED-HEIGHT TITANIUM <i>(Titanium back will match Frame Finish. Not available with Push Handles.)</i>	240.00

TISHAFT™ BACK RELEASE BARS

(Not available with Non-Folding, Fixed Height Titanium Back.)


Z2SB3	<input type="checkbox"/> BACK RELEASE BAR ALUMINUM TISHAFT	0.00
Z2SB5	<input type="checkbox"/> BACK RELEASE BAR CARBON FIBER TISHAFT	59.00

PUSH HANDLES (select above)

Z2SB6	<input type="checkbox"/> PUSH HANDLES INTEGRATED	0.00
Z2SB7	<input type="checkbox"/> PUSH HANDLES INTEGRATED FOLD-DOWN <i>(Requires Tension Adjustable by Straps Back Upholstery.)</i>	98.00
Z2SB8	<input type="checkbox"/> PUSH HANDLES BOLT-ON <i>(Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.)</i>	166.00
Z2SB9	<input type="checkbox"/> PUSH HANDLES BOLT-ON HEIGHT ADJUSTABLE <i>(Includes 4" Deep Backrest Rigidizer Bar. Not available with Ti Back.)</i>	285.00

FOLDING SEAT BACK HEIGHT (F) (Z2SB1 and Z2SB2)

PUSH HANDLES (select above)	Short	Medium	Tall	use 0.5" increments
None/Bolt on	9.5"-12.5"	13.5"-17.5"	17"-21.5"	Set at:
Integrated	11.5"-13.5"	14.5"-17.5"	18.5"-21.5"	Set at:
Intergated fold down	14"-16.5"	15"-19.5"	19.5"-22"	Set at:



NON-FOLDING, FIXED-HEIGHT (F) TITANIUM SEAT BACK

with New Rounded Rigidizer Bar

(Titanium back will match Frame Finish. Required for fixed Side Guards. Not available with Swing Away Tubular or Swing Away - Flip Back Tubular Armrests and Integrated Push Handles, Integrated Fold-Down Push Handles or Bolt-On Height Adjustable Push Handles.)

Height 8" to 20" in 0.5" steps

Set at: "

AVAILABLE ON ALL BACKS

- Z2SB11 BACKREST THAT LOCKS IN FOLDED POSITION 0.00
(Not available with Ergonomic Seat.)
- Z2SB19 4" DEEP BACKREST RIGIDIZER BAR 0.00
(Required with Heavy Duty Frame. Not available with a Non-Folding, Fixed Height Titanium Seat Back Type. 4" Deep Rigidizer Bar is NOT a rounded style rigidizer bar.)
- Z2SB16 BACK/FRAME DEPTH ADJUSTABLE 174.00
(Seat Depths B of 10"-18" allow 2" of rearward adjustment. Height Adjustable Push Handles have a limited height range with Depth Adjustable Back. Not Available with 19" or 20" Seat Depths B, Heavy Duty Frame, Tension Adjustable By Straps Seat Upholstery or Carbon Fiber Side Guards.)

SEAT BACK ANGLE (G)

Measure angle from front of back post to floor.

- Z2SBA3-80

SEAT BACK ANGLE FOR NON-FOLDING BACK 80°
 83° 89° 95° 101°
 86° 92° 98°

0.00
- Z2SBA3-80

SEAT BACK ANGLE FOR NON-FOLDING BACK 80°
 81° 85° 89° 93° 97° 101°
 82° 86° 90° 94° 98°
 83° 87° 91° 95° 99°
 84° 88° 92° 96° 100°

0.00

CENTER OF GRAVITY (H)

Measure from front of back post at the seat tube to the center of the rear axle. If no center of gravity is selected, chair will ship with the center of gravity in the rearward-most position.

- Z2COG1-0

CENTER OF GRAVITY 0"
 1.25" 2.25" 3.25" 4.25"
 1.5" 2.5" 3.5" 4.5"
 1.75" 2.75" 3.75" 4.75"
 2" 3" 4" 5"

0.00

REAR WHEEL SPACING (J) / PLUGS

Measure from outside of seat back post to inside of rear tire. TRA 0.75" Rear Wheel Spacing not available with 0° or 2° Camber K. Ergonomic Seat selection may limit available center of gravity.

- Z2RWS1-0.75

REAR WHEEL SPACING 0.75" 1" 1.25"

0.00
- Z2CBR12 CAMBER PLUGS - ADJ REAR WHEEL 0.00
- Z2CBR9 SPACERS TO INCREASE REARWHEEL SPACING, ADDITIONAL 0.00
- Z2CBR11 CAMBER PLUGS 2°, 4°, OR 6° ZERO PLAY ALUMINUM 0.00
(Not available with Power Adaptable Frame or more than 6° of Camber K.)

SEAT UPHOLSTERY			
Z2SUP1	<input type="checkbox"/>	TENSION ADJ. BOLT ON SEAT UPHOLST. W/ PHONE SLEEVE <i>(Not available with 10" or 11" Rear Seat Width A)</i>	0.00
Z2SUP2	<input type="checkbox"/>	TENSION ADJUSTABLE BY STRAPS SEAT UPHOLSTERY <i>(Not available with 10" or 11" Rear Seat Width A or Ergonomic Seat)</i>	145.00
Z2SUP8	<input type="checkbox"/>	SOLID SEAT, ALUMINIUM <i>(Not available with 10" or 11" Rear Seat Width A or Ergonomic Seat)</i>	240.00
Z2SUP0	<input type="checkbox"/>	WITHOUT SEAT UPHOLSTERY	0.00
CAMBER (K) / CAMBER TUBES			
Z2CBR1-0	<input type="radio"/> 0° CAMBER <input type="radio"/> 2° <input type="radio"/> 4° <input type="radio"/> 6° <i>(More than 0° of Camber K is not available with the Power Adaptable Frame. 8° of Camber may be available through our Creative Mobility Division.)</i>		0.00
Z2CBR15	<input type="checkbox"/>	CAMBER TUBE ALUMINIUM	0.00
Z2CBR3	<input type="checkbox"/>	CAMBER TUBE TITANIUM <i>(Not available with Power Adaptable Frame.)</i>	166.00
CUSTOM CONFIGURATION OPTIONS			
FRONT WHEELS			
Z2FW24	<input type="checkbox"/>	3"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE <input type="checkbox"/> SILVER HUB <input type="checkbox"/> BLACK HUB	148.00
Z2FW14	<input type="checkbox"/>	4"X.75" PLASTIC WHEEL W/POLY TIRE <i>(Not available with Slipstream Fork or Power Adaptable Frame.)</i>	0.00
Z2FW3	<input type="checkbox"/>	4"X.75" LIGHT-UP MICRO-CASTER <i>(Not available with Slipstream Fork or Power Adaptable Frame.)</i>	69.00
Z2FW26	<input type="checkbox"/>	4"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE <i>(Not available with Power Assist, Power Add-on System or Heavy Duty Frame.)</i>	81.00
Z2FW27	<input type="checkbox"/>	4"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE <input type="checkbox"/> SILVER HUB <input type="checkbox"/> BLACK HUB	157.00
Z2FW6	<input type="checkbox"/>	5"X1" PLASTIC WHEEL W/POLY TIRE <i>(Not available with 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)</i>	0.00
Z2FW28	<input type="checkbox"/>	5"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE <i>(Not available with 90° Front Angle L or Power Adaptable Frame.)</i>	81.00
Z2FW30	<input type="checkbox"/>	5"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE <input type="checkbox"/> SILVER HUB <input type="checkbox"/> BLACK HUB <i>(Not available with 90° Front Angle L.)</i>	174.00
Z2FW9	<input type="checkbox"/>	6"X1" PLASTIC WHEEL W/POLY TIRE <i>(Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)</i>	0.00
Z2FW32	<input type="checkbox"/>	6"X1.5" LITESPEED PLASTIC WHEEL W/SOFT ROLL TIRE <i>(Not available with 85° or 90° Front Angle L, Slipstream Fork or Power Adaptable Frame.)</i>	86.00
Z2FW33	<input type="checkbox"/>	6"X1.5" LITESPEED BILLETALU WHEEL W/SOFT ROLLTIRE <input type="checkbox"/> SILVER HUB <input type="checkbox"/> BLACK HUB <i>(Not available with 85° or 90° Front Angle L.)</i>	183.00
PRECISION LOCK FRONT FORKS			
Z2FK1	<input type="checkbox"/>	FORK, STANDARD TILITE	0.00
Z2FK2	<input type="checkbox"/>	FORK, SLIPSTREAM SINGLE-SIDED TILITE <i>(Not available with Heavy Duty Frame or Power Adaptable Frame.)</i>	166.00
Z2GL1	<input type="checkbox"/>	OUT-FRONT GLIDE® SUSPENSION FORKS USER WEIGHT <input type="checkbox"/> > 56kg <input type="checkbox"/> 56kg-81kg <input type="checkbox"/> 81kg-120kg <i>(Black anodize only.)</i>	410.00
Z2TS1	<input type="checkbox"/>	FORK STEMS TITANIUM	46.00

STANDARD REAR WHEELS		
Z2RW14-20	<input type="radio"/> WHEELS REAR 20" TILITE SHADOW <input type="radio"/> 22" <input type="radio"/> 24" <input type="radio"/> 25" <input type="radio"/> 26" <i>25" and 26" require 15" minimum Seat depth (B)</i>	0.00
PERFORMANCE REAR WHEELS		
<i>(See Rear Seat Height Ranges Chart for Rear Seat Height D limitations.)</i>		
Z2RW7-22	<input type="radio"/> WHEELS REAR SPINERGY SPOX 22" <input type="radio"/> 24" <input type="radio"/> 25" <input type="radio"/> 26" Spinergy SPOX <input type="checkbox"/> RED <input type="checkbox"/> BLACK <input type="checkbox"/> BLUE <input type="checkbox"/> WHITE <i>25" and 26" require 15" minimum Seat depth (B)</i>	493.00
Z2RW8-22	<input type="radio"/> WHEELS REAR SPINERGY LX 22" <input type="radio"/> 24" <input type="radio"/> 25" <input type="radio"/> 26" <i>25" and 26" require 15" minimum Seat depth (B)</i> <input type="radio"/> BLACK <input type="radio"/> RED <input type="radio"/> BLUE <input type="radio"/> WHITE <input type="radio"/> BRIGHT ORANGE <input type="radio"/> FLAMINGO PINK <input type="radio"/> PURPLE	719.00
Z2RW9-22	<input type="radio"/> 22" (501) SPINERGY DESIGN LAB LX <input type="radio"/> 24" <input type="radio"/> 25" <input type="radio"/> 26" <i>25" and 26" require 15" minimum Seat depth (B)</i> <input type="radio"/> BLACK <input type="radio"/> RED <input type="radio"/> BLUE <input type="radio"/> WHITE <input type="radio"/> BRIGHT ORANGE <input type="radio"/> FLAMINGO PINK <input type="radio"/> PURPLE <i>(If same color is selected, anodized hubs and rims match color anodized package on page 1. Available with black spokes only.)</i>	719.00
Z2RW16-24	<input type="radio"/> WHEELS REAR 24" CARBON BLADE <input type="radio"/> 25" <i>(Not available with Heavy Duty Frame, 25" requires 15" minimum Seat depth (B))</i>	1091.00
Z2RW17-20	<input type="radio"/> WHEELS REAR 20" SKYWAY® MAGS <input type="radio"/> 22" <input type="radio"/> 24" <i>(Not available with Heavy Duty Frame, Short Tabs, Quad Release Axles, Spoke Guards or Omit Handrims Option. Requires Aluminum Silver Anodized Handrims.)</i>	94.00
AXLES		
Z2AXL1	<input type="checkbox"/> AXLE QUICK RELEASE STAINLESS	0.00
Z2AXL2	<input type="checkbox"/> AXLE QUICK RELEASE TITANIUM	223.00
Z2AXL3	<input type="checkbox"/> AXLE QUAD RELEASE <i>(Not available with Mag or 26"(590) Spinergy Spox or LX Rear Wheels.)</i>	131.00
PNEUMATIC REAR TIRES		
Z2RTR1	<input type="checkbox"/> TIRES REAR 20", 22", 24"OR 26" TREADED	0.00
Z2RTR2	<input type="checkbox"/> TIRES REAR 20",22",24",26" TREADED, AIRLESS INSERT <i>(Not available with Spinergy Carbon Blade Rear Wheels.)</i>	81.00
Z2RTR31	<input type="checkbox"/> MBL SPEEDLITE (PNEUMATIC)	0.00
Z2RTR30	<input type="checkbox"/> TIRES REAR 24",25" OR 26" PRIMO SENTINEL PNEUMATIC	111.00
Z2RTR8	<input type="checkbox"/> TIRES REAR 24" 25"OR 26"SCHWALBE MARATHON+ EVOL.	89.00
Z2RTR24	<input type="checkbox"/> TIRES REAR, KENDA KOBRA KNOBBY	76.00
SOLID REAR TIRES		
<i>(Not available with Spinergy Carbon Blade Rear Wheels.)</i>		
Z2RTR22	<input type="checkbox"/> TIRES REAR, SOLID, PRIMOEXPRESS	94.00
Z2RTR23	<input type="checkbox"/> TIRES REAR, SOLID, PRIMOACTIVE	114.00

HANDRIMS

Handrims by OUT-FRONT®

Z2RIM1	<input type="checkbox"/>	ALUMINUM- SILVER ANODIZED	0.00
Z2RIM21	<input type="checkbox"/>	ALUMINUM- BLACK ANODIZED <i>(Not available with 20"(451) Rear Wheels.)</i>	46.00
Z2RIM12	<input type="checkbox"/>	TITANIUM- SATIN FINISH <i>(Not available with 20"(451) or 22"(501) Rear Wheels, or 24"(540) Knobby tires.)</i>	388.00
Z2RIM10	<input type="checkbox"/>	THE SURGE™ BY OUT-FRONT, ALL-IN-1 OVAL, L PROFILE <i>(Not available with 20"(451) Rear Wheels.)</i>	312.00
Z2RIM11	<input type="checkbox"/>	THE SURGE™ LT BY OUT-FRONT ALL-IN-1 OVAL S PROFILE <i>(Not available with 20"(451) Rear Wheels.)</i>	337.00
Z2RIM20	<input type="checkbox"/>	Q-GRIP (TETRA GRIPP BY TETRA EQUIPMENT) <i>(Not available with 20"(451)Rear Wheels.)</i>	285.00

The Natural-Fit® (Original, Larger Profile)

(Not available with 20"(451) Rear Wheels.)

Z2RIM14	<input type="checkbox"/>	NATURAL-FIT® BY OUT-FRONT - STANDARD GRIP <i>(Not available with Short Tabs or Spinegy Carbon Blade Rear Wheels)</i>	302.00
Z2RIM15	<input type="checkbox"/>	NATURAL-FIT® BY OUT-FRONT - SUPER GRIP <i>(Not available with Short Tabs or Spinegy Carbon Blade Rear Wheels.)</i>	341.00
Z2RIM16	<input type="checkbox"/>	NATURAL-FIT® BY OUT-FRONT - WITHOUT THUMB GRIP	282.00

The Natural-Fit® LT (Reduced Weight, Smaller Profile)

(Not available with 20"(451) Rear Wheels.)

Z2RIM17	<input type="checkbox"/>	NATURAL-FIT® LT BY OUT-FRONT - STANDARD GRIP <i>(Not available with Short Tabs or Spinegy Carbon Blade Rear Wheels.)</i>	328.00
Z2RIM18	<input type="checkbox"/>	NATURAL-FIT® LT BY OUT-FRONT - SUPER GRIP <i>(Not available with Short Tabs or Spinegy Carbon Blade Rear Wheels.)</i>	375.00
Z2RIM19	<input type="checkbox"/>	NATURAL-FIT® LT BY OUT-FRONT - WITHOUT THUMB GRIP	306.00

Additional handrim options

Z2RIM5	<input type="checkbox"/>	PLASTIC COATED- BLACK	111.00
--------	--------------------------	-----------------------	--------

Tab length

Z2RIM7	<input type="checkbox"/>	HANDRIM TAB LENGTH- LONGTABS	0.00
Z2RIM8	<input type="checkbox"/>	HANDRIM TAB LENGTH- SHORT TABS <i>(Not available with Mag Rear Wheels or The Natural-Fit® Handrims with Thumb Grip.)</i>	17.00

WHEEL LOCKS

Wheel locks by OUT FRONT

Z2WLK7	<input type="checkbox"/>	COMPACT COMPOSITE PUSH TO LOCK WHEEL BY OUT-FRONT <i>(Available with .75" to 1.5" Rear Wheel Spacing J only.)</i>	0.00
Z2WLK8	<input type="checkbox"/>	COMPACT COMPOSITE PULL TO LOCK WHEEL BY OUT-FRONT <i>(Available with .75" to 1.5" Rear Wheel Spacing J only.)</i>	0.00
Z2WLK10	<input type="checkbox"/>	EXTENSION HANDLES FOR COMPACT COMPOSITE PUSH/PULL	76.00

Additional wheel locks

Z2WLK11	<input type="checkbox"/>	MBL COMPOSITE SCISSOR LOCK	124.00
Z2WLK3	<input type="checkbox"/>	WHEEL LOCK UNI-LOCK <input type="checkbox"/> Push <input type="checkbox"/> Pull	140.00
Z2WLK4	<input type="checkbox"/>	EXTENSION HANDLES FOR UNI-LOCK	76.00
Z2WLK15	<input type="checkbox"/>	GRADE AIDS PUSH TO LOCK <i>(Not available with solid rear tires)</i>	154.00

SIDE GUARDS
Aluminium

Z2SDG2-S	<input type="checkbox"/>	SIDE GUARDS ALUMINUM, RIGID, REMOVABLE, SMALL	166.00
		<input type="checkbox"/> Small <input type="checkbox"/> Std	
Z2SDG3-S	<input type="checkbox"/>	SIDE GUARDS ALU, QUAD REMOVABLE W/ HOLE SMALL	174.00
		<input type="checkbox"/> Small <input type="checkbox"/> Std	
Z2SDG4-S	<input type="checkbox"/>	SIDE GUARDS ALUMINUM, FOLD DOWN RIGID, SMALL	285.00
		<input type="checkbox"/> Small <input type="checkbox"/> Std	
		<i>(Not available with Ergonomic Seat.)</i>	
Z2SDG6	<input type="checkbox"/>	SIDE GUARDS ALUMINUM, FENDERED ADJUSTABLE	285.00
		<i>(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5".)</i>	

New 3k Weave Carbon Fiber

Z2SDG7-S	<input type="checkbox"/>	SIDE GUARDS CARBON FIBER, RIGID REMOVABLE SMALL	260.00
		<input type="checkbox"/> Small <input type="checkbox"/> Large	
Z2SDG8-S	<input type="checkbox"/>	SIDE GUARDS CARBON, QUADREMOVABLE WITH HOLE SMALL	268.00
		<input type="checkbox"/> Small <input type="checkbox"/> Large	
Z2SDG9-S	<input type="checkbox"/>	SIDE GUARDS CARBON FIBER, FOLD DOWN RIGID, SMALL	388.00
		<input type="checkbox"/> Small <input type="checkbox"/> Large	
		<i>(Not available with Ergonomic Seat or Carbon Edition.)</i>	
Z2SDG11	<input type="checkbox"/>	CARBON FIBER FENDERED ADJUSTABLE	362.00
		<i>(Available with 24" and 25" Rear Wheels. Requires Rear Seat Height D of 14.5" to 18.5".)</i>	
Z2SDG12	<input type="checkbox"/>	SIDE GUARDS CARBON FIBER FENDERED REMOVABLE	384.00

Available on Aluminum and Carbon Fiber Non-Fendered Side Guards

Z2SDG13	<input type="checkbox"/>	SIDE GUARDS CUSTOM CUT TO PROFILE OF REAR WHEELS	264.00
---------	--------------------------	--	--------

ARMRESTS

(Desk Arms come with built-in Side Guards.)

Tubular Armrests

Z2ARM1-9	<input type="checkbox"/>	SWING AWAY TUBULAR 6.5"-9.5"	<input type="checkbox"/> 9.5"- 12.5"	183.00
		<i>(Not Available with Heavy Duty Frame or Height Adjustable Push Handles.)</i>		
Z2ARM4-9	<input type="checkbox"/>	SWING AWAY FLIP BACK TUBULAR 8.3"-11.5"		264.00
		<i>(Not Available with Heavy Duty Frame.)</i>		

Single Post Desk Arms

Z2ARM2-9-S	<input type="checkbox"/>	REMOV. ADJ. DESK ARM RIGID GUARD 9"-12"/S	<input type="checkbox"/> 12"-15"	285.00
		<input type="checkbox"/> armrest pad length STD (10")	<input type="checkbox"/> Full length (12")	
		<i>(Requires 14" minimum Seat Depth B. Not available with Ergonomic Seat.)</i>		
Z2ARM3-9-S	<input type="checkbox"/>	REMOV. ADJ. DESK ARM RIGID GUARD+TRANSF. 9"-12"/S	<input type="checkbox"/> 12"-15"	312.00
		<input type="checkbox"/> armrest pad length STD (10")	<input type="checkbox"/> Full length (12")	
		<i>(Requires 15" minimum Seat Depth B. Not Available with Ergonomic Seat.)</i>		

Available Armrest Options

Z2ARM5	<input type="checkbox"/>	ARMRESTS COVERED IN BLACK ULTRASUEDE	94.00
		<i>(Not available with Desk Arms)</i>	

SEAT BELTS

Z2BLT1	<input type="checkbox"/>	VELCRO ADJUSTABLE, BLACKNYLON WEBBING	38.00
Z2BLT2	<input type="checkbox"/>	BODYPOINT AUTO-STYLE RELEASE BUCKLE	86.00
Z2BLT4	<input type="checkbox"/>	BODYPOINT 1" PUSH-BUTTONBUCKLE PADDED -AUTO STYLE <i>(Not available with 19" or 20" Rear Seat Widths A.)</i>	157.00
Z2BLT5	<input type="checkbox"/>	BODYPOINT 1.5" PUSH BUTTON BUCKLE PADDED AUTOSTYLE <i>(Not available with 19" or 20" Rear Seat Widths A.)</i>	148.00
Z2BLT8	<input type="checkbox"/>	Q'STRAIT WC-19 WHEELCHAIR-ANCHORED PELVIC BELT <i>(Recommended for use with Transit Tie Down. Not Available with ZR.)</i>	166.00
Z2BLT10	<input type="checkbox"/>	BODYPOINT OPTIONAL BAND CLAMP MOUNTING HARDWARE	17.00
Z2BLT16	<input type="checkbox"/>	BODYPOINT 1" WIDE EVOFLEX, PUSH-BUTTON BUCKLE	162.00

CALFSTRAPS

Z2CLF2-S	<input type="checkbox"/>	CALFSTRAP VELCRO ADJUSTABLE S <i>(Recommended for 9" - 12" Footrest Widths.)</i>	30.00
Z2CLF2-M	<input type="checkbox"/>	CALFSTRAP VELCRO ADJUSTABLE M <i>(Recommended for 11" - 15" Footrest Widths.)</i>	30.00
Z2CLF2-L	<input type="checkbox"/>	CALFSTRAP VELCRO ADJUSTABLE L <i>(Recommended for 14" - 17" Footrest Widths.)</i>	30.00
Z2CLF2-XL	<input type="checkbox"/>	CALFSTRAP VELCRO ADJUSTABLE XL <i>(Recommended for 16" - 19" Footrest Widths.)</i>	30.00
Z2CLF3-S	<input type="checkbox"/>	BODYPOINT PADDED VELCRO ADJUSTABLE S <i>(Recommended for 8" - 11" Footrest Widths.)</i>	89.00
Z2CLF3-M	<input type="checkbox"/>	BODYPOINT PADDED VELCRO ADJUSTABLE M <i>(Recommended for 11" - 15" Footrest Widths.)</i>	89.00
Z2CLF3-L	<input type="checkbox"/>	BODYPOINT PADDED VELCRO ADJUSTABLE L <i>(Recommended for 16" - 19" Footrest Widths.)</i>	89.00
Z2CLF1	<input type="checkbox"/>	BUCKLE ADJUSTABLE, BLACKNYLON WEBBING	20.00

RESIDUAL LIMB SUPPORT

Z2RSL1-L	<input type="checkbox"/>	RESIDUAL LIMB SUPPORT, LEFT	300.00
Z2RSL1-R	<input type="checkbox"/>	RESIDUAL LIMB SUPPORT, RIGHT	300.00
Z2RSL2	<input type="checkbox"/>	RESIDUAL LIMB SUPPORT, PAIR	604.00

BACKPACK

Z2BCK3	<input type="checkbox"/>	BACK PACK, BLACK NYLON	81.00
--------	--------------------------	------------------------	-------

SEAT POUCH

Z2PCH3	<input type="checkbox"/>	SEAT POUCH BLACK NYLON	46.00
Z2PCH5	<input type="checkbox"/>	BODYPOINT MOBILITY BAG	0.00

SPOKE GUARDS

Z2GRD1	<input type="checkbox"/>	CLEAR LEXAN WITH TIMOTION LOGO <i>(Not available with Mag Rear Wheels.)</i>	111.00
--------	--------------------------	--	--------

ANTI-TIP

Z2TIP1	<input type="checkbox"/>	ANTI TIP REAR ALUMINUM- BLACK	137.00
Z2TIP2	<input type="checkbox"/>	ANTI TIP REAR FLIP-UP USER FRIENDLY	285.00

ACCESSORIES

Z2UEST1-12	<input type="checkbox"/>	UPPER EXTREMITY SUPPORT TRAY 12-14" <input type="checkbox"/> 13-15" <i>(Requires Armrests.)</i>	243.00
Z2LUG1	<input type="checkbox"/>	LUGGAGE CARRIERS	124.00
Z2MPCT2-BL	<input type="checkbox"/>	IMPACT GUARDS NEOPRENE BLACK	89.00
Z2CH1	<input type="checkbox"/>	CRUTCH HOLDER	124.00

