

2026

ottobock.

Rigid frame adaptive wheelchair *Ventus*.

Quotation

Order

Billing Address

PO no.

Customer Name

Street

County PC

Shipping address (if different from billing address)

Customer Name

Street

County PC

Name

Date

Signature



Base Price - £1699.00

Please email all orders to
Bockuk@ottobock.com

Valid from 01.01.2026 to 31.12.26
Please ensure you are using the lastet

By placing the order, you agree to comply with the instructions for use/service manuals for accessories and products of other manufacturers when combining them with an Ottobock product, in addition to the instructions for use/service manuals of the respective Ottobock products. Also you confirm to have read, understood and accepted, our general terms and conditions. In addition, you agree, upon placing an order, to conduct your own conformity assessment or approval in accordance with national requirements if and when you implement modifications or attachments that do not meet the specifications of Ottobock instructions for use/service manuals.
Wheelchairs with CLT package cannot be returned or exchanged

Standard equipment Selection (unless alternative selected)

Article number: 480A25=00000_K

- Aluminium tube frame
- Rigid axle
- Front frame layout fully configurable
- Foot plate with different angle and height setting options
- Back support folding and angle adjustable
- Aluminium side panels
- Wheel camber selectabel in 3° increments
- Three different drive wheel diameters
- Knee lever wheel lock
- Push handles by choice

rigid, max. user weight 125 kg

Crash tested according to ISO 7176-19


The number codes contained in this order form are not intended to be used as
article numbers for spare parts orders.

Please scan the QR code to access the spare parts catalogue for any spare parts orders.



Rigid frame adaptive wheelchair *Ventus*.

Filling aid – Wheelchair measurements



SW= cm

Seat Width
Outside edge of frame –
Outside edge of frame



SD= cm

Seat Depth
Front of seat upholstery –
Back support tube



ASH= cm

Anterior Seat Height
Ground –
Top of upholstery



PSH= cm

Posterior Seat height
Ground –
Top of seat upholstery



BH= cm

Back Support Height
Top of seat tube –
Top of back support upholstery



LL= cm

Lower Leg Length
Top of seat upholstery –
Top of foot plate (middle)

Seat width (SB) in cm

- 28 30 32 34 36 38
- 40 42 44 46 48 50

Seat depth (SD) in cm

- 30 32 34 36 38
- 40 42 44 46 48 50

Anterior seat height (ASH) in cm

- 42 43 44 45 46 47 48 49
- 50 51 52 53 54

Posterior seat height (PSH) in cm

- 33 34 35 36 37 38 39 40 41 42 43
- 44 45 46 47 48 49 50 51 52 53

Front frame angle

- MA20 75° Inclusive
- MA21 85° Inclusive

Abduction/offset

- MA06 4 cm abduction (up to seat width 36 cm) Inclusive
- MA14 0 cm offset Inclusive
- MA15 2 cm offset (from seat width 32 cm) Inclusive
- MA16 4 cm offset (from seat width 36 cm) Inclusive

Rigid frame adaptive wheelchair *Ventus*.

Frame accessories

<input type="checkbox"/> MA51	Tip-assist right	£88.00
<input type="checkbox"/> MA52	Tip-assist left	£88.00
<input type="checkbox"/> MA55	Anti-tipper right	£199.00
<input type="checkbox"/> MA56	Anti-tipper left	£199.00
<input type="checkbox"/> MA60	Frame pad	£81.00

Caster wheels

<input type="radio"/> MF30	4" solid rubber, black	Inclusive
<input type="radio"/> MF35	4" soft caster, aluminium	£140.00
<input type="radio"/> MF31	5" solid rubber, black	Inclusive
<input type="radio"/> MF36	5" soft caster, aluminium	£164.00
<input type="radio"/> MF04	5,5" soft caster, grey	Inclusive
<input type="radio"/> MF05	6" pneumatic	Inclusive
<input type="radio"/> MF32	6" solid rubber, black	Inclusive
<input type="radio"/> MF37	6" soft caster, aluminium	£187.00

Caster forks

<input type="radio"/> MF90	Standard	Inclusive
<input type="radio"/> MF94	Design	£156.00
<input type="radio"/> MX30	Froglegs, with suspension	£491.00

Fork length (see p.11, A Anterior Seat Height (ASH) – Fork length)

<input type="radio"/> MF80	Long	Inclusive
<input type="radio"/> MF81	Short	Inclusive
<input type="radio"/> MF82	Extra short	Inclusive

Wheelbase broadening

<input type="radio"/> MF99	10 mm	£36.00
<input type="radio"/> MF99	15 mm	£36.00

Drive wheel size (see p.11, B Posterior seat Height (PSH) – Drive wheel / slider)

<input type="radio"/> MG01	22"	Inclusive
<input type="radio"/> MG02	24"	Inclusive
<input type="radio"/> MG00	25"	Inclusive

Axle with camber (see p 11, C Wheel camber – overall width)

<input type="radio"/> MG40	0°	Inclusive
<input type="radio"/> MG41	3°	Inclusive
<input type="radio"/> MG42	6°	Inclusive
<input type="radio"/> MG43	9°	Inclusive

Rigid frame adaptive wheelchair *Ventus*.

Drive wheel rim		22"	24"	25"				
<input type="radio"/> MG06	Hollow rim	●	●	●	Inclusive			
<input type="radio"/> MG10	Spinergy SPOX		●		£770.00			
<input type="radio"/> MG11	Spinergy LX		●		£957.00			
<input type="radio"/> MG15	Infinity Ultralight	●	●	●	£187.00			
<input type="radio"/> MG197	SmootherWheel dampening drive wheels, max. load 75 kg		●		£1659.00			
<input type="radio"/> MG198	SmootherWheel dampening drive wheels, max. load 95 kg		●		£1659.00			
<input type="radio"/> MG199	SmootherWheel dampening drive wheels, max. load 115 kg		●		£1659.00			
Tyres		22"	24"	25"				
<input type="radio"/> MG31	Schwalbe RightRun, 1"	●	●	●	Inclusive			
<input type="radio"/> MG34	PU 1 "		●		Inclusive			
<input type="radio"/> MG37	Schwalbe Marathon Plus Evo. 1 "	●	●	●	£131.00			
<input type="radio"/> MG341	PU 1 ", black		●		£67.00			
	High Performance Shox for X-Core wheel (only valid for Brazil)			●				
Drive wheel attachment device / Slider (see p.11, B Posterior seat height (PSH) – Drive wheel / slider)								
<input type="radio"/> MG75	Short				Inclusive			
<input type="radio"/> MG76	Medium				Inclusive			
<input type="radio"/> MG77	Long				Inclusive			
Handrims		22"	24"	25"				
<input type="radio"/> MG52	Aluminium, silver anodised, high	●	●	●	Inclusive			
<input type="radio"/> MG53	Aluminium, silver anodised, low	●	●		£15.00			
<input type="radio"/> MG54	Rubber-coated, high	●	●	●	£110.00			
<input type="radio"/> MG56	Stainless steel, polished, high	●	●	●	£57.00			
<input type="radio"/> MG57	Stainless steel, polished, low	●	●		£57.00			
<input type="radio"/> MG63	Curve L	●	●		£374.00			
<input type="radio"/> MG64	Curve L Grip	●	●		£444.00			
<input type="radio"/> MG65	Gekko	●	●		£420.00			
Handrim mounting								
<input type="radio"/> MG70	Mounting position narrow: 15 mm				Inclusive			
<input type="radio"/> MG71	Mounting position wide: 25 mm				Inclusive			
Drive wheel accessories								
<input type="checkbox"/> MG87	High-pressure air pump, 14 bar				£94.00			
Wheelbase extension								
<input type="radio"/> MG85	With second axle (+80 mm)				£344.00			
<input type="radio"/> MG86	Single (+40 mm, from Drive wheel position 6 possible)				£222.00			
<input type="radio"/> MG46	Without				Inclusive			
Drive wheel position (see p.11, D Drive wheel position – Tilt point distance)								
<input type="radio"/> 1 (active)	○ 2	○ 3	○ 4	○ 5	○ 6	○ 7	○ 8	○ 9

Rigid frame adaptive wheelchair *Ventus*.

Wheel locks

<input type="radio"/> MH01	Knee lever wheel lock Standard	Inclusive
<input type="radio"/> MH13	Knee lever wheel lock, enhanced	£345.00
<input type="radio"/> MH05	Scissor wheel lock	£208.00

Wheel lock accessories

<input type="radio"/> MH10	Wheel lock lever extension	£40.00
----------------------------	----------------------------	--------

Back support height (BH) in cm

<input type="radio"/> 22,5	<input type="radio"/> 25	<input type="radio"/> 27,5	<input type="radio"/> 30	<input type="radio"/> 32,5	<input type="radio"/> 35	<input type="radio"/> 37,5	<input type="radio"/> 40	<input type="radio"/> 42,5	<input type="radio"/> 45	<input type="radio"/> 47,5	<input type="radio"/> 50
----------------------------	--------------------------	----------------------------	--------------------------	----------------------------	--------------------------	----------------------------	--------------------------	----------------------------	--------------------------	----------------------------	--------------------------

Back support system

<input type="radio"/> MD10	Back support tube straight, folding onto the seat surface	Inclusive
<input type="radio"/> MD12	Back support tube straight, fixed	Inclusive

Back support upholstery

<input type="radio"/> MD03	Adaptable, padded	£54.00
<input type="radio"/> MD04	Standard	Inclusive
<input type="radio"/> MD25	Adaptable/height-adjustable, including push handles, long (adjustment range = 10 cm; ≥ BH 27,5 cm)	£98.00
<input type="radio"/> MD26	Adaptable/height-adjustable, including push handles, short (adjustment range = 10 cm; ≥ BH 27,5 cm)	£98.00
<input type="radio"/> MD40	Fixed back support plate (≥ BH 30 cm)	£131.00

Push handles

<input type="radio"/> MD50	Standard short (≥ BH 25 cm)	Inclusive
<input type="radio"/> MD51	Standard long (≥ BH 25 cm)	Inclusive
<input type="radio"/> MD53	Telescoping short (≥ BH 25 cm)	£100.00
<input type="radio"/> MD52	Telescoping long (≥ BH 25 cm)	£100.00
<input type="radio"/> MD55	Height-adjustable / removable (≥ BH 30 cm)	£184.00
<input type="radio"/> MD56	Folding (≥ BH 30 cm)	£94.00
<input type="radio"/> MD59	Without	Inclusive

Side panels

<input type="radio"/> ME01	Aluminium	Inclusive
<input type="radio"/> ME02	Clothing guard, aluminium	£78.00
<input type="radio"/> ME03	Plastic clothing guard with different setting options	£198.00
<input type="radio"/> ME04	Carbon clothing guard with different setting options	£616.00
<input type="radio"/> ME05	with forearm support, height-adjustable (see p.12, E ATR / (hSH) , exclusions ME05)	£246.00

Side panel accessories

<input type="checkbox"/> ME50	Arm support, padded, swing-away, different height setting options	£293.00
<input type="checkbox"/> ME51	Neoprene insert for clothing guard	£21.00

Seat upholstery

<input type="radio"/> MC13	Standard	Inclusive
<input type="radio"/> MC14	Adaptable	£105.00
<input type="radio"/> MC19	Fixed seat plate	£123.00

Rigid frame adaptive wheelchair *Ventus*.

Seat cushion

<input type="radio"/> MC01	Standard (functional height 5 cm)	£42.00
<input type="radio"/> MC02	Cubic Foam (functional height 5 cm)	£123.00
<input type="radio"/> MC05	Evolight (functional height 6 cm)	£212.00
<input type="radio"/> MC20	Terra (functional height 6 cm)	£204.00
<input type="radio"/> MC21	Terra Aquos (functional height 6 cm)	£241.00
<input type="radio"/> MC22	Terra Flair (functional height 6 cm)	£441.00
<input type="radio"/> MC23	Cloud (functional height 11 cm)	£635.00
<input type="radio"/> MC29	Livo (functional height 5 cm)	£72.00
<input type="radio"/> MC30	EvoFlair (functional height 8 cm)	£268.00

Lower leg length

LL  in cm	Upper seat cover – Upper foot plate (middle)
--	--

Leg supports

<input type="radio"/> MB03	Footrest shop adjustable (with footboard)	Inclusive
<input type="radio"/> MB06	Foot support, light, fixed	£105.00
<input type="radio"/> MB20	Leg support for short LL (20 – 39 cm)	£180.00

Leg support bar options (see p. 12, **F** Front frame offset / LL – foot stirrup length)

<input type="radio"/> MB40	Short (39 cm – 45 cm)	Inclusive
<input type="radio"/> MB42	Long (46 cm – 50 cm)	Inclusive

Leg support accessories

<input type="checkbox"/> MB71	Leg positioning calf band	£21.00
<input type="checkbox"/> MB73	Lateral heel blocks	£70.00

Other accessories

<input type="checkbox"/> MZ51	Lap belt with metal buckle	£76.00
<input type="checkbox"/> MZ52	Tool kit	£49.00

Head support

<input type="checkbox"/> MD22	Attachment for head support mounting kit	£122.00
<input type="checkbox"/> MZ61	Mounting kit for head support, horizontal	£167.00
<input type="checkbox"/> MZ62	Mounting kit for head support, horizontal and vertical	£288.00
<input type="checkbox"/> MZ63	Head support, complete incl. mounting kit, horizontal and vertical	£332.00

Note: Please also use the order form for wheelchair accessories 647F661.

Spoke protector

<input type="radio"/> MG90	Transparent	£137.00
<input type="radio"/> MG100	Motiv Graphics	£230.00
<input type="radio"/> MG101	Motiv Miracle	£230.00
<input type="radio"/> MG102	Motiv Network	£230.00
<input type="radio"/> MG103	Motiv Robots	£230.00
<input type="radio"/> MG104	Motiv Spectrum	£230.00

Rigid frame adaptive wheelchair *Ventus*.

Frame colours

<input type="radio"/> 003	Jet Black (glossy)*	Inclusive
<input type="radio"/> 023	White (glossy)	Inclusive
<input type="radio"/> 001	Brilliant silver (glossy)*	£108.00
<input type="radio"/> 002	Anthracite metallic (glossy)	£108.00
<input type="radio"/> 004	Ice blue metallic (glossy)*	£108.00
<input type="radio"/> 005	Sparkle Light Orange (glossy)*	£108.00
<input type="radio"/> 009	Vinho Sparkle (glossy)*	£108.00
<input type="radio"/> 010	Marine blue (glossy)*	£108.00
<input type="radio"/> 012	Sky Blue (glossy)*	£108.00
<input type="radio"/> 014	Candy red (glossy)*	£108.00
<input type="radio"/> 016	Silver metallic**	£108.00
<input type="radio"/> 021	Granny Smith (glossy)*	£108.00
<input type="radio"/> 027	Shimano matt metallic*	£108.00
<input type="radio"/> 048	Obsidian Black (textured)**	£108.00
<input type="radio"/> 013	Jet Black (matte)*	£108.00
<input type="radio"/> 051	Sunny orange (textured)**	£108.00
<input type="radio"/> 056	Pearl White metallic**	£108.00
<input type="radio"/> 058	Mint Green (matte)**	£108.00
<input type="radio"/> 059	Raspberry Red (glossy)**	£108.00
<input type="radio"/> 060	Azure Blue metallic**	£108.00

* available until end 06/26

** available by beginning 07/26

Special accessories

<input type="checkbox"/> MZ58	Bag for drive wheels (for 2 drive wheels up to 28")	£105.00
<input type="checkbox"/> MZ59	Pocket for mobile phone	£28.00
<input type="checkbox"/> MZ70	Kit for transport in car	£295.00
<input type="checkbox"/> MZ89	Protection for quick-release-axle	£12.00
<input type="checkbox"/> MZ93	Backpack	£47.00
<input type="checkbox"/> MZ92	Wheel Blades (mini-skis for caster wheels)	£420.00

Rigid frame adaptive wheelchair *Ventus*.



MA51/ MA52
Tip-assist



MA55/ MA56
Anti-tipper



MF30/31/32
Solid rubber



MF04
Soft roll wheel, grey



MF05
Pneumatic




MF35/36/37
Soft caster,
aluminium



MF90
Caster fork Standard



MF94
Caster fork Design



MG06
Hollow rim



MG15
Infinity Ultralight



MG10
Spinergy SPOX



MG11
Spinergy LX

Rigid frame adaptive wheelchair *Ventus*.



MG31
Right Run 1"



MG37
Schwalbe Marathon Plus
Evolution 1"




MG63 / MG64
Curve L Grip



MG65
Gekko



MG85
Wheelbase extension with
second axle



MG86
Wheelbase
easy extension



MH13
Knee lever wheel lock,
enhanced



MH05
Scissor wheel lock



ME01
Aluminium side panel



ME02
Clothing guard,
aluminium



ME03 / ME04
Clothing guard
Plastic/carbon



ME05
with forearm support,
height-adjustable



ME50
Arm support, padded, height-ad-
justable, swing-away




MB03
Single-panel leg support,
angle and depth-adjustable



MB06
Foot stirrup, fixed

ottobock.

Rigid frame adaptive wheelchair *Ventus*.



MC02
Cubic Foam



MC05
Evolight



MC20
Terra



MC21
Terra Aquos




MC22
Terra Flair



MC23
Cloud



MC29
Livo



MC30
Evoflair



MB51
Lap belt with metal buckle



MB52
Tool kit



MZ62
Mounting kit for head support, horizontal + vertical



MB63
Head support, compl. incl.
mounting kit



MZ58
Bag for drive wheels



MZ59
Pocket for mobile phone



MZ92
Wheel Blades



MZ93
Backpack

Rigid frame adaptive wheelchair *Ventus*.

A) Anterior seat height (ASH) → Fork length in cm

Caster wheel size	Caster fork Standard		
	extra short	short	long
4"	42 - 43	44 - 48	49 - 51
5"	—	45 - 49	49 - 53
5,5"	—	47 - 49	50 - 53
6"	—	47 - 49	50 - 53
Caster fork Design			
4"	43	46 - 49	50 - 53
5"	—	46 - 50	50 - 53
5,5"	—	48 - 51	51 - 54
6"	—	50 - 51	51 - 54
Caster fork Frogleg			
4"	—	48 - 50	50 - 52
5"	—	50 - 51	52 - 53

B) Posterior seat height (PSH) Drive → wheel/sliderr in cm

Drive wheel size	Axle with camber	Slider		
		short	medium	long
22"	0°/3°	35 (38*) - 40	35 (38*) - 44	40 (44*) - 49
	6°	34 (37*) - 39	34 (37*) - 43	39 (43*) - 48
	9°	33 - 38**	33 - 42**	38 - 47**
24"	0°/3°	38 (41*) - 42	38 (41*) - 46	43 (47*) - 52
	6°	37 (40*) - 42	37 (40*) - 46	42 (46*) - 51
	9°	36 - 41**	36 - 43**	41 - 50**
25"	0°/3°	39 (42*) - 43	39 (42*) - 47	44 (48*) - 53
	6°	38 (41*) - 43	38 (41*) - 47	43 (47*) - 52
	9°	37 - 42**	37 - 46**	42 - 51**

* For wheelbase extension with 2nd axle, ** Cannot be selected for wheelbase extension with 2nd axle


C) Wheel camber → Overall width in cm

Drive wheel camber	22" drive wheel	24" drive wheel	25" drive wheel
3°	< 6	6	> 6
6°	< 12	12	> 12
9°	< 18	18	> 18

D) Drive wheel position → Distance from tipping point (in mm)

Dimension (horizontal) from centre axis to apex point Back support tube (front edge)/upholstery bar (top edge)

Drive wheel position	Distance from tipping point
1 (active)	130 mm
2	120 mm
3	110 mm
4	100 mm
5	90 mm
6	80 mm
7	70 mm
8	60 mm
9	50 mm



Rigid frame adaptive wheelchair *Ventus*.

E) ATR / Posterior seat height (PSH), exclusions ME05						
Posterior seat height [cm]	Drive wheel without wheelbase extension			Drive wheel with wheelbase extension		
	22"	24"	25"	22"	24"	25"
33	●	●	●	●	●	●
34	●	●	●	●	●	●
35	●	●	●	●	●	●
36	●	●	●	●	●	●
37	●	●	●	●	●	●
38	●	●	●	●	●	●
39	●	●	●	●	●	●
40	●	●	●	●	●	●
41	●	●	●	●	●	●
42	●	●	●	●	●	●
43	●	●	●	●	●	●
44	●	●	●	●	●	●
45	●	●	●	●	●	●
46	●	●	●	●	●	●
47	●	●	●	●	●	●
48	●	●	●	●	●	●
49	●	●	●	●	●	●
50	●	●	●	●	●	●
51	●	●	●	●	●	●
52	●	●	●	●	●	●
53	●	●	●	●	●	●
●	Combination is possible					
●	Combination is not possible					

F) Anterior frame offset / LL → Foot stirrup length						
Front frame angle	0 cm offset		2 cm, 4 cm offset		4 cm abduction	
	75°	85°	75°	85°	75°	85°
Leg support bar short	–	–	LLL 39 - 45 cm	LLL 39 - 48 cm	LLL 39 - 47 cm	LLL 39 - 48 cm
Leg support bar long	LLL 40 - 50 cm	LLL 40 - 50 cm	LLL >/= 44 cm	LLL >/= 46 cm	LLL >/= 47 cm	LLL >/= 47 cm