	SUNRIS M E D I C A	<mark>E</mark> L.			Ó. Xenon	JICKIE S
Invoice to:				Deliver to:		
Name:				Name:		
Street:				Street:		
Town:	Postal	code:		Town:	Postal code:	
E-Mail:				E-Mail:		
Tel:	Fax:			Tel:	Fax:	
			•			
Order date:				Marked for:		
Purchase order:						
Number required:				Sunrise order no:		
□ Order	□ Quotation	□ Built 4 me (longer le	eadtime)	= Standard	O = No cost option \Box = C	ost option
	Base Price		Max	. user weight: 12	25kg	
	£2,600			R WEIGHT		kg
5%	Surcharge will be added to the total	value of the order				

CLIENT MEASUREMENT - All measurements in cm without cushion

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube

32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
0	0	0	0	0	0	0	0	0	0

SEAT DEPTH SELECTION

34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm
0	0	0	0	0	0	0	0	0

38 cm frame length

Fax number: +44 (0)845 605 66 89

Email: orders@sunmed.co.uk

each frame in a seperate length (2 cm increments)

Mandatory information to ensure correct configuration

MSH01

Part no: 77 800 001

FRONT SEAT HEIGHT SELECTION: independent of front castors, Carbotecture forks and frame versions

Front seat height in cm

		Fork (length)	43	44	45	46	47	48	49	50	51	52	53	54	55	56
		111 mm	0	0	0											
		123 mm <i>(1)</i>		0	0	0										
	0,1	138 mm <i>(1)</i>				0	0	0								
	3" -	174 mm <i>(1)</i>							0	0	0					
		Frog Leg (1)														
		One Arm <i>(1)</i>														
		111 mm	0	0	0	0										
_		123 mm <i>(1)</i>		0	0											
Front Castor	4"	138 mm <i>(1)</i>				0	0	0	0							
Ç	" [174 mm <i>(1)</i>								0	0	0	0			
n t (Frog Leg (1)														
ē		One Arm (1)														
щ		111 mm			0		0	0								
		123 mm <i>(1)</i>					0	0	0							
	5"	138 mm <i>(1)</i>					0	0	0	0						
	ľ	174 mm <i>(1)</i>							0	0		0	0	0		
		Frog Leg <i>(1)</i>														
		One Arm (1)														
	L	123 mm <i>(1)</i>						0	0	0						
	6"	138 mm <i>(1)</i>						0	0	0	0					
	ľ	174 mm <i>(1)</i>								0	0	0	0	0	0	
		Frog Leg (1)														
	7"	138 mm <i>(1)</i>							0	0	0	0				
	•	174 mm <i>(1)</i>										0	0	0	0	0

⁽¹⁾ compatible with power add on devices. For 123mm fork, please choose option XFF090093 "Fork for power add ons" additionally.

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

Rear seat height in cm

Rear Wheels	37	38	39	40	41	42	43	44	45	46	47	48	49	50
24"	0	0	0	0	0	0	0	0	0	0	0	0	O ⁽²⁾	
25"		0	0	0	0	0	0	0	0	0	0	0	0	O ⁽²⁾

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

												£
		SEAT										
Seat sling												
XES020002	0	Seat sling, nylon, tension adjustal	ble, 1 utilit	ty bag							(Standard option)	
XES020003		Seat sling, nylon, tension adjustal	ble, 2 utilit	ty bags	3						(only from SW 34 cm)	51
XES020004		Seat sling, nylon, tension adjustal	ble, 1 utilit	ty bag,	1 catheter b	ag					(only from SW 34 cm)	81
XES020000	0	Without seat sling										
Seat cushic	on, co	over with zipper, black										
Foam (medi	ium-s	oft) Thickness: XE	S020101		3 cm	XES020102		5 cm				66
Latex (very			S020103		5 cm	XES020104		8 cm				66
		imatic membrane water-resistan	•		•							
Foam (medi		,	S020105		3 cm	XES020106		5 cm				123
Latex (very	soft)	Thickness: XE	S020107		5 cm	XES020108		8 cm				123
XES020150		Replacement cover for seat cush	ion, cover	with z	ipper, black							44
Seat acces	sorie	s										
XES090018		Lap belt with buckle, metal										42
XES020050		Additional padding for seat uphole	, ·									28
JAY Cushic	ons -	for complete product range see	JAY orde	r form	IS							
JAY020002		JAY Basic										55
JAY020003		JAY Soft Combi P										77
JAY020001		JAY Easy Visco, Curved Base										132
JAY020004		JAY Lite										215
JAY020007		JAY Easy Fluid, Curved Base										308
		BACKREST										
		DAURRESI										
Back heigh	nt ran		25	- 30	30 - 35	35 - 40	40) - 45	45 -	47,5		
_		ge	25	- 30	30 - 35 O 30	35 - 40 O 35	40) - 45 40	45 -	47,5		
Choose bac	k hei						0		_			
Choose bac	k hei	ge ght factory setting (cm).	0	25	O 30	O 35	0	40	0	45		
Choose bac	k hei	ge ght factory setting (cm).	0	25 27.5	O 30 O 32.5	O 35 O 37.5	0	40 42.5	0	45		
Choose bac Height adjus	ck heig stmer	ge ght factory setting (cm).	0	25 27.5	O 30 O 32.5	O 35 O 37.5	0	40 42.5	0	45		203
Choose bac Height adjus Backrest he	ck heig stmer	ge ght factory setting (cm). its of in total 5 cm possible.	0	25 27.5 30	O 30 O 32.5 O 35	O 35 O 37.5 O 40	0 0	40 42.5 45	0	45		203 203
Choose bac Height adjus Backrest he Fixed height	ck heig stmer eight t, non	ge ght factory setting (cm). tts of in total 5 cm possible. carbon fibre tubes (3) height adjustable	0 0	25 27.5 30 25	○ 30○ 32.5○ 35□ 27.5	○ 35○ 37.5○ 40	0 0	40 42.5 45 32.5	0	45	[
Choose back Height adjust Backrest height Exercise States the stat	ck heig stmer	ge ght factory setting (cm). Its of in total 5 cm possible. carbon fibre tubes (3) height adjustable Backrest, fixed (90°)	0 0	25 27.5 30 25 35	○ 30 ○ 32.5 ○ 35 □ 27.5 □ 37.5	○ 35 ○ 37.5 ○ 40 □ 30 □ 40	0 0	40 42.5 45 32.5	0	45	[
Choose back Height adjust Backrest he Fixed height XES030010 XES030029	ck heig stmer eight t, non	ge ght factory setting (cm). ats of in total 5 cm possible. carbon fibre tubes (3) height adjustable Backrest, fixed (90°) Desk sideguard preparation	O O	25 27.5 30 25 35	○ 30 ○ 32.5 ○ 35 □ 27.5 □ 37.5	○ 35○ 37.5○ 40	0 0	40 42.5 45 32.5 42.5	0	45 47.5	[203
Choose back Height adjust Backrest he Fixed height XES030010 XES030029 XES030031	eight t, non	ge ght factory setting (cm). ats of in total 5 cm possible. carbon fibre tubes (3) height adjustable Backrest, fixed (90°) Desk sideguard preparation Backrest, fold-down (to the	O O	25 27.5 30 25 35	○ 30 ○ 32.5 ○ 35 □ 27.5 □ 37.5	○ 35 ○ 37.5 ○ 40 □ 30 □ 40	0 0	40 42.5 45 32.5 42.5	0	45 47.5	ight 32,5 cm upwards)	203
Choose backed Height adjust Backrest he Fixed height XES030010 XES030029 XES030012	ck heig stmer eight t, non	ge ght factory setting (cm). ats of in total 5 cm possible. carbon fibre tubes (3) height adjustable Backrest, fixed (90°) O Desk sideguard preparation Backrest, fold-down (to the Backrest, angle-adjustable	o o o o o o o o o o o o o o o o o o o	25 27.5 30 25 35 replace	○ 30 ○ 32.5 ○ 35 □ 27.5 □ 37.5 ement	○ 35 ○ 37.5 ○ 40 □ 30 □ 40	0 0	40 42.5 45 32.5 42.5	0	45 47.5	ight 32,5 cm upwards) (75° to 103°)	203
Choose backed Height adjust Backrest he Fixed height XES030010 XES030029 XES030012 XES030029	eight t, non	ge ght factory setting (cm). Its of in total 5 cm possible. carbon fibre tubes (3) height adjustable Backrest, fixed (90°) Desk sideguard preparation Backrest, fold-down (to the Backrest, angle-adjustable Desk sideguard preparation	o o o o o o o o o o o o o o o o o o o	25 27.5 30 25 35 replace	○ 30 ○ 32.5 ○ 35 □ 27.5 □ 37.5 ement	○ 35 ○ 37.5 ○ 40 □ 30 □ 40	O O O O O O O O O O O O O O O O O O O	40 42.5 45 32.5 42.5	O O	45 47.5	(75° to 103°)	181
Choose back Height adjust Backrest height XES030010 XES030029 XES030012 XES030029 XES030029 XES030031	eight t, non	ge ght factory setting (cm). ats of in total 5 cm possible. carbon fibre tubes (3) height adjustable Backrest, fixed (90°) O Desk sideguard preparation Backrest, fold-down (to the Backrest, angle-adjustable	o o o o o o o o o o o o o o o o o o o	25 27.5 30 25 35 replace	○ 30 ○ 32.5 ○ 35 □ 27.5 □ 37.5 ement	○ 35 ○ 37.5 ○ 40 □ 30 □ 40	O O O O O O O O O O O O O O O O O O O	40 42.5 45 32.5 42.5	O O	45 47.5		181
Choose back Height adjust Backrest he Fixed height XES030010 XES030029 XES030031 XES030012 XES030029 XES030031 Push hand	eight t, non	ge ght factory setting (cm). Its of in total 5 cm possible. carbon fibre tubes (3) height adjustable Backrest, fixed (90°) Desk sideguard preparation Backrest, fold-down (to the Backrest, angle-adjustable Desk sideguard preparation Backrest, fold-down (to the Backrest, fold-down (to the	o o o o o o o o o o o o o o o o o o o	25 27.5 30 25 35 replace	○ 30 ○ 32.5 ○ 35 □ 27.5 □ 37.5 ement	○ 35 ○ 37.5 ○ 40 □ 30 □ 40	O O O O O O O O O O O O O O O O O O O	40 42.5 45 32.5 42.5	O O	45 47.5	(75° to 103°)	181
Choose back Height adjust Backrest he Fixed height XES030010 XES030029 XES030031 XES030012 XES030029 XES030031 Push handle XES030200	eight o	ge ght factory setting (cm). Ints of in total 5 cm possible. Ints of int	o o o o o o o o o o o o o o o o o o o	25 27.5 30 25 35 replace	○ 30 ○ 32.5 ○ 35 □ 27.5 □ 37.5 ement	○ 35 ○ 37.5 ○ 40 □ 30 □ 40	O O O O O O O O O O O O O O O O O O O	40 42.5 45 32.5 42.5	O O	45 47.5	(75° to 103°)	
Choose back Height adjust Backrest he Fixed height XES030010 XES030029 XES030012 XES030029 XES030031 Push handle XES030200 XES030201	eight O	ge ght factory setting (cm). Its of in total 5 cm possible. Garbon fibre tubes (3) height adjustable Backrest, fixed (90°) Desk sideguard preparation Backrest, fold-down (to the Backrest, angle-adjustable Desk sideguard preparation Backrest, fold-down (to the Desk sideguard preparation Backrest, fold-down (to the Desk sideguard preparation Desk sideguard Desk	o o o o o o o o o o o o o o o o o o o	25 27.5 30 25 35 replace	○ 30 ○ 32.5 ○ 35 □ 27.5 □ 37.5 ement	○ 35 ○ 37.5 ○ 40 □ 30 □ 40	(onl	40 42.5 45 32.5 42.5	ole from	47.5 back he	(75° to 103°) ight 32,5 cm upwards)	181
Height adjus	eight o	ge ght factory setting (cm). Ints of in total 5 cm possible. Ints of int	for later front) (6)	25 27.5 30 25 35 replace	○ 30 ○ 32.5 ○ 35 □ 27.5 □ 37.5 ement	○ 35 ○ 37.5 ○ 40 □ 30 □ 40	(onli	40 42.5 45 32.5 42.5 42.5	ole from	45 47.5 back he	(75° to 103°)	181

- (2) only with lightweight adapter
- (3) not with Jay J3 backs, not with Desk sideguard
- (4) necessary for retrofitting Desk sideguard or Tubular armrest with Backrest, fixed 90°
- (5) necessary for retrofitting Desk sideguard
- (6) not with height adj. push handles, not with JAY backs; in combination with push handles fold-down only from backrest height 40cm upwards; please see Folding Matrix on Page 8

Backrest (uphols	stery	£
XES030316	0	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Exo Evo Version)	
		Colour, binding tape: O Black (Std) O Orange O Silver O Red O Blue	
XES030317		EXO PRO Backr. sling, synthetic fibre, padded, adj., breathable spacer fabric, accessory bag, black (Evo Exo Version)	
		Colour, binding tape: ○ Black □ Orange □ Silver □ Red □ Blue	147
XES030300	0	Without backrest upholstery	
Accessori	es for	backrest	
XES030402		Stabilising bar, automatic folding (only available from SW 38cm; not with fixed height backrest)	141
XES030401		Stabilising bar, swing-away (only available from SW38)	59
		□ Headrest, height-, depth- and angle-adjustable	
		XES030411 □ medium (20x11cm)	194
JAY 3 Bac	k - Sh	allow Contour	
Mid Thorac	cic:	☐ JAY030010 Medium - 34 cm ☐ JAY030033 Tall - 38 cm	506
Upper Tho	racic:	□ JAY030012 Short - 42 cm □ JAY030019 Medium - 46 cm □ JAY030025 Tall - 50 cm	572
JAY 3 Bac	k - Mi	d Contour	
Mid Thorac	cic:	☐ JAY030011 Medium - 34 cm ☐ JAY030018 Tall - 38 cm	506
Upper Tho	racic:	□ JAY030013 Short - 42 cm □ JAY030020 Medium - 46 cm □ JAY030026 Tall - 50 cm	572
JAY 3 Car	bon B	ack - Shallow Contour	
Lower Tho	racic:	□ JAY060001 Short - 17 cm □ JAY060002 Tall - 24 cm	605
Mid Thorac	cic:	□ JAY060003 Short - 30 cm □ JAY060004 Tall - 38 cm	605
Accessori	es for	JAY J3 backs	
JAY030004		JAY Flip Back Headrest (J3EUHDFH & J3EUHDLSP) (only with JAY J3 backs)	255
JAY030006		JAY Std. Headrest (J3EUHDXH & J3EUHDLSP) (only with JAY J3 backs)	138
JAY090058		JAY Accessory bag (only with JAY J3 Carbon backs)	50
		ARMREST AND SIDEGUARDS	
Armrest			
XES040005	0	Desk sideguard, flip-up, removable	
XES040001	0	Desk sideguard, armpad (25 cm), fixed, flip-up, removable	
XES040003	0	Desk sideguard, armpad (31 cm), fixed, flip-up, removable	
XES040002		Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable	189
XES040004		Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable	189
XES040052		Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable	202
XES040117		Tubular armrest, Aluminium, swing away (sideways), padded, removable	203
Accessori	es arr	nrest	
XES040020	0	Release assistance for tetraplegics (only with desk sideguard)	
XES090011		Tray, push-fit, SW 38 - 48 cm	140
		Tray, swing-away (to the side), SW 34 - 50 cm	
		XES090012 □ left-mount XES090013 □ right-mount	140
Sideguard	ls		
XES040107	0	Sideguard, composite, removable, 21 cm high (31 cm long), black	
XES040101		Sideguard, carbon fibre, cold weather protection, slim (black)	203
XES040102		Sideguard, aluminium, cold weather protection (in frame colour)	225
XES040103		Sideguard, aluminium, fender, cold weather protection (in frame colour)	242
XES040104		Sideguard, carbon fibre, fender, cold weather protection (black)	309
		FOOTREST & FOOTBOARDS	
XES050008	0	Hanger, aluminium, swing-away, pair (angle measured seat and hanger tube)	
XES050001		O Hanger angle 80° (100° EU) XES050002 O Hanger angle 70° (110° EU)	
	_	Hanger, aluminium, Elevating (0° - 90°), swing-away	
XES050009		left XES050010 □ right	198
XES050011		pair	393
VECOSOS	_	Amputee support	
XES050014		left XES050013 □ right	94
XES050012		pair	188

XES050020		Footplates	£
	0	Footplates, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (from SW 38cm)	
XES050022		Footplates, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour	93
XES050051		Footplates, divided, aluminium, angle-adj., flip-up (sideways), high-mount, heel loop, frame colour	93
\/5005000		Footboards	4.47
XES050023		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, frame colour	147 102
XES050126 XES050059		Swing-away mechanism for platform footboard (minimum LLL 3cm longer)	222
XES050131		Footboard, platform, Performance, aluminium, angle-adjustable, flip-up (sideways), calf strap	171
XES050131		Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap, black Footboard, platform, lightweight, carbon fibre, angle & depth-adj. flip up (sideways), calf strap, black	305
XES050132 XES050052		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), high-mount, frame colour	222
7.2000000		Toolboard, platform, diaminitum, angle adjustable, mp up (stationally), mg/r mount, mame colour	
		Accessories for footboards	
XES050127		Foot positioning plate (Adjustable side protection, to create a side-stop on the footboard) (7)	67
		LOWER LEG LENGTH (LLL): LLL has to be 2.5 cm less than front seat height; all measurements are in cm	
0		22	
0		32 0 33 0 34 0 35 0 36 0 37 0 38 0 39 0 40 0 41	
0		42 0 43 0 44 0 45 0 46 0 47 0 48 0 49 0 50	
		FRAME VERSIONS	
XES010015	•	Frame SA (removable footrest)	
		CENTRE OF GRAVITY (COG) (4= very passive 13= very active)	
XES070703	Adap	ter, standard	
		0 9 0 10 0 11 0 12	
XES070701	Adap	ter, lightweight (8) 0 7 0 8 0 9 0 11 0 12 0 13	
XES010411	0	Axle plate, aluminium, long (full adjustment)	
XES010412		Axle plate, aluminium, shorted (max. adjustment 1 cm)	183
		Total plate, alaminam, enerted (max. adjactment 1 om)	
		EMPULSE F55 BUNDLING	
EMO0(O		With F55 order not mounted to the wheelchair (Please use separate OF to order the F55.)	
EMOOL O		With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.)	
EMOOL O			
		With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.)	
		With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.) With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.)	67
EMOOL O		With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.) With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option	67
EMO0() XES090016		With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.) With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black	67
EMO0(O XES090016 XES090100	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.) With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option	
XES090016 XES090010 XES090010	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.) With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option	
XES090016 XES090010 XES090010	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.) With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair	194
XES090016 XES090100 XES090100 XES090050	0	With F55 order, not mounted to the wheelchair With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away	194 73
XES090016 XES090100 XES090010 XES090050	0	With F55 order, not mounted to the wheelchair With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away Left XES090005 Right	194 73 87
XES090016 XES090100 XES090010 XES090050	0	With F55 order, not mounted to the wheelchair With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away Left XES090005 Right Pair	194 73
XES090016 XES090100 XES090010 XES090050 XES090004 XES090006		With F55 order, not mounted to the wheelchair With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away Left XES090005 Right Pair Tip assist	194 73 87 176
XES090016 XES090100 XES090010 XES090050 XES090004 XES090006		With F55 order, not mounted to the wheelchair With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away Left XES090005 Right Pair Tip assist Left XES090002 Right	194 73 87 176
XES090016 XES090100 XES090010 XES090050 XES090004 XES090006 XES090001 XES090001		With F55 order, not mounted to the wheelchair With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away Left XES090005 Right Pair Tip assist Left XES090002 Right Pair	194 73 87 176 28 54
XES090016 XES090100 XES090010 XES090050 XES090004 XES090006 XES090001 XES090001		With F55 order, not mounted to the wheelchair With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away Left XES090005 Right Pair Tin assist Left XES090002 Right Pair Crutch holder, loop (only in combination with tip assist)	194 73 87 176
XES090016 XES090100 XES090010 XES090050 XES090004 XES090006 XES090001 XES090001 XES090003 XES090009		With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.) With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away Left	194 73 87 176 28 54
XES090016 XES090100 XES090010 XES090050 XES090004 XES090006 XES090001 XES090001 XES090001 XES090002		With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.) With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away Left XES090005 Right Pair Tip assist Left XES090002 Right Pair Crutch holder, loop (only in combination with tip assist) FORKS (compare with your choice on the first page) Castor fork, Aluminium	194 73 87 176 28 54
XES090016 XES090100 XES090010 XES090050 XES090004 XES090006 XES090001 XES090001		With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.) With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away Left XES090005	194 73 87 176 28 54 67
XES090016 XES090100 XES090010 XES090050 XES090006 XES090001 XES090001 XES090001 XES090001 XES090001 XES090001 XES090001 XES090001 XES090001		With F55 order, not mounted to the wheelchair	194 73 87 176 28 54 67
XES090016 XES090100 XES090010 XES090050 XES090006 XES090001 XES090001 XES090001 XES090001 XES090001 XES090001 XES090001 XES090001 XES090001		With F55 order, not mounted to the wheelchair	194 73 87 176 28 54 67
EMOOL O XES090016 XES090100 XES090010 XES090050 XES090006 XES090001 XES090001 XES090001 XES090001 XES090001 XES090003 XES090009 XES080029 XES080029 XES080008		With F55 order, not mounted to the wheelchair	194 73 87 176 28 54 67 46 168
XES090016 XES090100 XES090100 XES090010 XES090000 XES0900000 XES0900001 XES0900000		With F55 order, not mounted to the wheelchair	194 73 87 176 28 54 67 46 168 46
XES090016 XES090100 XES090010 XES090050 XES090004 XES090006 XES090001 XES090001 XES090001 XES090003 XES090009 XES080013 XES080008 XES080007		With F55 order, not mounted to the wheelchair	194 73 87 176 28 54 67 46 168 46
XES090016 XES090100 XES090100 XES090050 XES090004 XES090006 XES090001 XES090001 XES090001 XES090001 XES0900001 XES0900001 XES0900001 XES0900001 XES0900001 XES0900001 XES0900001 XES0800007 XES0800007		With F55 order, not mounted to the wheelchair	194 73 87 176 28 54 67 46 168 46
XES090016 XES090100 XES090010 XES090050 XES090006 XES090006 XES090001 XES090001 XES090009 XES080009 XES080007 XES080301		With F55 order, not mounted to the wheelchair	194 73 87 176 28 54 67 46 168 46
EMOOL Q XES090016 XES090100 XES090010 XES090050 XES090006 XES090006 XES090001 XES090001 XES090001 XES090001 XES090001 XES090003 XES090009 XES080009 XES080007 XES080301 XES080301 XES080302		With F55 order, not mounted to the wheelchair With F55 order, mounted to the wheelchair With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.) FRAME ACCESSORIES (choose either tip assist or anti- tip tubes per side) Frame protection, black Transportation brackets - Crash test option Transit wheels Anti-tip tubes, plug-in, pair Anti-tip tubes, swing-away Left XES090005 Right Pair Tin assist Left XES090002 Right Pair Crutch holder, loop Castor fork, Aluminium Castor fork, Carbotecture Colour: Silver Orange Red Orange Red Blue Castor fork, aluminium, one-arm Colour: Silver Colour: Black Colour: Silver Orange Red Red Blue Castor fork, aluminium, uspension (Frog Legs ®), black CASTORS (compare with your choice on the first page) Castor, solid (hard), rim: composite, black (conly rim: composite, black)	194 73 87 176 28 54 67 46 168 46
XES090016 XES090100 XES090010 XES090050 XES090004 XES090006 XES090001 XES090003 XES090009 XES090009		With F55 order, not mounted to the wheelchair	194 73 87 176 28 54 67 46 168 46 283
EMOOL Q XES090016 XES090100 XES090010 XES090050 XES090006 XES090006 XES090001 XES090001 XES090001 XES090001 XES090001 XES090001 XES090001 XES080001 XES080001 XES080001 XES080001 XES080001 XES080007		With F55 order, not mounted to the wheelchair	194 73 87 176 28 54 67 46 168 46 283

- (7) only for footboard, platform lightweight or Performance
- (8) only with 0° wheel camber
- (9) only with 111x45mm Carbotecture fork

			£					
		REAR WHEELS (compare with your choice on the first page; choose only one wheel type)						
XES070000	0	Without rear wheel						
XES070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (only 24")						
XES070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24")						
XES070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (please see colour options on last page)						
XES070004		Rear wheel, Proton, 24 spokes (black), straight spokes (user weight limit 100kg)	483					
XES070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver	437					
XES070006		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub: silver	674					
XES070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black	674					
XES070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (10) (only 24")	353					
XES070009		Rear wheel, Mountainbike, 36 spokes (silver), straight spokes (only 24")	297					
XES070010		Mountainbike wheel, replacement kit incl. tyre (extra coarse profile) (only 24")	453					
		Axle						
XES070150	0	Quick-release axle (Standard option)						
XES070151		Quick-release axle, designed for quads (11)	102					
		TYRES (choose only one tyre type)						
XES070101	0	Tyre, pneumatic, fine profile, Schwalbe Right Run (only 24")						
XES070102	0	Tyre, puncture proof, tread						
XES070106		Tyre, pneumatic, tread, Schwalbe Downtown Two Grip (only 24")	90					
XES070107		Tyre, pneumatic, slick, Schwalbe One	90					
XES070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	90					
		HANDRIMS						
XES070204	0	Handrims, stainless steel, silver						
XES070202	0	Handrims, aluminium, anodised, silver						
XES070201	0	Handrims, aluminium, powder-coated, clear						
XES070203		Handrims, aluminium, powder-coated, coloured (select colour on last page)						
XES070205		Handrims, titanium, untreated	60 185					
XES070206		Handrims, titanium, powder-coated, clear	185					
XES070207		Handrims, Supergrip ®	222					
XES070208		Handrims, Maxgrepp ® (only 24")	222					
XES070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25" only)	177					
		<u> </u>						
		Handrim mounting						
XES070307	0	Handrim mount, super narrow (7 mm) (only with stainless steel)						
XES070317	0	Handrim mount, narrow (17 mm) (Standard option)						
XES070327	0	Handrim mount, wide (27 mm)						
		Handrim assessation						
XES070250		Handrim accessories Handrim cover, rubber (only 24")	90					
		WHEEL CAMBER (choose only one option)						
XES070600	0	0°						
	0	2° (not with Centre of Gravity Adapter, lightweight)						
XES070602	^	4° (not with Centre of Gravity Adapter, lightweight)						
XES070602 XES070604	0	(not man control of charty haspton, iightnoight)						
	U	SPOKE GUARDS (only 24")						
	0	(122					
XES070604		SPOKE GUARDS (only 24")	122 122					
XES070604 XES070831		SPOKE GUARDS (only 24") Transparent						
XES070604 XES070831 XES070826		SPOKE GUARDS (only 24") Transparent Rotation XES070815 □ Graphik XES070804 □ Bibbo	122					
XES070604 XES070831 XES070826 XES070810		SPOKE GUARDS (only 24") Transparent Rotation XES070815 □ Graphik XES070804 □ Bibbo Fantasy XES070813 □ Galactica XES070805 □ Cheese	122 122					
XES070604 XES070831 XES070826 XES070810 XES070823		SPOKE GUARDS (only 24") Transparent Rotation XES070815 □ Graphik XES070804 □ Bibbo Fantasy XES070813 □ Galactica XES070805 □ Cheese Princess XES070808 □ Dancing Bear XES070818 □ Jungle Fever	122 122 122					
XES070604 XES070831 XES070826 XES070810 XES070823 XES070816		SPOKE GUARDS (only 24") Transparent Rotation XES070815 □ Graphik XES070804 □ Bibbo Fantasy XES070813 □ Galactica XES070805 □ Cheese Princess XES070808 □ Dancing Bear XES070818 □ Jungle Fever Happy Lions XES070832 □ Water World XES070825 □ Randolf	122 122 122 122					
XES070604 XES070831 XES070826 XES070810 XES070823 XES070816 XES070819		SPOKE GUARDS (only 24") Transparent Rotation XES070815 □ Graphik XES070804 □ Bibbo Fantasy XES070813 □ Galactica XES070805 □ Cheese Princess XES070808 □ Dancing Bear XES070818 □ Jungle Fever Happy Lions XES070832 □ Water World XES070825 □ Randolf Monkeys XES070821 □ Pirates XES070811 □ Feather	122 122 122 122 122					
XES070604 XES070831 XES070826 XES070810 XES070823 XES070816 XES070819 XES070820		SPOKE GUARDS (only 24") Transparent Rotation XES070815 □ Graphik XES070804 □ Bibbo Fantasy XES070813 □ Galactica XES070805 □ Cheese Princess XES070808 □ Dancing Bear XES070818 □ Jungle Fever Happy Lions XES070832 □ Water World XES070825 □ Randolf Monkeys XES070821 □ Pirates XES070811 □ Feather Oriental XES070824 □ Racing XES070809 □ Dirt Race	122 122 122 122 122 122					
XES070604 XES070831 XES070826 XES070810 XES070823 XES070816 XES070819 XES070820 XES070829		SPOKE GUARDS (only 24") Transparent Rotation XES070815 □ Graphik XES070804 □ Bibbo Fantasy XES070813 □ Galactica XES070805 □ Cheese Princess XES070808 □ Dancing Bear XES070818 □ Jungle Fever Happy Lions XES070832 □ Water World XES070825 □ Randolf Monkeys XES070821 □ Pirates XES070811 □ Feather Oriental XES070824 □ Racing XES070809 □ Dirt Race Superhero XES070814 □ Graffiti XES070806 □ Chrome	122 122 122 122 122 122 122 122					
XES070604 XES070831 XES070826 XES070810 XES070823 XES070816 XES070819 XES070820 XES070829 XES070817		SPOKE GUARDS (only 24") Transparent Rotation XES070815 □ Graphik XES070804 □ Bibbo Fantasy XES070813 □ Galactica XES070805 □ Cheese Princess XES070808 □ Dancing Bear XES070818 □ Jungle Fever Happy Lions XES070832 □ Water World XES070825 □ Randolf Monkeys XES070821 □ Pirates XES070811 □ Feather Oriental XES070824 □ Racing XES070809 □ Dirt Race Superhero XES070814 □ Graffiti XES070806 □ Chrome Hot Wheels XES070802 □ Basketball XES070803 □ Basketball 2	122 122 122 122 122 122 122 122 122					

⁽¹⁰⁾ only with Adapter, standard and only with 0° & 4° camber; not with push handles, fold down & not without push handles.

⁽¹¹⁾ not with Rear wheels Spinergy/ Mountainbike/ drum brakes

										£
		WHEEL LO						(choo	se only one	option)
XES060001 C		Standard bra						(Stand	lard option)	
XES060002] k	Knee-lever b	rake							56
XES060010		□ Brake	lever exte	ension, kne	e-lever bra	ke, fold-down				38
XES060003] (Compact bra	ke							58
		1005000	DIEG							
VE000000		ACCESSO	RIES							
XES090000		Tool kit								15
XES090024		Air pump High pressur	a numn (0 - 11 har)						73
XES090020		Net bag	c pamp (o ii baij						22
XES090030		Back pack								59
XES090019		Caddy, flip-u	p bracket	for bags		(not with platforn	n footplates hi	ghmounted or a	uto-folding)	59
XES090026		Mobile phone				· · · · · · · · · · · · · · · · · · ·			3,	44
			<u> </u>							
	(COLOURS	S ⁽¹²⁾ P	lease cons	ult our cold	our catalogue to review your c	olour choic	e		
		Eromo	Handrim	n Hub/rim	X-brace		Frama	Handrim	Hub/rim	X-brace
		riame	£60	£171	£171		Frame	£60	£171	£171
01 White RAL 9010		0				26 Silver Texture	0			
02 Brilliant Silver		0					0			
03 Silver Matt		0				27 Graphitemetallic 28 Platinmetallic	0			
04 Silver		0				29 Black	0			
06 Sun Yellow		0				31 Matt Black	0			
07 Brilliant Lime		0				32 Signal White	0			
08 Matt Lime		0				33 Pink	0			
14 Blue		0				34 Dark Chocolate Metallic	0			
15 Brilliant Marine		0				35 Skyblue	0			
16 Matt Marine		0				36 Cyan-Metallic	0			
19 Brilliant Purple		0				37 Marsred (Orange)	0			
20 Matt Purple		0				39 Cappuccino	0			
21 Red Ruby		0				40 Kiwi	0			
22 Brilliant Red		0				41 Flamingo-Glitter	0			
23 Matt Red		0				42 Matt-Anthracite	0			
24 Tutti Frutti Orange		0				43 Azure Blue	0			
						Rear wheel, lightweight ano	dized, oran	ge		(13)
						Rear wheel, lightweight ano	dized, blue			(13)
						Rear wheel, lightweight ano	dized, red			(13)
CC	א וכ	IIRS - for	etickare ("Xenon2" o	n the frame	e and "Quickie" on sideguard)				
	ick (Stickers (ACTION 0	ii tiic iiaiiic	and Quickle on sideguard)				1 -
XES100551 O silv		•								-
XES100552 O ora	ange	1								-
XES100553 O red	ł									-
XES100554 O blu	ie									-
										ı
(12) Handrim: only with h		•		•		heel				
(13) only with 24" Lightwe	Jigitt	TTIOGI, I IUD AIIG	ariUulZ	оч, ыаык эрОі	100					
Comments for sp	peci	ial build -	please ap	oply for a q	uote; lead t	ime conditions may change.				
							, i	ا العران		
							Ĺ	ouilt		ne
										lii.
QUICKIE XENO	N ²	SA base r	orice				£2,600			
Option price	'						£			
Total Price (Not	Includ	ing 5% Surcharge)					£			

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 1 - 2 cm altogether)

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

b) On the wheelchair:

a) For the user: When sitting with 90° knee angle:

From back of knee to bottom of shoe sole. From front of seat tube to the ground.

(min. 3cm longer than user measurement) Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 11 cm

Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower

shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably

Back angle: Important: The back height depends on the degree of disability.

 0° is the angle 90° to the ground. Negative angles are < 90°

and positive angles are >90°.

Technical Data Overview:

Max. overall height:101 cmMax. overall length:115 cmMax. turning circle:72 cmMax. safe slope:10°

Wheelchair weight: from 10.3 kg
Dismantled weight: from 7.8 kg
Weight of heaviest part: 2.1 kg

Max. overall width: Camber 24" rear wheel 25" rear wheel

For 0° camber: SW + 16 cm SW + 16 cm For 2° camber: SW + 21 cm SW + 22 cm For 4° camber: SW + 26 cm SW + 27 cm

Product is crash tested according to ISO 7176-19 and therefore approved for transportation in a vehicle.

in combination with XES090100 (Tie down brackets for transportation)

For transport without a user the wheelchair must be safe clamped in the vehicle.

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm



XES 020002 Seat sling with 1 utility bag



XES 020003 Seat sling with utility bags



XES 030316 EXO backrest sling



XES 030317 EXO PRO backrest sling



XES 030201 Push handles long



XES 030203 Push handles, fold-down



XES 030204 Push handles , height-adjustable



XES 090018 Lap belt with buckle, metal

Folding-Matrix for XES 030031 Backrest, fold-down to the front.

Seat width

Back height



	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38		✓	✓	✓	✓	✓	✓
40			✓	✓	✓	✓	✓
42				✓	✓	✓	✓
44				✓	✓	✓	✓
46					✓	✓	✓
48						✓	✓
50							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down push handles




=can't be folded full 90° to the front on folded chair




=will fold less than 45° to the front on folded chair, folds 90° on unfolded

JAY J3 backs





Shallow Contour



Mid Contour



XES040107 Composite sideguard detachable



XES040102 Aluminium, cold weather protection



XES040103 Aluminium, cold weather protection, fender



XES040117 Tubular armrest, swing away, removable, padded



XES04000x Desk sideguard, armpad, flip-up, removable



XES040104 Carbon fibre, cold weather protection, fender



XES050132 Footboard platform, lightweight, carbon fibre



XES050059 Footboard platform, performance



XES050022 Footboard divided, aluminium, frame colour



XES050127 Adjustable side protection



XES090001 Tip assist



XES090004 Anti-tip tubes, swing away



XES090050 Anti-tip tubes, plug in, pair



XES090010 Transit wheels

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

				Seat Depth			
COG	380	400	420	440	460	480	500
40	×	×	×	~	~	~	~
60	×	×	×	×	~	~	~
70	×	×	×	×	~	~	~
80	×	×	×	×	×	~	~
90	×	×	×	×	×	>	~
100	×	×	×	×	×	×	~
110	×	×	×	×	×	×	>
120	×	×	×	X	X	×	×
130	×	×	×	×	×	×	×



XES070001 Universal wheel



XES070002 Design wheel



XES070003 Lightweight wheel



XES070004 Proton wheel



XES070010 Mountainbike wheel



XES070101 Schwalbe Right Run



XES070106 Schwalbe Down Town



XES070107 Schwalbe One



XES070104 Schwalbe Marathon Plus Evolution



XES070102 Tyre, puncture proof



XES070202 Handrims aluminum, anodized



XES070203 Handrims aluminum, powder coated, coloured



XES070208 Handrims Maxgrepp



XES070212 Handrims Ellipse 3R



XES060001 Standard brake



XES060002 Knee lever brake



XES060003 Compact brake



XES090000 Tool kit



XES090024 High pressure pump



XES090025 Air pump



XES090030 Back pack



XES090019 Caddy, flip-up bracket for bags



XES090026 Mobile phone pocket